

**West Virginia Department of  
Health & Human Resources  
Berkeley County Health  
Department**



**FOOD ESTABLISHMENT INSPECTION REPORT**

| <b>Establishment Information</b>   |   |                          |
|--|---|--------------------------|
| Facility Name<br>Flam3z "Fi Wi Spot" Event & Jerk<br>Center Restaurant LLC | Facility Type<br>Food Service Establishment |                          |
| Licensee Name<br>Flam3z "Fi Wi Spot" Event & Jerk<br>Center Restaurant LLC | Facility Telephone #<br>304                 |                          |
| Facility Address<br>796 Foxcroft Ave<br>Martinsburg, WV                    | Licensee Address<br>,                       |                          |
| <b>Inspection Information</b>  |   |                          |
| Inspection Type<br>Routine   | Inspection Date<br>January 25, 2019         | Total Time Spent<br>0.50 |

| <b>Equipment Temperatures</b>        |                          |
|--------------------------------------|--------------------------|
| Description                          | Temperature (Fahrenheit) |
| Frigidaire Refrigerator<br>Coca-Cola |                          |

| <b>Warewashing Info</b> |                     |              |     |                |                |
|-------------------------|---------------------|--------------|-----|----------------|----------------|
| Machine Name            | Sanitization Method | Thermo Label | PPM | Sanitizer Name | Sanitizer Type |
| 3-Bay<br>Sink           | Chemical            |              |     |                |                |

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

| <b>Observed Critical Violations</b>   |
|---|
| <b>Total # 1</b><br><b>Repeated # 1</b><br><br><b>3-302.11 - PACKAGED AND UNPACKAGED FOOD - SEPARATION, PACKAGING, AND SEGREGATION</b><br><b>This is a critical violation</b><br><b>REPEAT OBSERVATION (CORRECTED DURING INSPECTION):</b> Eggs stored above ready to eat foods in Frigidaire refrigerator |

| <b>Observed Non-Critical Violations</b> |
|---|
| <b>Total # 1</b><br><b>Repeated # 1</b> |

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

REPEAT OBSERVATION Holes under women's bathroom sink/screw holes in men's bathroom stall need sealed/repaired (plumber needs to do work) Will sealed once work is completed.

**Inspection Outcome**

**Comments**

Establishment may re-open at this time. Permit given to operate.

Disclaimer

Person in Charge



**Veronica Williams**

Sanitarian



**Keith Allison**