


AROUND THE WORLD "ITS"



WITH THE
RECORD PERFORMING

PRO MEDALIST

THE WORLD'S MOST ACCURATE BOW



ARCHERY CO.

11510 NATURAL BRIDGE
BRIDGETON, MO. 63042



PHONE - (314) 739-1171

"Where Craftsmanship Is a Creed"

THE HOYT Pro Medalist BOW

— THE WORLD'S MOST ACCURATE—MOST ACCLAIMED BOW —

- Fantastic Performance • Consistency • Incomparable •

With the Amazing
Detachable Torque

(Stabilizers)...

Featuring
Hoyt Patented:

*THUMB-REST
PISTOL GRIP

*ADJUSTABLE
MICRO-REST
ARROW SHELF

*FULLY
DYNAMICALLY-
BALANCED LIMBS

*DETACHABLE TORQUE STABILIZERS

•T.F.C. TORQUE FLIGHT
COMPENSATORS

*ARROW-HOLDING, NON-
INTERFERING PRO REST

- America's most luxurious bow — engineered with a NEW dimension of proven performance and accuracy!

- NEW! Torq-tube stabilizers for better weight distribution
- NEW! Modular weights gives flexibility in choice of weights and extension length

- NEW! Improved action T.F.C. Torque-Flight Compensators

- NEW! Action cores for greater limb stability
- NEW! Sight window cut 1/4" past center
- NEW! Backing stress member continuous through handle for greater strength

- NEW! More functional handle design
- The PRO MEDALIST offers TRUE, integrally designed Torque Stabilizers embodying the sound principals of applied engineering

- Torque Stabilizers and the Torque-Flight Compensators substantially increase the mass moment of inertia about the various axis of rotation of bow and bow arm to contribute to an amazing gain in smooth, balanced, and fully-controlled shooting accuracy

- New sculptured and faceted design has been improved and refined to combine functional beauty and practical styling that says simply . . . elegance!

- HOYT Micro Rest — an adjustable arrow rest that lets you dial the exact degree of center shot best suited to your technique

"THE"
RECORD
HOLDER

TTW-2
CAP
2-1/2 oz.

TTW-1
STANDARD
2-1/4 oz.

TTW-3
HALF WGT.
1-1/8 oz.

MODULAR
WEIGHTS
each
\$2.00

TTM
TORQ-TUBE RODS
1"-3 1/2"-5"-6"-7"-8"-9"-10"
each \$2.00

| DELUXE OPTIONS | |
|--|---------|
| D01 Dark Rosewood Handle.....extra | \$15.00 |
| D02 Dark Rosewood Handle with White Formica lamination.....extra | \$30.00 |
| D03 Blond Wood Handle.....extra | \$10.00 |
| D04 Blond Wood Handle with Black Formica lamination.....extra | \$25.00 |
| D05 Static Counter Balance; bushing only, installed on face side of handle.....extra | \$ 2.50 |
| D06 Static Counter Balance; weight only, installed as in D05.....extra | \$ 6.75 |
| D07 Static Counter Balance; 2" stabilizer with weight, installed as in D05.....extra | \$ 8.75 |
| D08 Static Counter Balance; Torque Flight Compensator 2" stabilizer with weight, installed as in D05.....extra | \$19.25 |
| D09 Special Handle shapes, high wrist, etc. sketch and dimensions must be furnished.....extra | \$ 5.00 |

PRO MEDALIST BOW \$169.50

Lengths: amo 62", 66", 69"
Weights to 55 lbs. at 28"

With custom-styled case which holds stabilizers and extra strings

Bracing Height
62"—7 3/4" to 8 3/4"
66"—8 1/4" to 9 1/4"
69"—8 1/2" to 9 1/2"

with
TFC
Torque-Flight
Compensators
\$189.00

TFC only
\$22.50 pr.



Where Craftsmanship is a Creed!

THE HOYT Pro Custom BOW


— WITH A "NEW LOOK" HANDLE — SYNCHRONIZED BOW LIMBS* —
AND — ADJUSTABLE TORQ-TUBE STABILIZER+ (OPTIONAL)—

- A Classic In Artistry • Improved Accuracy •

with Patented

Dyna-Poise Bow

Limbs*



- A tournament bow of the highest order
- Now stabilized for even greater accuracy!
- An exciting new design that has a standard of excellence unsurpassed by bows of its class

- Its highly stylized, flowing lines are enhanced and accentuated by the exotic beauty of the "blonde" handle with Bubinga stripes and stylized with a Bubinga overlay on the back of the handle — brought to a peak of perfection through a beautiful finish, hand rubbed to a lustrous sheen

- Blondes have more fun — so have more fun with this "Blonde Beauty"
- The PRO CUSTOM is a showpiece that will be admired anytime, anywhere
- The new improved handle design gives greater heft and balance for improved stabilizing effect . . . greater accuracy . . . smoother arrow passage

- All PRO CUSTOM bows are equipped with built-in bushing to accommodate your choices of HOYT TORQ-TUBE+ stabilizers—don't forget to include the new T.F.C. torque-flight-compensator.

- The redesigned grip portion features the now famous Hoyt *Pistol Grip with Thumb Rest that "molds" the hand comfortably and consistently into position . . . eliminating one of the causes of inaccurate shooting

- Full center shot 8-3/8" sight window
- Synchronized limb action, another Hoyt exclusive, results from the dynamically balanced bow limbs*, a further assurance of greater accuracy

- For artistic beauty and performance superiority, the PRO CUSTOM offers a pride of ownership found only in a classic

PRO CUSTOM BOW

\$120.00

Length: amo 66"
Weights: to 55 lbs. at 28"
Glass Color: White
Average Bracing Height:
8" to 9"

*Pat. No. 2,995,130
*Pat. No. 3,196,860
*Pat. No. 3,412,725

SINGLE-ROD TORQ-TUBE STABILIZER+ Optional
— COMPLETE WITH WEIGHT (BALL) —

TTT -Torque tube telescoping (adjustable) model..... \$22.50
TTS -Torque tube standard (non-adjustable) model..... \$14.50
EXTRA
BALL -1-1/8" and 1-1/4" \$2.25 ea. 1-3/8" and 1-1/2" \$2.75 ea.



Where Craftsmanship is a Creed!

THE HOYT Pro Medalist BOW "SUPER HUNTER"


— THE BOW HUNTER'S "DREAM BOW" NOW A REALITY —

- Power • Stamina • Speed • Steadiness • Accuracy •

With the Fantastic
Detachable Torque

Stabilizers⁺...

- NOW AVAILABLE •
- T.F.C. TORQUE FLIGHT COMPENSATORS IN DULL BLACK FINISH



- For the first time—built-in, controlled accuracy in a hunting bow
- Torque stabilization gives the bowhunter the extra crucial "something" for that one and maybe only chance at his "game"
- Weight plus leverage offer a resistance to movement that spells A-C-C-U-R-A-C-Y with a capital "A"
- The soft, smooth draw of power!
- Stabilizers steady the hunters bow arm for better control of the shot — the well-balanced feel
- Stabilizers do not offer any impediment in the brush as the nocked arrow projects far beyond the torq-tube and ball
- Camouflaged with dark olive green glass
- Equipped with special black-plated, non-reflective stabilizers with the T.F.C.^o as an optional additive at \$19.50
- Equipped with famous Hoyt[★] "Pro" rest with the non-interfering magic retaining finger to hold arrow in place
- Also has the square arrow shelf in the riser for those who prefer to use a quiet shelf rest of feathers, mohair etc.
- Man-size Hoyt [★]Pistol Grip gives you the "feel of mastery" of the "weapon" you are depending upon to bring "Home the Bacon" (or venison etc.)

PRO MEDALIST SUPER HUNTER \$159.50

WITH DELUXE BOW CASE

- *Pat. No. 2,995,130
- ★Pat. No. 3,292,607
- +Pat. No. 3,196,860
- oPat. No. 3,412,725

Length—amo 62"
Wgt. to 70# at 28"
Glass Color—dark olive green
Average Bracing Height:
7³/₄" to 8³/₄"
Choice of:
2 or 3¹/₂" torq-tubes
1-1/4" or 1-3/8" balls
dull black finish




Where Craftsmanship is a Creed!

THE HOYT Pro Hunter BOW

— WITH A NEW, LARGER HANDLE SECTION OF EXOTIC ANGICO —

- Power • Accuracy • Durability • Dependability •
- NEW DYNAMICALLY BALANCED LIMBS GIVE A PERFORMANCE OF EXCELLENCE NEVER FOUND IN SHORT HUNTING BOWS

A Bowhunter's
Hunting Bow!



- The attributes of this fine weapon are the combined results of actual field experiences of many successful bow hunters.
- The PRO HUNTER'S optimum length of 58" is neither too short for excessive finger pinch nor too long for tight spots in the blind or tree stand.
- The fiberglass tensioning member on the back runs continuous through the handle to insure maximum ruggedness and durability
- Engineered to produce excellent cast with heavy hunting arrows, yet very smooth shooting
- Perfectly balanced, synchronized low stressed bow limb design insures a longer life of accurate shooting. Now with more deflex
- The draw is smooth, non-stacking complemented by a soft recoil action
- The handle of the PRO HUNTER is a full Hoyt [★]Pistol Grip with the thumb rest feature for better hand placement and comfortable grip
- Exotic imported Shedua or Angico riser for both strength and beauty, hand rubbed to a satin smooth finish
- The PRO HUNTER is fitted with a Pro Rest[★] featuring the magic flinger arrow retainer, flexible noninterfering arrow shelf and shock absorbing pressure plate — a combination of features that spells a-c-c-u-r-a-c-y . . . a bow hunter's must
- Square shelf for the bowhunter who prefers a horizontal feather or quiet rest and beveled-edge for feather clearance
- Full center shot 5¹/₂" sight window for the free-style hunters

PRO HUNTER BOW \$62.50

- *Pat. No. 2,995,130
- ★Pat. No. 3,292,607

Length: amo 58"
Weights: to 70 lbs. at 28"
Average Bracing Height:
7¹/₂" to 8¹/₂"
Glass Color: Olive Green




Where Craftsmanship is a Creed!

THE HOYT Xpert BOW

— THE VERSATILE ALL AROUND TARGET — FIELD — HUNTING BOW —

- High Performance ● Moderate Price ●

*Functional Beauty
with Hoyt Quality and Performance.*



- A value packed performer!
- Made with the same exclusive design and precision shooting accuracy as the famed Hoyt Pro Bows
- The XPERT has functional beauty . . . ranging from its rich South American Shedua handle to its graceful, full acting recurves with overlay bow nocks
- There's top quality, too, in the XPERTS performance . . . its smooth draw and soft recoil action
- The XPERT Bow is the ideal bow for the experienced archer who demands competitive quality, or for the beginner who is truly interested in becoming a fine archer!
- Full 6-3/8" center-shot sight window for the target archer or free-style bowhunter
- Now incorporates the Hoyt thumb rest in the graceful semi pistol grip handle
- Comes equipped with the Hoyt Flex Rest for greater accuracy
- Square arrow shelf is beveled for feather clearance and will accommodate the bowhunters quiet rest or vertical feathers

XPERT BOW
\$45.00

Length: amo 63"
Weights: to 60 lbs. at 28"
Average Bracing Height:
7 1/2" to 8 1/2"
Glass Color:
White Back
Black Face




Where Craftsmanship is a Creed!

THE HOYT Scout BOW

— FULL PERFORMANCE — PRACTICAL — FOR THE NEO-ARCHER —

- High Quality ● Popular Price ●

A Precision Bow For the Beginner ...



- Built with Hoyt outstanding quality features
- Hoyt performance at a modest price
- A highly versatile bow . . . right at home on the range or in the field
- A very versatile length, too . . . 64" . . . handles the short or the long draw most capably
- Full length 6" sighting window and full working recurves makes the SCOUT a popular choice at a popular price
- Comfortable hand-hugging grip carved from the hard rock-maple blonde riser
- Just the bow to start the beginner on the road to the skillful shooting of the champion
- Ideal for school Archery programs as the SCOUT is a rugged, long-lasting performer
- A versatile bow which can also be used by the bowhunting novice
- Square arrow shelf adapts to bowhunters' choice of quiet rests or feather rests
- Oh yes, there's the new improved Flex Rest installed, also for more accurate performance and increased scoring
- True, the SCOUT has top quality — in the usual Hoyt manner

SCOUT BOW
\$32.95

Length: amo 64"
Weights: 20 to 50 lbs. at 28"
Average Bracing Height:
7 1/2" to 8 1/2"
Glass Color: Assorted



Where Craftsmanship is a Creed!



PRO-TAB \$1.75

- Highly functional friction pull finger loop adjusts instantly, comfortably and securely to the hand
- Adjusts for use over glove for bow hunting in cold weather
- Permits a smooth release
- Suede leather backing
- Requires no break-in

T100—CORDOVAN
T101—HAIR CALF
T102—CORFAM

SM. - MED. - LG.
RIGHT - LEFT




T200 — ELASTI-TAB \$1.25

- Permits a perfect release
- Requires no break-in
- Greater comfort and finger protection
- Comfortable elastic finger loop
- Corfam tab with a cushion of felt that absorbs perspiration
- Soft, smooth-plastic requires no powder and is impervious to moisture



SM. - MED. - LG.
RIGHT - LEFT



CRYSTAL COOL ARM GUARD \$2.75



- For real comfort
- 7" long
- Plexiglass with unique plastic-stretch straps
- Transparent



TRI-HELI-FLETCH FAST — EASY — ULTRA PRECISION



Sensational versatility of the TRI-HELI-FLETCH offers exclusive features that assure performance found in no other fletcher:

- Equivalent of 3 single feather type fletchers.
- Fletches straight or true helical spiral.
- Fletches 3 vanes at once or 4 vanes (60° x 120°) and 6 vanes in two stage operation
- Complete with one set of clamps.
- Automatic centering devices and smooth operating clamps and guides.
- Positive, friction slide clamp guides.
- All steel, plated construction.

3 MODELS — (PLEASE SPECIFY)
STRAIGHT — LEFT SPIRAL — RIGHT SPIRAL
EXTRA CLAMPS (SPECIFY) — \$3.95 PER SET
\$18.95

Pat. No. 2,836,208



PRO-TECTO-TIP

- Light weight plastic
- Holds string loop securely in place
- Molded contour hugs string groove
- Sure grip
- Protects bow tip
- Neat appearance

50c each

2 sizes:
standard (red)
large (blue)



MAGNUM SMALL GAME POINT

Pat. No. 2,905,470

- New and improved for greater shocking power and non-skid performance.

\$2.50 Pkg. 6

- Now with conic point to insure puncture action and 5/8" flat face to create maximum shock.
- Point is case hardened for greater strength and plated against rusting.
- Standard 5° taper fits both 5/16" and 11/32" shaft — weight 125 gr.



(pat. no. 3,412,725)

TFC

— NEW — IMPROVED —

— TORQUE FLIGHT COMPENSATOR —

— A COUPLING TO MODIFY STABILIZING ACTION —

- The TORQUE FLIGHT COMPENSATOR is a coupling device which, when used in conjunction with an inertial stabilizer, results in substantially improving bow performance and accuracy
- The benefits derived are manifold and the NEW IMPROVED TORQUE FLIGHT COMPENSATOR has an infinitely greater sensitivity to all functional requirements over the entire range of needs
- The NEW TORQUE FLIGHT COMPENSATOR has a built-in tunable range, from light action (for short, lightweight stabilizers) to heavy action (for long single rod stabilizers)

TFC-1 Single Unit.....\$12.50

— TORQUE FLIGHT COMPENSATOR —

TFC-2.....pair \$22.50

- The TFC (TORQUE FLIGHT COMPENSATOR) permits, in effect, a controlled yielding action of the stabilizer to occur immediately following the release
- Which, in turn, allows a free and natural movement of the bow and bow arm away from the arrow. (This is due to the lateral forces activated by the action of the bow).
- Interference free arrow passage results, even for plastic vanes
- Further, muscle tremors translated to the bow handle are dampened out nearly 100% by the NEW TFC, providing a very stable platform for the arrow and minimal sight movement or oscillation for finer aiming
- Also, recoil vibrations of bow limb and bow string are quickly and quietly smoothed out
- A substantial increase in shooting accuracy is thus achieved through the use of the TFC

| | | | | | |
|--|----------------|------|-------------------------|--|-----|
| TFC-3 Replaceable Shock Absorber Washer..... | each | .40 | TFC-5 Allen Wrench..... | each | .15 |
| TFC-4 Allen Set Screw..... | each | .15 | TFC-6 Flat Wrench..... | each | .50 |
| TTA Stabilizer Adaptor | 5/16-24 thread | each | \$1.35 | → For use on bow not equipped with a standard 1/4-20 bushing | |



SINGLE-ROD TORQ-TUBE STABILIZER

(pat. no. 3,196,860)

TTT



ADJUSTABLE (TELESCOPING)

TTS



STANDARD

- Exclusively drawn for Hoyt by Easton in X7 high tensil aluminum alloy
- Only thin wall tubular construction can offer maximum inertial stability because the light mass of the tube permits the use of a substantially longer length and/or heavier weight than a conventional solid rod or heavy wall tube stabilizer

(INERTIAL STABILITY INCREASES BY THE SQUARE OF THE DISTANCE)

— 2 MODELS — complete with weight (ball) —

ADJUSTABLE—TTT (Torq-Tube Telescoping) with case\$22.50

- Micro-fitting telescoping tubes with a unique specially developed locking device (pat. pending) that locks internally by a simple quarter turn
- Adjustable (19" to 34") in length to personal "tuning" by experimentation

STANDARD—TTS (Non-Adjustable) 1/2" or 7/16" O.D.\$14.50

- Mens 1/2" diameter tube is 30" long
 - Ladies 7/16" diameter tube is 28" long
- Can Be Shortened If Desired

— FOR THAT EXTRA MARGIN OF PERFECTION, USE A TFC WITH YOUR TORQ-TUBE —

EXTRA WEIGHTS (BALLS)

1-1/8" — 1-1/4" ea. \$2.25
1-3/8" — 1-1/2" ea. 2.75

TTB — Stabilizer Bow Mount Bushing

Chromed (for installing in bow without bushing) 1/4-20ea. \$1.50



HOYT ADJUSTABLE MICRO-REST \$7.50

- The exclusive patented adjustable rest that lets you "dial" the exact degree of center shot best suited to your technique
- Now available to the "do-it-yourself" home craftsman
- Large, flat arrow rest plate upon which the pressure-sensitive arrow rest of your choice is mounted



MICRO-REST PARTS

MR-2 Bushing..... 1.85
MR-3 Adjusting Knob and Screw... 2.00
MR-4 Drive Sleeve and Mount 2.25
MR-5 Stainless steel arrow plate, R. or L. ea. .50
MR-6 Arrow plate with 1/4" off-set fore or aft. R. or L. ea. .50
MR-7 Spring ea. .30

MR-8 Nylon Washer..... ea. .05
MR-540S Set screw for adjusting knob ea. .15
MR-1/16" Wrench for MR-540S..... ea. .15
MR-540F Flat head set screw for plate ea. .15
MR-5/64" Wrench for MR-540Fea. .15

CROSBY ROTO LENS 300

— THE ULTIMATE BOW SIGHT —




- The ROTO LENS 300 accomplishes a greater clarity of the sight and sight picture without the use of an extension (which magnifies sight vibration)
- The ROTO LENS 300 lens magnification, which in effect also magnifies bow arm motion, helps you develop a steady, more stable bow arm thus increases your sighting accuracy and score
- ROTO LENS 300 is suited for all rounds—indoor or outdoor—especially the animal round because of the wide field of vision or whenever light conditions are poor
- Rotatable (pivotal) aperture lens mechanism always assures perfect eye alignment—line of site is automatically perpendicular to sight aperture at all distances—eliminates detrimental prismatic effects
- Thus a better non-distorted image and subsequent tru-view of the target
- Lens magnification allows finer aiming on center of target
- Light gathering ability of lens permits better sighting under poor light conditions • Adaptable to most forms of apertures
- Hooded lens also permits finer aiming in over-bright light
- Greater clarity of target especially at long ranges
- Rugged • Anodized aluminum slide bar and aperture assembly
- Elevation compensator that permits exact settings on established sight markings at all times • Precision machined
- Positive locking for both windage and elevation with friction control of all moving parts when not locked • Micro-windage adjustment
- Adaptable to left or right hand — back or face of bow
- Addition of a string peep aids in aiming and developing a positive anchor



\$29.95

THE

"LINE-O-SITE"



- ANODIZED ALUMINUM SLIDE BAR
- CEMENTS TO BOW WITHOUT SCREWS OR TAPE
- POSITIVE FRICTION ADJUSTMENT
- DIRECTIONS AND GLUE INCLUDED

DEFLECTION TABLE FOR PRISM SELECTION

| Prism | Deflection |
|-------|------------------|
| 2° | 5/16" Horizontal |
| 4° | 1 1/8" Vertical |
| 8° | 1 3/8" Vertical |
| 12° | 2 1/8" Vertical |
| 24° | 4 1/4" Vertical |

Complete with sight or one lens, mount, slide bar and cement.
MODELS
 LS-1 Line-O-Site—One prism lens—state degree *.....\$3.25
 LS-2 Line-O-Site—Plain lens 2.75
 LS-3 Line-O-Site—Post sight 1.95
 LS-4 Line-O-Site—Peep sight 1.95

EXTRA PARTS

| | |
|---|-----------|
| LP-5 *Prism Lens, mounted in Lens Frame | \$2.00 |
| * (Specify 2°, 4°, 8°, 12°) | |
| LP-6 Plain Lens, mounted in Lens Frame | 1.50 |
| LP-7 Post Sight | .50 |
| LP-8 Peep Sight | .50 |
| LP-11 Friction Sight Mount | .50 |
| LP-12 Slide Bar | 1.00 |
| LP-13 Tube Cover | 2 for .05 |

THE PRO-SITE



The Ultimate bow sight featuring -

- ELEVATION COMPENSATOR — an adjustment that permits exact settings at all times on the established sight markings
- MICRO WINDAGE ADJUSTMENT — special adjusting screw and yoke block allows minute and controlled adjustments
- POSITIVE LOCKING — for both windage and elevation with friction control of all moving parts when not locked
- COMPLETE APERTURE SELECTION — versatile aperture slide assembly accepts wide variety of sight apertures — see listing —
- ANODIZED ALUMINUM SLIDE BAR AND APERTURE SLIDE ASSEMBLY — precision machined — rugged design

— MODELS —

PS-100 PRO-SITE — Deluxe \$12.50
 Includes sight bar, aperture slide assembly, elevation compensator, and micro windage adjustment plus aperture cost

— APERTURES —

| | |
|--|--------|
| AP-1 — PRISM LENS IN FRAME 2°, 4°, 8°, 12° | \$2.00 |
| AP-1A — PRISM LENS IN FRAME 24° FOR CLOUT SHOOTING | 3.50 |
| AP-2 — PLAIN LENS IN FRAME | 1.50 |
| AP-3 — POST SIGHT | .50 |
| AP-4 — PEEP SIGHT | .50 |
| AP-5 — HOODED POST SIGHT IN FRAME | |
| BLACK OR FLUORESCENT DOT | 1.50 |
| AP-6 — PIN SIGHT, SCREW TYPE | .75 |

— EXTRA PARTS —

| | | | |
|---|--------|--|--------|
| PP-10 SIGHT SLIDE BAR | \$3.75 | PP-14 ELEVATION LOCKING NUT, SPRING AND WASHER | \$1.65 |
| PP-11 APERTURE SLIDE ASSEMBLY | 4.50 | PP-15 ELEVATION COMPENSATOR NUT | .25 |
| PP-11A APERTURE SLIDE ASSEMBLY WITH ELEVATION COMPENSATOR | 6.00 | PP-16 ELEVATION COMPENSATOR POINTER | .40 |
| PP-12 YOKE BLOCK AND ADJUSTING SCREW (WINDAGE) | 3.00 | PP-17 LENS FRAME | .50 |
| PP-13 NYLON WINDAGE LOCKING SCREW | .45 | PP-18 YARDAGE MARKING TAPE (SET 3) | .25 |
| | | PP-19 TUBE COVER | 2/.05 |

PS-100
DELUXE
\$12.50

"PRO" REST \$1.00



Pat. No. 3,292,607



Specify - right or left hand

- Ideal for windy weather — bowhunting — beginners — absolutely non-interfering
- FLEXIBLE SHELF — permits interference-free escapement of arrow due to spring-like action which moves out of the way as arrow passes.
- Over-all accuracy is substantially increased • Self adhesive for positive, easy mounting
- PRESSURE PLATE — for controlled spine action and positive clearance of vanes or feathers.
- Cushioned action serves as a shock absorber and prevents arrow bounce.
- MAGIC RETAINING FINGER — prevents arrow from falling off rest.

"FLEX" REST 50c



- New advanced design increases accuracy.
- Ideal for either feathers or plastic vanes.
- Interference free arrow shelf of special "spring" plastic.
- No tools or cement needed. • Does not harm finish.
- Self-mounting posi-stik adhesive for secure and positive attachment • Specify right or left hand

HOYT DRAW-CHEK

75c



- To refine technique use a draw-chek
- Insures a constant draw and increased control
- Makes for more deliberate aiming
- Rubber finger is non-interfering
- Self mounting without screws • Instructions included
- As a shooting-aid to higher scores — make the DRAW-CHEK a permanent part of your shooting system

HOYT KLICKER

\$1.25



- One of the greatest shooting aids ever devised
- Psychologically suited to curing freezing habits
- Spring clicks audibly at full draw
- Chrome plated spring steel klicker with leather tab
- Self mounting — requires no screws
- Full instructions included
- Improves technique through developing better control, increased concentration and positive aiming
- Try the KLICKER to regain confidence once again in your shooting

Bureau 250

Holden - Flathead 325
Tapering look 500
Shifter - 175 dy
Cresting 120 dz



ARROWS

TARGET - HUNTING - FIELD

HOYT - EASTON ALUMINUM

24SRT-X Precision helical fletched for greater accuracy, in white or dyed feathers. Plasti-fletch available on special order at no extra charge. Choice of Speed Nox or Mid-Nox. Beautiful multi-colored cresting, finely pinstriped.

| | | | |
|--------|--|-------------|----------|
| TA-101 | Target Points, target fletch, | dz. | 31.00 |
| FA-100 | Base price with 5 ⁰ insert; add cost of point selected. | | |
| | Hunting fletch, | dz. | 31.50 |
| FA-101 | Target Points, hunting fletch, | dz. | 31.50 |
| FA-102 | Field Points, hunting fletch, | dz. | 32.00 |
| | Four or six-fletch, | extra, dz. | 3.00 |
| | Special Cresting, | extra, dz. | 2.50 (n) |
| | For XX75 shafting instead of 24SRT-X, | add, dz. | 5.00 |
| | For X7 shafting instead of 24SRT-X, | add, dz. | 10.00 |
| | For full length arrows, points unattached, | deduct, dz. | 1.00 |

HOYT GLASS

Characterized by their straightness, durability and precision matching, a more serviceable arrow cannot be had. Expertly spiral-fletched on attractive olive green shaft. Available in a wide range of sizes to fit all bow weights, lengths to 31".

| | | | |
|--------|---|-------------|----------|
| TG-101 | Target Points, target fletch, | dz. | 19.75 |
| FG-100 | Base price with 5 ⁰ insert; add cost of point selected. | | |
| | Hunting fletch, | dz. | 20.75 |
| FG-101 | Target Points, hunting fletch, | dz. | 20.25 |
| FG-102 | Field Points, hunting fletch, | dz. | 21.75 |
| FG-103 | Blunt Points, hunting fletch, | dz. | 21.75 |
| FG-104 | Magnum Points, hunting fletch, | dz. | 25.25 |
| | Four or six-fletch, | extra, dz. | 3.00 |
| | Full length color dipped; red, yellow, orange, white or olive drab, | extra, dz. | 2.00 |
| | Special Cresting, | extra, dz. | 2.50 (n) |
| | For full length arrows, points unattached, | deduct, dz. | 1.00 |

RANGER

Precision matched spine and weight of highest quality Port Orford Cedar. Accurately spiral fletched, brightly stock crested. Lengths to 30 1/2". Full length color dipped, yellow, white and olive drab.

| | | | |
|--------|--|-----|-------|
| FC-100 | Base Price without points, add cost of point selected. | | |
| | Hunting fletch, | dz. | 15.50 |
| FC-101 | Target Points, hunting fletch, | dz. | 16.50 |
| FC-102 | Field Points, hunting fletch, | dz. | 16.50 |
| FC-103 | Blunt Points, hunting fletch, | dz. | 16.50 |
| FC-104 | Magnum Points, hunting fletch, | dz. | 21.00 |

ROVETEER

An exceedingly low cost arrow of exceptional quality for the beginners. Well fletched and full length color dipped and crested.

| | | | |
|--------|--|---------------|-------|
| TC-501 | Target Points, target fletch 26", 28", 30" | | |
| | Bulk Pack, | per 1/2 gross | 23.00 |
| FC-502 | Field Points, field fletch 26", 28", 30" | | |
| | Bulk Pack, | per 1/2 gross | 25.50 |

FLU FLU AERIAL ARROWS

A practical arrow for bird and trap shooting or small game hunting.

| | | | |
|--------|---|-----|------|
| FC-600 | Base Price; add cost of point selected, | ea. | 1.10 |
| FC-602 | Field Points, | ea. | 1.25 |
| FC-603 | Blunt Points, | ea. | 1.25 |
| FC-604 | Magnum Points, | ea. | 1.50 |

ALSO, A COMPLETE LINE OF ACCESSORIES AND MISCELLANEOUS ARCHERY SUPPLIES.

45 dz
90 dz
give 100
5 string flathead
408 - 300
Sagging + 340 85
Flat
Blow - 60
Fiberglass
Bow 1000
Standard
32.75
Expert
600