

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Vixen's	Facility Type Food Service Establishment	
Licensee Name Rt. 11 Restaurant A, LLC	Facility Telephone # 304	
Facility Address 9557 Winchester Ave Bunker Hill , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 03/22/2018	Total Time Spent 1.25

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Employees Refrigerator	37
Raetone	39
Walk-In	37
Prep Unit	38
Cheese Machine	151
Bar Cooler (small)	40

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachine	Chemical		50	Chorine	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
<p>Total # 1 Repeated # 0</p> <p>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation REPEAT OBSERVATION Inside of ice machine needs cleaned (mold)</p>

Observed Non-Critical Violations

Total # 5

Repeated # 0

3-305.11 - FOOD STORAGE

OBSERVATION: Bacon stored on floor of Walk-In cooler (Delivered 3/21/2-18) Needs to be 6 inches off floor)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Floor beside main coke spray gun needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of cheese machine needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Microwave shelving needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of microwave needs cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Kevin Hartzler

Sanitarian



Keith Allison