

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Tokyo	Facility Type Food Service Establishment	
Licensee Name Hang Zheng	Facility Telephone # 304 274-1333	
Facility Address 5724 Hammonds Mill Rd Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 05/22/2018	Total Time Spent 1.33

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-In	39
Pepsi	40
Soup	155
Hoshizaki Prep Unit	39
Sushi	
Leader Sushi Prep	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishwasher	Bucket Chemical		100100	Chlorine	Chlorine

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 7</p> <p>3-302.11 - PACKAGED AND UNPACKAGED FOOD - SEPARATION, PACKAGING, AND SEGREGATION This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Shrimp (seafood) stored below beef/meat. Should be on top above meats because of cooking temperature</p> <p>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation REPEAT OBSERVATION Clean dishes stored not clean</p>

Observed Non-Critical Violations
<p>Total # 26 Repeated # 7</p>

2-402.11 - HAIR RESTRAINTS

REPEAT OBSERVATION Employee noted working in food preparation/cooking area without a hair restraint.

3-302.12 - FOOD STORAGE CONTAINERS WITH COMMON NAME OF FOOD

REPEAT OBSERVATION Fish,chicken, shrimp outside of original containers needs labeled

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Upright Kenmore freezer needs defrosted

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Kenmore chest freezer needs defrosted

4-501.12 - CUTTING SURFACES

OBSERVATION: Cutting boards need cleaned/bleached/re-surfaced

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Prep table with soup/rice storage needs cleaned (grease)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Trays inside of Prep unit needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Shelving beside fryers needs cleaned (grease build-up)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside of Kenmore chest freezer needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Outside of Pepsi refrigerator needs cleaned (grease)

4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES

OBSERVATION: Silverware needs to be stored handle up

4-903.11 - EQUIPMENT, UTENSILS, LINENS, AND SINGLE-SERVICE AND SINGLE USE ARTICLES

OBSERVATION: Inside of utensil storage at sushi prep needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Lightswitch/electrical covers in women's bathrooms need repaired (gaps in covers)
Spackling not approved

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Drain for pepsi machine needs repaired (dripping into pan)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Wall in hot water heater room needs repaired (pulling out at bottom)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Caulking at 3-Bay sink needs re-done (not clean/missing in areas)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Ceiling tiles in hot water heater room missing and need replaced

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Cabinet door under Pepsi machine needs repaired (hinge)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Wallpaper in men's bathroom needs repaired.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Lightswitch cover in men's bathroom needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor/cabinet corners need cleaned (food/debris build-up)

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Spray nozzle on dish sink needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Outside vent on ice machine needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Drain under spray sink needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Ceiling vent covers in bathrooms need cleaned

6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION

OBSERVATION: Hood vents needs cleaned

Inspection Outcome

Comments

Person in Charge



Hang Zheng

Sanitarian



Keith Allison