

**West Virginia Department of
Health & Human Resources
Berkeley County Health
Department**



Public Health
Prevent. Promote. Protect.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Hoffmaster II Group Home	Facility Type Food Service Establishment
Licensee Name EastRidge Health Systems	Facility Telephone # 304 264-2349
Facility Address 292 Lutz Ave Martinsburg, WV	Licensee Address

Inspection Information		
Inspection Type Routine	Inspection Date April 12, 2017	Total Time Spent 0.75

Equipment Temperatures	
Description Refrigerator	Temperature (Fahrenheit) 39

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0 Repeated # 0

Observed Non-Critical Violations
Total # 3 Repeated # 0
4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: <i>Gasket on refrigerator needs cleaned</i>
4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: <i>Inside of oven drawer needs cleaned</i>
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS OBSERVATION: <i>Side of refrigerator closest to counter needs cleaned</i>

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Precious Rhodes

Keith Allison