

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b><i>Establishment Information</i></b>		
Facility Name Travers Country Store	Facility Type Food Service Establishment	
Licensee Name Travers Country Store LLC	Facility Telephone # 304 754-3352	
Facility Address 8885 Hedgesville Rd Hedgesville , WV	Licensee Address ,	
<b><i>Inspection Information</i></b>		
Inspection Type Routine	Inspection Date 11/28/2018	Total Time Spent 1.25

<b><i>Equipment Temperatures</i></b>	
Description	Temperature (Fahrenheit)
Prep Unit	41
Meat/Cheese Case	36
Walk-In	40
Milk Refrigerator	37
Small Prep Unit	40
Small Energy drink refrigerator	36

<b><i>Warewashing Info</i></b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Bucket3-BaySink	ChemicalChemical		100	Quat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b><i>Observed Critical Violations</i></b>
<b>Total # 0</b>
<b>Repeated # 0</b>

<b><i>Observed Non-Critical Violations</i></b>
<b>Total # 2</b>
<b>Repeated # 0</b>
<b>4-602.13 - NONFOOD CONTACT SURFACES</b> <b>OBSERVATION:</b> Inside of microwave needs cleaned
<b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> <b>OBSERVATION:</b> Holes in botom of bathroom door need repaired

<b><i>Inspection Outcome</i></b>

**Comments**

Disclaimer

Person in Charge

Sanitarian



**Kristy Shirley**



**Keith Allison**