

What is the Cooperative Weather Observer Program?

The Cooperative Weather Observer Program is a unique partnership between the National Weather Service and citizen volunteers in every U.S. state and territory. This successful program has been around for more than 120 years, and it provides the nation with a cost-effective way to collect weather data for immediate forecasting needs and longer-term national, regional, and local climate outlooks.

Program History

The program's origins date back to 1890 with the Congressional passage of the National Weather Service Organic Act, which set up a system to recruit and train volunteers across the United States to become cooperative weather observers. However, many Coop stations began operation long before that time. John Campanius Holm's weather records, taken without the benefit of instruments in 1644-45, were the earliest known observations in the United States. Subsequently, many people maintained detailed weather records, including historical figures such as George Washington, Thomas Jefferson, and Benjamin Franklin. Thomas Jefferson maintained an almost unbroken record of weather observations between 1776 and 1816, and George Washington took his last observation just a few days before he died. Cooperative weather observers volunteer their time to record and report weather and climate observations to the National Weather Service on a daily basis, observing daily maximum and minimum temperatures, rain and snowfall totals, and more. The data is used to support daily weather forecasts and warnings, and it continues to help build the nation's historic climate record.

Today's Cooperative Weather Observer Program

Today, volunteers record weather and climate data at almost 10,000 sites throughout the 50 U.S. states and its territories. The federal government provides observers with free training and equipment to set up their weather station. The National Weather Service offers additional support through equipment maintenance and site visits. The observer's contribute a great public service to local communities and to the nation by checking their weather instruments daily and submitting the data over the phone or Internet. The data is then quality controlled and published online for everyone's use.

U.S. Historical Climatology Network

All of the nearly 10,000 observing sites support local weather, climate and flood forecasts, however data from a select number (1,221) also contribute to the U.S. regional climate record. These sites, called the U.S. Historical Climatology Network, were selected for their longstanding and unbroken record along with their static site location of at least 80 years.

Additional Uses of Observer Data

Up to 26 types of weather measurements are reported by observers, including soil temperature, evaporation, snow measurement and liquid equivalent of snow. Cooperative observer data sets represent some of the few sources of snowfall measurements and its water equivalency in the United States. Historical weather averages and normals for all areas of the country are often determined using observer data. Observer data sets help settle billions of dollars annually in insurance and legal claims, determine federal disaster declarations for federal aid to local counties and are a major factor in determining household energy costs. These data play a critical role in efforts to determine and evaluate the extent of climate change from local to global scales. In addition, data collected by weather observers help local officials make long-term planning decisions about water resources and are used by a variety of industries on a daily basis, including medical, transportation, agriculture, engineering and communication.

Climatological Data for SCOTTSBORO, AL - March 1930

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1930-03-01	70	39	54.5	7.6	10	0	0.30	0.0	0
1930-03-02	62	34	48.0	0.8	17	0	0.00	0.0	0
1930-03-03	52	20	36.0	-11.5	29	0	0.00	0.0	0
1930-03-04	54	22	38.0	-9.7	27	0	0.00	0.0	0
1930-03-05	60	23	41.5	-6.5	23	0	0.00	0.0	0
1930-03-06	58	23	40.5	-7.8	24	0	2.00	0.0	0
1930-03-07	65	24	44.5	-4.0	20	0	1.40	0.0	0
1930-03-08	54	41	47.5	-1.3	17	0	0.00	0.0	0
1930-03-09	65	30	47.5	-1.6	17	0	0.00	0.0	0
1930-03-10	67	31	49.0	-0.4	16	0	0.00	0.0	0
1930-03-11	63	35	49.0	-0.6	16	0	0.40	0.0	0
1930-03-12	63	38	50.5	0.6	14	0	0.00	0.0	0
1930-03-13	71	31	51.0	0.8	14	0	0.00	0.0	0
1930-03-14	70	48	59.0	8.6	6	0	0.00	0.0	0
1930-03-15	71	45	58.0	7.3	7	0	0.00	0.0	0
1930-03-16	72	41	56.5	5.5	8	0	0.00	0.0	0
1930-03-17	68	42	55.0	3.8	10	0	0.35	0.0	0
1930-03-18	69	42	55.5	4.0	9	0	0.40	0.0	0
1930-03-19	68	41	54.5	2.7	10	0	0.00	0.0	0
1930-03-20	63	29	46.0	-6.0	19	0	0.00	0.0	0
1930-03-21	74	38	56.0	3.7	9	0	0.00	0.0	0
1930-03-22	75	38	56.5	3.9	8	0	0.00	0.0	0
1930-03-23	73	38	55.5	2.7	9	0	0.00	0.0	0
1930-03-24	74	38	56.0	2.9	9	0	0.00	0.0	0
1930-03-25	66	38	52.0	-1.4	13	0	0.85	T	0
1930-03-26	54	32	43.0	-10.6	22	0	0.00	0.0	0
1930-03-27	53	29	41.0	-12.9	24	0	0.00	0.0	0
1930-03-28	55	40	47.5	-6.6	17	0	0.00	0.0	0
1930-03-29	58	30	44.0	-10.4	21	0	0.00	0.0	0
1930-03-30	63	29	46.0	-8.7	19	0	0.00	0.0	0
1930-03-31	64	34	49.0	-5.9	16	0	0.00	0.0	0
Sum	1994	1063	-	-	480	0	5.70	T	-
Average	64.3	34.3	49.3	-1.7	-	-	-	-	0.0
Normal	63.3	38.6	51.0	-	440	4	5.69	0.5	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - April 1930

Date	Precipitation	New Snow	Snow Depth
1930-04-01	0.00	0.0	0
1930-04-02	1.03	0.0	0
1930-04-03	0.02	0.0	0
1930-04-04	0.00	0.0	0
1930-04-05	0.00	0.0	0
1930-04-06	0.00	0.0	0
1930-04-07	0.00	0.0	0
1930-04-08	0.00	0.0	0
1930-04-09	0.00	0.0	0
1930-04-10	0.00	0.0	0
1930-04-11	0.00	0.0	0
1930-04-12	0.00	0.0	0
1930-04-13	0.00	0.0	0
1930-04-14	0.00	0.0	0
1930-04-15	0.00	0.0	0
1930-04-16	0.00	0.0	0
1930-04-17	0.00	0.0	0
1930-04-18	0.00	0.0	0
1930-04-19	0.00	0.0	0
1930-04-20	0.00	0.0	0
1930-04-21	0.00	0.0	0
1930-04-22	0.00	0.0	0
1930-04-23	0.00	0.0	0
1930-04-24	0.00	0.0	0
1930-04-25	0.00	0.0	0
1930-04-26	0.00	0.0	0
1930-04-27	0.00	0.0	0
1930-04-28	0.00	0.0	0
1930-04-29	0.00	0.0	0
1930-04-30	0.00	0.0	0
Sum	1.05	0.0	-
Average	-	-	0.0
Normal	5.04	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - May 1930

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1930-05-01	89	45	67.0	3.8	0	2	0.00	0.0	0
1930-05-02	90	45	67.5	4.0	0	3	0.00	0.0	0
1930-05-03	90	48	69.0	5.2	0	4	0.00	0.0	0
1930-05-04	91	50	70.5	6.4	0	6	0.00	0.0	0
1930-05-05	92	52	72.0	7.7	0	7	0.00	0.0	0
1930-05-06	92	45	68.5	3.9	0	4	0.00	0.0	0
1930-05-07	90	54	72.0	7.1	0	7	0.00	0.0	0
1930-05-08	90	62	76.0	10.8	0	11	0.00	0.0	0
1930-05-09	88	62	75.0	9.6	0	10	1.75	0.0	0
1930-05-10	86	62	74.0	8.3	0	9	0.00	0.0	0
1930-05-11	85	60	72.5	6.5	0	8	0.00	0.0	0
1930-05-12	88	60	74.0	7.7	0	9	0.00	0.0	0
1930-05-13	85	57	71.0	4.4	0	6	0.70	0.0	0
1930-05-14	88	61	74.5	7.6	0	10	0.00	0.0	0
1930-05-15	88	60	74.0	6.8	0	9	0.00	0.0	0
1930-05-16	85	58	71.5	4.1	0	7	0.00	0.0	0
1930-05-17	75	60	67.5	-0.2	0	3	0.30	0.0	0
1930-05-18	83	65	74.0	6.0	0	9	0.24	0.0	0
1930-05-19	84	64	74.0	5.7	0	9	2.00	0.0	0
1930-05-20	81	63	72.0	3.4	0	7	0.00	0.0	0
1930-05-21	81	52	66.5	-2.4	0	2	0.00	0.0	0
1930-05-22	88	56	72.0	2.8	0	7	0.00	0.0	0
1930-05-23	82	56	69.0	-0.4	0	4	0.00	0.0	0
1930-05-24	80	54	67.0	-2.7	0	2	0.90	0.0	0
1930-05-25	79	55	67.0	-3.0	0	2	0.00	0.0	0
1930-05-26	82	54	68.0	-2.3	0	3	0.00	0.0	0
1930-05-27	84	56	70.0	-0.6	0	5	0.00	0.0	0
1930-05-28	85	54	69.5	-1.4	0	5	0.00	0.0	0
1930-05-29	86	52	69.0	-2.1	0	4	0.30	T	0
1930-05-30	81	52	66.5	-4.9	0	2	0.00	0.0	0
1930-05-31	82	50	66.0	-5.7	0	1	0.00	0.0	0
Sum	2650	1724	-	-	0	177	6.19	T	-
Average	85.5	55.6	70.5	3.1	-	-	-	-	0.0
Normal	79.5	55.4	67.4	-	55	130	4.55	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - July 1930

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1930-07-01	95	65	80.0	2.3	0	15	0.00	0.0	0
1930-07-02	92	64	78.0	0.2	0	13	0.00	0.0	0
1930-07-03	92	65	78.5	0.6	0	14	0.00	0.0	0
1930-07-04	98	67	82.5	4.5	0	18	0.00	0.0	0
1930-07-05	99	67	83.0	5.0	0	18	0.00	0.0	0
1930-07-06	102	68	85.0	6.9	0	20	0.00	0.0	0
1930-07-07	105	70	87.5	9.3	0	23	1.15	0.0	0
1930-07-08	103	69	86.0	7.8	0	21	0.00	0.0	0
1930-07-09	103	70	86.5	8.2	0	22	0.00	0.0	0
1930-07-10	105	71	88.0	9.7	0	23	0.00	0.0	0
1930-07-11	106	70	88.0	9.6	0	23	0.00	0.0	0
1930-07-12	107	74	90.5	12.1	0	26	0.00	0.0	0
1930-07-13	109	74	91.5	13.1	0	27	0.00	0.0	0
1930-07-14	94	68	81.0	2.5	0	16	0.00	0.0	0
1930-07-15	96	69	82.5	4.0	0	18	0.00	0.0	0
1930-07-16	93	69	81.0	2.5	0	16	0.00	0.0	0
1930-07-17	97	67	82.0	3.4	0	17	0.20	0.0	0
1930-07-18	96	68	82.0	3.4	0	17	0.00	0.0	0
1930-07-19	98	70	84.0	5.4	0	19	0.00	0.0	0
1930-07-20	99	70	84.5	5.9	0	20	0.00	0.0	0
1930-07-21	98	71	84.5	5.9	0	20	0.00	0.0	0
1930-07-22	99	70	84.5	5.9	0	20	0.00	0.0	0
1930-07-23	98	72	85.0	6.4	0	20	0.00	0.0	0
1930-07-24	99	72	85.5	6.9	0	21	0.00	0.0	0
1930-07-25	101	71	86.0	7.4	0	21	0.00	0.0	0
1930-07-26	103	73	88.0	9.4	0	23	0.00	0.0	0
1930-07-27	107	74	90.5	11.9	0	26	0.00	0.0	0
1930-07-28	108	74	91.0	12.4	0	26	0.00	0.0	0
1930-07-29	102	71	86.5	7.9	0	22	0.00	0.0	0
1930-07-30	102	72	87.0	8.4	0	22	0.00	0.0	0
1930-07-31	104	72	88.0	9.4	0	23	0.00	0.0	0
Sum	3110	2167	-	-	0	630	1.35	0.0	-
Average	100.3	69.9	85.1	6.7	-	-	-	-	0.0
Normal	89.1	67.7	78.4	-	0	415	5.17	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - October 1930

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1930-10-01	81	68	74.5	7.6	0	10	0.00	0.0	0
1930-10-02	80	68	74.0	7.5	0	9	0.00	0.0	0
1930-10-03	82	68	75.0	8.9	0	10	0.00	0.0	0
1930-10-04	79	67	73.0	7.3	0	8	0.00	0.0	0
1930-10-05	78	66	72.0	6.7	0	7	0.00	0.0	0
1930-10-06	79	66	72.5	7.6	0	8	0.00	0.0	0
1930-10-07	77	62	69.5	5.0	0	5	0.00	0.0	0
1930-10-08	74	63	68.5	4.4	0	4	1.35	0.0	0
1930-10-09	78	64	71.0	7.3	0	6	0.00	0.0	0
1930-10-10	M	M	M	M	M	M	0.00	0.0	0
1930-10-11	M	M	M	M	M	M	0.00	0.0	0
1930-10-12	M	M	M	M	M	M	0.00	0.0	0
1930-10-13	M	M	M	M	M	M	0.00	0.0	0
1930-10-14	M	M	M	M	M	M	0.00	0.0	0
1930-10-15	M	M	M	M	M	M	0.00	0.0	0
1930-10-16	M	M	M	M	M	M	0.00	0.0	0
1930-10-17	75	47	61.0	0.5	4	0	0.30	0.0	0
1930-10-18	70	36	53.0	-7.1	12	0	0.00	0.0	0
1930-10-19	66	33	49.5	-10.2	15	0	0.00	0.0	0
1930-10-20	66	34	50.0	-9.3	15	0	0.00	0.0	0
1930-10-21	64	33	48.5	-10.4	16	0	0.00	0.0	0
1930-10-22	62	33	47.5	-11.0	17	0	0.00	0.0	0
1930-10-23	62	47	54.5	-3.6	10	0	0.15	0.0	0
1930-10-24	64	42	53.0	-4.7	12	0	0.00	0.0	0
1930-10-25	66	44	55.0	-2.3	10	0	0.00	0.0	0
1930-10-26	68	41	54.5	-2.4	10	0	0.00	0.0	0
1930-10-27	67	40	53.5	-3.0	11	0	0.00	0.0	0
1930-10-28	67	48	57.5	1.4	7	0	1.40	0.0	0
1930-10-29	67	40	53.5	-2.2	11	0	0.00	0.0	0
1930-10-30	61	31	46.0	-9.3	19	0	0.00	0.0	0
1930-10-31	57	28	42.5	-12.4	22	0	0.00	0.0	0
Sum	1690	1169	-	-	191	67	3.20	0.0	-
Average	70.4	48.7	59.6	-1.3	-	-	-	-	0.0
Normal	74.3	47.5	60.9	-	175	48	3.56	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - January 1931

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1931-01-01	M	M	M	M	M	M	0.00	0.0	0
1931-01-02	M	M	M	M	M	M	0.00	0.0	0
1931-01-03	61	49	55.0	14.8	10	0	0.00	0.0	0
1931-01-04	M	M	M	M	M	M	0.00	0.0	0
1931-01-05	59	39	49.0	9.0	16	0	1.00	0.0	0
1931-01-06	46	35	40.5	0.6	24	0	0.20	0.0	0
1931-01-07	M	24	M	M	M	M	0.00	0.0	0
1931-01-08	M	M	M	M	M	M	0.00	0.0	0
1931-01-09	45	38	41.5	1.8	23	0	0.00	0.0	0
1931-01-10	52	29	40.5	0.9	24	0	0.00	0.0	0
1931-01-11	M	33	M	M	M	M	0.01	0.0	0
1931-01-12	53	39	46.0	6.5	19	0	0.75	0.0	0
1931-01-13	49	36	42.5	3.0	22	0	0.00	0.0	0
1931-01-14	47	20	33.5	-6.0	31	0	1.00	T	M
1931-01-15	39	15	27.0	-12.5	38	0	0.00	0.0	0
1931-01-16	56	32	44.0	4.5	21	0	0.00	0.0	0
1931-01-17	43	25	34.0	-5.5	31	0	0.00	0.0	0
1931-01-18	47	36	41.5	2.0	23	0	1.00	0.0	0
1931-01-19	47	37	42.0	2.5	23	0	0.00	0.0	0
1931-01-20	46	25	35.5	-4.0	29	0	0.00	0.0	0
1931-01-21	53	24	38.5	-1.1	26	0	0.00	0.0	0
1931-01-22	60	23	41.5	1.9	23	0	0.00	0.0	0
1931-01-23	M	M	M	M	M	M	0.00	0.0	0
1931-01-24	M	M	M	M	M	M	0.00	0.0	0
1931-01-25	M	M	M	M	M	M	0.00	0.0	0
1931-01-26	M	M	M	M	M	M	0.00	0.0	0
1931-01-27	M	M	M	M	M	M	0.00	0.0	0
1931-01-28	M	M	M	M	M	M	0.00	0.0	0
1931-01-29	M	M	M	M	M	M	0.00	0.0	0
1931-01-30	M	M	M	M	M	M	0.00	0.0	0
1931-01-31	M	M	M	M	M	M	0.00	0.0	0
Sum	803	559	-	-	383	0	3.96	T	-
Average	50.2	31.1	40.8	1.0	-	-	-	-	0.0
Normal	50.4	29.2	39.8	-	781	0	6.07	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - May 1931

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1931-05-01	69	55	62.0	-1.2	3	0	0.27	0.0	0
1931-05-02	80	57	68.5	5.0	0	4	0.52	0.0	0
1931-05-03	80	57	68.5	4.7	0	4	0.00	0.0	0
1931-05-04	79	55	67.0	2.9	0	2	0.00	0.0	0
1931-05-05	68	59	63.5	-0.8	1	0	T	0.0	0
1931-05-06	76	55	65.5	0.9	0	1	T	0.0	0
1931-05-07	67	48	57.5	-7.4	7	0	0.02	0.0	0
1931-05-08	75	39	57.0	-8.2	8	0	0.00	0.0	0
1931-05-09	79	60	69.5	4.1	0	5	0.07	0.0	0
1931-05-10	75	47	61.0	-4.7	4	0	0.00	0.0	0
1931-05-11	75	55	65.0	-1.0	0	0	0.00	0.0	0
1931-05-12	68	49	58.5	-7.8	6	0	0.00	0.0	0
1931-05-13	70	42	56.0	-10.6	9	0	T	0.0	0
1931-05-14	73	46	59.5	-7.4	5	0	0.00	0.0	0
1931-05-15	83	44	63.5	-3.7	1	0	0.00	0.0	0
1931-05-16	87	46	66.5	-0.9	0	2	0.00	0.0	0
1931-05-17	90	60	75.0	7.3	0	10	0.00	0.0	0
1931-05-18	87	59	73.0	5.0	0	8	0.00	0.0	0
1931-05-19	83	61	72.0	3.7	0	7	T	0.0	0
1931-05-20	82	61	71.5	2.9	0	7	0.03	0.0	0
1931-05-21	80	53	66.5	-2.4	0	2	0.00	0.0	0
1931-05-22	84	51	67.5	-1.7	0	3	0.00	0.0	0
1931-05-23	67	49	58.0	-11.4	7	0	0.00	0.0	0
1931-05-24	76	39	57.5	-12.2	7	0	0.00	0.0	0
1931-05-25	86	51	68.5	-1.5	0	4	0.00	0.0	0
1931-05-26	89	60	74.5	4.2	0	10	0.00	0.0	0
1931-05-27	92	60	76.0	5.4	0	11	0.00	0.0	0
1931-05-28	91	66	78.5	7.6	0	14	0.00	0.0	0
1931-05-29	91	59	75.0	3.9	0	10	0.00	0.0	0
1931-05-30	92	59	75.5	4.1	0	11	0.00	0.0	0
1931-05-31	83	65	74.0	2.3	0	9	0.00	0.0	0
Sum	2477	1667	-	-	58	124	0.91	0.0	-
Average	79.9	53.8	66.8	-0.6	-	-	-	-	0.0
Normal	79.5	55.4	67.4	-	55	130	4.55	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - June 1931

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1931-06-01	76	56	66.0	-6.0	0	1	0.00	0.0	0
1931-06-02	84	45	64.5	-7.7	0	0	0.00	0.0	0
1931-06-03	90	50	70.0	-2.5	0	5	0.00	0.0	0
1931-06-04	94	57	75.5	2.7	0	11	0.00	0.0	0
1931-06-05	94	60	77.0	4.0	0	12	0.00	0.0	0
1931-06-06	95	61	78.0	4.7	0	13	0.00	0.0	0
1931-06-07	94	69	81.5	8.0	0	17	0.00	0.0	0
1931-06-08	79	53	66.0	-7.8	0	1	0.00	0.0	0
1931-06-09	84	45	64.5	-9.5	0	0	0.00	0.0	0
1931-06-10	92	52	72.0	-2.2	0	7	0.00	0.0	0
1931-06-11	96	59	77.5	3.0	0	13	0.00	0.0	0
1931-06-12	96	63	79.5	4.8	0	15	T	0.0	0
1931-06-13	88	69	78.5	3.6	0	14	T	0.0	0
1931-06-14	96	60	78.0	2.9	0	13	T	0.0	0
1931-06-15	96	67	81.5	6.2	0	17	0.00	0.0	0
1931-06-16	89	67	78.0	2.5	0	13	0.30	0.0	0
1931-06-17	98	64	81.0	5.3	0	16	0.00	0.0	0
1931-06-18	97	61	79.0	3.1	0	14	0.00	0.0	0
1931-06-19	99	67	83.0	6.9	0	18	0.00	0.0	0
1931-06-20	98	67	82.5	6.2	0	18	0.00	0.0	0
1931-06-21	102	69	85.5	9.1	0	21	0.00	0.0	0
1931-06-22	100	69	84.5	7.9	0	20	0.00	0.0	0
1931-06-23	98	68	83.0	6.3	0	18	0.00	0.0	0
1931-06-24	100	67	83.5	6.6	0	19	0.00	0.0	0
1931-06-25	100	71	85.5	8.5	0	21	0.00	0.0	0
1931-06-26	99	70	84.5	7.3	0	20	0.00	0.0	0
1931-06-27	102	70	86.0	8.7	0	21	0.00	0.0	0
1931-06-28	107	72	89.5	12.1	0	25	0.00	0.0	0
1931-06-29	107	75	91.0	13.5	0	26	0.00	0.0	0
1931-06-30	103	73	88.0	10.4	0	23	0.00	0.0	0
Sum	2853	1896	-	-	0	432	0.30	0.0	-
Average	95.1	63.2	79.2	4.0	-	-	-	-	0.0
Normal	86.4	64.0	75.2	-	2	308	4.62	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - July 1931

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1931-07-01	95	73	84.0	6.3	0	19	0.00	0.0	0
1931-07-02	94	70	82.0	4.2	0	17	0.00	0.0	0
1931-07-03	97	72	84.5	6.6	0	20	1.80	0.0	0
1931-07-04	92	72	82.0	4.0	0	17	2.50	0.0	0
1931-07-05	78	73	75.5	-2.5	0	11	1.25	0.0	0
1931-07-06	94	72	83.0	4.9	0	18	0.00	0.0	0
1931-07-07	95	69	82.0	3.8	0	17	0.40	0.0	0
1931-07-08	95	67	81.0	2.8	0	16	0.00	0.0	0
1931-07-09	95	72	83.5	5.2	0	19	0.00	0.0	0
1931-07-10	96	66	81.0	2.7	0	16	0.00	0.0	0
1931-07-11	93	63	78.0	-0.4	0	13	0.00	0.0	0
1931-07-12	97	66	81.5	3.1	0	17	0.00	0.0	0
1931-07-13	94	70	82.0	3.6	0	17	0.04	0.0	0
1931-07-14	92	72	82.0	3.5	0	17	0.00	0.0	0
1931-07-15	86	71	78.5	0.0	0	14	0.20	0.0	0
1931-07-16	91	71	81.0	2.5	0	16	0.00	0.0	0
1931-07-17	95	68	81.5	2.9	0	17	0.00	0.0	0
1931-07-18	94	72	83.0	4.4	0	18	T	0.0	0
1931-07-19	95	71	83.0	4.4	0	18	0.20	0.0	0
1931-07-20	94	71	82.5	3.9	0	18	0.02	0.0	0
1931-07-21	87	72	79.5	0.9	0	15	1.25	0.0	0
1931-07-22	92	70	81.0	2.4	0	16	0.00	0.0	0
1931-07-23	84	68	76.0	-2.6	0	11	0.75	0.0	0
1931-07-24	86	66	76.0	-2.6	0	11	0.00	0.0	0
1931-07-25	89	70	79.5	0.9	0	15	0.00	0.0	0
1931-07-26	90	71	80.5	1.9	0	16	0.00	0.0	0
1931-07-27	89	65	77.0	-1.6	0	12	0.00	0.0	0
1931-07-28	94	70	82.0	3.4	0	17	0.35	0.0	0
1931-07-29	91	71	81.0	2.4	0	16	0.00	0.0	0
1931-07-30	94	71	82.5	3.9	0	18	0.15	0.0	0
1931-07-31	96	72	84.0	5.4	0	19	0.00	0.0	0
Sum	2854	2167	-	-	0	501	8.91	0.0	-
Average	92.1	69.9	81.0	2.6	-	-	-	-	0.0
Normal	89.1	67.7	78.4	-	0	415	5.17	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - August 1931

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1931-08-01	96	73	84.5	5.9	0	20	0.00	0.0	0
1931-08-02	96	72	84.0	5.4	0	19	0.00	0.0	0
1931-08-03	96	70	83.0	4.4	0	18	0.10	0.0	0
1931-08-04	96	70	83.0	4.5	0	18	0.00	0.0	0
1931-08-05	94	72	83.0	4.5	0	18	T	0.0	0
1931-08-06	85	70	77.5	-1.0	0	13	1.25	0.0	0
1931-08-07	88	71	79.5	1.0	0	15	0.75	0.0	0
1931-08-08	88	73	80.5	2.1	0	16	0.20	0.0	0
1931-08-09	94	73	83.5	5.1	0	19	0.35	0.0	0
1931-08-10	92	74	83.0	4.6	0	18	0.00	0.0	0
1931-08-11	85	65	75.0	-3.3	0	10	0.00	0.0	0
1931-08-12	83	58	70.5	-7.8	0	6	0.00	0.0	0
1931-08-13	83	53	68.0	-10.2	0	3	0.00	0.0	0
1931-08-14	89	59	74.0	-4.2	0	9	0.00	0.0	0
1931-08-15	86	67	76.5	-1.6	0	12	0.00	0.0	0
1931-08-16	92	74	83.0	5.0	0	18	0.00	0.0	0
1931-08-17	97	69	83.0	5.0	0	18	0.07	0.0	0
1931-08-18	96	69	82.5	4.6	0	18	0.00	0.0	0
1931-08-19	92	68	80.0	2.2	0	15	0.15	0.0	0
1931-08-20	87	68	77.5	-0.2	0	13	0.04	0.0	0
1931-08-21	81	67	74.0	-3.6	0	9	0.00	0.0	0
1931-08-22	80	58	69.0	-8.5	0	4	0.00	0.0	0
1931-08-23	86	51	68.5	-8.9	0	4	0.00	0.0	0
1931-08-24	90	52	71.0	-6.3	0	6	0.00	0.0	0
1931-08-25	91	56	73.5	-3.6	0	9	0.00	0.0	0
1931-08-26	86	61	73.5	-3.5	0	9	T	0.0	0
1931-08-27	92	61	76.5	-0.3	0	12	0.00	0.0	0
1931-08-28	90	68	79.0	2.3	0	14	0.01	0.0	0
1931-08-29	87	67	77.0	0.5	0	12	0.25	0.0	0
1931-08-30	90	55	72.5	-3.9	0	8	0.00	0.0	0
1931-08-31	93	54	73.5	-2.7	0	9	0.00	0.0	0
Sum	2781	2018	-	-	0	392	3.17	0.0	-
Average	89.7	65.1	77.4	-0.4	-	-	-	-	0.0
Normal	89.1	66.5	77.8	-	0	397	4.05	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - September 1931
Click column heading to sort ascending, click again to sort descending.

Date	Temperature			HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average Departure					
1931-09-01 94	59	76.5	0.5	0	12	0.00	0.0	0
1931-09-02 94	70	82.0	6.2	0	17	0.01	0.0	0
1931-09-03 89	71	80.0	4.4	0	15	0.45	0.0	0
1931-09-04 91	58	74.5	-0.9	0	10	0.00	0.0	0
1931-09-05 94	59	76.5	1.3	0	12	0.00	0.0	0
1931-09-06 98	62	80.0	5.1	0	15	0.00	0.0	0
1931-09-07 97	64	80.5	5.8	0	16	0.00	0.0	0
1931-09-08 91	66	78.5	4.1	0	14	0.00	0.0	0
1931-09-09 96	62	79.0	4.8	0	14	0.00	0.0	0
1931-09-10 97	63	80.0	6.1	0	15	0.00	0.0	0
1931-09-11 91	67	79.0	5.3	0	14	0.00	0.0	0
1931-09-12 96	63	79.5	6.1	0	15	0.00	0.0	0
1931-09-13 96	68	82.0	8.9	0	17	T	0.0	0
1931-09-14 93	68	80.5	7.7	0	16	0.00	0.0	0
1931-09-15 96	67	81.5	9.0	0	17	0.00	0.0	0
1931-09-16 100	69	84.5	12.3	0	20	0.00	0.0	0
1931-09-17 97	68	82.5	10.6	0	18	0.00	0.0	0
1931-09-18 99	68	83.5	11.9	0	19	0.00	0.0	0
1931-09-19 103	70	86.5	15.3	0	22	0.00	0.0	0
1931-09-20 95	71	83.0	12.1	0	18	0.08	0.0	0
1931-09-21 97	76	86.5	15.9	0	22	0.00	0.0	0
1931-09-22 98	70	84.0	13.8	0	19	0.00	0.0	0
1931-09-23 100	69	84.5	14.6	0	20	0.25	0.0	0
1931-09-24 96	67	81.5	12.0	0	17	0.00	0.0	0
1931-09-25 96	68	82.0	12.8	0	17	0.02	0.0	0
1931-09-26 87	70	78.5	9.7	0	14	0.00	0.0	0
1931-09-27 72	50	61.0	-7.4	4	0	0.00	0.0	0
1931-09-28 77	46	61.5	-6.6	3	0	0.00	0.0	0
1931-09-29 80	51	65.5	-2.2	0	1	0.00	0.0	0
1931-09-30 82	44	63.0	-4.3	2	0	0.00	0.0	0

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - October 1931

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1931-10-01	85	43	64.0	-2.9	1	0	0.00	0.0	0
1931-10-02	88	44	66.0	-0.5	0	1	0.00	0.0	0
1931-10-03	89	53	71.0	4.9	0	6	0.00	0.0	0
1931-10-04	88	56	72.0	6.3	0	7	0.00	0.0	0
1931-10-05	92	56	74.0	8.7	0	9	0.00	0.0	0
1931-10-06	92	57	74.5	9.6	0	10	0.00	0.0	0
1931-10-07	78	67	72.5	8.0	0	8	0.27	0.0	0
1931-10-08	86	64	75.0	10.9	0	10	0.00	0.0	0
1931-10-09	85	61	73.0	9.3	0	8	0.00	0.0	0
1931-10-10	85	58	71.5	8.2	0	7	0.00	0.0	0
1931-10-11	85	54	69.5	6.6	0	5	0.00	0.0	0
1931-10-12	93	61	77.0	14.5	0	12	0.00	0.0	0
1931-10-13	83	66	74.5	12.4	0	10	0.15	0.0	0
1931-10-14	82	57	69.5	7.8	0	5	0.00	0.0	0
1931-10-15	85	57	71.0	9.7	0	6	0.00	0.0	0
1931-10-16	72	50	61.0	0.1	4	0	0.00	0.0	0
1931-10-17	73	45	59.0	-1.5	6	0	0.00	0.0	0
1931-10-18	68	41	54.5	-5.6	10	0	0.00	0.0	0
1931-10-19	74	33	53.5	-6.2	11	0	0.00	0.0	0
1931-10-20	76	35	55.5	-3.8	9	0	0.00	0.0	0
1931-10-21	82	35	58.5	-0.4	6	0	0.00	0.0	0
1931-10-22	81	38	59.5	1.0	5	0	0.00	0.0	0
1931-10-23	84	43	63.5	5.4	1	0	0.00	0.0	0
1931-10-24	78	58	68.0	10.3	0	3	0.39	0.0	0
1931-10-25	87	54	70.5	13.2	0	6	0.00	0.0	0
1931-10-26	81	46	63.5	6.6	1	0	0.00	0.0	0
1931-10-27	81	41	61.0	4.5	4	0	0.00	0.0	0
1931-10-28	69	60	64.5	8.4	0	0	2.05	0.0	0
1931-10-29	69	44	56.5	0.8	8	0	0.02	0.0	0
1931-10-30	57	38	47.5	-7.8	17	0	0.00	0.0	0
1931-10-31	53	41	47.0	-7.9	18	0	0.00	0.0	0
Sum	2481	1556	-	-	101	113	2.88	0.0	-
Average	80.0	50.2	65.1	4.2	-	-	-	-	0.0
Normal	74.3	47.5	60.9	-	175	48	3.56	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - November 1931

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1931-11-01	57	32	44.5	-10.1	20	0	0.00	0.0	0
1931-11-02	62	30	46.0	-8.2	19	0	0.00	0.0	0
1931-11-03	63	30	46.5	-7.3	18	0	0.00	0.0	0
1931-11-04	75	39	57.0	3.6	8	0	0.00	0.0	0
1931-11-05	70	35	52.5	-0.6	12	0	0.00	0.0	0
1931-11-06	60	33	46.5	-6.2	18	0	0.00	0.0	0
1931-11-07	66	27	46.5	-5.9	18	0	0.00	0.0	0
1931-11-08	67	30	48.5	-3.5	16	0	0.00	0.0	0
1931-11-09	69	33	51.0	-0.7	14	0	0.00	0.0	0
1931-11-10	71	32	51.5	0.1	13	0	0.00	0.0	0
1931-11-11	74	40	57.0	6.0	8	0	0.00	0.0	0
1931-11-12	75	39	57.0	6.3	8	0	0.00	0.0	0
1931-11-13	78	43	60.5	10.1	4	0	0.00	0.0	0
1931-11-14	77	47	62.0	11.9	3	0	0.00	0.0	0
1931-11-15	79	45	62.0	12.2	3	0	0.00	0.0	0
1931-11-16	77	46	61.5	12.1	3	0	0.00	0.0	0
1931-11-17	78	57	67.5	18.4	0	3	0.00	0.0	0
1931-11-18	75	54	64.5	15.6	0	0	0.40	0.0	0
1931-11-19	76	53	64.5	15.9	0	0	0.30	0.0	0
1931-11-20	77	61	69.0	20.7	0	4	0.06	0.0	0
1931-11-21	74	60	67.0	19.0	0	2	0.07	0.0	0
1931-11-22	73	64	68.5	20.8	0	4	0.00	0.0	0
1931-11-23	77	55	66.0	18.5	0	1	0.00	0.0	0
1931-11-24	77	57	67.0	19.8	0	2	0.00	0.0	0
1931-11-25	72	45	58.5	11.5	6	0	0.00	0.0	0
1931-11-26	57	39	48.0	1.3	17	0	0.00	0.0	0
1931-11-27	55	49	52.0	5.5	13	0	0.43	0.0	0
1931-11-28	58	52	55.0	8.8	10	0	0.01	0.0	0
1931-11-29	65	54	59.5	13.5	5	0	0.04	0.0	0
1931-11-30	65	55	60.0	14.2	5	0	2.13	0.0	0
Sum	2099	1336	-	-	241	16	3.44	0.0	-
Average	70.0	44.5	57.3	7.5	-	-	-	-	0.0
Normal	62.6	37.0	49.8	-	461	5	4.76	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - December 1931

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1931-12-01	55	41	48.0	2.5	17	0	0.09	0.0	0
1931-12-02	55	33	44.0	-1.3	21	0	0.00	0.0	0
1931-12-03	51	41	46.0	0.9	19	0	2.12	0.0	0
1931-12-04	58	45	51.5	6.6	13	0	0.00	0.0	0
1931-12-05	56	40	48.0	3.3	17	0	0.00	0.0	0
1931-12-06	58	32	45.0	0.5	20	0	0.00	0.0	0
1931-12-07	54	36	45.0	0.7	20	0	0.00	0.0	0
1931-12-08	51	37	44.0	-0.1	21	0	2.13	0.0	0
1931-12-09	47	39	43.0	-0.9	22	0	0.10	0.0	0
1931-12-10	59	46	52.5	8.8	12	0	0.00	0.0	0
1931-12-11	71	49	60.0	16.5	5	0	0.00	0.0	0
1931-12-12	79	48	63.5	20.2	1	0	0.00	0.0	0
1931-12-13	70	62	66.0	22.9	0	1	1.55	0.0	0
1931-12-14	67	42	54.5	11.5	10	0	0.60	0.0	0
1931-12-15	54	30	42.0	-0.8	23	0	0.00	0.0	0
1931-12-16	50	45	47.5	4.9	17	0	0.00	0.0	0
1931-12-17	50	41	45.5	3.0	19	0	0.81	0.0	0
1931-12-18	67	48	57.5	15.2	7	0	0.00	0.0	0
1931-12-19	65	51	58.0	15.9	7	0	0.04	0.0	0
1931-12-20	67	59	63.0	21.0	2	0	0.04	0.0	0
1931-12-21	67	57	62.0	20.2	3	0	1.43	0.0	0
1931-12-22	65	53	59.0	17.3	6	0	0.00	0.0	0
1931-12-23	65	46	55.5	14.0	9	0	0.00	0.0	0
1931-12-24	68	55	61.5	20.1	3	0	0.45	0.0	0
1931-12-25	58	48	53.0	11.8	12	0	0.00	0.0	0
1931-12-26	59	32	45.5	4.4	19	0	0.00	0.0	0
1931-12-27	53	38	45.5	4.5	19	0	0.00	0.0	0
1931-12-28	63	42	52.5	11.7	12	0	0.00	0.0	0
1931-12-29	63	34	48.5	7.8	16	0	0.00	0.0	0
1931-12-30	67	37	52.0	11.4	13	0	0.00	0.0	0
1931-12-31	62	53	57.5	17.0	7	0	1.38	0.0	0
Sum	1874	1360	-	-	392	1	10.74	0.0	-
Average	60.5	43.9	52.2	9.4	-	-	-	-	0.0
Normal	53.5	32.0	42.8	-	691	1	6.20	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - January 1932

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1932-01-01	60	40	50.0	9.6	15	0	0.00	0.0	0
1932-01-02	58	41	49.5	9.2	15	0	0.00	0.0	0
1932-01-03	50	36	43.0	2.8	22	0	0.00	0.0	0
1932-01-04	55	31	43.0	2.9	22	0	0.00	0.0	0
1932-01-05	53	46	49.5	9.5	15	0	0.70	0.0	0
1932-01-06	62	50	56.0	16.1	9	0	0.48	0.0	0
1932-01-07	56	37	46.5	6.7	18	0	0.00	0.0	0
1932-01-08	51	43	47.0	7.3	18	0	0.15	0.0	0
1932-01-09	46	30	38.0	-1.7	27	0	0.00	0.0	0
1932-01-10	45	22	33.5	-6.1	31	0	0.00	0.0	0
1932-01-11	57	25	41.0	1.4	24	0	0.00	0.0	0
1932-01-12	67	48	57.5	18.0	7	0	0.02	0.0	0
1932-01-13	74	40	57.0	17.5	8	0	1.50	0.0	0
1932-01-14	75	53	64.0	24.5	1	0	0.00	0.0	0
1932-01-15	73	57	65.0	25.5	0	0	0.00	0.0	0
1932-01-16	74	55	64.5	25.0	0	0	0.00	0.0	0
1932-01-17	73	62	67.5	28.0	0	3	0.00	0.0	0
1932-01-18	68	45	56.5	17.0	8	0	0.10	0.0	0
1932-01-19	52	28	40.0	0.5	25	0	0.00	0.0	0
1932-01-20	61	25	43.0	3.5	22	0	0.00	0.0	0
1932-01-21	67	30	48.5	8.9	16	0	0.00	0.0	0
1932-01-22	73	47	60.0	20.4	5	0	0.00	0.0	0
1932-01-23	66	59	62.5	22.8	2	0	0.75	0.0	0
1932-01-24	62	37	49.5	9.8	15	0	0.00	0.0	0
1932-01-25	49	31	40.0	0.2	25	0	0.00	0.0	0
1932-01-26	54	M	M	M	M	M	1.06	0.0	0
1932-01-27	59	40	49.5	9.5	15	0	0.00	0.0	0
1932-01-28	59	31	45.0	4.9	20	0	0.19	0.0	0
1932-01-29	75	51	63.0	22.8	2	0	0.46	0.0	0
1932-01-30	67	32	49.5	9.2	15	0	1.17	0.0	0
1932-01-31	46	22	34.0	-6.4	31	0	0.00	0.0	0
Sum	1887	1194	-	-	433	3	6.58	0.0	-
Average	60.9	39.8	50.5	10.7	-	-	-	-	0.0
Normal	50.4	29.2	39.8	-	781	0	6.07	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - February 1932

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1932-02-01	56	30	43.0	2.4	22	0	0.00	0.0	0
1932-02-02	55	46	50.5	9.8	14	0	2.83	0.0	0
1932-02-03	75	53	64.0	23.1	1	0	0.15	0.0	0
1932-02-04	69	39	54.0	12.9	11	0	0.41	0.0	0
1932-02-05	55	27	41.0	-0.2	24	0	0.00	0.0	0
1932-02-06	55	28	41.5	0.1	23	0	0.00	0.0	0
1932-02-07	70	33	51.5	9.9	13	0	0.00	0.0	0
1932-02-08	65	55	60.0	18.2	5	0	0.21	0.0	0
1932-02-09	64	45	54.5	12.5	10	0	0.00	0.0	0
1932-02-10	78	55	66.5	24.3	0	2	0.00	0.0	0
1932-02-11	77	60	68.5	26.1	0	4	1.54	0.0	0
1932-02-12	73	50	61.5	18.9	3	0	0.00	0.0	0
1932-02-13	65	36	50.5	7.6	14	0	0.00	0.0	0
1932-02-14	57	41	49.0	5.9	16	0	0.25	0.0	0
1932-02-15	49	42	45.5	2.2	19	0	0.72	0.0	0
1932-02-16	50	47	48.5	4.9	16	0	0.10	0.0	0
1932-02-17	65	48	56.5	12.7	8	0	0.80	0.0	0
1932-02-18	61	40	50.5	6.5	14	0	0.00	0.0	0
1932-02-19	57	46	51.5	7.2	13	0	0.21	0.0	0
1932-02-20	63	38	50.5	6.0	14	0	0.00	0.0	0
1932-02-21	59	44	51.5	6.7	13	0	1.28	0.0	0
1932-02-22	59	45	52.0	6.9	13	0	0.08	0.0	0
1932-02-23	64	32	48.0	2.7	17	0	0.00	0.0	0
1932-02-24	68	32	50.0	4.4	15	0	0.00	0.0	0
1932-02-25	74	35	54.5	8.6	10	0	0.00	0.0	0
1932-02-26	76	36	56.0	9.9	9	0	0.00	0.0	0
1932-02-27	73	45	59.0	12.6	6	0	0.00	0.0	0
1932-02-28	69	43	56.0	9.3	9	0	0.00	0.0	0
1932-02-29	79	38	58.5	11.7	6	0	0.00	0.0	0
Sum	1880	1209	-	-	338	6	8.58	0.0	-
Average	64.8	41.7	53.3	10.0	-	-	-	-	0.0
Normal	54.8	31.9	43.3	-	607	1	5.72	0.6	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - March 1932

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1932-03-01	79	47	63.0	16.1	2	0	0.00	0.0	0
1932-03-02	83	50	66.5	19.3	0	2	0.00	0.0	0
1932-03-03	74	61	67.5	20.0	0	3	0.40	0.0	0
1932-03-04	63	53	58.0	10.3	7	0	0.74	0.0	0
1932-03-05	58	45	51.5	3.5	13	0	0.00	0.0	0
1932-03-06	55	18	36.5	-11.8	28	0	T	T	M
1932-03-07	43	25	34.0	-14.5	31	0	0.00	0.0	M
1932-03-08	36	30	33.0	-15.8	32	0	0.01	0.1	M
1932-03-09	31	20	25.5	-23.6	39	0	0.01	0.1	M
1932-03-10	41	15	28.0	-21.4	37	0	0.00	0.0	M
1932-03-11	46	27	36.5	-13.1	28	0	0.00	0.0	M
1932-03-12	45	31	38.0	-11.9	27	0	0.00	0.0	M
1932-03-13	41	18	29.5	-20.7	35	0	T	T	M
1932-03-14	44	29	36.5	-13.9	28	0	T	T	M
1932-03-15	56	19	37.5	-13.2	27	0	0.00	0.0	0
1932-03-16	67	39	53.0	2.0	12	0	0.00	0.0	0
1932-03-17	64	56	60.0	8.8	5	0	0.22	0.0	0
1932-03-18	66	35	50.5	-1.0	14	0	0.00	0.0	0
1932-03-19	72	38	55.0	3.2	10	0	0.00	0.0	0
1932-03-20	81	43	62.0	10.0	3	0	0.00	0.0	0
1932-03-21	73	55	64.0	11.7	1	0	0.46	0.0	0
1932-03-22	70	40	55.0	2.4	10	0	1.63	0.0	0
1932-03-23	57	32	44.5	-8.3	20	0	0.00	0.0	0
1932-03-24	67	31	49.0	-4.1	16	0	0.00	0.0	0
1932-03-25	73	35	54.0	0.6	11	0	0.00	0.0	0
1932-03-26	77	49	63.0	9.4	2	0	0.00	0.0	0
1932-03-27	70	55	62.5	8.6	2	0	0.80	0.0	0
1932-03-28	63	36	49.5	-4.6	15	0	0.03	0.0	0
1932-03-29	74	35	54.5	0.1	10	0	0.00	0.0	0
1932-03-30	65	53	59.0	4.3	6	0	0.43	0.0	0
1932-03-31	58	45	51.5	-3.4	13	0	2.02	0.0	0
Sum	1892	1165	-	-	484	5	6.75	0.2	-
Average	61.0	37.6	49.3	-1.7	-	-	-	-	0.0
Normal	63.3	38.6	51.0	-	440	4	5.69	0.5	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - April 1932

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1932-04-01	69	32	50.5	-4.7	14	0	0.00	0.0	0
1932-04-02	79	48	63.5	8.0	1	0	0.00	0.0	0
1932-04-03	80	45	62.5	6.8	2	0	0.00	0.0	0
1932-04-04	82	46	64.0	8.0	1	0	0.00	0.0	0
1932-04-05	82	49	65.5	9.2	0	1	0.00	0.0	0
1932-04-06	85	48	66.5	10.0	0	2	0.00	0.0	0
1932-04-07	82	51	66.5	9.7	0	2	0.00	0.0	0
1932-04-08	74	50	62.0	5.0	3	0	0.65	0.0	0
1932-04-09	56	46	51.0	-6.3	14	0	0.00	0.0	0
1932-04-10	65	45	55.0	-2.6	10	0	0.02	0.0	0
1932-04-11	62	52	57.0	-0.8	8	0	0.01	0.0	0
1932-04-12	66	40	53.0	-5.1	12	0	0.00	0.0	0
1932-04-13	70	33	51.5	-6.9	13	0	0.00	0.0	0
1932-04-14	73	51	62.0	3.4	3	0	0.00	0.0	0
1932-04-15	70	36	53.0	-5.9	12	0	0.00	0.0	0
1932-04-16	75	39	57.0	-2.2	8	0	0.00	0.0	0
1932-04-17	80	49	64.5	5.1	0	0	0.26	0.0	0
1932-04-18	74	51	62.5	2.8	2	0	0.77	0.0	0
1932-04-19	77	50	63.5	3.5	1	0	0.00	0.0	0
1932-04-20	77	57	67.0	6.8	0	2	0.00	0.0	0
1932-04-21	83	49	66.0	5.5	0	1	0.01	0.0	0
1932-04-22	85	59	72.0	11.2	0	7	0.00	0.0	0
1932-04-23	81	60	70.5	9.5	0	6	0.00	0.0	0
1932-04-24	83	60	71.5	10.2	0	7	T	0.0	0
1932-04-25	79	58	68.5	6.9	0	4	0.59	0.0	0
1932-04-26	78	52	65.0	3.1	0	0	0.48	0.0	0
1932-04-27	68	44	56.0	-6.1	9	0	0.00	0.0	0
1932-04-28	73	49	61.0	-1.4	4	0	0.00	0.0	0
1932-04-29	73	55	64.0	1.3	1	0	0.09	0.0	0
1932-04-30	69	61	65.0	2.1	0	0	2.07	0.0	0
Sum	2250	1465	-	-	118	32	4.95	0.0	-
Average	75.0	48.8	61.9	2.8	-	-	-	-	0.0
Normal	72.1	46.0	59.1	-	206	27	5.04	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - May 1932

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1932-05-01	77	55	66.0	2.8	0	1	0.00	0.0	0
1932-05-02	73	50	61.5	-2.0	3	0	0.00	0.0	0
1932-05-03	80	42	61.0	-2.8	4	0	0.00	0.0	0
1932-05-04	84	46	65.0	0.9	0	0	0.00	0.0	0
1932-05-05	85	51	68.0	3.7	0	3	0.00	0.0	0
1932-05-06	86	54	70.0	5.4	0	5	0.00	0.0	0
1932-05-07	87	54	70.5	5.6	0	6	0.00	0.0	0
1932-05-08	87	61	74.0	8.8	0	9	0.00	0.0	0
1932-05-09	85	65	75.0	9.6	0	10	0.00	0.0	0
1932-05-10	80	56	68.0	2.3	0	3	0.00	0.0	0
1932-05-11	78	48	63.0	-3.0	2	0	0.25	0.0	0
1932-05-12	65	46	55.5	-10.8	9	0	0.01	0.0	0
1932-05-13	75	45	60.0	-6.6	5	0	0.00	0.0	0
1932-05-14	81	46	63.5	-3.4	1	0	0.00	0.0	0
1932-05-15	86	46	66.0	-1.2	0	1	0.00	0.0	0
1932-05-16	86	43	64.5	-2.9	0	0	0.00	0.0	0
1932-05-17	73	64	68.5	0.8	0	4	0.07	0.0	0
1932-05-18	78	59	68.5	0.5	0	4	0.00	0.0	0
1932-05-19	74	61	67.5	-0.8	0	3	0.40	0.0	0
1932-05-20	68	60	64.0	-4.6	1	0	0.18	0.0	0
1932-05-21	82	65	73.5	4.6	0	9	0.27	0.0	0
1932-05-22	82	59	70.5	1.3	0	6	0.07	0.0	0
1932-05-23	76	61	68.5	-0.9	0	4	0.02	0.0	0
1932-05-24	84	58	71.0	1.3	0	6	0.00	0.0	0
1932-05-25	86	62	74.0	4.0	0	9	0.00	0.0	0
1932-05-26	88	61	74.5	4.2	0	10	0.62	0.0	0
1932-05-27	84	65	74.5	3.9	0	10	0.31	0.0	0
1932-05-28	79	62	70.5	-0.4	0	6	0.00	0.0	0
1932-05-29	74	51	62.5	-8.6	2	0	0.00	0.0	0
1932-05-30	79	56	67.5	-3.9	0	3	0.00	0.0	0
1932-05-31	86	55	70.5	-1.2	0	6	0.00	0.0	0
Sum	2488	1707	-	-	27	118	2.20	0.0	-
Average	80.3	55.1	67.7	0.3	-	-	-	-	0.0
Normal	79.5	55.4	67.4	-	55	130	4.55	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - June 1932

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1932-06-01	90	58	74.0	2.0	0	9	0.00	0.0	0
1932-06-02	87	62	74.5	2.3	0	10	0.00	0.0	0
1932-06-03	84	58	71.0	-1.5	0	6	0.00	0.0	0
1932-06-04	85	59	72.0	-0.8	0	7	0.00	0.0	0
1932-06-05	89	61	75.0	2.0	0	10	0.00	0.0	0
1932-06-06	93	64	78.5	5.2	0	14	0.00	0.0	0
1932-06-07	94	65	79.5	6.0	0	15	0.00	0.0	0
1932-06-08	90	65	77.5	3.7	0	13	T	0.0	0
1932-06-09	90	64	77.0	3.0	0	12	0.00	0.0	0
1932-06-10	84	63	73.5	-0.7	0	9	0.78	0.0	0
1932-06-11	80	67	73.5	-1.0	0	9	0.22	0.0	0
1932-06-12	84	68	76.0	1.3	0	11	0.13	0.0	0
1932-06-13	88	64	76.0	1.1	0	11	0.01	0.0	0
1932-06-14	86	63	74.5	-0.6	0	10	0.12	0.0	0
1932-06-15	85	61	73.0	-2.3	0	8	0.52	0.0	0
1932-06-16	87	61	74.0	-1.5	0	9	0.02	0.0	0
1932-06-17	91	65	78.0	2.3	0	13	0.00	0.0	0
1932-06-18	94	70	82.0	6.1	0	17	0.00	0.0	0
1932-06-19	96	69	82.5	6.4	0	18	0.00	0.0	0
1932-06-20	96	67	81.5	5.2	0	17	1.10	0.0	0
1932-06-21	92	65	78.5	2.1	0	14	0.00	0.0	0
1932-06-22	95	69	82.0	5.4	0	17	0.00	0.0	0
1932-06-23	96	70	83.0	6.3	0	18	0.00	0.0	0
1932-06-24	95	71	83.0	6.1	0	18	0.00	0.0	0
1932-06-25	93	72	82.5	5.5	0	18	0.15	0.0	0
1932-06-26	87	71	79.0	1.8	0	14	0.05	0.0	0
1932-06-27	92	69	80.5	3.2	0	16	0.00	0.0	0
1932-06-28	91	71	81.0	3.6	0	16	0.20	0.0	0
1932-06-29	91	71	81.0	3.5	0	16	0.20	0.0	0
1932-06-30	87	73	80.0	2.4	0	15	0.33	0.0	0
Sum	2692	1976	-	-	0	390	3.83	0.0	-
Average	89.7	65.9	77.8	2.6	-	-	-	-	0.0
Normal	86.4	64.0	75.2	-	2	308	4.62	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - July 1932

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1932-07-01	79	68	73.5	-4.2	0	9	0.74	0.0	0
1932-07-02	81	65	73.0	-4.8	0	8	0.01	0.0	0
1932-07-03	85	56	70.5	-7.4	0	6	0.14	0.0	0
1932-07-04	81	70	75.5	-2.5	0	11	0.72	0.0	0
1932-07-05	87	69	78.0	0.0	0	13	0.10	0.0	0
1932-07-06	87	69	78.0	-0.1	0	13	2.10	0.0	0
1932-07-07	82	70	76.0	-2.2	0	11	1.34	0.0	0
1932-07-08	91	75	83.0	4.8	0	18	0.00	0.0	0
1932-07-09	90	66	78.0	-0.3	0	13	0.00	0.0	0
1932-07-10	95	66	80.5	2.2	0	16	0.00	0.0	0
1932-07-11	94	71	82.5	4.1	0	18	0.00	0.0	0
1932-07-12	96	70	83.0	4.6	0	18	0.00	0.0	0
1932-07-13	94	69	81.5	3.1	0	17	0.00	0.0	0
1932-07-14	96	72	84.0	5.5	0	19	0.00	0.0	0
1932-07-15	96	74	85.0	6.5	0	20	0.00	0.0	0
1932-07-16	98	72	85.0	6.5	0	20	0.00	0.0	0
1932-07-17	94	72	83.0	4.4	0	18	0.00	0.0	0
1932-07-18	97	71	84.0	5.4	0	19	0.00	0.0	0
1932-07-19	97	71	84.0	5.4	0	19	0.00	0.0	0
1932-07-20	98	70	84.0	5.4	0	19	0.01	0.0	0
1932-07-21	99	71	85.0	6.4	0	20	0.00	0.0	0
1932-07-22	99	72	85.5	6.9	0	21	0.00	0.0	0
1932-07-23	97	70	83.5	4.9	0	19	1.45	0.0	0
1932-07-24	93	70	81.5	2.9	0	17	0.00	0.0	0
1932-07-25	94	71	82.5	3.9	0	18	0.00	0.0	0
1932-07-26	93	69	81.0	2.4	0	16	T	0.0	0
1932-07-27	93	72	82.5	3.9	0	18	0.35	0.0	0
1932-07-28	93	70	81.5	2.9	0	17	0.50	0.0	0
1932-07-29	96	70	83.0	4.4	0	18	0.00	0.0	0
1932-07-30	88	70	79.0	0.4	0	14	0.41	0.0	0
1932-07-31	93	69	81.0	2.4	0	16	0.01	0.0	0
Sum	2856	2160	-	-	0	499	7.88	0.0	-
Average	92.1	69.7	80.9	2.5	-	-	-	-	0.0
Normal	89.1	67.7	78.4	-	0	415	5.17	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - August 1932

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1932-08-01	93	71	82.0	3.4	0	17	0.00	0.0	0
1932-08-02	94	75	84.5	5.9	0	20	0.00	0.0	0
1932-08-03	94	73	83.5	4.9	0	19	0.44	0.0	0
1932-08-04	94	73	83.5	5.0	0	19	0.00	0.0	0
1932-08-05	93	72	82.5	4.0	0	18	0.00	0.0	0
1932-08-06	92	72	82.0	3.5	0	17	0.00	0.0	0
1932-08-07	95	69	82.0	3.5	0	17	0.06	0.0	0
1932-08-08	91	66	78.5	0.1	0	14	0.00	0.0	0
1932-08-09	93	63	78.0	-0.4	0	13	0.00	0.0	0
1932-08-10	93	67	80.0	1.6	0	15	0.40	0.0	0
1932-08-11	93	68	80.5	2.2	0	16	0.00	0.0	0
1932-08-12	95	71	83.0	4.7	0	18	0.21	0.0	0
1932-08-13	91	70	80.5	2.3	0	16	0.04	0.0	0
1932-08-14	86	70	78.0	-0.2	0	13	0.01	0.0	0
1932-08-15	90	72	81.0	2.9	0	16	0.03	0.0	0
1932-08-16	89	70	79.5	1.5	0	15	T	0.0	0
1932-08-17	88	72	80.0	2.0	0	15	0.09	0.0	0
1932-08-18	81	68	74.5	-3.4	0	10	2.82	0.0	0
1932-08-19	86	69	77.5	-0.3	0	13	0.00	0.0	0
1932-08-20	87	61	74.0	-3.7	0	9	0.00	0.0	0
1932-08-21	89	67	78.0	0.4	0	13	0.00	0.0	0
1932-08-22	88	65	76.5	-1.0	0	12	0.00	0.0	0
1932-08-23	90	64	77.0	-0.4	0	12	0.00	0.0	0
1932-08-24	88	64	76.0	-1.3	0	11	0.00	0.0	0
1932-08-25	91	61	76.0	-1.1	0	11	0.00	0.0	0
1932-08-26	90	68	79.0	2.0	0	14	0.04	0.0	0
1932-08-27	92	68	80.0	3.2	0	15	0.00	0.0	0
1932-08-28	94	70	82.0	5.3	0	17	0.00	0.0	0
1932-08-29	96	70	83.0	6.5	0	18	0.00	0.0	0
1932-08-30	96	71	83.5	7.1	0	19	0.00	0.0	0
1932-08-31	94	70	82.0	5.8	0	17	0.00	0.0	0
Sum	2826	2130	-	-	0	469	4.14	0.0	-
Average	91.2	68.7	79.9	2.1	-	-	-	-	0.0
Normal	89.1	66.5	77.8	-	0	397	4.05	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - September 1932

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1932-09-01	90	75	82.5	6.5	0	18	0.00	0.0	0
1932-09-02	85	71	78.0	2.2	0	13	0.06	0.0	0
1932-09-03	91	72	81.5	5.9	0	17	0.09	0.0	0
1932-09-04	92	70	81.0	5.6	0	16	0.29	0.0	0
1932-09-05	92	69	80.5	5.3	0	16	0.00	0.0	0
1932-09-06	86	61	73.5	-1.4	0	9	0.00	0.0	0
1932-09-07	81	52	66.5	-8.2	0	2	0.00	0.0	0
1932-09-08	79	54	66.5	-7.9	0	2	0.00	0.0	0
1932-09-09	85	55	70.0	-4.2	0	5	0.00	0.0	0
1932-09-10	88	60	74.0	0.1	0	9	0.00	0.0	0
1932-09-11	87	57	72.0	-1.7	0	7	0.00	0.0	0
1932-09-12	87	59	73.0	-0.4	0	8	0.00	0.0	0
1932-09-13	82	59	70.5	-2.6	0	6	0.00	0.0	0
1932-09-14	88	64	76.0	3.2	0	11	0.00	0.0	0
1932-09-15	89	57	73.0	0.5	0	8	0.00	0.0	0
1932-09-16	90	61	75.5	3.3	0	11	0.10	0.0	0
1932-09-17	88	65	76.5	4.6	0	12	0.00	0.0	0
1932-09-18	92	57	74.5	2.9	0	10	0.00	0.0	0
1932-09-19	82	65	73.5	2.3	0	9	0.00	0.0	0
1932-09-20	84	68	76.0	5.1	0	11	1.35	0.0	0
1932-09-21	85	64	74.5	3.9	0	10	0.00	0.0	0
1932-09-22	78	60	69.0	-1.2	0	4	0.00	0.0	0
1932-09-23	83	65	74.0	4.1	0	9	0.39	0.0	0
1932-09-24	79	65	72.0	2.5	0	7	0.00	0.0	0
1932-09-25	74	65	69.5	0.3	0	5	0.01	0.0	0
1932-09-26	69	65	67.0	-1.8	0	2	0.30	0.0	0
1932-09-27	73	63	68.0	-0.4	0	3	0.00	0.0	0
1932-09-28	72	62	67.0	-1.1	0	2	0.00	0.0	0
1932-09-29	75	49	62.0	-5.7	3	0	0.00	0.0	0
1932-09-30	79	50	64.5	-2.8	0	0	0.00	0.0	0
Sum	2505	1859	-	-	3	242	2.59	0.0	-
Average	83.5	62.0	72.7	0.6	-	-	-	-	0.0
Normal	84.4	59.8	72.1	-	15	228	4.26	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - October 1932

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1932-10-01	74	56	65.0	-1.9	0	0	0.00	0.0	0
1932-10-02	75	60	67.5	1.0	0	3	0.02	0.0	0
1932-10-03	81	52	66.5	0.4	0	2	0.00	0.0	0
1932-10-04	72	62	67.0	1.3	0	2	2.04	0.0	0
1932-10-05	69	49	59.0	-6.3	6	0	0.00	0.0	0
1932-10-06	58	44	51.0	-13.9	14	0	0.00	0.0	0
1932-10-07	67	34	50.5	-14.0	14	0	0.00	0.0	0
1932-10-08	75	33	54.0	-10.1	11	0	0.00	0.0	0
1932-10-09	74	42	58.0	-5.7	7	0	0.00	0.0	0
1932-10-10	78	53	65.5	2.2	0	1	0.09	0.0	0
1932-10-11	69	45	57.0	-5.9	8	0	0.00	0.0	0
1932-10-12	67	34	50.5	-12.0	14	0	0.00	0.0	0
1932-10-13	75	40	57.5	-4.6	7	0	0.00	0.0	0
1932-10-14	81	45	63.0	1.3	2	0	0.00	0.0	0
1932-10-15	68	60	64.0	2.7	1	0	0.14	0.0	0
1932-10-16	66	57	61.5	0.6	3	0	4.10	0.0	0
1932-10-17	72	M	M	M	M	M	1.05	0.0	0
1932-10-18	69	62	65.5	5.4	0	1	0.01	0.0	0
1932-10-19	77	60	68.5	8.8	0	4	0.00	0.0	0
1932-10-20	80	52	66.0	6.7	0	1	0.00	0.0	0
1932-10-21	71	51	61.0	2.1	4	0	0.00	0.0	0
1932-10-22	75	41	58.0	-0.5	7	0	0.00	0.0	0
1932-10-23	79	43	61.0	2.9	4	0	0.00	0.0	0
1932-10-24	80	48	64.0	6.3	1	0	0.00	0.0	0
1932-10-25	78	52	65.0	7.7	0	0	0.00	0.0	0
1932-10-26	73	50	61.5	4.6	3	0	0.74	0.0	0
1932-10-27	67	36	51.5	-5.0	13	0	0.00	0.0	0
1932-10-28	63	36	49.5	-6.6	15	0	0.00	0.0	0
1932-10-29	72	36	54.0	-1.7	11	0	0.00	0.0	0
1932-10-30	74	45	59.5	4.2	5	0	0.00	0.0	0
1932-10-31	70	51	60.5	5.6	4	0	0.29	0.0	0
Sum	2249	1429	-	-	154	14	8.48	0.0	-
Average	72.5	47.6	60.1	-0.8	-	-	-	-	0.0
Normal	74.3	47.5	60.9	-	175	48	3.56	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - November 1932

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1932-11-01	63	45	54.0	-0.6	11	0	0.00	0.0	0
1932-11-02	65	35	50.0	-4.2	15	0	0.00	0.0	0
1932-11-03	69	44	56.5	2.7	8	0	0.00	0.0	0
1932-11-04	68	52	60.0	6.6	5	0	T	0.0	0
1932-11-05	66	53	59.5	6.4	5	0	0.00	0.0	0
1932-11-06	69	56	62.5	9.8	2	0	T	0.0	0
1932-11-07	74	55	64.5	12.1	0	0	0.00	0.0	0
1932-11-08	74	56	65.0	13.0	0	0	0.08	0.0	0
1932-11-09	61	36	48.5	-3.2	16	0	0.17	0.0	0
1932-11-10	65	30	47.5	-3.9	17	0	0.00	0.0	0
1932-11-11	60	39	49.5	-1.5	15	0	0.02	0.0	0
1932-11-12	60	38	49.0	-1.7	16	0	0.00	0.0	0
1932-11-13	51	24	37.5	-12.9	27	0	0.00	0.0	0
1932-11-14	61	24	42.5	-7.6	22	0	0.00	0.0	0
1932-11-15	66	29	47.5	-2.3	17	0	0.00	0.0	0
1932-11-16	55	33	44.0	-5.4	21	0	0.27	0.0	0
1932-11-17	44	33	38.5	-10.6	26	0	0.00	0.0	0
1932-11-18	45	29	37.0	-11.9	28	0	1.06	0.0	0
1932-11-19	56	36	46.0	-2.6	19	0	0.00	0.0	0
1932-11-20	55	25	40.0	-8.3	25	0	0.00	0.0	0
1932-11-21	63	35	49.0	1.0	16	0	0.00	0.0	0
1932-11-22	60	29	44.5	-3.2	20	0	0.00	0.0	0
1932-11-23	60	36	48.0	0.5	17	0	0.00	0.0	0
1932-11-24	55	37	46.0	-1.2	19	0	0.00	0.0	0
1932-11-25	59	49	54.0	7.0	11	0	0.70	0.0	0
1932-11-26	58	47	52.5	5.8	12	0	1.33	0.0	0
1932-11-27	48	30	39.0	-7.5	26	0	0.00	0.0	0
1932-11-28	51	23	37.0	-9.2	28	0	0.00	0.0	0
1932-11-29	55	22	38.5	-7.5	26	0	0.00	0.0	0
1932-11-30	60	26	43.0	-2.8	22	0	0.00	0.0	0
Sum	1796	1106	-	-	492	0	3.63	0.0	-
Average	59.9	36.9	48.4	-1.4	-	-	-	-	0.0
Normal	62.6	37.0	49.8	-	461	5	4.76	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - December 1932

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1932-12-01	63	26	44.5	-1.0	20	0	0.00	0.0	0
1932-12-02	65	27	46.0	0.7	19	0	0.00	0.0	0
1932-12-03	66	27	46.5	1.4	18	0	0.00	0.0	0
1932-12-04	67	28	47.5	2.6	17	0	0.11	0.0	0
1932-12-05	64	27	45.5	0.8	19	0	0.00	0.0	0
1932-12-06	68	43	55.5	11.0	9	0	0.00	0.0	0
1932-12-07	64	43	53.5	9.2	11	0	1.02	0.0	0
1932-12-08	52	28	40.0	-4.1	25	0	0.00	0.0	0
1932-12-09	50	30	40.0	-3.9	25	0	0.01	0.0	0
1932-12-10	55	41	48.0	4.3	17	0	2.00	0.0	0
1932-12-11	53	48	50.5	7.0	14	0	1.35	0.0	0
1932-12-12	55	40	47.5	4.2	17	0	1.08	0.0	0
1932-12-13	49	40	44.5	1.4	20	0	0.41	0.0	0
1932-12-14	47	39	43.0	0.0	22	0	1.06	0.0	0
1932-12-15	40	30	35.0	-7.8	30	0	0.10	0.0	0
1932-12-16	30	25	27.5	-15.1	37	0	1.34	1.5	2
1932-12-17	33	26	29.5	-13.0	35	0	0.28	0.2	2
1932-12-18	35	15	25.0	-17.3	40	0	0.00	0.0	M
1932-12-19	34	27	30.5	-11.6	34	0	0.00	0.0	M
1932-12-20	40	25	32.5	-9.5	32	0	0.00	0.0	M
1932-12-21	48	30	39.0	-2.8	26	0	0.13	0.0	M
1932-12-22	58	35	46.5	4.8	18	0	0.00	0.0	0
1932-12-23	60	48	54.0	12.5	11	0	0.00	0.0	0
1932-12-24	66	55	60.5	19.1	4	0	0.60	0.0	0
1932-12-25	65	55	60.0	18.8	5	0	0.02	0.0	0
1932-12-26	60	40	50.0	8.9	15	0	0.00	0.0	0
1932-12-27	54	50	52.0	11.0	13	0	1.60	0.0	0
1932-12-28	53	48	50.5	9.7	14	0	0.85	0.0	0
1932-12-29	56	37	46.5	5.8	18	0	0.00	0.0	0
1932-12-30	71	53	62.0	21.4	3	0	0.00	0.0	0
1932-12-31	69	31	50.0	9.5	15	0	0.65	0.0	0
Sum	1690	1117	-	-	603	0	12.61	1.7	-
Average	54.5	36.0	45.3	2.5	-	-	-	-	0.1
Normal	53.5	32.0	42.8	-	691	1	6.20	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - January 1933

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1933-01-01	46	24	35.0	-5.4	30	0	0.00	0.0	0
1933-01-02	51	23	37.0	-3.3	28	0	0.00	0.0	0
1933-01-03	58	39	48.5	8.3	16	0	0.00	0.0	0
1933-01-04	58	43	50.5	10.4	14	0	0.00	0.0	0
1933-01-05	60	52	56.0	16.0	9	0	0.00	0.0	0
1933-01-06	60	33	46.5	6.6	18	0	0.00	0.0	0
1933-01-07	60	49	54.5	14.7	10	0	0.11	0.0	0
1933-01-08	56	46	51.0	11.3	14	0	0.55	0.0	0
1933-01-09	58	46	52.0	12.3	13	0	0.77	0.0	0
1933-01-10	62	28	45.0	5.4	20	0	0.00	0.0	0
1933-01-11	56	43	49.5	9.9	15	0	0.10	0.0	0
1933-01-12	53	30	41.5	2.0	23	0	0.05	0.0	0
1933-01-13	52	28	40.0	0.5	25	0	0.00	0.0	0
1933-01-14	53	30	41.5	2.0	23	0	0.00	0.0	0
1933-01-15	58	25	41.5	2.0	23	0	0.00	0.0	0
1933-01-16	59	28	43.5	4.0	21	0	0.01	0.0	0
1933-01-17	61	47	54.0	14.5	11	0	0.02	0.0	0
1933-01-18	69	52	60.5	21.0	4	0	0.00	0.0	0
1933-01-19	70	53	61.5	22.0	3	0	0.00	0.0	0
1933-01-20	68	53	60.5	21.0	4	0	0.00	0.0	0
1933-01-21	70	60	65.0	25.4	0	0	0.00	0.0	0
1933-01-22	69	60	64.5	24.9	0	0	0.61	0.0	0
1933-01-23	70	54	62.0	22.3	3	0	0.00	0.0	0
1933-01-24	68	37	52.5	12.8	12	0	0.00	0.0	0
1933-01-25	63	52	57.5	17.7	7	0	M	0.0	0
1933-01-26	60	35	47.5	7.6	17	0	0.00	0.0	0
1933-01-27	55	43	49.0	9.0	16	0	0.05	0.0	0
1933-01-28	45	34	39.5	-0.6	25	0	0.00	0.0	0
1933-01-29	52	30	41.0	0.8	24	0	0.00	0.0	0
1933-01-30	48	36	42.0	1.7	23	0	0.00	0.0	0
1933-01-31	63	31	47.0	6.6	18	0	0.00	0.0	0
Sum	1831	1244	-	-	469	0	2.27	0.0	-
Average	59.1	40.1	49.6	9.8	-	-	-	-	0.0
Normal	50.4	29.2	39.8	-	781	0	6.07	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - February 1933

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1933-02-01	62	52	57.0	16.4	8	0	0.07	0.0	0
1933-02-02	71	50	60.5	19.8	4	0	0.01	0.0	0
1933-02-03	63	37	50.0	9.1	15	0	0.00	0.0	0
1933-02-04	55	40	47.5	6.4	17	0	0.19	0.0	0
1933-02-05	46	30	38.0	-3.2	27	0	0.00	0.0	0
1933-02-06	42	21	31.5	-9.9	33	0	0.00	0.0	0
1933-02-07	50	34	42.0	0.4	23	0	1.57	0.0	0
1933-02-08	51	13	32.0	-9.8	33	0	0.08	1.0	1
1933-02-09	27	3	15.0	-27.0	50	0	0.00	0.0	M
1933-02-10	38	17	27.5	-14.7	37	0	0.00	0.0	M
1933-02-11	35	28	31.5	-10.9	33	0	0.18	0.8	T
1933-02-12	46	18	32.0	-10.6	33	0	0.00	0.0	M
1933-02-13	46	33	39.5	-3.4	25	0	0.02	0.0	M
1933-02-14	53	44	48.5	5.4	16	0	1.28	0.0	M
1933-02-15	58	38	48.0	4.7	17	0	0.37	0.0	0
1933-02-16	48	33	40.5	-3.1	24	0	0.00	0.0	0
1933-02-17	53	36	44.5	0.7	20	0	0.04	0.0	0
1933-02-18	55	49	52.0	8.0	13	0	0.08	0.0	0
1933-02-19	59	37	48.0	3.7	17	0	0.08	0.0	0
1933-02-20	58	46	52.0	7.5	13	0	1.10	0.0	0
1933-02-21	67	29	48.0	3.2	17	0	0.00	0.0	0
1933-02-22	59	33	46.0	0.9	19	0	0.01	0.0	0
1933-02-23	73	45	59.0	13.7	6	0	0.00	0.0	0
1933-02-24	69	38	53.5	7.9	11	0	T	0.0	0
1933-02-25	75	54	64.5	18.6	0	0	0.09	0.0	0
1933-02-26	55	39	47.0	0.9	18	0	0.03	0.0	0
1933-02-27	58	36	47.0	0.6	18	0	0.00	0.0	0
1933-02-28	56	43	49.5	2.8	15	0	0.00	0.0	0
Sum	1528	976	-	-	562	0	5.20	1.8	-
Average	54.6	34.9	44.7	1.4	-	-	-	-	0.0
Normal	54.8	31.9	43.3	-	607	1	5.72	0.6	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - March 1933

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1933-03-01	58	38	48.0	1.1	17	0	0.00	0.0	0
1933-03-02	56	32	44.0	-3.2	21	0	0.00	0.0	0
1933-03-03	48	30	39.0	-8.5	26	0	0.00	0.0	0
1933-03-04	53	27	40.0	-7.7	25	0	0.00	0.0	0
1933-03-05	58	28	43.0	-5.0	22	0	0.00	0.0	0
1933-03-06	52	42	47.0	-1.3	18	0	0.15	0.0	0
1933-03-07	53	37	45.0	-3.5	20	0	0.45	0.0	0
1933-03-08	54	40	47.0	-1.8	18	0	0.04	0.0	0
1933-03-09	55	39	47.0	-2.1	18	0	T	0.0	0
1933-03-10	47	29	38.0	-11.4	27	0	0.00	0.0	0
1933-03-11	42	26	34.0	-15.6	31	0	0.17	0.0	0
1933-03-12	70	37	53.5	3.6	11	0	0.05	0.0	0
1933-03-13	73	54	63.5	13.3	1	0	0.06	0.0	0
1933-03-14	79	65	72.0	21.6	0	7	0.09	0.0	0
1933-03-15	75	45	60.0	9.3	5	0	0.08	0.0	0
1933-03-16	70	35	52.5	1.5	12	0	0.00	0.0	0
1933-03-17	68	42	55.0	3.8	10	0	0.01	0.0	0
1933-03-18	81	45	63.0	11.5	2	0	0.00	0.0	0
1933-03-19	76	59	67.5	15.7	0	3	2.17	0.0	0
1933-03-20	61	47	54.0	2.0	11	0	0.32	0.0	0
1933-03-21	50	33	41.5	-10.8	23	0	0.00	0.0	0
1933-03-22	71	30	50.5	-2.1	14	0	0.00	0.0	0
1933-03-23	72	53	62.5	9.7	2	0	0.00	0.0	0
1933-03-24	67	32	49.5	-3.6	15	0	0.00	0.0	0
1933-03-25	68	50	59.0	5.6	6	0	0.45	0.0	0
1933-03-26	63	40	51.5	-2.1	13	0	0.00	0.0	0
1933-03-27	72	34	53.0	-0.9	12	0	0.00	0.0	0
1933-03-28	71	42	56.5	2.4	8	0	T	0.0	0
1933-03-29	74	41	57.5	3.1	7	0	0.00	0.0	0
1933-03-30	80	54	67.0	12.3	0	2	0.00	0.0	0
1933-03-31	70	56	63.0	8.1	2	0	1.10	0.0	0
Sum	1987	1262	-	-	397	12	5.14	0.0	-
Average	64.1	40.7	52.4	1.4	-	-	-	-	0.0
Normal	63.3	38.6	51.0	-	440	4	5.69	0.5	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - April 1933

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1933-04-01	74	51	62.5	7.3	2	0	0.00	0.0	0
1933-04-02	73	47	60.0	4.5	5	0	0.04	0.0	0
1933-04-03	69	42	55.5	-0.2	9	0	0.00	0.0	0
1933-04-04	70	35	52.5	-3.5	12	0	0.00	0.0	0
1933-04-05	70	48	59.0	2.7	6	0	0.02	0.0	0
1933-04-06	67	56	61.5	5.0	3	0	0.35	0.0	0
1933-04-07	73	35	54.0	-2.8	11	0	0.00	0.0	0
1933-04-08	78	40	59.0	2.0	6	0	0.00	0.0	0
1933-04-09	72	45	58.5	1.2	6	0	0.03	0.0	0
1933-04-10	83	49	66.0	8.4	0	1	0.00	0.0	0
1933-04-11	77	51	64.0	6.2	1	0	0.58	0.0	0
1933-04-12	66	41	53.5	-4.6	11	0	0.00	0.0	0
1933-04-13	72	37	54.5	-3.9	10	0	0.00	0.0	0
1933-04-14	65	53	59.0	0.4	6	0	0.01	0.0	0
1933-04-15	64	52	58.0	-0.9	7	0	0.98	0.0	0
1933-04-16	55	39	47.0	-12.2	18	0	0.02	0.0	0
1933-04-17	65	41	53.0	-6.4	12	0	0.00	0.0	0
1933-04-18	80	41	60.5	0.8	4	0	0.05	0.0	0
1933-04-19	81	54	67.5	7.5	0	3	0.00	0.0	0
1933-04-20	76	56	66.0	5.8	0	1	0.00	0.0	0
1933-04-21	72	51	61.5	1.0	3	0	T	0.0	0
1933-04-22	76	49	62.5	1.7	2	0	0.05	0.0	0
1933-04-23	73	51	62.0	1.0	3	0	0.08	0.0	0
1933-04-24	76	56	66.0	4.7	0	1	0.45	0.0	0
1933-04-25	75	47	61.0	-0.6	4	0	0.00	0.0	0
1933-04-26	67	51	59.0	-2.9	6	0	0.08	0.0	0
1933-04-27	69	45	57.0	-5.1	8	0	T	0.0	0
1933-04-28	79	43	61.0	-1.4	4	0	0.00	0.0	0
1933-04-29	82	54	68.0	5.3	0	3	0.00	0.0	0
1933-04-30	81	65	73.0	10.1	0	8	0.00	0.0	0
Sum	2180	1425	-	-	159	17	2.74	0.0	-
Average	72.7	47.5	60.1	1.0	-	-	-	-	0.0
Normal	72.1	46.0	59.1	-	206	27	5.04	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - May 1933

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1933-05-01	81	63	72.0	8.8	0	7	0.00	0.0	0
1933-05-02	79	63	71.0	7.5	0	6	0.48	0.0	0
1933-05-03	72	49	60.5	-3.3	4	0	0.00	0.0	0
1933-05-04	78	48	63.0	-1.1	2	0	T	0.0	0
1933-05-05	86	66	76.0	11.7	0	11	0.28	0.0	0
1933-05-06	84	54	69.0	4.4	0	4	0.00	0.0	0
1933-05-07	75	53	64.0	-0.9	1	0	0.12	0.0	0
1933-05-08	82	54	68.0	2.8	0	3	1.00	0.0	0
1933-05-09	86	54	70.0	4.6	0	5	0.00	0.0	0
1933-05-10	81	62	71.5	5.8	0	7	0.82	0.0	0
1933-05-11	90	62	76.0	10.0	0	11	0.00	0.0	0
1933-05-12	88	64	76.0	9.7	0	11	0.02	0.0	0
1933-05-13	89	67	78.0	11.4	0	13	0.00	0.0	0
1933-05-14	88	69	78.5	11.6	0	14	0.00	0.0	0
1933-05-15	90	65	77.5	10.3	0	13	0.00	0.0	0
1933-05-16	84	65	74.5	7.1	0	10	0.00	0.0	0
1933-05-17	82	53	67.5	-0.2	0	3	0.00	0.0	0
1933-05-18	86	56	71.0	3.0	0	6	0.00	0.0	0
1933-05-19	89	58	73.5	5.2	0	9	0.00	0.0	0
1933-05-20	91	57	74.0	5.4	0	9	0.00	0.0	0
1933-05-21	93	59	76.0	7.1	0	11	0.00	0.0	0
1933-05-22	93	63	78.0	8.8	0	13	0.00	0.0	0
1933-05-23	91	64	77.5	8.1	0	13	0.33	0.0	0
1933-05-24	91	62	76.5	6.8	0	12	0.00	0.0	0
1933-05-25	92	65	78.5	8.5	0	14	0.23	0.0	0
1933-05-26	91	65	78.0	7.7	0	13	0.00	0.0	0
1933-05-27	85	67	76.0	5.4	0	11	1.40	0.0	0
1933-05-28	87	59	73.0	2.1	0	8	0.00	0.0	0
1933-05-29	89	60	74.5	3.4	0	10	0.00	0.0	0
1933-05-30	84	65	74.5	3.1	0	10	0.00	0.0	0
1933-05-31	81	57	69.0	-2.7	0	4	0.00	0.0	0
Sum	2658	1868	-	-	7	261	4.68	0.0	-
Average	85.7	60.3	73.0	5.6	-	-	-	-	0.0
Normal	79.5	55.4	67.4	-	55	130	4.55	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - June 1933

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1933-06-01	77	53	65.0	-7.0	0	0	0.00	0.0	0
1933-06-02	82	54	68.0	-4.2	0	3	0.00	0.0	0
1933-06-03	89	54	71.5	-1.0	0	7	0.00	0.0	0
1933-06-04	93	60	76.5	3.7	0	12	0.00	0.0	0
1933-06-05	93	61	77.0	4.0	0	12	0.00	0.0	0
1933-06-06	96	65	80.5	7.2	0	16	0.00	0.0	0
1933-06-07	98	67	82.5	9.0	0	18	0.00	0.0	0
1933-06-08	101	71	86.0	12.2	0	21	0.00	0.0	0
1933-06-09	96	67	81.5	7.5	0	17	0.62	0.0	0
1933-06-10	84	68	76.0	1.8	0	11	0.33	0.0	0
1933-06-11	91	70	80.5	6.0	0	16	0.00	0.0	0
1933-06-12	92	67	79.5	4.8	0	15	0.00	0.0	0
1933-06-13	81	62	71.5	-3.4	0	7	0.01	0.0	0
1933-06-14	76	49	62.5	-12.6	2	0	0.00	0.0	0
1933-06-15	80	50	65.0	-10.3	0	0	0.00	0.0	0
1933-06-16	87	49	68.0	-7.5	0	3	0.00	0.0	0
1933-06-17	92	53	72.5	-3.2	0	8	0.00	0.0	0
1933-06-18	98	65	81.5	5.6	0	17	0.00	0.0	0
1933-06-19	100	62	81.0	4.9	0	16	0.00	0.0	0
1933-06-20	100	63	81.5	5.2	0	17	0.00	0.0	0
1933-06-21	100	64	82.0	5.6	0	17	0.00	0.0	0
1933-06-22	101	65	83.0	6.4	0	18	0.00	0.0	0
1933-06-23	88	74	81.0	4.3	0	16	0.00	0.0	0
1933-06-24	90	68	79.0	2.1	0	14	0.37	0.0	0
1933-06-25	90	66	78.0	1.0	0	13	0.00	0.0	0
1933-06-26	92	70	81.0	3.8	0	16	T	0.0	0
1933-06-27	93	71	82.0	4.7	0	17	0.33	0.0	0
1933-06-28	97	69	83.0	5.6	0	18	T	0.0	0
1933-06-29	97	70	83.5	6.0	0	19	0.00	0.0	0
1933-06-30	95	71	83.0	5.4	0	18	0.00	0.0	0
Sum	2749	1898	-	-	2	382	1.66	0.0	-
Average	91.6	63.3	77.5	2.3	-	-	-	-	0.0
Normal	86.4	64.0	75.2	-	2	308	4.62	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - July 1933

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1933-07-01	94	74	84.0	6.3	0	19	0.07	0.0	0
1933-07-02	98	75	86.5	8.7	0	22	0.05	0.0	0
1933-07-03	100	73	86.5	8.6	0	22	0.04	0.0	0
1933-07-04	83	68	75.5	-2.5	0	11	0.00	0.0	0
1933-07-05	88	61	74.5	-3.5	0	10	0.00	0.0	0
1933-07-06	90	56	73.0	-5.1	0	8	0.00	0.0	0
1933-07-07	93	57	75.0	-3.2	0	10	0.00	0.0	0
1933-07-08	96	59	77.5	-0.7	0	13	0.00	0.0	0
1933-07-09	93	65	79.0	0.7	0	14	0.00	0.0	0
1933-07-10	86	72	79.0	0.7	0	14	0.73	0.0	0
1933-07-11	92	73	82.5	4.1	0	18	0.04	0.0	0
1933-07-12	90	70	80.0	1.6	0	15	0.00	0.0	0
1933-07-13	88	72	80.0	1.6	0	15	0.00	0.0	0
1933-07-14	82	71	76.5	-2.0	0	12	0.32	0.0	0
1933-07-15	91	68	79.5	1.0	0	15	0.00	0.0	0
1933-07-16	91	70	80.5	2.0	0	16	0.00	0.0	0
1933-07-17	91	70	80.5	1.9	0	16	0.00	0.0	0
1933-07-18	87	66	76.5	-2.1	0	12	0.00	0.0	0
1933-07-19	87	68	77.5	-1.1	0	13	0.70	0.0	0
1933-07-20	90	70	80.0	1.4	0	15	T	0.0	0
1933-07-21	94	67	80.5	1.9	0	16	0.00	0.0	0
1933-07-22	94	70	82.0	3.4	0	17	0.17	0.0	0
1933-07-23	88	71	79.5	0.9	0	15	0.48	0.0	0
1933-07-24	93	69	81.0	2.4	0	16	0.00	0.0	0
1933-07-25	91	68	79.5	0.9	0	15	0.95	0.0	0
1933-07-26	85	71	78.0	-0.6	0	13	0.89	0.0	0
1933-07-27	86	70	78.0	-0.6	0	13	0.72	0.0	0
1933-07-28	88	70	79.0	0.4	0	14	0.00	0.0	0
1933-07-29	93	69	81.0	2.4	0	16	0.00	0.0	0
1933-07-30	95	71	83.0	4.4	0	18	0.00	0.0	0
1933-07-31	94	72	83.0	4.4	0	18	0.00	0.0	0
Sum	2811	2126	-	-	0	461	5.16	0.0	-
Average	90.7	68.6	79.6	1.2	-	-	-	-	0.0
Normal	89.1	67.7	78.4	-	0	415	5.17	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - August 1933

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1933-08-01	95	72	83.5	4.9	0	19	0.10	0.0	0
1933-08-02	92	70	81.0	2.4	0	16	0.42	0.0	0
1933-08-03	93	70	81.5	2.9	0	17	0.00	0.0	0
1933-08-04	85	70	77.5	-1.0	0	13	0.96	0.0	0
1933-08-05	85	65	75.0	-3.5	0	10	0.00	0.0	0
1933-08-06	89	65	77.0	-1.5	0	12	0.00	0.0	0
1933-08-07	89	63	76.0	-2.5	0	11	0.00	0.0	0
1933-08-08	92	64	78.0	-0.4	0	13	0.00	0.0	0
1933-08-09	95	66	80.5	2.1	0	16	0.00	0.0	0
1933-08-10	95	70	82.5	4.1	0	18	0.00	0.0	0
1933-08-11	90	71	80.5	2.2	0	16	0.06	0.0	0
1933-08-12	93	70	81.5	3.2	0	17	0.00	0.0	0
1933-08-13	82	68	75.0	-3.2	0	10	0.37	0.0	0
1933-08-14	88	61	74.5	-3.7	0	10	0.00	0.0	0
1933-08-15	80	61	70.5	-7.6	0	6	T	0.0	0
1933-08-16	88	62	75.0	-3.0	0	10	0.00	0.0	0
1933-08-17	85	67	76.0	-2.0	0	11	0.14	0.0	0
1933-08-18	89	66	77.5	-0.4	0	13	0.00	0.0	0
1933-08-19	90	63	76.5	-1.3	0	12	0.00	0.0	0
1933-08-20	91	60	75.5	-2.2	0	11	0.00	0.0	0
1933-08-21	92	64	78.0	0.4	0	13	0.00	0.0	0
1933-08-22	91	65	78.0	0.5	0	13	0.00	0.0	0
1933-08-23	90	64	77.0	-0.4	0	12	0.00	0.0	0
1933-08-24	92	66	79.0	1.7	0	14	0.00	0.0	0
1933-08-25	87	68	77.5	0.4	0	13	0.05	0.0	0
1933-08-26	95	65	80.0	3.0	0	15	1.05	0.0	0
1933-08-27	91	68	79.5	2.7	0	15	0.00	0.0	0
1933-08-28	93	68	80.5	3.8	0	16	0.18	0.0	0
1933-08-29	88	70	79.0	2.5	0	14	0.87	0.0	0
1933-08-30	76	70	73.0	-3.4	0	8	0.37	0.0	0
1933-08-31	87	68	77.5	1.3	0	13	0.00	0.0	0
Sum	2768	2060	-	-	0	407	4.57	0.0	-
Average	89.3	66.5	77.9	0.1	-	-	-	-	0.0
Normal	89.1	66.5	77.8	-	0	397	4.05	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - September 1933

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1933-09-01	92	69	80.5	4.5	0	16	0.00	0.0	0
1933-09-02	92	68	80.0	4.2	0	15	0.00	0.0	0
1933-09-03	92	70	81.0	5.4	0	16	0.35	0.0	0
1933-09-04	94	70	82.0	6.6	0	17	0.06	0.0	0
1933-09-05	87	69	78.0	2.8	0	13	0.80	0.0	0
1933-09-06	88	65	76.5	1.6	0	12	0.00	0.0	0
1933-09-07	90	66	78.0	3.3	0	13	0.00	0.0	0
1933-09-08	83	72	77.5	3.1	0	13	0.41	0.0	0
1933-09-09	84	70	77.0	2.8	0	12	0.12	0.0	0
1933-09-10	92	70	81.0	7.1	0	16	0.00	0.0	0
1933-09-11	85	68	76.5	2.8	0	12	0.00	0.0	0
1933-09-12	95	68	81.5	8.1	0	17	0.00	0.0	0
1933-09-13	94	68	81.0	7.9	0	16	0.00	0.0	0
1933-09-14	94	64	79.0	6.2	0	14	T	0.0	0
1933-09-15	93	70	81.5	9.0	0	17	0.43	0.0	0
1933-09-16	92	69	80.5	8.3	0	16	0.00	0.0	0
1933-09-17	95	67	81.0	9.1	0	16	0.96	0.0	0
1933-09-18	91	65	78.0	6.4	0	13	0.00	0.0	0
1933-09-19	94	62	78.0	6.8	0	13	0.00	0.0	0
1933-09-20	88	65	76.5	5.6	0	12	0.00	0.0	0
1933-09-21	84	47	65.5	-5.1	0	1	0.00	0.0	0
1933-09-22	87	48	67.5	-2.7	0	3	0.00	0.0	0
1933-09-23	91	51	71.0	1.1	0	6	0.00	0.0	0
1933-09-24	93	53	73.0	3.5	0	8	0.00	0.0	0
1933-09-25	95	63	79.0	9.8	0	14	0.00	0.0	0
1933-09-26	93	58	75.5	6.7	0	11	0.00	0.0	0
1933-09-27	91	65	78.0	9.6	0	13	0.02	0.0	0
1933-09-28	90	66	78.0	9.9	0	13	T	0.0	0
1933-09-29	87	62	74.5	6.8	0	10	0.00	0.0	0
1933-09-30	92	64	78.0	10.7	0	13	0.00	0.0	0
Sum	2718	1932	-	-	0	381	3.15	0.0	-
Average	90.6	64.4	77.5	5.4	-	-	-	-	0.0
Normal	84.4	59.8	72.1	-	15	228	4.26	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - October 1933

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1933-10-01	94	66	80.0	13.1	0	15	0.95	0.0	0
1933-10-02	79	61	70.0	3.5	0	5	0.00	0.0	0
1933-10-03	78	62	70.0	3.9	0	5	0.00	0.0	0
1933-10-04	81	60	70.5	4.8	0	6	0.00	0.0	0
1933-10-05	81	53	67.0	1.7	0	2	0.00	0.0	0
1933-10-06	78	45	61.5	-3.4	3	0	0.00	0.0	0
1933-10-07	71	43	57.0	-7.5	8	0	0.00	0.0	0
1933-10-08	67	43	55.0	-9.1	10	0	0.00	0.0	0
1933-10-09	71	36	53.5	-10.2	11	0	0.00	0.0	0
1933-10-10	74	39	56.5	-6.8	8	0	0.00	0.0	0
1933-10-11	78	39	58.5	-4.4	6	0	0.00	0.0	0
1933-10-12	79	46	62.5	0.0	2	0	0.00	0.0	0
1933-10-13	72	52	62.0	-0.1	3	0	0.00	0.0	0
1933-10-14	77	40	58.5	-3.2	6	0	0.00	0.0	0
1933-10-15	75	48	61.5	0.2	3	0	0.00	0.0	0
1933-10-16	69	62	65.5	4.6	0	1	1.75	0.0	0
1933-10-17	76	56	66.0	5.5	0	1	0.00	0.0	0
1933-10-18	74	42	58.0	-2.1	7	0	0.00	0.0	0
1933-10-19	75	41	58.0	-1.7	7	0	0.00	0.0	0
1933-10-20	79	46	62.5	3.2	2	0	0.00	0.0	0
1933-10-21	80	59	69.5	10.6	0	5	0.00	0.0	0
1933-10-22	74	56	65.0	6.5	0	0	T	0.0	0
1933-10-23	75	60	67.5	9.4	0	3	0.00	0.0	0
1933-10-24	76	49	62.5	4.8	2	0	0.00	0.0	0
1933-10-25	66	40	53.0	-4.3	12	0	0.00	0.0	0
1933-10-26	66	35	50.5	-6.4	14	0	0.00	0.0	0
1933-10-27	67	43	55.0	-1.5	10	0	0.00	0.0	0
1933-10-28	76	45	60.5	4.4	4	0	0.00	0.0	0
1933-10-29	80	50	65.0	9.3	0	0	0.00	0.0	0
1933-10-30	82	52	67.0	11.7	0	2	0.00	0.0	0
1933-10-31	79	50	64.5	9.6	0	0	0.00	0.0	0
Sum	2349	1519	-	-	118	45	2.70	0.0	-
Average	75.8	49.0	62.4	1.5	-	-	-	-	0.0
Normal	74.3	47.5	60.9	-	175	48	3.56	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - November 1933

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1933-11-01	79	57	68.0	13.4	0	3	0.00	0.0	0
1933-11-02	75	60	67.5	13.3	0	3	0.00	0.0	0
1933-11-03	75	61	68.0	14.2	0	3	0.00	0.0	0
1933-11-04	76	56	66.0	12.6	0	1	0.33	0.0	0
1933-11-05	71	55	63.0	9.9	2	0	0.69	0.0	0
1933-11-06	57	47	52.0	-0.7	13	0	0.00	0.0	0
1933-11-07	58	43	50.5	-1.9	14	0	0.00	0.0	0
1933-11-08	50	30	40.0	-12.0	25	0	0.00	0.0	0
1933-11-09	63	25	44.0	-7.7	21	0	0.00	0.0	0
1933-11-10	53	25	39.0	-12.4	26	0	0.00	0.0	0
1933-11-11	66	25	45.5	-5.5	19	0	0.00	0.0	0
1933-11-12	70	50	60.0	9.3	5	0	0.00	0.0	0
1933-11-13	70	41	55.5	5.1	9	0	0.00	0.0	0
1933-11-14	66	30	48.0	-2.1	17	0	0.00	0.0	0
1933-11-15	60	31	45.5	-4.3	19	0	0.00	0.0	0
1933-11-16	50	18	34.0	-15.4	31	0	0.00	0.0	0
1933-11-17	56	20	38.0	-11.1	27	0	0.00	0.0	0
1933-11-18	65	30	47.5	-1.4	17	0	T	0.0	0
1933-11-19	64	27	45.5	-3.1	19	0	0.00	0.0	0
1933-11-20	73	32	52.5	4.2	12	0	0.00	0.0	0
1933-11-21	70	38	54.0	6.0	11	0	0.42	0.0	0
1933-11-22	68	50	59.0	11.3	6	0	0.74	0.0	0
1933-11-23	59	40	49.5	2.0	15	0	0.00	0.0	0
1933-11-24	55	34	44.5	-2.7	20	0	0.05	0.0	0
1933-11-25	67	32	49.5	2.5	15	0	0.00	0.0	0
1933-11-26	59	39	49.0	2.3	16	0	0.00	0.0	0
1933-11-27	58	25	41.5	-5.0	23	0	0.00	0.0	0
1933-11-28	67	30	48.5	2.3	16	0	0.00	0.0	0
1933-11-29	70	32	51.0	5.0	14	0	0.00	0.0	0
1933-11-30	73	37	55.0	9.2	10	0	0.00	0.0	0
Sum	1943	1120	-	-	422	10	2.23	0.0	-
Average	64.8	37.3	51.1	1.3	-	-	-	-	0.0
Normal	62.6	37.0	49.8	-	461	5	4.76	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - December 1933

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1933-12-01	72	45	58.5	13.0	6	0	0.00	0.0	0
1933-12-02	68	46	57.0	11.7	8	0	0.00	0.0	0
1933-12-03	75	57	66.0	20.9	0	1	0.00	0.0	0
1933-12-04	72	37	54.5	9.6	10	0	0.00	0.0	0
1933-12-05	73	37	55.0	10.3	10	0	0.00	0.0	0
1933-12-06	69	45	57.0	12.5	8	0	1.16	0.0	0
1933-12-07	55	32	43.5	-0.8	21	0	0.00	0.0	0
1933-12-08	61	28	44.5	0.4	20	0	0.00	0.0	0
1933-12-09	54	37	45.5	1.6	19	0	0.00	0.0	0
1933-12-10	58	28	43.0	-0.7	22	0	0.00	0.0	0
1933-12-11	65	47	56.0	12.5	9	0	0.00	0.0	0
1933-12-12	54	42	48.0	4.7	17	0	0.00	0.0	0
1933-12-13	58	47	52.5	9.4	12	0	0.02	0.0	0
1933-12-14	70	50	60.0	17.0	5	0	0.00	0.0	0
1933-12-15	70	58	64.0	21.2	1	0	0.00	0.0	0
1933-12-16	71	59	65.0	22.4	0	0	0.00	0.0	0
1933-12-17	69	58	63.5	21.0	1	0	0.16	0.0	0
1933-12-18	67	57	62.0	19.7	3	0	0.70	0.0	0
1933-12-19	65	57	61.0	18.9	4	0	0.42	0.0	0
1933-12-20	60	46	53.0	11.0	12	0	0.00	0.0	0
1933-12-21	63	34	48.5	6.7	16	0	0.00	0.0	0
1933-12-22	67	31	49.0	7.3	16	0	0.00	0.0	0
1933-12-23	69	34	51.5	10.0	13	0	0.00	0.0	0
1933-12-24	69	58	63.5	22.1	1	0	0.00	0.0	0
1933-12-25	67	43	55.0	13.8	10	0	T	0.0	0
1933-12-26	58	38	48.0	6.9	17	0	0.34	0.0	0
1933-12-27	39	20	29.5	-11.5	35	0	0.00	0.0	0
1933-12-28	52	25	38.5	-2.3	26	0	0.00	0.0	0
1933-12-29	57	33	45.0	4.3	20	0	0.00	0.0	0
1933-12-30	47	31	39.0	-1.6	26	0	0.00	0.0	0
1933-12-31	59	43	51.0	10.5	14	0	0.45	0.0	0
Sum	1953	1303	-	-	382	1	3.25	0.0	-
Average	63.0	42.0	52.5	9.7	-	-	-	-	0.0
Normal	53.5	32.0	42.8	-	691	1	6.20	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - January 1934

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1934-01-01	67	53	60.0	19.6	5	0	0.77	0.0	0
1934-01-02	55	38	46.5	6.2	18	0	0.00	0.0	0
1934-01-03	58	38	48.0	7.8	17	0	0.00	0.0	0
1934-01-04	49	42	45.5	5.4	19	0	0.62	0.0	0
1934-01-05	60	45	52.5	12.5	12	0	0.00	0.0	0
1934-01-06	55	43	49.0	9.1	16	0	1.65	0.0	0
1934-01-07	63	52	57.5	17.7	7	0	1.11	0.0	0
1934-01-08	55	40	47.5	7.8	17	0	0.01	0.0	0
1934-01-09	42	36	39.0	-0.7	26	0	0.01	0.0	0
1934-01-10	49	26	37.5	-2.1	27	0	0.00	0.0	0
1934-01-11	52	25	38.5	-1.1	26	0	0.00	0.0	0
1934-01-12	45	40	42.5	3.0	22	0	0.34	0.0	0
1934-01-13	56	40	48.0	8.5	17	0	0.00	0.0	0
1934-01-14	55	30	42.5	3.0	22	0	0.00	0.0	0
1934-01-15	57	25	41.0	1.5	24	0	0.00	0.0	0
1934-01-16	62	27	44.5	5.0	20	0	0.00	0.0	0
1934-01-17	55	25	40.0	0.5	25	0	0.00	0.0	0
1934-01-18	59	24	41.5	2.0	23	0	0.00	0.0	0
1934-01-19	50	43	46.5	7.0	18	0	0.05	0.0	0
1934-01-20	63	43	53.0	13.5	12	0	0.00	0.0	0
1934-01-21	59	49	54.0	14.4	11	0	0.00	0.0	0
1934-01-22	60	49	54.5	14.9	10	0	0.00	0.0	0
1934-01-23	61	47	54.0	14.3	11	0	0.06	0.0	0
1934-01-24	64	35	49.5	9.8	15	0	0.00	0.0	0
1934-01-25	58	50	54.0	14.2	11	0	0.15	0.0	0
1934-01-26	69	51	60.0	20.1	5	0	0.00	0.0	0
1934-01-27	65	43	54.0	14.0	11	0	0.00	0.0	0
1934-01-28	71	48	59.5	19.4	5	0	0.00	0.0	0
1934-01-29	67	13	40.0	-0.2	25	0	0.00	0.0	0
1934-01-30	27	7	17.0	-23.3	48	0	0.00	0.0	0
1934-01-31	39	13	26.0	-14.4	39	0	0.00	0.0	0
Sum	1747	1140	-	-	564	0	4.77	0.0	-
Average	56.4	36.8	46.6	6.8	-	-	-	-	0.0
Normal	50.4	29.2	39.8	-	781	0	6.07	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - February 1934

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1934-02-01	40	32	36.0	-4.6	29	0	0.65	0.5	0
1934-02-02	57	25	41.0	0.3	24	0	0.00	0.0	0
1934-02-03	56	31	43.5	2.6	21	0	0.00	0.0	0
1934-02-04	62	30	46.0	4.9	19	0	0.00	0.0	0
1934-02-05	59	33	46.0	4.8	19	0	0.00	0.0	0
1934-02-06	53	26	39.5	-1.9	25	0	0.00	0.0	0
1934-02-07	58	25	41.5	-0.1	23	0	0.00	0.0	0
1934-02-08	60	28	44.0	2.2	21	0	0.00	0.0	0
1934-02-09	57	32	44.5	2.5	20	0	0.00	0.0	0
1934-02-10	45	22	33.5	-8.7	31	0	0.19	0.8	1
1934-02-11	33	26	29.5	-12.9	35	0	0.04	0.0	M
1934-02-12	47	32	39.5	-3.1	25	0	0.00	0.0	M
1934-02-13	56	35	45.5	2.6	19	0	0.00	0.0	M
1934-02-14	68	27	47.5	4.4	17	0	0.00	0.0	M
1934-02-15	70	40	55.0	11.7	10	0	0.00	0.0	0
1934-02-16	61	34	47.5	3.9	17	0	0.28	0.0	0
1934-02-17	60	35	47.5	3.7	17	0	0.00	0.0	0
1934-02-18	55	36	45.5	1.5	19	0	T	0.0	0
1934-02-19	46	29	37.5	-6.8	27	0	0.09	0.0	0
1934-02-20	43	16	29.5	-15.0	35	0	0.00	0.0	0
1934-02-21	54	23	38.5	-6.3	26	0	0.00	0.0	0
1934-02-22	51	41	46.0	0.9	19	0	0.25	0.0	0
1934-02-23	42	25	33.5	-11.8	31	0	0.00	0.0	0
1934-02-24	39	25	32.0	-13.6	33	0	T	0.0	0
1934-02-25	58	34	46.0	0.1	19	0	1.48	0.0	0
1934-02-26	54	22	38.0	-8.1	27	0	0.62	T	M
1934-02-27	33	11	22.0	-24.4	43	0	0.00	0.0	M
1934-02-28	37	23	30.0	-16.7	35	0	0.00	0.0	0
Sum	1454	798	-	-	686	0	3.60	1.3	-
Average	51.9	28.5	40.2	-3.1	-	-	-	-	0.0
Normal	54.8	31.9	43.3	-	607	1	5.72	0.6	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - March 1934

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1934-03-01	53	34	43.5	-3.4	21	0	0.00	0.0	0
1934-03-02	55	46	50.5	3.3	14	0	2.83	0.0	0
1934-03-03	63	53	58.0	10.5	7	0	1.76	0.0	0
1934-03-04	70	54	62.0	14.3	3	0	0.00	0.0	0
1934-03-05	69	43	56.0	8.0	9	0	0.06	0.0	0
1934-03-06	75	39	57.0	8.7	8	0	0.00	0.0	0
1934-03-07	79	45	62.0	13.5	3	0	0.00	0.0	0
1934-03-08	72	40	56.0	7.2	9	0	0.11	0.0	0
1934-03-09	52	30	41.0	-8.1	24	0	0.00	0.0	0
1934-03-10	49	17	33.0	-16.4	32	0	0.00	0.0	0
1934-03-11	50	20	35.0	-14.6	30	0	0.00	0.0	0
1934-03-12	53	21	37.0	-12.9	28	0	0.00	0.0	0
1934-03-13	66	29	47.5	-2.7	17	0	0.00	0.0	0
1934-03-14	63	39	51.0	0.6	14	0	0.00	0.0	0
1934-03-15	60	24	42.0	-8.7	23	0	0.00	0.0	0
1934-03-16	70	30	50.0	-1.0	15	0	0.00	0.0	0
1934-03-17	77	44	60.5	9.3	4	0	0.00	0.0	0
1934-03-18	78	50	64.0	12.5	1	0	T	0.0	0
1934-03-19	64	31	47.5	-4.3	17	0	2.40	1.5	2
1934-03-20	60	23	41.5	-10.5	23	0	0.30	2.8	0
1934-03-21	74	35	54.5	2.2	10	0	0.00	0.0	0
1934-03-22	70	50	60.0	7.4	5	0	0.00	0.0	0
1934-03-23	73	49	61.0	8.2	4	0	0.25	0.0	0
1934-03-24	65	45	55.0	1.9	10	0	0.33	0.0	0
1934-03-25	57	42	49.5	-3.9	15	0	0.13	0.0	0
1934-03-26	57	47	52.0	-1.6	13	0	0.00	0.0	0
1934-03-27	56	38	47.0	-6.9	18	0	0.79	0.0	0
1934-03-28	62	33	47.5	-6.6	17	0	0.00	0.0	0
1934-03-29	69	40	54.5	0.1	10	0	0.00	0.0	0
1934-03-30	73	40	56.5	1.8	8	0	0.00	0.0	0
1934-03-31	82	54	68.0	13.1	0	3	0.00	0.0	0
Sum	2016	1185	-	-	412	3	8.96	4.3	-
Average	65.0	38.2	51.6	0.6	-	-	-	-	0.1
Normal	63.3	38.6	51.0	-	440	4	5.69	0.5	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - April 1934

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1934-04-01	80	45	62.5	7.3	2	0	0.00	0.0	0
1934-04-02	83	56	69.5	14.0	0	5	0.00	0.0	0
1934-04-03	86	51	68.5	12.8	0	4	0.00	0.0	0
1934-04-04	88	51	69.5	13.5	0	5	0.00	0.0	0
1934-04-05	89	54	71.5	15.2	0	7	0.00	0.0	0
1934-04-06	85	56	70.5	14.0	0	6	0.00	0.0	0
1934-04-07	81	63	72.0	15.2	0	7	0.00	0.0	0
1934-04-08	68	54	61.0	4.0	4	0	0.03	0.0	0
1934-04-09	75	45	60.0	2.7	5	0	0.11	0.0	0
1934-04-10	84	46	65.0	7.4	0	0	0.00	0.0	0
1934-04-11	81	56	68.5	10.7	0	4	0.13	0.0	0
1934-04-12	67	39	53.0	-5.1	12	0	0.00	0.0	0
1934-04-13	62	33	47.5	-10.9	17	0	0.00	0.0	0
1934-04-14	78	36	57.0	-1.6	8	0	0.00	0.0	0
1934-04-15	74	51	62.5	3.6	2	0	0.03	0.0	0
1934-04-16	77	56	66.5	7.3	0	2	0.01	0.0	0
1934-04-17	80	59	69.5	10.1	0	5	1.13	0.0	0
1934-04-18	83	59	71.0	11.3	0	6	0.01	0.0	0
1934-04-19	74	62	68.0	8.0	0	3	1.26	0.0	0
1934-04-20	66	44	55.0	-5.2	10	0	0.00	0.0	0
1934-04-21	66	33	49.5	-11.0	15	0	0.00	0.0	0
1934-04-22	75	35	55.0	-5.8	10	0	0.65	0.0	0
1934-04-23	78	46	62.0	1.0	3	0	0.20	0.0	0
1934-04-24	78	61	69.5	8.2	0	5	0.00	0.0	0
1934-04-25	70	42	56.0	-5.6	9	0	0.00	0.0	0
1934-04-26	80	36	58.0	-3.9	7	0	0.00	0.0	0
1934-04-27	76	53	64.5	2.4	0	0	0.30	0.0	0
1934-04-28	60	42	51.0	-11.4	14	0	0.01	0.0	0
1934-04-29	60	47	53.5	-9.2	11	0	0.00	0.0	0
1934-04-30	63	51	57.0	-5.9	8	0	0.10	0.0	0
Sum	2267	1462	-	-	137	59	3.97	0.0	-
Average	75.6	48.7	62.2	3.1	-	-	-	-	0.0
Normal	72.1	46.0	59.1	-	206	27	5.04	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - May 1934

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1934-05-01	78	49	63.5	0.3	1	0	0.00	0.0	0
1934-05-02	81	51	66.0	2.5	0	1	0.00	0.0	0
1934-05-03	87	50	68.5	4.7	0	4	0.00	0.0	0
1934-05-04	88	53	70.5	6.4	0	6	0.00	0.0	0
1934-05-05	84	56	70.0	5.7	0	5	0.12	0.0	0
1934-05-06	80	62	71.0	6.4	0	6	0.35	0.0	0
1934-05-07	83	59	71.0	6.1	0	6	0.00	0.0	0
1934-05-08	90	58	74.0	8.8	0	9	0.03	0.0	0
1934-05-09	87	62	74.5	9.1	0	10	T	0.0	0
1934-05-10	87	62	74.5	8.8	0	10	0.17	0.0	0
1934-05-11	83	63	73.0	7.0	0	8	0.60	0.0	0
1934-05-12	83	57	70.0	3.7	0	5	0.00	0.0	0
1934-05-13	87	52	69.5	2.9	0	5	0.02	0.0	0
1934-05-14	84	66	75.0	8.1	0	10	0.55	0.0	0
1934-05-15	74	61	67.5	0.3	0	3	0.49	0.0	0
1934-05-16	75	60	67.5	0.1	0	3	0.00	0.0	0
1934-05-17	83	57	70.0	2.3	0	5	0.00	0.0	0
1934-05-18	90	56	73.0	5.0	0	8	0.00	0.0	0
1934-05-19	96	57	76.5	8.2	0	12	0.00	0.0	0
1934-05-20	88	63	75.5	6.9	0	11	0.04	0.0	0
1934-05-21	81	63	72.0	3.1	0	7	0.86	0.0	0
1934-05-22	84	58	71.0	1.8	0	6	0.01	0.0	0
1934-05-23	83	53	68.0	-1.4	0	3	0.00	0.0	0
1934-05-24	76	57	66.5	-3.2	0	2	0.00	0.0	0
1934-05-25	76	57	66.5	-3.5	0	2	0.00	0.0	0
1934-05-26	78	54	66.0	-4.3	0	1	0.00	0.0	0
1934-05-27	75	56	65.5	-5.1	0	1	0.03	0.0	0
1934-05-28	77	50	63.5	-7.4	1	0	0.00	0.0	0
1934-05-29	78	61	69.5	-1.6	0	5	0.02	0.0	0
1934-05-30	83	55	69.0	-2.4	0	4	0.00	0.0	0
1934-05-31	89	56	72.5	0.8	0	8	0.00	0.0	0
Sum	2568	1774	-	-	2	166	3.29	0.0	-
Average	82.8	57.2	70.0	2.6	-	-	-	-	0.0
Normal	79.5	55.4	67.4	-	55	130	4.55	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - June 1934

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1934-06-01	92	59	75.5	3.5	0	11	0.31	0.0	0
1934-06-02	87	60	73.5	1.3	0	9	0.09	0.0	0
1934-06-03	86	64	75.0	2.5	0	10	0.02	0.0	0
1934-06-04	79	66	72.5	-0.3	0	8	0.88	0.0	0
1934-06-05	86	63	74.5	1.5	0	10	0.02	0.0	0
1934-06-06	78	66	72.0	-1.3	0	7	1.10	0.0	0
1934-06-07	88	68	78.0	4.5	0	13	0.49	0.0	0
1934-06-08	88	68	78.0	4.2	0	13	1.20	0.0	0
1934-06-09	90	71	80.5	6.5	0	16	0.30	0.0	0
1934-06-10	84	65	74.5	0.3	0	10	0.26	0.0	0
1934-06-11	91	67	79.0	4.5	0	14	0.14	0.0	0
1934-06-12	85	69	77.0	2.3	0	12	0.02	0.0	0
1934-06-13	86	64	75.0	0.1	0	10	0.09	0.0	0
1934-06-14	86	57	71.5	-3.6	0	7	0.00	0.0	0
1934-06-15	91	60	75.5	0.2	0	11	0.00	0.0	0
1934-06-16	95	62	78.5	3.0	0	14	0.10	0.0	0
1934-06-17	88	70	79.0	3.3	0	14	0.72	0.0	0
1934-06-18	90	66	78.0	2.1	0	13	0.30	0.0	0
1934-06-19	87	71	79.0	2.9	0	14	T	0.0	0
1934-06-20	92	74	83.0	6.7	0	18	0.00	0.0	0
1934-06-21	94	59	76.5	0.1	0	12	0.00	0.0	0
1934-06-22	96	63	79.5	2.9	0	15	0.00	0.0	0
1934-06-23	95	65	80.0	3.3	0	15	0.00	0.0	0
1934-06-24	91	68	79.5	2.6	0	15	0.00	0.0	0
1934-06-25	97	69	83.0	6.0	0	18	0.00	0.0	0
1934-06-26	99	67	83.0	5.8	0	18	0.00	0.0	0
1934-06-27	100	69	84.5	7.2	0	20	0.00	0.0	0
1934-06-28	99	70	84.5	7.1	0	20	0.00	0.0	0
1934-06-29	97	70	83.5	6.0	0	19	0.24	0.0	0
1934-06-30	93	68	80.5	2.9	0	16	0.02	0.0	0

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - July 1934

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1934-07-01	89	72	80.5	2.8	0	16	0.30	0.0	0
1934-07-02	89	67	78.0	0.2	0	13	0.01	0.0	0
1934-07-03	91	68	79.5	1.6	0	15	0.01	0.0	0
1934-07-04	92	69	80.5	2.5	0	16	0.00	0.0	0
1934-07-05	92	66	79.0	1.0	0	14	0.00	0.0	0
1934-07-06	88	71	79.5	1.4	0	15	0.16	0.0	0
1934-07-07	84	66	75.0	-3.2	0	10	1.94	0.0	0
1934-07-08	77	67	72.0	-6.2	0	7	0.97	0.0	0
1934-07-09	90	66	78.0	-0.3	0	13	0.54	0.0	0
1934-07-10	88	66	77.0	-1.3	0	12	0.22	0.0	0
1934-07-11	90	69	79.5	1.1	0	15	0.08	0.0	0
1934-07-12	93	68	80.5	2.1	0	16	T	0.0	0
1934-07-13	95	70	82.5	4.1	0	18	0.00	0.0	0
1934-07-14	96	73	84.5	6.0	0	20	0.00	0.0	0
1934-07-15	97	76	86.5	8.0	0	22	0.00	0.0	0
1934-07-16	95	68	81.5	3.0	0	17	0.00	0.0	0
1934-07-17	97	70	83.5	4.9	0	19	0.00	0.0	0
1934-07-18	99	71	85.0	6.4	0	20	0.01	0.0	0
1934-07-19	95	70	82.5	3.9	0	18	0.23	0.0	0
1934-07-20	93	69	81.0	2.4	0	16	0.00	0.0	0
1934-07-21	96	70	83.0	4.4	0	18	0.00	0.0	0
1934-07-22	96	72	84.0	5.4	0	19	0.00	0.0	0
1934-07-23	101	76	88.5	9.9	0	24	0.00	0.0	0
1934-07-24	99	72	85.5	6.9	0	21	0.00	0.0	0
1934-07-25	101	74	87.5	8.9	0	23	0.52	0.0	0
1934-07-26	92	69	80.5	1.9	0	16	1.00	0.0	0
1934-07-27	96	73	84.5	5.9	0	20	0.00	0.0	0
1934-07-28	87	70	78.5	-0.1	0	14	0.00	0.0	0
1934-07-29	89	71	80.0	1.4	0	15	0.17	0.0	0
1934-07-30	88	70	79.0	0.4	0	14	0.13	0.0	0
1934-07-31	88	70	79.0	0.4	0	14	0.00	0.0	0
Sum	2863	2169	-	-	0	510	6.29	0.0	-
Average	92.4	70.0	81.2	2.8	-	-	-	-	0.0
Normal	89.1	67.7	78.4	-	0	415	5.17	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - August 1934

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1934-08-01	86	69	77.5	-1.1	0	13	T	0.0	0
1934-08-02	93	72	82.5	3.9	0	18	0.00	0.0	0
1934-08-03	94	73	83.5	4.9	0	19	0.00	0.0	0
1934-08-04	97	72	84.5	6.0	0	20	0.00	0.0	0
1934-08-05	97	70	83.5	5.0	0	19	0.00	0.0	0
1934-08-06	97	73	85.0	6.5	0	20	0.00	0.0	0
1934-08-07	94	71	82.5	4.0	0	18	0.00	0.0	0
1934-08-08	89	70	79.5	1.1	0	15	0.05	0.0	0
1934-08-09	90	71	80.5	2.1	0	16	0.00	0.0	0
1934-08-10	95	68	81.5	3.1	0	17	0.00	0.0	0
1934-08-11	97	71	84.0	5.7	0	19	0.00	0.0	0
1934-08-12	95	71	83.0	4.7	0	18	2.62	0.0	0
1934-08-13	91	69	80.0	1.8	0	15	0.00	0.0	0
1934-08-14	81	72	76.5	-1.7	0	12	0.00	0.0	0
1934-08-15	87	72	79.5	1.4	0	15	0.00	0.0	0
1934-08-16	88	69	78.5	0.5	0	14	0.00	0.0	0
1934-08-17	86	72	79.0	1.0	0	14	0.64	0.0	0
1934-08-18	85	71	78.0	0.1	0	13	0.55	0.0	0
1934-08-19	86	73	79.5	1.7	0	15	0.08	0.0	0
1934-08-20	88	72	80.0	2.3	0	15	0.44	0.0	0
1934-08-21	76	68	72.0	-5.6	0	7	0.65	0.0	0
1934-08-22	89	67	78.0	0.5	0	13	0.00	0.0	0
1934-08-23	88	68	78.0	0.6	0	13	0.03	0.0	0
1934-08-24	87	72	79.5	2.2	0	15	0.02	0.0	0
1934-08-25	87	70	78.5	1.4	0	14	0.00	0.0	0
1934-08-26	82	67	74.5	-2.5	0	10	0.40	0.0	0
1934-08-27	85	68	76.5	-0.3	0	12	0.00	0.0	0
1934-08-28	82	68	75.0	-1.7	0	10	0.27	0.0	0
1934-08-29	83	60	71.5	-5.0	0	7	0.00	0.0	0
1934-08-30	84	63	73.5	-2.9	0	9	0.00	0.0	0
1934-08-31	90	66	78.0	1.8	0	13	0.00	0.0	0
Sum	2749	2158	-	-	0	448	5.75	0.0	-
Average	88.7	69.6	79.1	1.3	-	-	-	-	0.0
Normal	89.1	66.5	77.8	-	0	397	4.05	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - September 1934

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1934-09-01	83	61	72.0	-4.0	0	7	0.00	0.0	0
1934-09-02	85	56	70.5	-5.3	0	6	0.00	0.0	0
1934-09-03	88	55	71.5	-4.1	0	7	0.00	0.0	0
1934-09-04	76	62	69.0	-6.4	0	4	0.18	0.0	0
1934-09-05	80	51	65.5	-9.7	0	1	0.00	0.0	0
1934-09-06	84	51	67.5	-7.4	0	3	0.00	0.0	0
1934-09-07	84	58	71.0	-3.7	0	6	0.00	0.0	0
1934-09-08	83	52	67.5	-6.9	0	3	0.00	0.0	0
1934-09-09	86	53	69.5	-4.7	0	5	0.00	0.0	0
1934-09-10	89	54	71.5	-2.4	0	7	0.00	0.0	0
1934-09-11	92	60	76.0	2.3	0	11	0.00	0.0	0
1934-09-12	88	63	75.5	2.1	0	11	0.35	0.0	0
1934-09-13	80	61	70.5	-2.6	0	6	0.10	0.0	0
1934-09-14	91	62	76.5	3.7	0	12	0.00	0.0	0
1934-09-15	81	68	74.5	2.0	0	10	0.28	0.0	0
1934-09-16	75	65	70.0	-2.2	0	5	0.02	0.0	0
1934-09-17	78	61	69.5	-2.4	0	5	0.00	0.0	0
1934-09-18	81	55	68.0	-3.6	0	3	0.00	0.0	0
1934-09-19	87	55	71.0	-0.2	0	6	0.00	0.0	0
1934-09-20	91	57	74.0	3.1	0	9	0.00	0.0	0
1934-09-21	89	59	74.0	3.4	0	9	0.00	0.0	0
1934-09-22	83	63	73.0	2.8	0	8	0.05	0.0	0
1934-09-23	90	63	76.5	6.6	0	12	0.00	0.0	0
1934-09-24	92	62	77.0	7.5	0	12	0.00	0.0	0
1934-09-25	88	62	75.0	5.8	0	10	0.00	0.0	0
1934-09-26	88	65	76.5	7.7	0	12	0.27	0.0	0
1934-09-27	83	66	74.5	6.1	0	10	0.01	0.0	0
1934-09-28	86	70	78.0	9.9	0	13	0.01	0.0	0
1934-09-29	86	68	77.0	9.3	0	12	0.17	0.0	0
1934-09-30	77	61	69.0	1.7	0	4	0.63	0.0	0
Sum	2544	1799	-	-	0	229	2.07	0.0	-
Average	84.8	60.0	72.4	0.3	-	-	-	-	0.0
Normal	84.4	59.8	72.1	-	15	228	4.26	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - October 1934

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1934-10-01	77	49	63.0	-3.9	2	0	0.00	0.0	0
1934-10-02	79	52	65.5	-1.0	0	1	0.00	0.0	0
1934-10-03	78	52	65.0	-1.1	0	0	0.00	0.0	0
1934-10-04	73	55	64.0	-1.7	1	0	0.02	0.0	0
1934-10-05	65	57	61.0	-4.3	4	0	0.81	0.0	0
1934-10-06	77	61	69.0	4.1	0	4	0.65	0.0	0
1934-10-07	77	60	68.5	4.0	0	4	0.00	0.0	0
1934-10-08	83	55	69.0	4.9	0	4	0.00	0.0	0
1934-10-09	77	60	68.5	4.8	0	4	0.03	0.0	0
1934-10-10	72	60	66.0	2.7	0	1	3.74	0.0	0
1934-10-11	75	58	66.5	3.6	0	2	0.05	0.0	0
1934-10-12	79	61	70.0	7.5	0	5	0.00	0.0	0
1934-10-13	75	55	65.0	2.9	0	0	0.00	0.0	0
1934-10-14	72	50	61.0	-0.7	4	0	0.00	0.0	0
1934-10-15	72	48	60.0	-1.3	5	0	0.00	0.0	0
1934-10-16	74	47	60.5	-0.4	4	0	0.00	0.0	0
1934-10-17	77	50	63.5	3.0	1	0	0.00	0.0	0
1934-10-18	78	52	65.0	4.9	0	0	0.00	0.0	0
1934-10-19	73	55	64.0	4.3	1	0	0.15	0.0	0
1934-10-20	73	53	63.0	3.7	2	0	0.00	0.0	0
1934-10-21	80	60	70.0	11.1	0	5	0.06	0.0	0
1934-10-22	80	57	68.5	10.0	0	4	0.00	0.0	0
1934-10-23	80	53	66.5	8.4	0	2	0.00	0.0	0
1934-10-24	79	57	68.0	10.3	0	3	0.00	0.0	0
1934-10-25	70	55	62.5	5.2	2	0	0.00	0.0	0
1934-10-26	70	40	55.0	-1.9	10	0	0.00	0.0	0
1934-10-27	79	43	61.0	4.5	4	0	0.00	0.0	0
1934-10-28	62	36	49.0	-7.1	16	0	0.00	0.0	0
1934-10-29	63	31	47.0	-8.7	18	0	0.00	0.0	0
1934-10-30	66	37	51.5	-3.8	13	0	0.00	0.0	0
1934-10-31	72	45	58.5	3.6	6	0	0.45	0.0	0
Sum	2307	1604	-	-	93	39	5.96	0.0	-
Average	74.4	51.7	63.1	2.2	-	-	-	-	0.0
Normal	74.3	47.5	60.9	-	175	48	3.56	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - November 1934

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1934-11-01	69	35	52.0	-2.6	13	0	0.87	0.0	0
1934-11-02	66	27	46.5	-7.7	18	0	0.00	0.0	0
1934-11-03	59	52	55.5	1.7	9	0	0.07	0.0	0
1934-11-04	69	49	59.0	5.6	6	0	0.45	0.0	0
1934-11-05	66	50	58.0	4.9	7	0	0.00	0.0	0
1934-11-06	65	45	55.0	2.3	10	0	0.00	0.0	0
1934-11-07	76	50	63.0	10.6	2	0	0.00	0.0	0
1934-11-08	77	47	62.0	10.0	3	0	0.00	0.0	0
1934-11-09	74	43	58.5	6.8	6	0	0.00	0.0	0
1934-11-10	69	42	55.5	4.1	9	0	0.20	0.0	0
1934-11-11	68	35	51.5	0.5	13	0	0.00	0.0	0
1934-11-12	51	26	38.5	-12.2	26	0	0.00	0.0	0
1934-11-13	60	24	42.0	-8.4	23	0	0.00	0.0	0
1934-11-14	57	39	48.0	-2.1	17	0	0.00	0.0	0
1934-11-15	61	34	47.5	-2.3	17	0	0.00	0.0	0
1934-11-16	64	27	45.5	-3.9	19	0	0.00	0.0	0
1934-11-17	68	27	47.5	-1.6	17	0	0.00	0.0	0
1934-11-18	73	31	52.0	3.1	13	0	0.00	0.0	0
1934-11-19	75	39	57.0	8.4	8	0	0.00	0.0	0
1934-11-20	67	57	62.0	13.7	3	0	0.01	0.0	0
1934-11-21	75	64	69.5	21.5	0	5	0.00	0.0	0
1934-11-22	74	56	65.0	17.3	0	0	1.51	0.0	0
1934-11-23	67	42	54.5	7.0	10	0	0.00	0.0	0
1934-11-24	59	30	44.5	-2.7	20	0	0.00	0.0	0
1934-11-25	60	37	48.5	1.5	16	0	0.00	0.0	0
1934-11-26	53	42	47.5	0.8	17	0	0.13	0.0	0
1934-11-27	65	45	55.0	8.5	10	0	0.00	0.0	0
1934-11-28	59	53	56.0	9.8	9	0	0.03	0.0	0
1934-11-29	63	56	59.5	13.5	5	0	0.02	0.0	0
1934-11-30	67	58	62.5	16.7	2	0	0.31	0.0	0
Sum	1976	1262	-	-	328	5	3.60	0.0	-
Average	65.9	42.1	54.0	4.2	-	-	-	-	0.0
Normal	62.6	37.0	49.8	-	461	5	4.76	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - December 1934

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1934-12-01	58	39	48.5	3.0	16	0	0.00	0.0	0
1934-12-02	57	27	42.0	-3.3	23	0	0.00	0.0	0
1934-12-03	52	44	48.0	2.9	17	0	0.43	0.0	0
1934-12-04	51	30	40.5	-4.4	24	0	0.01	0.0	0
1934-12-05	53	27	40.0	-4.7	25	0	0.00	0.0	0
1934-12-06	55	30	42.5	-2.0	22	0	0.00	0.0	0
1934-12-07	46	32	39.0	-5.3	26	0	0.00	0.0	0
1934-12-08	40	29	34.5	-9.6	30	0	0.00	0.0	0
1934-12-09	37	28	32.5	-11.4	32	0	0.00	0.0	0
1934-12-10	35	26	30.5	-13.2	34	0	T	T	M
1934-12-11	28	18	23.0	-20.5	42	0	0.01	T	M
1934-12-12	41	13	27.0	-16.3	38	0	0.00	0.0	M
1934-12-13	51	25	38.0	-5.1	27	0	0.00	0.0	M
1934-12-14	52	24	38.0	-5.0	27	0	0.00	0.0	M
1934-12-15	58	23	40.5	-2.3	24	0	0.00	0.0	0
1934-12-16	60	38	49.0	6.4	16	0	0.00	0.0	0
1934-12-17	58	45	51.5	9.0	13	0	0.39	0.0	0
1934-12-18	45	33	39.0	-3.3	26	0	0.02	0.0	0
1934-12-19	47	37	42.0	-0.1	23	0	0.53	0.0	0
1934-12-20	50	24	37.0	-5.0	28	0	0.01	0.0	0
1934-12-21	56	28	42.0	0.2	23	0	0.00	0.0	0
1934-12-22	54	35	44.5	2.8	20	0	0.21	0.0	0
1934-12-23	60	35	47.5	6.0	17	0	0.00	0.0	0
1934-12-24	61	27	44.0	2.6	21	0	0.03	0.0	0
1934-12-25	65	47	56.0	14.8	9	0	0.00	0.0	0
1934-12-26	62	46	54.0	12.9	11	0	0.13	0.0	0
1934-12-27	57	34	45.5	4.5	19	0	0.00	0.0	0
1934-12-28	53	41	47.0	6.2	18	0	0.72	0.0	0
1934-12-29	54	47	50.5	9.8	14	0	0.04	0.0	0
1934-12-30	54	48	51.0	10.4	14	0	0.23	0.0	0
1934-12-31	49	40	44.5	4.0	20	0	3.35	0.0	0
Sum	1599	1020	-	-	699	0	6.11	T	-
Average	51.6	32.9	42.2	-0.6	-	-	-	-	0.0
Normal	53.5	32.0	42.8	-	691	1	6.20	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - January 1935

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1935-01-01	45	40	42.5	2.1	22	0	0.31	0.0	0
1935-01-02	52	23	37.5	-2.8	27	0	0.00	0.0	0
1935-01-03	54	24	39.0	-1.2	26	0	0.00	0.0	0
1935-01-04	50	28	39.0	-1.1	26	0	0.00	0.0	0
1935-01-05	51	38	44.5	4.5	20	0	0.02	0.0	0
1935-01-06	58	48	53.0	13.1	12	0	0.01	0.0	0
1935-01-07	64	52	58.0	18.2	7	0	0.01	0.0	0
1935-01-08	65	57	61.0	21.3	4	0	0.73	0.0	0
1935-01-09	61	49	55.0	15.3	10	0	0.21	0.0	0
1935-01-10	76	51	63.5	23.9	1	0	0.00	0.0	0
1935-01-11	60	44	52.0	12.4	13	0	0.00	0.0	0
1935-01-12	59	35	47.0	7.5	18	0	0.00	0.0	0
1935-01-13	55	46	50.5	11.0	14	0	0.04	0.0	0
1935-01-14	54	30	42.0	2.5	23	0	0.00	0.0	0
1935-01-15	50	32	41.0	1.5	24	0	0.00	0.0	0
1935-01-16	65	45	55.0	15.5	10	0	0.01	0.0	0
1935-01-17	65	57	61.0	21.5	4	0	0.95	0.0	0
1935-01-18	57	44	50.5	11.0	14	0	0.05	0.0	0
1935-01-19	55	46	50.5	11.0	14	0	0.03	0.0	0
1935-01-20	59	49	54.0	14.5	11	0	T	0.0	0
1935-01-21	66	36	51.0	11.4	14	0	0.62	0.0	0
1935-01-22	36	26	31.0	-8.6	34	0	0.30	0.0	0
1935-01-23	35	25	30.0	-9.7	35	0	0.25	1.0	T
1935-01-24	31	13	22.0	-17.7	43	0	0.00	0.0	M
1935-01-25	39	21	30.0	-9.8	35	0	0.00	0.0	M
1935-01-26	50	24	37.0	-2.9	28	0	0.00	0.0	0
1935-01-27	49	29	39.0	-1.0	26	0	0.00	0.0	0
1935-01-28	47	24	35.5	-4.6	29	0	0.00	0.0	0
1935-01-29	56	25	40.5	0.3	24	0	0.00	0.0	0
1935-01-30	53	29	41.0	0.7	24	0	0.00	0.0	0
1935-01-31	54	25	39.5	-0.9	25	0	0.00	0.0	0
Sum	1671	1115	-	-	617	0	3.54	1.0	-
Average	53.9	36.0	44.9	5.1	-	-	-	-	0.0
Normal	50.4	29.2	39.8	-	781	0	6.07	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - February 1935

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1935-02-01	50	28	39.0	-1.6	26	0	0.00	0.0	0
1935-02-02	58	28	43.0	2.3	22	0	0.00	0.0	0
1935-02-03	57	32	44.5	3.6	20	0	0.00	0.0	0
1935-02-04	50	35	42.5	1.4	22	0	0.00	0.0	0
1935-02-05	60	23	41.5	0.3	23	0	0.00	0.0	0
1935-02-06	62	30	46.0	4.6	19	0	0.00	0.0	0
1935-02-07	55	36	45.5	3.9	19	0	0.00	0.0	0
1935-02-08	50	40	45.0	3.2	20	0	0.10	0.0	0
1935-02-09	55	46	50.5	8.5	14	0	0.77	0.0	0
1935-02-10	56	46	51.0	8.8	14	0	0.02	0.0	0
1935-02-11	52	40	46.0	3.6	19	0	0.00	0.0	0
1935-02-12	57	47	52.0	9.4	13	0	0.00	0.0	0
1935-02-13	55	48	51.5	8.6	13	0	0.90	0.0	0
1935-02-14	57	50	53.5	10.4	11	0	0.90	0.0	0
1935-02-15	65	52	58.5	15.2	6	0	0.30	0.0	0
1935-02-16	57	43	50.0	6.4	15	0	0.02	0.0	0
1935-02-17	52	38	45.0	1.2	20	0	0.00	0.0	0
1935-02-18	51	35	43.0	-1.0	22	0	0.00	0.0	0
1935-02-19	55	32	43.5	-0.8	21	0	0.00	0.0	0
1935-02-20	54	31	42.5	-2.0	22	0	0.00	0.0	0
1935-02-21	66	27	46.5	1.7	18	0	0.00	0.0	0
1935-02-22	65	48	56.5	11.4	8	0	0.00	0.0	0
1935-02-23	63	33	48.0	2.7	17	0	0.25	0.0	0
1935-02-24	62	29	45.5	-0.1	19	0	0.00	0.0	0
1935-02-25	65	49	57.0	11.1	8	0	0.20	0.0	0
1935-02-26	58	28	43.0	-3.1	22	0	1.15	T	M
1935-02-27	29	20	24.5	-21.9	40	0	0.01	0.3	M
1935-02-28	45	14	29.5	-17.2	35	0	0.00	0.0	0
Sum	1561	1008	-	-	528	0	4.62	0.3	-
Average	55.8	36.0	45.9	2.6	-	-	-	-	0.0
Normal	54.8	31.9	43.3	-	607	1	5.72	0.6	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - March 1935

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1935-03-01	56	22	39.0	-7.9	26	0	0.00	0.0	0
1935-03-02	67	41	54.0	6.8	11	0	0.00	0.0	0
1935-03-03	73	40	56.5	9.0	8	0	0.00	0.0	0
1935-03-04	74	46	60.0	12.3	5	0	0.00	0.0	0
1935-03-05	71	57	64.0	16.0	1	0	2.06	0.0	0
1935-03-06	67	57	62.0	13.7	3	0	0.79	0.0	0
1935-03-07	68	53	60.5	12.0	4	0	0.05	0.0	0
1935-03-08	56	34	45.0	-3.8	20	0	0.00	0.0	0
1935-03-09	58	42	50.0	0.9	15	0	0.00	0.0	0
1935-03-10	65	44	54.5	5.1	10	0	0.02	0.0	0
1935-03-11	72	58	65.0	15.4	0	0	0.05	0.0	0
1935-03-12	70	34	52.0	2.1	13	0	3.05	T	M
1935-03-13	56	29	42.5	-7.7	22	0	T	0.0	0
1935-03-14	65	36	50.5	0.1	14	0	0.00	0.0	0
1935-03-15	77	38	57.5	6.8	7	0	0.00	0.0	0
1935-03-16	75	44	59.5	8.5	5	0	0.00	0.0	0
1935-03-17	69	46	57.5	6.3	7	0	0.13	0.0	0
1935-03-18	64	37	50.5	-1.0	14	0	0.00	0.0	0
1935-03-19	63	49	56.0	4.2	9	0	0.11	0.0	0
1935-03-20	81	56	68.5	16.5	0	4	0.00	0.0	0
1935-03-21	81	57	69.0	16.7	0	4	0.00	0.0	0
1935-03-22	85	56	70.5	17.9	0	6	0.00	0.0	0
1935-03-23	85	59	72.0	19.2	0	7	0.00	0.0	0
1935-03-24	84	57	70.5	17.4	0	6	0.00	0.0	0
1935-03-25	80	64	72.0	18.6	0	7	0.00	0.0	0
1935-03-26	76	52	64.0	10.4	1	0	0.27	0.0	0
1935-03-27	80	49	64.5	10.6	0	0	0.00	0.0	0
1935-03-28	75	49	62.0	7.9	3	0	0.92	0.0	0
1935-03-29	80	38	59.0	4.6	6	0	0.00	0.0	0
1935-03-30	63	49	56.0	1.3	9	0	0.31	0.0	0
1935-03-31	67	58	62.5	7.6	2	0	0.73	0.0	0
Sum	2203	1451	-	-	215	34	8.49	T	-
Average	71.1	46.8	58.9	7.9	-	-	-	-	0.0
Normal	63.3	38.6	51.0	-	440	4	5.69	0.5	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - April 1935

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1935-04-01	80	59	69.5	14.3	0	5	0.13	0.0	0
1935-04-02	82	58	70.0	14.5	0	5	0.00	0.0	0
1935-04-03	78	57	67.5	11.8	0	3	0.00	0.0	0
1935-04-04	76	57	66.5	10.5	0	2	0.62	0.0	0
1935-04-05	79	57	68.0	11.7	0	3	1.10	0.0	0
1935-04-06	73	57	65.0	8.5	0	0	0.00	0.0	0
1935-04-07	72	58	65.0	8.2	0	0	0.80	0.0	0
1935-04-08	61	43	52.0	-5.0	13	0	0.00	0.0	0
1935-04-09	49	43	46.0	-11.3	19	0	0.00	0.0	0
1935-04-10	71	41	56.0	-1.6	9	0	0.00	0.0	0
1935-04-11	71	55	63.0	5.2	2	0	0.33	0.0	0
1935-04-12	67	46	56.5	-1.6	8	0	T	0.0	0
1935-04-13	49	43	46.0	-12.4	19	0	0.00	0.0	0
1935-04-14	67	33	50.0	-8.6	15	0	0.00	0.0	0
1935-04-15	67	50	58.5	-0.4	6	0	0.00	0.0	0
1935-04-16	60	37	48.5	-10.7	16	0	0.00	0.0	0
1935-04-17	76	40	58.0	-1.4	7	0	0.00	0.0	0
1935-04-18	80	51	65.5	5.8	0	1	0.00	0.0	0
1935-04-19	83	56	69.5	9.5	0	5	0.00	0.0	0
1935-04-20	72	55	63.5	3.3	1	0	1.33	0.0	0
1935-04-21	63	57	60.0	-0.5	5	0	1.20	0.0	0
1935-04-22	74	44	59.0	-1.8	6	0	0.00	0.0	0
1935-04-23	79	44	61.5	0.5	3	0	0.00	0.0	0
1935-04-24	83	50	66.5	5.2	0	2	0.00	0.0	0
1935-04-25	86	54	70.0	8.4	0	5	0.00	0.0	0
1935-04-26	88	55	71.5	9.6	0	7	0.03	0.0	0
1935-04-27	77	61	69.0	6.9	0	4	0.10	0.0	0
1935-04-28	84	62	73.0	10.6	0	8	0.00	0.0	0
1935-04-29	76	61	68.5	5.8	0	4	0.37	0.0	0
1935-04-30	73	51	62.0	-0.9	3	0	0.00	0.0	0
Sum	2196	1535	-	-	132	54	6.01	0.0	-
Average	73.2	51.2	62.2	3.1	-	-	-	-	0.0
Normal	72.1	46.0	59.1	-	206	27	5.04	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - May 1935

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1935-05-01	82	43	62.5	-0.7	2	0	0.00	0.0	0
1935-05-02	87	67	77.0	13.5	0	12	0.00	0.0	0
1935-05-03	85	67	76.0	12.2	0	11	0.92	0.0	0
1935-05-04	78	64	71.0	6.9	0	6	0.04	0.0	0
1935-05-05	87	62	74.5	10.2	0	10	0.60	0.0	0
1935-05-06	70	64	67.0	2.4	0	2	2.08	0.0	0
1935-05-07	80	65	72.5	7.6	0	8	0.20	0.0	0
1935-05-08	82	52	67.0	1.8	0	2	0.00	0.0	0
1935-05-09	87	55	71.0	5.6	0	6	0.00	0.0	0
1935-05-10	87	62	74.5	8.8	0	10	0.00	0.0	0
1935-05-11	87	65	76.0	10.0	0	11	0.00	0.0	0
1935-05-12	89	60	74.5	8.2	0	10	0.00	0.0	0
1935-05-13	90	63	76.5	9.9	0	12	0.00	0.0	0
1935-05-14	84	65	74.5	7.6	0	10	0.00	0.0	0
1935-05-15	87	64	75.5	8.3	0	11	0.01	0.0	0
1935-05-16	82	63	72.5	5.1	0	8	0.40	0.0	0
1935-05-17	76	58	67.0	-0.7	0	2	0.00	0.0	0
1935-05-18	77	55	66.0	-2.0	0	1	0.00	0.0	0
1935-05-19	83	66	74.5	6.2	0	10	0.00	0.0	0
1935-05-20	83	65	74.0	5.4	0	9	0.00	0.0	0
1935-05-21	77	58	67.5	-1.4	0	3	0.28	0.0	0
1935-05-22	81	49	65.0	-4.2	0	0	0.00	0.0	0
1935-05-23	80	60	70.0	0.6	0	5	0.00	0.0	0
1935-05-24	73	61	67.0	-2.7	0	2	0.00	0.0	0
1935-05-25	76	45	60.5	-9.5	4	0	0.00	0.0	0
1935-05-26	82	48	65.0	-5.3	0	0	0.00	0.0	0
1935-05-27	85	49	67.0	-3.6	0	2	0.00	0.0	0
1935-05-28	86	54	70.0	-0.9	0	5	0.00	0.0	0
1935-05-29	88	62	75.0	3.9	0	10	0.00	0.0	0
1935-05-30	91	67	79.0	7.6	0	14	1.16	0.0	0
1935-05-31	91	66	78.5	6.8	0	14	0.00	0.0	0
Sum	2573	1844	-	-	6	206	5.69	0.0	-
Average	83.0	59.5	71.2	3.8	-	-	-	-	0.0
Normal	79.5	55.4	67.4	-	55	130	4.55	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - June 1935

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1935-06-01	93	64	78.5	6.5	0	14	0.00	0.0	0
1935-06-02	87	67	77.0	4.8	0	12	1.20	0.0	0
1935-06-03	80	67	73.5	1.0	0	9	1.22	0.0	0
1935-06-04	83	70	76.5	3.7	0	12	0.00	0.0	0
1935-06-05	79	55	67.0	-6.0	0	2	0.00	0.0	0
1935-06-06	82	51	66.5	-6.8	0	2	0.00	0.0	0
1935-06-07	87	57	72.0	-1.5	0	7	0.00	0.0	0
1935-06-08	75	66	70.5	-3.3	0	6	0.12	0.0	0
1935-06-09	83	64	73.5	-0.5	0	9	0.00	0.0	0
1935-06-10	83	54	68.5	-5.7	0	4	0.00	0.0	0
1935-06-11	86	60	73.0	-1.5	0	8	0.00	0.0	0
1935-06-12	96	64	80.0	5.3	0	15	0.00	0.0	0
1935-06-13	96	67	81.5	6.6	0	17	T	0.0	0
1935-06-14	80	67	73.5	-1.6	0	9	0.20	0.0	0
1935-06-15	78	71	74.5	-0.8	0	10	0.15	0.0	0
1935-06-16	86	70	78.0	2.5	0	13	0.28	0.0	0
1935-06-17	90	72	81.0	5.3	0	16	0.00	0.0	0
1935-06-18	87	73	80.0	4.1	0	15	0.09	0.0	0
1935-06-19	83	64	73.5	-2.6	0	9	0.00	0.0	0
1935-06-20	85	53	69.0	-7.3	0	4	0.00	0.0	0
1935-06-21	90	57	73.5	-2.9	0	9	0.00	0.0	0
1935-06-22	81	68	74.5	-2.1	0	10	0.00	0.0	0
1935-06-23	82	56	69.0	-7.7	0	4	0.00	0.0	0
1935-06-24	85	57	71.0	-5.9	0	6	0.00	0.0	0
1935-06-25	92	58	75.0	-2.0	0	10	0.00	0.0	0
1935-06-26	94	64	79.0	1.8	0	14	0.00	0.0	0
1935-06-27	100	69	84.5	7.2	0	20	0.00	0.0	0
1935-06-28	95	68	81.5	4.1	0	17	1.13	0.0	0
1935-06-29	91	68	79.5	2.0	0	15	0.20	0.0	0
1935-06-30	90	67	78.5	0.9	0	14	0.01	0.0	0
Sum	2599	1908	-	-	0	312	4.60	0.0	-
Average	86.6	63.6	75.1	-0.1	-	-	-	-	0.0
Normal	86.4	64.0	75.2	-	2	308	4.62	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - July 1935

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1935-07-01	90	68	79.0	1.3	0	14	0.01	0.0	0
1935-07-02	94	71	82.5	4.7	0	18	0.00	0.0	0
1935-07-03	93	71	82.0	4.1	0	17	T	0.0	0
1935-07-04	94	69	81.5	3.5	0	17	T	0.0	0
1935-07-05	90	70	80.0	2.0	0	15	0.89	0.0	0
1935-07-06	93	71	82.0	3.9	0	17	0.01	0.0	0
1935-07-07	95	70	82.5	4.3	0	18	0.00	0.0	0
1935-07-08	94	70	82.0	3.8	0	17	0.00	0.0	0
1935-07-09	91	65	78.0	-0.3	0	13	0.00	0.0	0
1935-07-10	91	64	77.5	-0.8	0	13	0.00	0.0	0
1935-07-11	89	69	79.0	0.6	0	14	0.00	0.0	0
1935-07-12	89	71	80.0	1.6	0	15	0.00	0.0	0
1935-07-13	90	71	80.5	2.1	0	16	0.89	0.0	0
1935-07-14	87	70	78.5	0.0	0	14	0.00	0.0	0
1935-07-15	94	64	79.0	0.5	0	14	0.00	0.0	0
1935-07-16	96	65	80.5	2.0	0	16	0.00	0.0	0
1935-07-17	97	68	82.5	3.9	0	18	0.00	0.0	0
1935-07-18	94	76	85.0	6.4	0	20	0.01	0.0	0
1935-07-19	89	74	81.5	2.9	0	17	0.01	0.0	0
1935-07-20	87	74	80.5	1.9	0	16	T	0.0	0
1935-07-21	90	72	81.0	2.4	0	16	0.03	0.0	0
1935-07-22	87	73	80.0	1.4	0	15	0.28	0.0	0
1935-07-23	95	70	82.5	3.9	0	18	0.00	0.0	0
1935-07-24	93	70	81.5	2.9	0	17	T	0.0	0
1935-07-25	96	72	84.0	5.4	0	19	0.00	0.0	0
1935-07-26	92	72	82.0	3.4	0	17	1.04	0.0	0
1935-07-27	93	72	82.5	3.9	0	18	0.00	0.0	0
1935-07-28	91	72	81.5	2.9	0	17	0.00	0.0	0
1935-07-29	90	71	80.5	1.9	0	16	0.02	0.0	0
1935-07-30	95	72	83.5	4.9	0	19	0.00	0.0	0
1935-07-31	100	71	85.5	6.9	0	21	0.00	0.0	0
Sum	2859	2178	-	-	0	512	3.19	0.0	-
Average	92.2	70.3	81.2	2.8	-	-	-	-	0.0
Normal	89.1	67.7	78.4	-	0	415	5.17	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - August 1935

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1935-08-01	102	73	87.5	8.9	0	23	T	0.0	0
1935-08-02	98	75	86.5	7.9	0	22	0.00	0.0	0
1935-08-03	99	74	86.5	7.9	0	22	0.00	0.0	0
1935-08-04	101	74	87.5	9.0	0	23	0.00	0.0	0
1935-08-05	101	74	87.5	9.0	0	23	0.02	0.0	0
1935-08-06	104	74	89.0	10.5	0	24	T	0.0	0
1935-08-07	105	74	89.5	11.0	0	25	0.00	0.0	0
1935-08-08	104	76	90.0	11.6	0	25	0.00	0.0	0
1935-08-09	100	75	87.5	9.1	0	23	0.00	0.0	0
1935-08-10	99	76	87.5	9.1	0	23	0.08	0.0	0
1935-08-11	101	70	85.5	7.2	0	21	0.00	0.0	0
1935-08-12	100	71	85.5	7.2	0	21	0.15	0.0	0
1935-08-13	94	71	82.5	4.3	0	18	0.00	0.0	0
1935-08-14	81	71	76.0	-2.2	0	11	0.03	0.0	0
1935-08-15	81	72	76.5	-1.6	0	12	0.90	0.0	0
1935-08-16	80	73	76.5	-1.5	0	12	1.21	0.0	0
1935-08-17	90	72	81.0	3.0	0	16	0.34	0.0	0
1935-08-18	77	69	73.0	-4.9	0	8	0.86	0.0	0
1935-08-19	76	71	73.5	-4.3	0	9	0.01	0.0	0
1935-08-20	80	74	77.0	-0.7	0	12	0.00	0.0	0
1935-08-21	91	72	81.5	3.9	0	17	0.00	0.0	0
1935-08-22	86	73	79.5	2.0	0	15	0.00	0.0	0
1935-08-23	94	72	83.0	5.6	0	18	0.00	0.0	0
1935-08-24	93	69	81.0	3.7	0	16	0.00	0.0	0
1935-08-25	95	69	82.0	4.9	0	17	0.00	0.0	0
1935-08-26	90	61	75.5	-1.5	0	11	0.00	0.0	0
1935-08-27	92	60	76.0	-0.8	0	11	0.00	0.0	0
1935-08-28	86	71	78.5	1.8	0	14	0.00	0.0	0
1935-08-29	89	55	72.0	-4.5	0	7	0.00	0.0	0
1935-08-30	83	59	71.0	-5.4	0	6	0.00	0.0	0
1935-08-31	86	61	73.5	-2.7	0	9	0.00	0.0	0
Sum	2858	2181	-	-	0	514	3.60	0.0	-
Average	92.2	70.4	81.3	3.5	-	-	-	-	0.0
Normal	89.1	66.5	77.8	-	0	397	4.05	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - September 1935

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1935-09-01	91	56	73.5	-2.5	0	9	0.00	0.0	0
1935-09-02	95	68	81.5	5.7	0	17	0.00	0.0	0
1935-09-03	93	68	80.5	4.9	0	16	0.00	0.0	0
1935-09-04	94	73	83.5	8.1	0	19	0.00	0.0	0
1935-09-05	88	70	79.0	3.8	0	14	0.00	0.0	0
1935-09-06	86	60	73.0	-1.9	0	8	0.00	0.0	0
1935-09-07	87	68	77.5	2.8	0	13	0.00	0.0	0
1935-09-08	92	55	73.5	-0.9	0	9	0.00	0.0	0
1935-09-09	91	58	74.5	0.3	0	10	0.00	0.0	0
1935-09-10	82	66	74.0	0.1	0	9	0.50	0.0	0
1935-09-11	81	65	73.0	-0.7	0	8	0.00	0.0	0
1935-09-12	84	61	72.5	-0.9	0	8	0.00	0.0	0
1935-09-13	90	60	75.0	1.9	0	10	0.00	0.0	0
1935-09-14	92	59	75.5	2.7	0	11	0.00	0.0	0
1935-09-15	92	58	75.0	2.5	0	10	0.00	0.0	0
1935-09-16	92	59	75.5	3.3	0	11	0.00	0.0	0
1935-09-17	86	69	77.5	5.6	0	13	0.00	0.0	0
1935-09-18	87	71	79.0	7.4	0	14	0.00	0.0	0
1935-09-19	84	59	71.5	0.3	0	7	0.00	0.0	0
1935-09-20	94	59	76.5	5.6	0	12	0.00	0.0	0
1935-09-21	96	58	77.0	6.4	0	12	0.00	0.0	0
1935-09-22	98	59	78.5	8.3	0	14	0.00	0.0	0
1935-09-23	95	61	78.0	8.1	0	13	0.02	0.0	0
1935-09-24	96	59	77.5	8.0	0	13	0.00	0.0	0
1935-09-25	91	55	73.0	3.8	0	8	0.00	0.0	0
1935-09-26	95	62	78.5	9.7	0	14	0.00	0.0	0
1935-09-27	92	53	72.5	4.1	0	8	0.00	0.0	0
1935-09-28	84	64	74.0	5.9	0	9	0.00	0.0	0
1935-09-29	84	46	65.0	-2.7	0	0	0.00	0.0	0
1935-09-30	86	46	66.0	-1.3	0	1	0.00	0.0	0
Sum	2698	1825	-	-	0	320	0.52	0.0	-
Average	89.9	60.8	75.4	3.3	-	-	-	-	0.0
Normal	84.4	59.8	72.1	-	15	228	4.26	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - October 1935

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1935-10-01	88	43	65.5	-1.4	0	1	0.00	0.0	0
1935-10-02	76	38	57.0	-9.5	8	0	0.00	0.0	0
1935-10-03	88	39	63.5	-2.6	1	0	0.00	0.0	0
1935-10-04	81	43	62.0	-3.7	3	0	0.00	0.0	0
1935-10-05	80	49	64.5	-0.8	0	0	0.00	0.0	0
1935-10-06	84	33	58.5	-6.4	6	0	0.00	0.0	0
1935-10-07	64	35	49.5	-15.0	15	0	0.00	0.0	0
1935-10-08	73	30	51.5	-12.6	13	0	0.00	0.0	0
1935-10-09	78	39	58.5	-5.2	6	0	0.00	0.0	0
1935-10-10	85	55	70.0	6.7	0	5	0.00	0.0	0
1935-10-11	M	45	M	M	M	M	0.00	0.0	0
1935-10-12	M	M	M	M	M	M	M	M	M
1935-10-13	M	M	M	M	M	M	M	M	M
1935-10-14	88	52	70.0	8.3	0	5	0.00	0.0	0
1935-10-15	82	68	75.0	13.7	0	10	0.00	0.0	0
1935-10-16	80	50	65.0	4.1	0	0	0.00	0.0	0
1935-10-17	86	37	61.5	1.0	3	0	0.00	0.0	0
1935-10-18	M	M	M	M	M	M	0.00	0.0	0
1935-10-19	M	M	M	M	M	M	0.00	0.0	0
1935-10-20	M	M	M	M	M	M	0.50	0.0	0
1935-10-21	M	M	M	M	M	M	M	M	M
1935-10-22	M	M	M	M	M	M	M	M	M
1935-10-23	M	M	M	M	M	M	M	M	M
1935-10-24	M	M	M	M	M	M	M	M	M
1935-10-25	M	M	M	M	M	M	M	M	M
1935-10-26	M	M	M	M	M	M	M	M	M
1935-10-27	M	M	M	M	M	M	M	M	M
1935-10-28	M	M	M	M	M	M	M	M	M
1935-10-29	M	M	M	M	M	M	M	M	M
1935-10-30	M	M	M	M	M	M	M	M	M
1935-10-31	M	M	M	M	M	M	M	M	M
Sum	1133	656	-	-	55	21	0.50	0.0	-
Average	80.9	43.7	62.3	1.4	-	-	-	-	0.0
Normal	74.3	47.5	60.9	-	175	48	3.56	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - February 1936

Date	Temperature				HDD	CDD	Precipitation	New Snow
	Maximum	Minimum	Average	Departure				
1936-02-01	M	M	M	M	M	M	0.00	M
1936-02-02	M	M	M	M	M	M	0.32	M
1936-02-03	M	M	M	M	M	M	0.45	M
1936-02-04	M	M	M	M	M	M	3.85	M
1936-02-05	M	M	M	M	M	M	0.00	M
1936-02-06	M	M	M	M	M	M	0.00	M
1936-02-07	M	M	M	M	M	M	0.46	M
1936-02-08	M	M	M	M	M	M	0.00	M
1936-02-09	M	M	M	M	M	M	0.11	M
1936-02-10	M	M	M	M	M	M	0.00	M
1936-02-11	M	M	M	M	M	M	0.00	M
1936-02-12	M	M	M	M	M	M	0.00	M
1936-02-13	M	M	M	M	M	M	0.31	M
1936-02-14	M	M	M	M	M	M	0.10	M
1936-02-15	M	M	M	M	M	M	0.16	M
1936-02-16	M	M	M	M	M	M	0.00	M
1936-02-17	57	39	48.0	4.2	17	0	0.33	M
1936-02-18	60	11	35.5	-8.5	29	0	T	T
1936-02-19	36	15	25.5	-18.8	39	0	0.00	M
1936-02-20	47	30	38.5	-6.0	26	0	0.00	M
1936-02-21	44	34	39.0	-5.8	26	0	0.05	T
1936-02-22	58	24	41.0	-4.1	24	0	T	M
1936-02-23	64	M	M	M	M	M	0.00	M
1936-02-24	71	M	M	M	M	M	0.00	M
1936-02-25	76	M	M	M	M	M	T	M
1936-02-26	72	55	63.5	17.4	1	0	0.01	M
1936-02-27	64	41	52.5	6.1	12	0	0.57	M
1936-02-28	67	41	54.0	7.3	11	0	0.00	M
1936-02-29	70	38	54.0	7.2	11	0	0.00	M
Sum	786	328	-	-	196	0	6.72	T
Average	60.5	32.8	45.2	1.9	-	-	-	-
Normal	54.8	31.9	43.3	-	607	1	5.72	0.6

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - March 1936

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1936-03-01	72	48	60.0	13.1	5	0	0.00	0.0	0
1936-03-02	67	44	55.5	8.3	9	0	0.17	0.0	0
1936-03-03	67	46	56.5	9.0	8	0	0.08	0.0	0
1936-03-04	71	45	58.0	10.3	7	0	0.00	0.0	0
1936-03-05	69	58	63.5	15.5	1	0	0.11	0.0	0
1936-03-06	62	42	52.0	3.7	13	0	0.00	0.0	0
1936-03-07	68	41	54.5	6.0	10	0	0.00	0.0	0
1936-03-08	72	43	57.5	8.7	7	0	0.00	0.0	0
1936-03-09	75	50	62.5	13.4	2	0	0.00	0.0	0
1936-03-10	75	45	60.0	10.6	5	0	0.00	0.0	0
1936-03-11	70	45	57.5	7.9	7	0	0.00	0.0	0
1936-03-12	62	38	50.0	0.1	15	0	0.00	0.0	0
1936-03-13	65	33	49.0	-1.2	16	0	0.00	0.0	0
1936-03-14	72	47	59.5	9.1	5	0	0.00	0.0	0
1936-03-15	65	53	59.0	8.3	6	0	0.19	0.0	0
1936-03-16	63	50	56.5	5.5	8	0	1.20	0.0	0
1936-03-17	54	33	43.5	-7.7	21	0	0.35	0.0	0
1936-03-18	60	34	47.0	-4.5	18	0	0.00	0.0	0
1936-03-19	66	31	48.5	-3.3	16	0	0.00	0.0	0
1936-03-20	60	42	51.0	-1.0	14	0	0.32	0.0	0
1936-03-21	63	39	51.0	-1.3	14	0	0.00	0.0	0
1936-03-22	70	43	56.5	3.9	8	0	0.00	0.0	0
1936-03-23	71	M	M	M	M	M	0.00	0.0	0
1936-03-24	69	M	M	M	M	M	0.92	0.0	0
1936-03-25	73	M	M	M	M	M	0.45	0.0	0
1936-03-26	82	62	72.0	18.4	0	7	0.01	0.0	0
1936-03-27	76	49	62.5	8.6	2	0	2.04	0.0	0
1936-03-28	69	41	55.0	0.9	10	0	0.05	0.0	0
1936-03-29	72	43	57.5	3.1	7	0	0.00	0.0	0
1936-03-30	77	45	61.0	6.3	4	0	0.00	0.0	0
1936-03-31	74	55	64.5	9.6	0	0	0.00	0.0	0
Sum	2131	1245	-	-	238	7	5.89	0.0	-
Average	68.7	44.5	56.5	5.5	-	-	-	-	0.0
Normal	63.3	38.6	51.0	-	440	4	5.69	0.5	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - April 1936

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1936-04-01	70	54	62.0	6.8	3	0	1.90	0.0	0
1936-04-02	63	40	51.5	-4.0	13	0	2.34	0.0	0
1936-04-03	41	30	35.5	-20.2	29	0	T	T	M
1936-04-04	52	31	41.5	-14.5	23	0	0.00	0.0	0
1936-04-05	56	44	50.0	-6.3	15	0	0.62	0.0	0
1936-04-06	72	50	61.0	4.5	4	0	0.88	0.0	0
1936-04-07	59	42	50.5	-6.3	14	0	0.01	0.0	0
1936-04-08	53	33	43.0	-14.0	22	0	T	0.0	0
1936-04-09	66	44	55.0	-2.3	10	0	0.93	0.0	0
1936-04-10	68	47	57.5	-0.1	7	0	0.00	0.0	0
1936-04-11	67	44	55.5	-2.3	9	0	0.00	0.0	0
1936-04-12	70	43	56.5	-1.6	8	0	0.09	0.0	0
1936-04-13	80	47	63.5	5.1	1	0	0.00	0.0	0
1936-04-14	83	46	64.5	5.9	0	0	0.00	0.0	0
1936-04-15	86	48	67.0	8.1	0	2	0.00	0.0	0
1936-04-16	72	47	59.5	0.3	5	0	0.00	0.0	0
1936-04-17	63	42	52.5	-6.9	12	0	0.00	0.0	0
1936-04-18	58	34	46.0	-13.7	19	0	0.00	0.0	0
1936-04-19	65	30	47.5	-12.5	17	0	0.00	0.0	0
1936-04-20	81	36	58.5	-1.7	6	0	0.00	0.0	0
1936-04-21	80	57	68.5	8.0	0	4	0.00	0.0	0
1936-04-22	74	48	61.0	0.2	4	0	0.05	0.0	0
1936-04-23	63	46	54.5	-6.5	10	0	0.00	0.0	0
1936-04-24	75	49	62.0	0.7	3	0	0.00	0.0	0
1936-04-25	73	55	64.0	2.4	1	0	0.07	0.0	0
1936-04-26	80	55	67.5	5.6	0	3	0.00	0.0	0
1936-04-27	83	50	66.5	4.4	0	2	0.00	0.0	0
1936-04-28	83	61	72.0	9.6	0	7	0.00	0.0	0
1936-04-29	79	65	72.0	9.3	0	7	0.24	0.0	0
1936-04-30	82	60	71.0	8.1	0	6	T	0.0	0
Sum	2097	1378	-	-	235	31	7.13	T	-
Average	69.9	45.9	57.9	-1.2	-	-	-	-	0.0
Normal	72.1	46.0	59.1	-	206	27	5.04	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - May 1936

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1936-05-01	86	58	72.0	8.8	0	7	0.00	0.0	0
1936-05-02	86	53	69.5	6.0	0	5	0.00	0.0	0
1936-05-03	80	64	72.0	8.2	0	7	0.01	0.0	0
1936-05-04	78	46	62.0	-2.1	3	0	0.00	0.0	0
1936-05-05	84	49	66.5	2.2	0	2	0.00	0.0	0
1936-05-06	88	53	70.5	5.9	0	6	0.00	0.0	0
1936-05-07	87	63	75.0	10.1	0	10	0.00	0.0	0
1936-05-08	89	54	71.5	6.3	0	7	0.00	0.0	0
1936-05-09	91	54	72.5	7.1	0	8	0.00	0.0	0
1936-05-10	91	55	73.0	7.3	0	8	0.00	0.0	0
1936-05-11	92	59	75.5	9.5	0	11	0.01	0.0	0
1936-05-12	83	64	73.5	7.2	0	9	0.65	0.0	0
1936-05-13	83	60	71.5	4.9	0	7	0.12	0.0	0
1936-05-14	79	57	68.0	1.1	0	3	0.00	0.0	0
1936-05-15	82	55	68.5	1.3	0	4	0.00	0.0	0
1936-05-16	81	57	69.0	1.6	0	4	0.00	0.0	0
1936-05-17	91	59	75.0	7.3	0	10	0.00	0.0	0
1936-05-18	87	59	73.0	5.0	0	8	0.00	0.0	0
1936-05-19	81	64	72.5	4.2	0	8	0.36	0.0	0
1936-05-20	88	58	73.0	4.4	0	8	0.00	0.0	0
1936-05-21	87	58	72.5	3.6	0	8	0.00	0.0	0
1936-05-22	86	56	71.0	1.8	0	6	0.00	0.0	0
1936-05-23	85	61	73.0	3.6	0	8	0.00	0.0	0
1936-05-24	89	52	70.5	0.8	0	6	0.00	0.0	0
1936-05-25	93	53	73.0	3.0	0	8	0.00	0.0	0
1936-05-26	89	55	72.0	1.7	0	7	0.00	0.0	0
1936-05-27	91	68	79.5	8.9	0	15	0.00	0.0	0
1936-05-28	91	64	77.5	6.6	0	13	0.00	0.0	0
1936-05-29	86	54	70.0	-1.1	0	5	0.00	0.0	0
1936-05-30	80	50	65.0	-6.4	0	0	0.00	0.0	0
1936-05-31	85	46	65.5	-6.2	0	1	0.00	0.0	0
Sum	2669	1758	-	-	3	209	1.15	0.0	-
Average	86.1	56.7	71.4	4.0	-	-	-	-	0.0
Normal	79.5	55.4	67.4	-	55	130	4.55	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - June 1936

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1936-06-01	91	47	69.0	-3.0	0	4	0.00	0.0	0
1936-06-02	91	55	73.0	0.8	0	8	0.00	0.0	0
1936-06-03	96	63	79.5	7.0	0	15	0.14	0.0	0
1936-06-04	90	60	75.0	2.2	0	10	0.17	0.0	0
1936-06-05	94	64	79.0	6.0	0	14	0.00	0.0	0
1936-06-06	97	66	81.5	8.2	0	17	0.00	0.0	0
1936-06-07	95	64	79.5	6.0	0	15	0.07	0.0	0
1936-06-08	95	64	79.5	5.7	0	15	0.00	0.0	0
1936-06-09	98	67	82.5	8.5	0	18	0.00	0.0	0
1936-06-10	96	66	81.0	6.8	0	16	0.00	0.0	0
1936-06-11	96	67	81.5	7.0	0	17	T	0.0	0
1936-06-12	91	65	78.0	3.3	0	13	0.17	0.0	0
1936-06-13	94	67	80.5	5.6	0	16	0.00	0.0	0
1936-06-14	95	63	79.0	3.9	0	14	0.00	0.0	0
1936-06-15	99	60	79.5	4.2	0	15	0.00	0.0	0
1936-06-16	101	60	80.5	5.0	0	16	0.00	0.0	0
1936-06-17	100	63	81.5	5.8	0	17	0.00	0.0	0
1936-06-18	102	74	88.0	12.1	0	23	T	0.0	0
1936-06-19	103	67	85.0	8.9	0	20	0.00	0.0	0
1936-06-20	98	60	79.0	2.7	0	14	0.00	0.0	0
1936-06-21	97	67	82.0	5.6	0	17	0.00	0.0	0
1936-06-22	98	71	84.5	7.9	0	20	0.03	0.0	0
1936-06-23	88	65	76.5	-0.2	0	12	0.23	0.0	0
1936-06-24	88	59	73.5	-3.4	0	9	0.00	0.0	0
1936-06-25	90	52	71.0	-6.0	0	6	0.00	0.0	0
1936-06-26	97	57	77.0	-0.2	0	12	0.00	0.0	0
1936-06-27	98	71	84.5	7.2	0	20	0.00	0.0	0
1936-06-28	103	72	87.5	10.1	0	23	0.00	0.0	0
1936-06-29	104	76	90.0	12.5	0	25	T	0.0	0
1936-06-30	101	75	88.0	10.4	0	23	T	0.0	0
Sum	2886	1927	-	-	0	464	0.81	0.0	-
Average	96.2	64.2	80.2	5.0	-	-	-	-	0.0
Normal	86.4	64.0	75.2	-	2	308	4.62	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - July 1936

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1936-07-01	99	72	85.5	7.8	0	21	0.22	0.0	0
1936-07-02	92	69	80.5	2.7	0	16	0.92	0.0	0
1936-07-03	78	67	72.5	-5.4	0	8	0.74	0.0	0
1936-07-04	88	68	78.0	0.0	0	13	0.27	0.0	0
1936-07-05	92	69	80.5	2.5	0	16	0.00	0.0	0
1936-07-06	92	68	80.0	1.9	0	15	T	0.0	0
1936-07-07	96	70	83.0	4.8	0	18	T	0.0	0
1936-07-08	95	70	82.5	4.3	0	18	0.05	0.0	0
1936-07-09	99	72	85.5	7.2	0	21	0.22	0.0	0
1936-07-10	98	70	84.0	5.7	0	19	0.00	0.0	0
1936-07-11	97	71	84.0	5.6	0	19	0.00	0.0	0
1936-07-12	97	69	83.0	4.6	0	18	0.00	0.0	0
1936-07-13	103	73	88.0	9.6	0	23	0.00	0.0	0
1936-07-14	96	69	82.5	4.0	0	18	1.00	0.0	0
1936-07-15	94	70	82.0	3.5	0	17	0.00	0.0	0
1936-07-16	87	63	75.0	-3.5	0	10	2.45	0.0	0
1936-07-17	77	68	72.5	-6.1	0	8	0.82	0.0	0
1936-07-18	89	63	76.0	-2.6	0	11	0.03	0.0	0
1936-07-19	87	68	77.5	-1.1	0	13	0.50	0.0	0
1936-07-20	87	65	76.0	-2.6	0	11	0.05	0.0	0
1936-07-21	85	66	75.5	-3.1	0	11	0.39	0.0	0
1936-07-22	88	68	78.0	-0.6	0	13	0.04	0.0	0
1936-07-23	87	66	76.5	-2.1	0	12	0.00	0.0	0
1936-07-24	85	69	77.0	-1.6	0	12	0.00	0.0	0
1936-07-25	90	71	80.5	1.9	0	16	0.00	0.0	0
1936-07-26	93	70	81.5	2.9	0	17	0.00	0.0	0
1936-07-27	94	69	81.5	2.9	0	17	0.00	0.0	0
1936-07-28	94	72	83.0	4.4	0	18	0.00	0.0	0
1936-07-29	94	72	83.0	4.4	0	18	0.00	0.0	0
1936-07-30	88	72	80.0	1.4	0	15	0.00	0.0	0
1936-07-31	80	67	73.5	-5.1	0	9	0.00	0.0	0
Sum	2821	2136	-	-	0	471	7.70	0.0	-
Average	91.0	68.9	80.0	1.6	-	-	-	-	0.0
Normal	89.1	67.7	78.4	-	0	415	5.17	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - August 1936

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1936-08-01	79	57	68.0	-10.6	0	3	0.21	0.0	0
1936-08-02	86	68	77.0	-1.6	0	12	0.84	0.0	0
1936-08-03	87	68	77.5	-1.1	0	13	0.00	0.0	0
1936-08-04	90	67	78.5	0.0	0	14	0.00	0.0	0
1936-08-05	86	64	75.0	-3.5	0	10	0.00	0.0	0
1936-08-06	91	69	80.0	1.5	0	15	0.00	0.0	0
1936-08-07	84	69	76.5	-2.0	0	12	0.27	0.0	0
1936-08-08	90	69	79.5	1.1	0	15	0.00	0.0	0
1936-08-09	91	68	79.5	1.1	0	15	0.00	0.0	0
1936-08-10	83	70	76.5	-1.9	0	12	0.16	0.0	0
1936-08-11	87	64	75.5	-2.8	0	11	0.00	0.0	0
1936-08-12	89	65	77.0	-1.3	0	12	0.00	0.0	0
1936-08-13	90	65	77.5	-0.7	0	13	0.00	0.0	0
1936-08-14	92	65	78.5	0.3	0	14	0.00	0.0	0
1936-08-15	94	71	82.5	4.4	0	18	0.00	0.0	0
1936-08-16	94	69	81.5	3.5	0	17	0.00	0.0	0
1936-08-17	98	70	84.0	6.0	0	19	0.14	0.0	0
1936-08-18	97	66	81.5	3.6	0	17	0.00	0.0	0
1936-08-19	97	69	83.0	5.2	0	18	0.00	0.0	0
1936-08-20	98	71	84.5	6.8	0	20	0.00	0.0	0
1936-08-21	96	71	83.5	5.9	0	19	0.00	0.0	0
1936-08-22	94	71	82.5	5.0	0	18	0.05	0.0	0
1936-08-23	89	73	81.0	3.6	0	16	0.00	0.0	0
1936-08-24	91	67	79.0	1.7	0	14	T	0.0	0
1936-08-25	95	69	82.0	4.9	0	17	0.00	0.0	0
1936-08-26	96	66	81.0	4.0	0	16	0.00	0.0	0
1936-08-27	98	68	83.0	6.2	0	18	0.00	0.0	0
1936-08-28	98	68	83.0	6.3	0	18	0.00	0.0	0
1936-08-29	93	70	81.5	5.0	0	17	0.04	0.0	0
1936-08-30	85	65	75.0	-1.4	0	10	0.00	0.0	0
1936-08-31	84	51	67.5	-8.7	0	3	0.00	0.0	0
Sum	2822	2083	-	-	0	446	1.71	0.0	-
Average	91.0	67.2	79.1	1.3	-	-	-	-	0.0
Normal	89.1	66.5	77.8	-	0	397	4.05	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - September 1936

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1936-09-01	87	51	69.0	-7.0	0	4	0.00	0.0	0
1936-09-02	81	63	72.0	-3.8	0	7	0.15	0.0	0
1936-09-03	87	71	79.0	3.4	0	14	T	0.0	0
1936-09-04	90	66	78.0	2.6	0	13	0.00	0.0	0
1936-09-05	86	67	76.5	1.3	0	12	0.00	0.0	0
1936-09-06	82	64	73.0	-1.9	0	8	0.00	0.0	0
1936-09-07	89	68	78.5	3.8	0	14	0.00	0.0	0
1936-09-08	92	67	79.5	5.1	0	15	0.16	0.0	0
1936-09-09	93	65	79.0	4.8	0	14	1.71	0.0	0
1936-09-10	87	67	77.0	3.1	0	12	0.02	0.0	0
1936-09-11	88	66	77.0	3.3	0	12	0.00	0.0	0
1936-09-12	90	66	78.0	4.6	0	13	0.00	0.0	0
1936-09-13	90	67	78.5	5.4	0	14	T	0.0	0
1936-09-14	90	67	78.5	5.7	0	14	0.00	0.0	0
1936-09-15	90	68	79.0	6.5	0	14	0.00	0.0	0
1936-09-16	88	64	76.0	3.8	0	11	0.00	0.0	0
1936-09-17	92	65	78.5	6.6	0	14	T	0.0	0
1936-09-18	90	64	77.0	5.4	0	12	0.00	0.0	0
1936-09-19	92	64	78.0	6.8	0	13	0.00	0.0	0
1936-09-20	89	63	76.0	5.1	0	11	0.04	0.0	0
1936-09-21	87	66	76.5	5.9	0	12	T	0.0	0
1936-09-22	91	65	78.0	7.8	0	13	0.88	0.0	0
1936-09-23	83	64	73.5	3.6	0	9	0.90	0.0	0
1936-09-24	85	63	74.0	4.5	0	9	0.16	0.0	0
1936-09-25	75	65	70.0	0.8	0	5	0.00	0.0	0
1936-09-26	77	54	65.5	-3.3	0	1	0.00	0.0	0
1936-09-27	83	59	71.0	2.6	0	6	0.00	0.0	0
1936-09-28	86	61	73.5	5.4	0	9	0.00	0.0	0
1936-09-29	77	64	70.5	2.8	0	6	0.72	0.0	0
1936-09-30	79	64	71.5	4.2	0	7	0.00	0.0	0
Sum	2596	1928	-	-	0	318	4.74	0.0	-
Average	86.5	64.3	75.4	3.3	-	-	-	-	0.0
Normal	84.4	59.8	72.1	-	15	228	4.26	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - October 1936

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1936-10-01	75	59	67.0	0.1	0	2	0.00	0.0	0
1936-10-02	74	51	62.5	-4.0	2	0	0.00	0.0	0
1936-10-03	76	50	63.0	-3.1	2	0	0.00	0.0	0
1936-10-04	78	50	64.0	-1.7	1	0	0.00	0.0	0
1936-10-05	79	56	67.5	2.2	0	3	0.00	0.0	0
1936-10-06	74	64	69.0	4.1	0	4	0.07	0.0	0
1936-10-07	82	69	75.5	11.0	0	11	0.00	0.0	0
1936-10-08	83	69	76.0	11.9	0	11	0.31	0.0	0
1936-10-09	80	69	74.5	10.8	0	10	0.20	0.0	0
1936-10-10	75	58	66.5	3.2	0	2	0.18	0.0	0
1936-10-11	74	53	63.5	0.6	1	0	0.00	0.0	0
1936-10-12	69	40	54.5	-8.0	10	0	0.00	0.0	0
1936-10-13	73	43	58.0	-4.1	7	0	0.00	0.0	0
1936-10-14	77	44	60.5	-1.2	4	0	0.00	0.0	0
1936-10-15	76	54	65.0	3.7	0	0	0.00	0.0	0
1936-10-16	74	60	67.0	6.1	0	2	1.67	0.0	0
1936-10-17	72	53	62.5	2.0	2	0	0.00	0.0	0
1936-10-18	67	41	54.0	-6.1	11	0	0.00	0.0	0
1936-10-19	75	43	59.0	-0.7	6	0	0.00	0.0	0
1936-10-20	76	45	60.5	1.2	4	0	0.00	0.0	0
1936-10-21	79	51	65.0	6.1	0	0	0.00	0.0	0
1936-10-22	79	57	68.0	9.5	0	3	0.45	0.0	0
1936-10-23	74	57	65.5	7.4	0	1	0.44	0.0	0
1936-10-24	69	52	60.5	2.8	4	0	0.00	0.0	0
1936-10-25	75	50	62.5	5.2	2	0	0.00	0.0	0
1936-10-26	71	51	61.0	4.1	4	0	0.81	0.0	0
1936-10-27	54	42	48.0	-8.5	17	0	0.00	0.0	0
1936-10-28	60	41	50.5	-5.6	14	0	0.00	0.0	0
1936-10-29	62	36	49.0	-6.7	16	0	0.00	0.0	0
1936-10-30	64	34	49.0	-6.3	16	0	0.00	0.0	0
1936-10-31	66	33	49.5	-5.4	15	0	0.00	0.0	0
Sum	2262	1575	-	-	138	49	4.13	0.0	-
Average	73.0	50.8	61.9	1.0	-	-	-	-	0.0
Normal	74.3	47.5	60.9	-	175	48	3.56	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - November 1936

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1936-11-01	69	56	62.5	7.9	2	0	0.02	0.0	0
1936-11-02	79	61	70.0	15.8	0	5	0.00	0.0	0
1936-11-03	80	63	71.5	17.7	0	7	0.14	0.0	0
1936-11-04	67	36	51.5	-1.9	13	0	0.86	0.0	0
1936-11-05	54	34	44.0	-9.1	21	0	0.00	0.0	0
1936-11-06	63	39	51.0	-1.7	14	0	0.00	0.0	0
1936-11-07	63	54	58.5	6.1	6	0	0.00	0.0	0
1936-11-08	62	53	57.5	5.5	7	0	0.09	0.0	0
1936-11-09	55	40	47.5	-4.2	17	0	0.00	0.0	0
1936-11-10	58	36	47.0	-4.4	18	0	0.00	0.0	0
1936-11-11	54	37	45.5	-5.5	19	0	0.02	0.0	0
1936-11-12	59	40	49.5	-1.2	15	0	0.30	0.0	0
1936-11-13	63	36	49.5	-0.9	15	0	0.00	0.0	0
1936-11-14	65	33	49.0	-1.1	16	0	0.00	0.0	0
1936-11-15	61	44	52.5	2.7	12	0	0.00	0.0	0
1936-11-16	51	25	38.0	-11.4	27	0	0.00	0.0	0
1936-11-17	60	25	42.5	-6.6	22	0	0.00	0.0	0
1936-11-18	67	41	54.0	5.1	11	0	0.00	0.0	0
1936-11-19	63	36	49.5	0.9	15	0	0.00	0.0	0
1936-11-20	66	38	52.0	3.7	13	0	0.00	0.0	0
1936-11-21	59	44	51.5	3.5	13	0	0.00	0.0	0
1936-11-22	53	33	43.0	-4.7	22	0	0.00	0.0	0
1936-11-23	58	24	41.0	-6.5	24	0	0.00	0.0	0
1936-11-24	55	42	48.5	1.3	16	0	0.03	0.0	0
1936-11-25	49	29	39.0	-8.0	26	0	0.00	0.0	0
1936-11-26	46	23	34.5	-12.2	30	0	0.00	0.0	0
1936-11-27	39	25	32.0	-14.5	33	0	T	T	M
1936-11-28	53	17	35.0	-11.2	30	0	0.00	0.0	0
1936-11-29	59	37	48.0	2.0	17	0	0.00	0.0	0
1936-11-30	56	32	44.0	-1.8	21	0	0.00	0.0	0
Sum	1786	1133	-	-	495	12	1.46	T	-
Average	59.5	37.8	48.7	-1.1	-	-	-	-	0.0
Normal	62.6	37.0	49.8	-	461	5	4.76	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - December 1936

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1936-12-01	52	34	43.0	-2.5	22	0	0.24	0.0	0
1936-12-02	42	33	37.5	-7.8	27	0	0.09	0.0	0
1936-12-03	53	39	46.0	0.9	19	0	0.54	0.0	0
1936-12-04	52	32	42.0	-2.9	23	0	0.00	0.0	0
1936-12-05	57	35	46.0	1.3	19	0	0.00	0.0	0
1936-12-06	63	49	56.0	11.5	9	0	0.47	0.0	0
1936-12-07	61	29	45.0	0.7	20	0	0.00	0.0	0
1936-12-08	63	33	48.0	3.9	17	0	0.89	0.0	0
1936-12-09	56	32	44.0	0.1	21	0	0.00	0.0	0
1936-12-10	52	46	49.0	5.3	16	0	0.03	0.0	0
1936-12-11	50	35	42.5	-1.0	22	0	0.37	0.0	0
1936-12-12	43	27	35.0	-8.3	30	0	0.00	0.0	0
1936-12-13	47	24	35.5	-7.6	29	0	0.00	0.0	0
1936-12-14	49	29	39.0	-4.0	26	0	0.00	0.0	0
1936-12-15	50	36	43.0	0.2	22	0	0.05	0.0	0
1936-12-16	58	38	48.0	5.4	17	0	0.17	0.0	0
1936-12-17	58	28	43.0	0.5	22	0	0.00	0.0	0
1936-12-18	56	39	47.5	5.2	17	0	0.65	0.0	0
1936-12-19	50	34	42.0	-0.1	23	0	0.39	T	M
1936-12-20	47	27	37.0	-5.0	28	0	T	T	M
1936-12-21	51	24	37.5	-4.3	27	0	0.00	0.0	0
1936-12-22	55	27	41.0	-0.7	24	0	0.00	0.0	0
1936-12-23	57	29	43.0	1.5	22	0	0.00	0.0	0
1936-12-24	59	28	43.5	2.1	21	0	0.00	0.0	0
1936-12-25	56	26	41.0	-0.2	24	0	0.00	0.0	0
1936-12-26	58	28	43.0	1.9	22	0	0.00	0.0	0
1936-12-27	66	34	50.0	9.0	15	0	0.00	0.0	0
1936-12-28	62	50	56.0	15.2	9	0	0.26	0.0	0
1936-12-29	69	51	60.0	19.3	5	0	0.01	0.0	0
1936-12-30	66	58	62.0	21.4	3	0	0.14	0.0	0
1936-12-31	66	47	56.5	16.0	8	0	1.32	0.0	0
Sum	1724	1081	-	-	609	0	5.62	T	-
Average	55.6	34.9	45.2	2.4	-	-	-	-	0.0
Normal	53.5	32.0	42.8	-	691	1	6.20	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - January 1937

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1937-01-01	53	37	45.0	4.6	20	0	0.30	0.0	0
1937-01-02	61	47	54.0	13.7	11	0	4.12	0.0	0
1937-01-03	67	38	52.5	12.3	12	0	0.08	0.0	0
1937-01-04	45	23	34.0	-6.1	31	0	0.00	0.0	0
1937-01-05	44	34	39.0	-1.0	26	0	0.35	0.0	0
1937-01-06	52	41	46.5	6.6	18	0	0.17	0.0	0
1937-01-07	55	49	52.0	12.2	13	0	0.00	0.0	0
1937-01-08	68	50	59.0	19.3	6	0	0.01	0.0	0
1937-01-09	74	52	63.0	23.3	2	0	0.00	0.0	0
1937-01-10	69	52	60.5	20.9	4	0	0.32	0.0	0
1937-01-11	55	43	49.0	9.4	16	0	0.00	0.0	0
1937-01-12	56	51	53.5	14.0	11	0	0.83	0.0	0
1937-01-13	71	53	62.0	22.5	3	0	0.07	0.0	0
1937-01-14	74	60	67.0	27.5	0	2	0.10	0.0	0
1937-01-15	69	48	58.5	19.0	6	0	1.23	0.0	0
1937-01-16	59	34	46.5	7.0	18	0	0.00	0.0	0
1937-01-17	59	45	52.0	12.5	13	0	0.40	0.0	0
1937-01-18	69	51	60.0	20.5	5	0	1.26	0.0	0
1937-01-19	55	47	51.0	11.5	14	0	0.17	0.0	0
1937-01-20	66	52	59.0	19.5	6	0	0.40	0.0	0
1937-01-21	73	58	65.5	25.9	0	1	0.05	0.0	0
1937-01-22	77	63	70.0	30.4	0	5	0.00	0.0	0
1937-01-23	74	45	59.5	19.8	5	0	0.22	0.0	0
1937-01-24	62	46	54.0	14.3	11	0	0.30	0.0	0
1937-01-25	67	45	56.0	16.2	9	0	1.98	0.0	0
1937-01-26	55	41	48.0	8.1	17	0	0.00	0.0	0
1937-01-27	58	39	48.5	8.5	16	0	0.00	0.0	0
1937-01-28	56	41	48.5	8.4	16	0	0.22	0.0	0
1937-01-29	59	44	51.5	11.3	13	0	0.02	0.0	0
1937-01-30	56	47	51.5	11.2	13	0	0.00	0.0	0
1937-01-31	53	48	50.5	10.1	14	0	1.20	0.0	0
Sum	1911	1424	-	-	349	8	13.80	0.0	-
Average	61.6	45.9	53.8	14.0	-	-	-	-	0.0
Normal	50.4	29.2	39.8	-	781	0	6.07	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - February 1937

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1937-02-01	52	39	45.5	4.9	19	0	0.00	0.0	0
1937-02-02	46	26	36.0	-4.7	29	0	0.00	0.0	0
1937-02-03	54	32	43.0	2.1	22	0	0.00	0.0	0
1937-02-04	52	32	42.0	0.9	23	0	0.00	0.0	0
1937-02-05	51	24	37.5	-3.7	27	0	0.00	0.0	0
1937-02-06	50	27	38.5	-2.9	26	0	0.02	0.0	0
1937-02-07	70	44	57.0	15.4	8	0	0.22	0.0	0
1937-02-08	77	65	71.0	29.2	0	6	0.09	0.0	0
1937-02-09	71	38	54.5	12.5	10	0	1.85	0.0	0
1937-02-10	38	26	32.0	-10.2	33	0	0.00	0.0	0
1937-02-11	46	17	31.5	-10.9	33	0	0.00	0.0	0
1937-02-12	58	23	40.5	-2.1	24	0	0.00	0.0	0
1937-02-13	56	41	48.5	5.6	16	0	0.00	0.0	0
1937-02-14	52	34	43.0	-0.1	22	0	0.11	0.0	0
1937-02-15	65	38	51.5	8.2	13	0	0.00	0.0	0
1937-02-16	63	34	48.5	4.9	16	0	0.05	0.0	0
1937-02-17	45	30	37.5	-6.3	27	0	0.00	0.0	0
1937-02-18	53	38	45.5	1.5	19	0	0.00	0.0	0
1937-02-19	53	34	43.5	-0.8	21	0	0.12	0.0	0
1937-02-20	54	43	48.5	4.0	16	0	0.39	0.0	0
1937-02-21	58	41	49.5	4.7	15	0	0.64	0.0	0
1937-02-22	53	25	39.0	-6.1	26	0	0.00	0.0	0
1937-02-23	59	36	47.5	2.2	17	0	0.00	0.0	0
1937-02-24	55	37	46.0	0.4	19	0	0.29	0.0	0
1937-02-25	50	29	39.5	-6.4	25	0	0.00	0.0	0
1937-02-26	42	19	30.5	-15.6	34	0	0.00	0.0	0
1937-02-27	41	31	36.0	-10.4	29	0	0.21	T	M
1937-02-28	36	29	32.5	-14.2	32	0	0.29	1.0	0
Sum	1500	932	-	-	601	6	4.28	1.0	-
Average	53.6	33.3	43.4	0.1	-	-	-	-	0.0
Normal	54.8	31.9	43.3	-	607	1	5.72	0.6	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - March 1937

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1937-03-01	38	31	34.5	-12.4	30	0	0.00	0.0	0
1937-03-02	56	21	38.5	-8.7	26	0	0.00	0.0	0
1937-03-03	63	28	45.5	-2.0	19	0	0.00	0.0	0
1937-03-04	69	31	50.0	2.3	15	0	T	0.0	0
1937-03-05	61	42	51.5	3.5	13	0	0.00	0.0	0
1937-03-06	69	34	51.5	3.2	13	0	0.00	0.0	0
1937-03-07	71	38	54.5	6.0	10	0	0.44	0.0	0
1937-03-08	62	49	55.5	6.7	9	0	0.22	0.0	0
1937-03-09	53	32	42.5	-6.6	22	0	0.00	0.0	0
1937-03-10	62	26	44.0	-5.4	21	0	0.00	0.0	0
1937-03-11	70	35	52.5	2.9	12	0	0.00	0.0	0
1937-03-12	73	36	54.5	4.6	10	0	0.00	0.0	0
1937-03-13	75	32	53.5	3.3	11	0	0.00	0.0	0
1937-03-14	70	37	53.5	3.1	11	0	0.10	0.0	0
1937-03-15	47	30	38.5	-12.2	26	0	0.15	T	M
1937-03-16	48	25	36.5	-14.5	28	0	0.00	0.0	0
1937-03-17	55	25	40.0	-11.2	25	0	0.00	0.0	0
1937-03-18	57	43	50.0	-1.5	15	0	0.52	0.0	0
1937-03-19	73	47	60.0	8.2	5	0	0.31	0.0	0
1937-03-20	74	58	66.0	14.0	0	1	0.31	0.0	0
1937-03-21	61	41	51.0	-1.3	14	0	0.00	0.0	0
1937-03-22	69	41	55.0	2.4	10	0	0.00	0.0	0
1937-03-23	75	39	57.0	4.2	8	0	0.00	0.0	0
1937-03-24	73	54	63.5	10.4	1	0	0.72	0.0	0
1937-03-25	71	52	61.5	8.1	3	0	0.23	0.0	0
1937-03-26	59	34	46.5	-7.1	18	0	0.00	0.0	0
1937-03-27	46	33	39.5	-14.4	25	0	0.00	0.0	0
1937-03-28	46	28	37.0	-17.1	28	0	0.00	0.0	0
1937-03-29	58	25	41.5	-12.9	23	0	0.00	0.0	0
1937-03-30	52	40	46.0	-8.7	19	0	0.02	0.0	0
1937-03-31	60	32	46.0	-8.9	19	0	0.01	0.0	0
Sum	1916	1119	-	-	489	1	3.03	T	-
Average	61.8	36.1	49.0	-2.0	-	-	-	-	0.0
Normal	63.3	38.6	51.0	-	440	4	5.69	0.5	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - April 1937

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1937-04-01	67	31	49.0	-6.2	16	0	0.00	0.0	0
1937-04-02	74	37	55.5	0.0	9	0	0.00	0.0	0
1937-04-03	78	40	59.0	3.3	6	0	0.00	0.0	0
1937-04-04	75	60	67.5	11.5	0	3	T	0.0	0
1937-04-05	63	57	60.0	3.7	5	0	0.94	0.0	0
1937-04-06	60	42	51.0	-5.5	14	0	0.00	0.0	0
1937-04-07	68	30	49.0	-7.8	16	0	0.00	0.0	0
1937-04-08	69	49	59.0	2.0	6	0	0.09	0.0	0
1937-04-09	60	44	52.0	-5.3	13	0	0.17	0.0	0
1937-04-10	58	31	44.5	-13.1	20	0	0.00	0.0	0
1937-04-11	57	31	44.0	-13.8	21	0	0.00	0.0	0
1937-04-12	65	32	48.5	-9.6	16	0	0.00	0.0	0
1937-04-13	74	36	55.0	-3.4	10	0	0.00	0.0	0
1937-04-14	77	51	64.0	5.4	1	0	0.00	0.0	0
1937-04-15	78	59	68.5	9.6	0	4	T	0.0	0
1937-04-16	74	43	58.5	-0.7	6	0	0.00	0.0	0
1937-04-17	83	41	62.0	2.6	3	0	0.00	0.0	0
1937-04-18	87	57	72.0	12.3	0	7	0.00	0.0	0
1937-04-19	84	58	71.0	11.0	0	6	0.00	0.0	0
1937-04-20	87	59	73.0	12.8	0	8	0.00	0.0	0
1937-04-21	79	59	69.0	8.5	0	4	0.52	0.0	0
1937-04-22	81	50	65.5	4.7	0	1	0.00	0.0	0
1937-04-23	84	50	67.0	6.0	0	2	0.00	0.0	0
1937-04-24	78	61	69.5	8.2	0	5	1.49	0.0	0
1937-04-25	70	45	57.5	-4.1	7	0	0.00	0.0	0
1937-04-26	63	43	53.0	-8.9	12	0	0.00	0.0	0
1937-04-27	61	41	51.0	-11.1	14	0	0.00	0.0	0
1937-04-28	75	46	60.5	-1.9	4	0	0.11	0.0	0
1937-04-29	78	61	69.5	6.8	0	5	2.81	0.0	0
1937-04-30	73	53	63.0	0.1	2	0	0.65	0.0	0
Sum	2180	1397	-	-	201	45	6.78	0.0	-
Average	72.7	46.6	59.6	0.5	-	-	-	-	0.0
Normal	72.1	46.0	59.1	-	206	27	5.04	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - May 1937

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1937-05-01	67	50	58.5	-4.7	6	0	0.05	0.0	0
1937-05-02	66	52	59.0	-4.5	6	0	0.76	0.0	0
1937-05-03	64	53	58.5	-5.3	6	0	1.62	0.0	0
1937-05-04	71	49	60.0	-4.1	5	0	0.41	0.0	0
1937-05-05	70	55	62.5	-1.8	2	0	0.78	0.0	0
1937-05-06	74	50	62.0	-2.6	3	0	0.02	0.0	0
1937-05-07	76	47	61.5	-3.4	3	0	0.00	0.0	0
1937-05-08	76	56	66.0	0.8	0	1	0.00	0.0	0
1937-05-09	79	43	61.0	-4.4	4	0	0.00	0.0	0
1937-05-10	81	53	67.0	1.3	0	2	0.00	0.0	0
1937-05-11	83	51	67.0	1.0	0	2	0.00	0.0	0
1937-05-12	81	61	71.0	4.7	0	6	0.00	0.0	0
1937-05-13	78	61	69.5	2.9	0	5	1.21	0.0	0
1937-05-14	68	55	61.5	-5.4	3	0	0.00	0.0	0
1937-05-15	71	43	57.0	-10.2	8	0	0.12	0.0	0
1937-05-16	82	51	66.5	-0.9	0	2	0.00	0.0	0
1937-05-17	82	53	67.5	-0.2	0	3	0.00	0.0	0
1937-05-18	85	54	69.5	1.5	0	5	0.00	0.0	0
1937-05-19	87	68	77.5	9.2	0	13	T	0.0	0
1937-05-20	84	60	72.0	3.4	0	7	0.00	0.0	0
1937-05-21	91	59	75.0	6.1	0	10	0.00	0.0	0
1937-05-22	86	62	74.0	4.8	0	9	0.24	0.0	0
1937-05-23	82	64	73.0	3.6	0	8	0.06	0.0	0
1937-05-24	86	60	73.0	3.3	0	8	0.00	0.0	0
1937-05-25	89	58	73.5	3.5	0	9	0.00	0.0	0
1937-05-26	89	62	75.5	5.2	0	11	T	0.0	0
1937-05-27	79	68	73.5	2.9	0	9	0.48	0.0	0
1937-05-28	90	64	77.0	6.1	0	12	0.11	0.0	0
1937-05-29	91	65	78.0	6.9	0	13	0.00	0.0	0
1937-05-30	93	65	79.0	7.6	0	14	0.00	0.0	0
1937-05-31	92	69	80.5	8.8	0	16	0.00	0.0	0
Sum	2493	1761	-	-	46	165	5.86	0.0	-
Average	80.4	56.8	68.6	1.2	-	-	-	-	0.0
Normal	79.5	55.4	67.4	-	55	130	4.55	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - June 1937

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1937-06-01	93	67	80.0	8.0	0	15	0.79	0.0	0
1937-06-02	89	66	77.5	5.3	0	13	0.05	0.0	0
1937-06-03	88	66	77.0	4.5	0	12	0.56	0.0	0
1937-06-04	87	67	77.0	4.2	0	12	0.04	0.0	0
1937-06-05	84	69	76.5	3.5	0	12	0.18	0.0	0
1937-06-06	85	69	77.0	3.7	0	12	0.00	0.0	0
1937-06-07	83	66	74.5	1.0	0	10	0.19	0.0	0
1937-06-08	87	61	74.0	0.2	0	9	0.00	0.0	0
1937-06-09	88	61	74.5	0.5	0	10	0.00	0.0	0
1937-06-10	87	68	77.5	3.3	0	13	0.00	0.0	0
1937-06-11	85	64	74.5	0.0	0	10	0.51	0.0	0
1937-06-12	86	60	73.0	-1.7	0	8	0.00	0.0	0
1937-06-13	92	62	77.0	2.1	0	12	0.00	0.0	0
1937-06-14	89	64	76.5	1.4	0	12	0.35	0.0	0
1937-06-15	86	66	76.0	0.7	0	11	0.13	0.0	0
1937-06-16	88	66	77.0	1.5	0	12	0.35	0.0	0
1937-06-17	92	67	79.5	3.8	0	15	0.01	0.0	0
1937-06-18	89	66	77.5	1.6	0	13	0.00	0.0	0
1937-06-19	91	68	79.5	3.4	0	15	0.00	0.0	0
1937-06-20	94	69	81.5	5.2	0	17	0.00	0.0	0
1937-06-21	93	64	78.5	2.1	0	14	0.00	0.0	0
1937-06-22	87	71	79.0	2.4	0	14	0.08	0.0	0
1937-06-23	91	60	75.5	-1.2	0	11	0.00	0.0	0
1937-06-24	93	64	78.5	1.6	0	14	0.00	0.0	0
1937-06-25	97	67	82.0	5.0	0	17	0.00	0.0	0
1937-06-26	95	69	82.0	4.8	0	17	0.00	0.0	0
1937-06-27	96	70	83.0	5.7	0	18	0.00	0.0	0
1937-06-28	95	71	83.0	5.6	0	18	0.02	0.0	0
1937-06-29	89	70	79.5	2.0	0	15	0.06	0.0	0
1937-06-30	84	62	73.0	-4.6	0	8	0.00	0.0	0
Sum	2683	1980	-	-	0	389	3.32	0.0	-
Average	89.4	66.0	77.7	2.5	-	-	-	-	0.0
Normal	86.4	64.0	75.2	-	2	308	4.62	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - July 1937

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1937-07-01	81	49	65.0	-12.7	0	0	0.00	0.0	0
1937-07-02	86	49	67.5	-10.3	0	3	0.00	0.0	0
1937-07-03	89	64	76.5	-1.4	0	12	T	0.0	0
1937-07-04	85	68	76.5	-1.5	0	12	T	0.0	0
1937-07-05	87	67	77.0	-1.0	0	12	0.72	0.0	0
1937-07-06	87	67	77.0	-1.1	0	12	0.02	0.0	0
1937-07-07	89	67	78.0	-0.2	0	13	0.00	0.0	0
1937-07-08	91	69	80.0	1.8	0	15	0.00	0.0	0
1937-07-09	94	71	82.5	4.2	0	18	0.00	0.0	0
1937-07-10	95	67	81.0	2.7	0	16	0.00	0.0	0
1937-07-11	95	69	82.0	3.6	0	17	0.00	0.0	0
1937-07-12	95	68	81.5	3.1	0	17	0.00	0.0	0
1937-07-13	96	63	79.5	1.1	0	15	0.00	0.0	0
1937-07-14	99	63	81.0	2.5	0	16	0.00	0.0	0
1937-07-15	98	63	80.5	2.0	0	16	0.00	0.0	0
1937-07-16	98	74	86.0	7.5	0	21	T	0.0	0
1937-07-17	100	73	86.5	7.9	0	22	0.00	0.0	0
1937-07-18	92	72	82.0	3.4	0	17	0.17	0.0	0
1937-07-19	85	72	78.5	-0.1	0	14	0.25	0.0	0
1937-07-20	85	68	76.5	-2.1	0	12	0.04	0.0	0
1937-07-21	89	61	75.0	-3.6	0	10	0.00	0.0	0
1937-07-22	92	60	76.0	-2.6	0	11	0.00	0.0	0
1937-07-23	93	61	77.0	-1.6	0	12	0.00	0.0	0
1937-07-24	93	66	79.5	0.9	0	15	0.00	0.0	0
1937-07-25	91	65	78.0	-0.6	0	13	T	0.0	0
1937-07-26	90	69	79.5	0.9	0	15	0.13	0.0	0
1937-07-27	89	60	74.5	-4.1	0	10	0.00	0.0	0
1937-07-28	90	59	74.5	-4.1	0	10	0.00	0.0	0
1937-07-29	92	60	76.0	-2.6	0	11	0.00	0.0	0
1937-07-30	94	61	77.5	-1.1	0	13	T	0.0	0
1937-07-31	95	67	81.0	2.4	0	16	0.00	0.0	0
Sum	2835	2012	-	-	0	416	1.33	0.0	-
Average	91.5	64.9	78.2	-0.2	-	-	-	-	0.0
Normal	89.1	67.7	78.4	-	0	415	5.17	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - August 1937

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1937-08-01	96	64	80.0	1.4	0	15	0.00	0.0	0
1937-08-02	97	65	81.0	2.4	0	16	T	0.0	0
1937-08-03	99	63	81.0	2.4	0	16	0.00	0.0	0
1937-08-04	98	67	82.5	4.0	0	18	0.00	0.0	0
1937-08-05	92	66	79.0	0.5	0	14	0.18	0.0	0
1937-08-06	91	65	78.0	-0.5	0	13	0.00	0.0	0
1937-08-07	92	67	79.5	1.0	0	15	0.07	0.0	0
1937-08-08	95	66	80.5	2.1	0	16	0.00	0.0	0
1937-08-09	96	69	82.5	4.1	0	18	0.00	0.0	0
1937-08-10	96	65	80.5	2.1	0	16	1.05	0.0	0
1937-08-11	88	68	78.0	-0.3	0	13	0.00	0.0	0
1937-08-12	91	70	80.5	2.2	0	16	0.00	0.0	0
1937-08-13	87	68	77.5	-0.7	0	13	0.90	0.0	0
1937-08-14	88	68	78.0	-0.2	0	13	0.00	0.0	0
1937-08-15	92	69	80.5	2.4	0	16	0.00	0.0	0
1937-08-16	91	69	80.0	2.0	0	15	0.00	0.0	0
1937-08-17	92	68	80.0	2.0	0	15	0.00	0.0	0
1937-08-18	94	66	80.0	2.1	0	15	T	0.0	0
1937-08-19	93	67	80.0	2.2	0	15	0.00	0.0	0
1937-08-20	93	68	80.5	2.8	0	16	T	0.0	0
1937-08-21	93	68	80.5	2.9	0	16	0.00	0.0	0
1937-08-22	85	71	78.0	0.5	0	13	0.50	0.0	0
1937-08-23	84	69	76.5	-0.9	0	12	0.02	0.0	0
1937-08-24	78	70	74.0	-3.3	0	9	1.05	0.0	0
1937-08-25	82	70	76.0	-1.1	0	11	0.02	0.0	0
1937-08-26	87	68	77.5	0.5	0	13	0.00	0.0	0
1937-08-27	88	68	78.0	1.2	0	13	0.00	0.0	0
1937-08-28	87	67	77.0	0.3	0	12	0.12	0.0	0
1937-08-29	85	67	76.0	-0.5	0	11	0.01	0.0	0
1937-08-30	83	66	74.5	-1.9	0	10	0.03	0.0	0
1937-08-31	87	68	77.5	1.3	0	13	0.04	0.0	0
Sum	2800	2090	-	-	0	437	3.99	0.0	-
Average	90.3	67.4	78.9	1.1	-	-	-	-	0.0
Normal	89.1	66.5	77.8	-	0	397	4.05	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - September 1937

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1937-09-01	86	67	76.5	0.5	0	12	0.08	0.0	0
1937-09-02	88	69	78.5	2.7	0	14	0.00	0.0	0
1937-09-03	87	68	77.5	1.9	0	13	T	0.0	0
1937-09-04	89	68	78.5	3.1	0	14	0.00	0.0	0
1937-09-05	84	68	76.0	0.8	0	11	0.11	0.0	0
1937-09-06	84	71	77.5	2.6	0	13	0.04	0.0	0
1937-09-07	88	69	78.5	3.8	0	14	0.01	0.0	0
1937-09-08	88	70	79.0	4.6	0	14	0.02	0.0	0
1937-09-09	80	70	75.0	0.8	0	10	0.00	0.0	0
1937-09-10	76	67	71.5	-2.4	0	7	0.13	0.0	0
1937-09-11	81	70	75.5	1.8	0	11	0.08	0.0	0
1937-09-12	81	50	65.5	-7.9	0	1	0.00	0.0	0
1937-09-13	78	54	66.0	-7.1	0	1	0.00	0.0	0
1937-09-14	77	47	62.0	-10.8	3	0	0.00	0.0	0
1937-09-15	81	46	63.5	-9.0	1	0	0.00	0.0	0
1937-09-16	84	55	69.5	-2.7	0	5	0.30	0.0	0
1937-09-17	72	51	61.5	-10.4	3	0	0.00	0.0	0
1937-09-18	76	44	60.0	-11.6	5	0	0.00	0.0	0
1937-09-19	83	48	65.5	-5.7	0	1	0.00	0.0	0
1937-09-20	85	57	71.0	0.1	0	6	0.00	0.0	0
1937-09-21	85	60	72.5	1.9	0	8	0.00	0.0	0
1937-09-22	85	58	71.5	1.3	0	7	0.00	0.0	0
1937-09-23	83	55	69.0	-0.9	0	4	0.00	0.0	0
1937-09-24	84	55	69.5	0.0	0	5	0.00	0.0	0
1937-09-25	84	53	68.5	-0.7	0	4	0.00	0.0	0
1937-09-26	76	55	65.5	-3.3	0	1	0.16	0.0	0
1937-09-27	70	46	58.0	-10.4	7	0	0.00	0.0	0
1937-09-28	73	43	58.0	-10.1	7	0	0.00	0.0	0
1937-09-29	78	43	60.5	-7.2	4	0	0.00	0.0	0
1937-09-30	83	49	66.0	-1.3	0	1	0.00	0.0	0
Sum	2449	1726	-	-	30	177	0.93	0.0	-
Average	81.6	57.5	69.6	-2.5	-	-	-	-	0.0
Normal	84.4	59.8	72.1	-	15	228	4.26	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - October 1937

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1937-10-01	75	54	64.5	-2.4	0	0	T	0.0	0
1937-10-02	72	59	65.5	-1.0	0	1	0.46	0.0	0
1937-10-03	72	62	67.0	0.9	0	2	1.05	0.0	0
1937-10-04	82	68	75.0	9.3	0	10	0.10	0.0	0
1937-10-05	83	69	76.0	10.7	0	11	0.01	0.0	0
1937-10-06	84	62	73.0	8.1	0	8	0.00	0.0	0
1937-10-07	81	57	69.0	4.5	0	4	0.00	0.0	0
1937-10-08	72	46	59.0	-5.1	6	0	0.00	0.0	0
1937-10-09	71	48	59.5	-4.2	5	0	0.41	0.0	0
1937-10-10	65	43	54.0	-9.3	11	0	0.01	0.0	0
1937-10-11	69	44	56.5	-6.4	8	0	0.00	0.0	0
1937-10-12	73	44	58.5	-4.0	6	0	0.00	0.0	0
1937-10-13	67	55	61.0	-1.1	4	0	0.02	0.0	0
1937-10-14	60	47	53.5	-8.2	11	0	0.00	0.0	0
1937-10-15	59	37	48.0	-13.3	17	0	0.00	0.0	0
1937-10-16	64	41	52.5	-8.4	12	0	0.00	0.0	0
1937-10-17	60	49	54.5	-6.0	10	0	0.57	0.0	0
1937-10-18	69	52	60.5	0.4	4	0	1.08	0.0	0
1937-10-19	70	58	64.0	4.3	1	0	0.09	0.0	0
1937-10-20	69	42	55.5	-3.8	9	0	0.00	0.0	0
1937-10-21	69	38	53.5	-5.4	11	0	0.00	0.0	0
1937-10-22	64	42	53.0	-5.5	12	0	0.18	0.0	0
1937-10-23	45	38	41.5	-16.6	23	0	0.02	0.0	0
1937-10-24	54	24	39.0	-18.7	26	0	0.00	0.0	0
1937-10-25	70	30	50.0	-7.3	15	0	0.00	0.0	0
1937-10-26	67	52	59.5	2.6	5	0	1.03	0.0	0
1937-10-27	56	38	47.0	-9.5	18	0	0.07	0.0	0
1937-10-28	62	37	49.5	-6.6	15	0	0.00	0.0	0
1937-10-29	67	31	49.0	-6.7	16	0	0.00	0.0	0
1937-10-30	80	38	59.0	3.7	6	0	0.00	0.0	0
1937-10-31	82	47	64.5	9.6	0	0	0.00	0.0	0
Sum	2133	1452	-	-	251	36	5.10	0.0	-
Average	68.8	46.8	57.8	-3.1	-	-	-	-	0.0
Normal	74.3	47.5	60.9	-	175	48	3.56	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - November 1937

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1937-11-01	74	58	66.0	11.4	0	1	0.00	0.0	0
1937-11-02	75	45	60.0	5.8	5	0	0.00	0.0	0
1937-11-03	68	42	55.0	1.2	10	0	0.22	0.0	0
1937-11-04	61	27	44.0	-9.4	21	0	0.00	0.0	0
1937-11-05	60	37	48.5	-4.6	16	0	0.01	0.0	0
1937-11-06	61	32	46.5	-6.2	18	0	0.00	0.0	0
1937-11-07	67	28	47.5	-4.9	17	0	0.00	0.0	0
1937-11-08	63	30	46.5	-5.5	18	0	0.00	0.0	0
1937-11-09	67	50	58.5	6.8	6	0	0.14	0.0	0
1937-11-10	69	54	61.5	10.1	3	0	0.00	0.0	0
1937-11-11	68	55	61.5	10.5	3	0	0.04	0.0	0
1937-11-12	68	48	58.0	7.3	7	0	0.03	0.0	0
1937-11-13	70	45	57.5	7.1	7	0	0.00	0.0	0
1937-11-14	65	39	52.0	1.9	13	0	0.00	0.0	0
1937-11-15	60	31	45.5	-4.3	19	0	0.00	0.0	0
1937-11-16	57	41	49.0	-0.4	16	0	0.29	0.0	0
1937-11-17	44	33	38.5	-10.6	26	0	0.04	0.0	0
1937-11-18	55	22	38.5	-10.4	26	0	0.00	0.0	0
1937-11-19	49	32	40.5	-8.1	24	0	0.17	0.0	0
1937-11-20	33	21	27.0	-21.3	38	0	T	T	M
1937-11-21	33	17	25.0	-23.0	40	0	T	T	M
1937-11-22	40	15	27.5	-20.2	37	0	0.00	0.0	0
1937-11-23	42	22	32.0	-15.5	33	0	0.00	0.0	0
1937-11-24	55	23	39.0	-8.2	26	0	0.00	0.0	0
1937-11-25	57	34	45.5	-1.5	19	0	0.00	0.0	0
1937-11-26	56	48	52.0	5.3	13	0	0.05	0.0	0
1937-11-27	63	52	57.5	11.0	7	0	0.03	0.0	0
1937-11-28	61	40	50.5	4.3	14	0	0.06	0.0	0
1937-11-29	55	24	39.5	-6.5	25	0	0.00	0.0	0
1937-11-30	59	24	41.5	-4.3	23	0	0.00	0.0	0
Sum	1755	1069	-	-	530	1	1.08	T	-
Average	58.5	35.6	47.1	-2.7	-	-	-	-	0.0
Normal	62.6	37.0	49.8	-	461	5	4.76	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - December 1937

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1937-12-01	M	31	M	M	M	M	0.00	0.0	0
1937-12-02	51	28	39.5	-5.8	25	0	0.00	0.0	0
1937-12-03	54	25	39.5	-5.6	25	0	0.00	0.0	0
1937-12-04	51	31	41.0	-3.9	24	0	0.03	0.0	0
1937-12-05	47	27	37.0	-7.7	28	0	0.07	T	M
1937-12-06	29	13	21.0	-23.5	44	0	T	T	M
1937-12-07	32	7	19.5	-24.8	45	0	T	T	M
1937-12-08	34	28	31.0	-13.1	34	0	0.05	0.8	1
1937-12-09	32	9	20.5	-23.4	44	0	0.00	0.0	T
1937-12-10	32	10	21.0	-22.7	44	0	0.00	0.0	T
1937-12-11	35	7	21.0	-22.5	44	0	0.00	0.0	0
1937-12-12	36	18	27.0	-16.3	38	0	0.00	0.0	0
1937-12-13	44	31	37.5	-5.6	27	0	0.25	0.0	0
1937-12-14	64	41	52.5	9.5	12	0	0.00	0.0	0
1937-12-15	67	38	52.5	9.7	12	0	0.00	0.0	0
1937-12-16	66	52	59.0	16.4	6	0	0.00	0.0	0
1937-12-17	65	56	60.5	18.0	4	0	0.48	0.0	0
1937-12-18	63	40	51.5	9.2	13	0	0.02	0.0	0
1937-12-19	48	34	41.0	-1.1	24	0	0.00	0.0	0
1937-12-20	54	24	39.0	-3.0	26	0	0.00	0.0	0
1937-12-21	49	24	36.5	-5.3	28	0	0.00	0.0	0
1937-12-22	50	41	45.5	3.8	19	0	0.00	0.0	0
1937-12-23	49	34	41.5	0.0	23	0	0.07	0.0	0
1937-12-24	60	41	50.5	9.1	14	0	0.00	0.0	0
1937-12-25	60	43	51.5	10.3	13	0	0.00	0.0	0
1937-12-26	52	42	47.0	5.9	18	0	0.00	0.0	0
1937-12-27	51	41	46.0	5.0	19	0	0.40	0.0	0
1937-12-28	62	42	52.0	11.2	13	0	0.20	0.0	0
1937-12-29	59	42	50.5	9.8	14	0	0.00	0.0	0
1937-12-30	65	31	48.0	7.4	17	0	0.00	0.0	0
1937-12-31	M	M	M	M	M	M	0.00	0.0	0
Sum	1461	931	-	-	697	0	1.57	0.8	-
Average	50.4	31.0	40.7	-2.1	-	-	-	-	0.0
Normal	53.5	32.0	42.8	-	691	1	6.20	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - January 1938

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1938-01-01	67	42	54.5	14.1	10	0	0.86	0.0	0
1938-01-02	57	33	45.0	4.7	20	0	0.00	0.0	0
1938-01-03	55	23	39.0	-1.2	26	0	0.01	0.0	0
1938-01-04	55	27	41.0	0.9	24	0	0.00	0.0	0
1938-01-05	55	24	39.5	-0.5	25	0	0.00	0.0	0
1938-01-06	49	26	37.5	-2.4	27	0	0.60	0.0	0
1938-01-07	49	28	38.5	-1.3	26	0	0.28	0.0	0
1938-01-08	34	17	25.5	-14.2	39	0	0.00	0.0	0
1938-01-09	43	21	32.0	-7.7	33	0	0.00	0.0	0
1938-01-10	42	29	35.5	-4.1	29	0	0.07	T	0
1938-01-11	43	34	38.5	-1.1	26	0	0.12	0.0	0
1938-01-12	50	34	42.0	2.5	23	0	0.00	0.0	0
1938-01-13	47	27	37.0	-2.5	28	0	0.00	0.0	0
1938-01-14	42	32	37.0	-2.5	28	0	T	0.0	0
1938-01-15	46	29	37.5	-2.0	27	0	0.00	0.0	0
1938-01-16	64	28	46.0	6.5	19	0	0.00	0.0	0
1938-01-17	64	49	56.5	17.0	8	0	0.00	0.0	0
1938-01-18	63	38	50.5	11.0	14	0	0.00	0.0	0
1938-01-19	58	31	44.5	5.0	20	0	0.00	0.0	0
1938-01-20	57	43	50.0	10.5	15	0	T	0.0	0
1938-01-21	66	50	58.0	18.4	7	0	0.29	0.0	0
1938-01-22	69	53	61.0	21.4	4	0	0.31	0.0	0
1938-01-23	65	49	57.0	17.3	8	0	0.01	0.0	0
1938-01-24	67	50	58.5	18.8	6	0	0.51	0.0	0
1938-01-25	64	29	46.5	6.7	18	0	0.20	T	T
1938-01-26	33	19	26.0	-13.9	39	0	0.00	0.0	0
1938-01-27	31	15	23.0	-17.0	42	0	0.00	0.0	0
1938-01-28	40	12	26.0	-14.1	39	0	0.00	0.0	0
1938-01-29	56	21	38.5	-1.7	26	0	0.00	0.0	0
1938-01-30	66	44	55.0	14.7	10	0	0.00	0.0	0
1938-01-31	63	26	44.5	4.1	20	0	0.65	0.0	0
Sum	1660	983	-	-	686	0	3.91	T	-
Average	53.5	31.7	42.6	2.8	-	-	-	-	0.0
Normal	50.4	29.2	39.8	-	781	0	6.07	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - February 1938

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1938-02-01	53	22	37.5	-3.1	27	0	0.00	0.0	0
1938-02-02	56	33	44.5	3.8	20	0	0.00	0.0	0
1938-02-03	60	45	52.5	11.6	12	0	T	0.0	0
1938-02-04	68	42	55.0	13.9	10	0	0.00	0.0	0
1938-02-05	72	43	57.5	16.3	7	0	0.00	0.0	0
1938-02-06	68	50	59.0	17.6	6	0	0.00	0.0	0
1938-02-07	66	40	53.0	11.4	12	0	0.04	0.0	0
1938-02-08	66	36	51.0	9.2	14	0	0.00	0.0	0
1938-02-09	70	42	56.0	14.0	9	0	0.00	0.0	0
1938-02-10	75	47	61.0	18.8	4	0	0.00	0.0	0
1938-02-11	74	49	61.5	19.1	3	0	0.03	0.0	0
1938-02-12	74	44	59.0	16.4	6	0	0.00	0.0	0
1938-02-13	74	45	59.5	16.6	5	0	T	0.0	0
1938-02-14	67	54	60.5	17.4	4	0	0.03	0.0	0
1938-02-15	59	43	51.0	7.7	14	0	0.13	0.0	0
1938-02-16	67	43	55.0	11.4	10	0	0.00	0.0	0
1938-02-17	61	49	55.0	11.2	10	0	0.00	0.0	0
1938-02-18	71	49	60.0	16.0	5	0	0.27	0.0	0
1938-02-19	58	35	46.5	2.2	18	0	0.41	0.0	0
1938-02-20	46	34	40.0	-4.5	25	0	0.00	0.0	0
1938-02-21	59	30	44.5	-0.3	20	0	0.00	0.0	0
1938-02-22	57	45	51.0	5.9	14	0	0.11	0.0	0
1938-02-23	48	42	45.0	-0.3	20	0	0.35	0.0	0
1938-02-24	45	28	36.5	-9.1	28	0	0.00	0.0	0
1938-02-25	41	31	36.0	-9.9	29	0	T	T	M
1938-02-26	60	27	43.5	-2.6	21	0	0.00	0.0	0
1938-02-27	66	28	47.0	0.6	18	0	0.00	0.0	0
1938-02-28	61	33	47.0	0.3	18	0	0.00	0.0	0
Sum	1742	1109	-	-	389	0	1.37	T	-
Average	62.2	39.6	50.9	7.6	-	-	-	-	0.0
Normal	54.8	31.9	43.3	-	607	1	5.72	0.6	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - March 1938

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1938-03-01	58	23	40.5	-6.4	24	0	0.00	0.0	0
1938-03-02	68	34	51.0	3.8	14	0	0.00	0.0	0
1938-03-03	68	56	62.0	14.5	3	0	0.75	0.0	0
1938-03-04	68	45	56.5	8.8	8	0	0.00	0.0	0
1938-03-05	74	39	56.5	8.5	8	0	0.20	0.0	0
1938-03-06	62	36	49.0	0.7	16	0	0.00	0.0	0
1938-03-07	58	24	41.0	-7.5	24	0	0.00	0.0	0
1938-03-08	67	30	48.5	-0.3	16	0	0.00	0.0	0
1938-03-09	60	40	50.0	0.9	15	0	0.43	0.0	0
1938-03-10	59	32	45.5	-3.9	19	0	0.72	0.0	0
1938-03-11	59	39	49.0	-0.6	16	0	0.00	0.0	0
1938-03-12	62	39	50.5	0.6	14	0	0.00	0.0	0
1938-03-13	72	M	M	M	M	M	0.00	0.0	0
1938-03-14	76	58	67.0	16.6	0	2	0.00	0.0	0
1938-03-15	79	54	66.5	15.8	0	2	0.09	0.0	0
1938-03-16	76	58	67.0	16.0	0	2	0.25	0.0	0
1938-03-17	68	48	58.0	6.8	7	0	0.00	0.0	0
1938-03-18	73	33	53.0	1.5	12	0	0.00	0.0	0
1938-03-19	66	44	55.0	3.2	10	0	1.27	0.0	0
1938-03-20	73	51	62.0	10.0	3	0	0.90	0.0	0
1938-03-21	79	45	62.0	9.7	3	0	T	0.0	0
1938-03-22	82	54	68.0	15.4	0	3	0.00	0.0	0
1938-03-23	73	58	65.5	12.7	0	1	0.80	0.0	0
1938-03-24	69	41	55.0	1.9	10	0	0.00	0.0	0
1938-03-25	78	39	58.5	5.1	6	0	0.00	0.0	0
1938-03-26	75	59	67.0	13.4	0	2	T	0.0	0
1938-03-27	62	49	55.5	1.6	9	0	0.07	0.0	0
1938-03-28	70	43	56.5	2.4	8	0	0.00	0.0	0
1938-03-29	78	59	68.5	14.1	0	4	0.00	0.0	0
1938-03-30	81	59	70.0	15.3	0	5	0.62	0.0	0
1938-03-31	77	65	71.0	16.1	0	6	0.43	0.0	0
Sum	2170	1354	-	-	245	27	6.53	0.0	-
Average	70.0	45.1	57.5	6.5	-	-	-	-	0.0
Normal	63.3	38.6	51.0	-	440	4	5.69	0.5	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - April 1938

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1938-04-01	70	48	59.0	3.8	6	0	0.43	0.0	0
1938-04-02	57	43	50.0	-5.5	15	0	0.24	0.0	0
1938-04-03	56	28	42.0	-13.7	23	0	0.00	0.0	0
1938-04-04	67	33	50.0	-6.0	15	0	0.00	0.0	0
1938-04-05	72	38	55.0	-1.3	10	0	0.00	0.0	0
1938-04-06	65	50	57.5	1.0	7	0	0.00	0.0	0
1938-04-07	75	58	66.5	9.7	0	2	0.35	0.0	0
1938-04-08	66	53	59.5	2.5	5	0	3.52	0.0	0
1938-04-09	59	36	47.5	-9.8	17	0	0.04	0.0	0
1938-04-10	59	30	44.5	-13.1	20	0	0.00	0.0	0
1938-04-11	66	M	M	M	M	M	0.00	0.0	0
1938-04-12	73	43	58.0	-0.1	7	0	0.00	0.0	0
1938-04-13	78	46	62.0	3.6	3	0	0.00	0.0	0
1938-04-14	79	46	62.5	3.9	2	0	0.00	0.0	0
1938-04-15	79	52	65.5	6.6	0	1	0.00	0.0	0
1938-04-16	78	58	68.0	8.8	0	3	0.00	0.0	0
1938-04-17	66	58	62.0	2.6	3	0	0.00	0.0	0
1938-04-18	71	59	65.0	5.3	0	0	3.63	0.0	0
1938-04-19	78	57	67.5	7.5	0	3	0.00	0.0	0
1938-04-20	73	60	66.5	6.3	0	2	0.73	0.0	0
1938-04-21	77	61	69.0	8.5	0	4	0.61	0.0	0
1938-04-22	72	53	62.5	1.7	2	0	0.33	0.0	0
1938-04-23	72	44	58.0	-3.0	7	0	0.02	0.0	0
1938-04-24	73	48	60.5	-0.8	4	0	0.00	0.0	0
1938-04-25	79	47	63.0	1.4	2	0	0.00	0.0	0
1938-04-26	83	50	66.5	4.6	0	2	0.00	0.0	0
1938-04-27	81	51	66.0	3.9	0	1	0.00	0.0	0
1938-04-28	82	52	67.0	4.6	0	2	0.00	0.0	0
1938-04-29	81	55	68.0	5.3	0	3	0.00	0.0	0
1938-04-30	78	50	64.0	1.1	1	0	0.00	0.0	0
Sum	2165	1407	-	-	149	23	9.90	0.0	-
Average	72.2	48.5	60.4	1.3	-	-	-	-	0.0
Normal	72.1	46.0	59.1	-	206	27	5.04	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - May 1938

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1938-05-01	83	58	70.5	7.3	0	6	0.30	0.0	0
1938-05-02	86	58	72.0	8.5	0	7	0.00	0.0	0
1938-05-03	85	59	72.0	8.2	0	7	0.00	0.0	0
1938-05-04	84	57	70.5	6.4	0	6	0.00	0.0	0
1938-05-05	81	61	71.0	6.7	0	6	1.39	0.0	0
1938-05-06	82	54	68.0	3.4	0	3	0.00	0.0	0
1938-05-07	79	57	68.0	3.1	0	3	0.00	0.0	0
1938-05-08	80	64	72.0	6.8	0	7	0.26	0.0	0
1938-05-09	72	46	59.0	-6.4	6	0	0.00	0.0	0
1938-05-10	68	45	56.5	-9.2	8	0	0.00	0.0	0
1938-05-11	74	47	60.5	-5.5	4	0	0.00	0.0	0
1938-05-12	74	49	61.5	-4.8	3	0	0.01	0.0	0
1938-05-13	78	54	66.0	-0.6	0	1	0.36	0.0	0
1938-05-14	69	60	64.5	-2.4	0	0	0.04	0.0	0
1938-05-15	73	55	64.0	-3.2	1	0	0.00	0.0	0
1938-05-16	80	48	64.0	-3.4	1	0	0.00	0.0	0
1938-05-17	81	50	65.5	-2.2	0	1	0.00	0.0	0
1938-05-18	84	64	74.0	6.0	0	9	0.00	0.0	0
1938-05-19	89	63	76.0	7.7	0	11	0.00	0.0	0
1938-05-20	90	61	75.5	6.9	0	11	0.00	0.0	0
1938-05-21	87	65	76.0	7.1	0	11	0.00	0.0	0
1938-05-22	87	60	73.5	4.3	0	9	0.17	0.0	0
1938-05-23	84	61	72.5	3.1	0	8	0.31	0.0	0
1938-05-24	78	62	70.0	0.3	0	5	0.12	0.0	0
1938-05-25	77	63	70.0	0.0	0	5	0.00	0.0	0
1938-05-26	82	57	69.5	-0.8	0	5	0.00	0.0	0
1938-05-27	84	57	70.5	-0.1	0	6	T	0.0	0
1938-05-28	87	58	72.5	1.6	0	8	0.00	0.0	0
1938-05-29	81	62	71.5	0.4	0	7	0.14	0.0	0
1938-05-30	82	62	72.0	0.6	0	7	0.36	0.0	0
1938-05-31	73	60	66.5	-5.2	0	2	0.12	0.0	0
Sum	2494	1777	-	-	23	151	3.58	0.0	-
Average	80.5	57.3	68.9	1.5	-	-	-	-	0.0
Normal	79.5	55.4	67.4	-	55	130	4.55	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - June 1938

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1938-06-01	75	60	67.5	-4.5	0	3	0.53	0.0	0
1938-06-02	79	62	70.5	-1.7	0	6	0.43	0.0	0
1938-06-03	82	57	69.5	-3.0	0	5	0.20	0.0	0
1938-06-04	81	57	69.0	-3.8	0	4	0.00	0.0	0
1938-06-05	87	58	72.5	-0.5	0	8	0.05	0.0	0
1938-06-06	88	56	72.0	-1.3	0	7	0.08	0.0	0
1938-06-07	87	62	74.5	1.0	0	10	0.00	0.0	0
1938-06-08	83	63	73.0	-0.8	0	8	1.50	0.0	0
1938-06-09	85	61	73.0	-1.0	0	8	0.01	0.0	0
1938-06-10	84	64	74.0	-0.2	0	9	0.51	0.0	0
1938-06-11	88	65	76.5	2.0	0	12	0.07	0.0	0
1938-06-12	84	68	76.0	1.3	0	11	0.19	0.0	0
1938-06-13	82	59	70.5	-4.4	0	6	0.00	0.0	0
1938-06-14	80	56	68.0	-7.1	0	3	0.00	0.0	0
1938-06-15	88	60	74.0	-1.3	0	9	0.00	0.0	0
1938-06-16	91	62	76.5	1.0	0	12	0.00	0.0	0
1938-06-17	89	63	76.0	0.3	0	11	0.00	0.0	0
1938-06-18	87	65	76.0	0.1	0	11	0.32	0.0	0
1938-06-19	86	68	77.0	0.9	0	12	0.05	0.0	0
1938-06-20	84	65	74.5	-1.8	0	10	1.44	0.0	0
1938-06-21	82	61	71.5	-4.9	0	7	0.13	0.0	0
1938-06-22	85	60	72.5	-4.1	0	8	0.00	0.0	0
1938-06-23	87	62	74.5	-2.2	0	10	0.00	0.0	0
1938-06-24	88	63	75.5	-1.4	0	11	0.00	0.0	0
1938-06-25	81	68	74.5	-2.5	0	10	0.00	0.0	0
1938-06-26	87	64	75.5	-1.7	0	11	1.02	0.0	0
1938-06-27	80	67	73.5	-3.8	0	9	1.58	0.0	0
1938-06-28	77	59	68.0	-9.4	0	3	0.00	0.0	0
1938-06-29	81	54	67.5	-10.0	0	3	0.00	0.0	0
1938-06-30	83	59	71.0	-6.6	0	6	0.00	0.0	0
Sum	2521	1848	-	-	0	243	8.11	0.0	-
Average	84.0	61.6	72.8	-2.4	-	-	-	-	0.0
Normal	86.4	64.0	75.2	-	2	308	4.62	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - July 1938

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1938-07-01	86	60	73.0	-4.7	0	8	0.00	0.0	0
1938-07-02	87	63	75.0	-2.8	0	10	0.00	0.0	0
1938-07-03	93	70	81.5	3.6	0	17	0.02	0.0	0
1938-07-04	92	68	80.0	2.0	0	15	0.00	0.0	0
1938-07-05	90	69	79.5	1.5	0	15	0.95	0.0	0
1938-07-06	90	67	78.5	0.4	0	14	0.01	0.0	0
1938-07-07	90	69	79.5	1.3	0	15	0.00	0.0	0
1938-07-08	85	71	78.0	-0.2	0	13	T	0.0	0
1938-07-09	87	66	76.5	-1.8	0	12	1.40	0.0	0
1938-07-10	89	66	77.5	-0.8	0	13	0.27	0.0	0
1938-07-11	91	68	79.5	1.1	0	15	0.00	0.0	0
1938-07-12	91	64	77.5	-0.9	0	13	0.23	0.0	0
1938-07-13	92	65	78.5	0.1	0	14	0.00	0.0	0
1938-07-14	91	67	79.0	0.5	0	14	0.00	0.0	0
1938-07-15	90	65	77.5	-1.0	0	13	0.02	0.0	0
1938-07-16	90	68	79.0	0.5	0	14	0.03	0.0	0
1938-07-17	90	67	78.5	-0.1	0	14	0.30	0.0	0
1938-07-18	89	68	78.5	-0.1	0	14	0.00	0.0	0
1938-07-19	80	69	74.5	-4.1	0	10	0.76	0.0	0
1938-07-20	85	70	77.5	-1.1	0	13	0.60	0.0	0
1938-07-21	83	70	76.5	-2.1	0	12	0.40	0.0	0
1938-07-22	86	68	77.0	-1.6	0	12	1.40	0.0	0
1938-07-23	81	69	75.0	-3.6	0	10	1.80	0.0	0
1938-07-24	81	69	75.0	-3.6	0	10	0.35	0.0	0
1938-07-25	90	67	78.5	-0.1	0	14	0.40	0.0	0
1938-07-26	96	65	80.5	1.9	0	16	0.13	0.0	0
1938-07-27	98	68	83.0	4.4	0	18	0.00	0.0	0
1938-07-28	95	69	82.0	3.4	0	17	0.20	0.0	0
1938-07-29	93	69	81.0	2.4	0	16	0.00	0.0	0
1938-07-30	89	68	78.5	-0.1	0	14	0.00	0.0	0
1938-07-31	90	71	80.5	1.9	0	16	0.00	0.0	0
Sum	2760	2093	-	-	0	421	9.27	0.0	-
Average	89.0	67.5	78.3	-0.1	-	-	-	-	0.0
Normal	89.1	67.7	78.4	-	0	415	5.17	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - August 1938

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1938-08-01	82	68	75.0	-3.6	0	10	0.95	0.0	0
1938-08-02	85	68	76.5	-2.1	0	12	1.96	0.0	0
1938-08-03	87	70	78.5	-0.1	0	14	0.00	0.0	0
1938-08-04	88	68	78.0	-0.5	0	13	0.22	0.0	0
1938-08-05	88	69	78.5	0.0	0	14	0.00	0.0	0
1938-08-06	89	68	78.5	0.0	0	14	0.09	0.0	0
1938-08-07	89	71	80.0	1.5	0	15	0.04	0.0	0
1938-08-08	88	70	79.0	0.6	0	14	0.04	0.0	0
1938-08-09	85	72	78.5	0.1	0	14	0.03	0.0	0
1938-08-10	86	69	77.5	-0.9	0	13	0.37	0.0	0
1938-08-11	89	70	79.5	1.2	0	15	0.19	0.0	0
1938-08-12	88	67	77.5	-0.8	0	13	0.04	0.0	0
1938-08-13	92	69	80.5	2.3	0	16	0.02	0.0	0
1938-08-14	92	69	80.5	2.3	0	16	0.00	0.0	0
1938-08-15	90	69	79.5	1.4	0	15	0.03	0.0	0
1938-08-16	90	68	79.0	1.0	0	14	0.00	0.0	0
1938-08-17	90	67	78.5	0.5	0	14	0.00	0.0	0
1938-08-18	85	67	76.0	-1.9	0	11	0.00	0.0	0
1938-08-19	87	59	73.0	-4.8	0	8	0.00	0.0	0
1938-08-20	90	63	76.5	-1.2	0	12	0.00	0.0	0
1938-08-21	90	63	76.5	-1.1	0	12	0.00	0.0	0
1938-08-22	92	67	79.5	2.0	0	15	0.00	0.0	0
1938-08-23	89	66	77.5	0.1	0	13	0.62	0.0	0
1938-08-24	93	66	79.5	2.2	0	15	0.07	0.0	0
1938-08-25	94	64	79.0	1.9	0	14	0.00	0.0	0
1938-08-26	92	69	80.5	3.5	0	16	0.00	0.0	0
1938-08-27	94	69	81.5	4.7	0	17	0.00	0.0	0
1938-08-28	91	65	78.0	1.3	0	13	0.00	0.0	0
1938-08-29	80	65	72.5	-4.0	0	8	0.80	0.0	0
1938-08-30	87	66	76.5	0.1	0	12	0.02	0.0	0
1938-08-31	90	67	78.5	2.3	0	14	0.00	0.0	0
Sum	2752	2088	-	-	0	416	5.49	0.0	-
Average	88.8	67.4	78.1	0.3	-	-	-	-	0.0
Normal	89.1	66.5	77.8	-	0	397	4.05	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - September 1938

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1938-09-01	87	67	77.0	1.0	0	12	0.04	0.0	0
1938-09-02	88	66	77.0	1.2	0	12	0.00	0.0	0
1938-09-03	87	66	76.5	0.9	0	12	0.16	0.0	0
1938-09-04	87	63	75.0	-0.4	0	10	0.00	0.0	0
1938-09-05	89	62	75.5	0.3	0	11	0.00	0.0	0
1938-09-06	89	67	78.0	3.1	0	13	0.00	0.0	0
1938-09-07	88	66	77.0	2.3	0	12	0.00	0.0	0
1938-09-08	91	67	79.0	4.6	0	14	0.00	0.0	0
1938-09-09	90	68	79.0	4.8	0	14	0.00	0.0	0
1938-09-10	85	70	77.5	3.6	0	13	0.00	0.0	0
1938-09-11	86	67	76.5	2.8	0	12	0.00	0.0	0
1938-09-12	89	66	77.5	4.1	0	13	T	0.0	0
1938-09-13	88	67	77.5	4.4	0	13	0.13	0.0	0
1938-09-14	85	68	76.5	3.7	0	12	0.20	0.0	0
1938-09-15	78	67	72.5	0.0	0	8	0.21	0.0	0
1938-09-16	79	60	69.5	-2.7	0	5	0.00	0.0	0
1938-09-17	72	51	61.5	-10.4	3	0	0.00	0.0	0
1938-09-18	83	50	66.5	-5.1	0	2	0.00	0.0	0
1938-09-19	75	56	65.5	-5.7	0	1	0.00	0.0	0
1938-09-20	69	44	56.5	-14.4	8	0	0.00	0.0	0
1938-09-21	69	44	56.5	-14.1	8	0	0.00	0.0	0
1938-09-22	74	39	56.5	-13.7	8	0	0.00	0.0	0
1938-09-23	80	44	62.0	-7.9	3	0	0.00	0.0	0
1938-09-24	84	47	65.5	-4.0	0	1	0.00	0.0	0
1938-09-25	85	51	68.0	-1.2	0	3	0.00	0.0	0
1938-09-26	87	52	69.5	0.7	0	5	0.00	0.0	0
1938-09-27	84	53	68.5	0.1	0	4	0.00	0.0	0
1938-09-28	83	59	71.0	2.9	0	6	0.00	0.0	0
1938-09-29	78	60	69.0	1.3	0	4	0.00	0.0	0
1938-09-30	81	57	69.0	1.7	0	4	0.00	0.0	0
Sum	2490	1764	-	-	30	216	0.74	0.0	-
Average	83.0	58.8	70.9	-1.2	-	-	-	-	0.0
Normal	84.4	59.8	72.1	-	15	228	4.26	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - October 1938

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1938-10-01	81	48	64.5	-2.4	0	0	0.00	0.0	0
1938-10-02	78	48	63.0	-3.5	2	0	0.00	0.0	0
1938-10-03	75	46	60.5	-5.6	4	0	0.00	0.0	0
1938-10-04	80	49	64.5	-1.2	0	0	0.00	0.0	0
1938-10-05	85	52	68.5	3.2	0	4	0.00	0.0	0
1938-10-06	89	52	70.5	5.6	0	6	0.00	0.0	0
1938-10-07	81	52	66.5	2.0	0	2	0.00	0.0	0
1938-10-08	76	41	58.5	-5.6	6	0	0.00	0.0	0
1938-10-09	84	43	63.5	-0.2	1	0	0.00	0.0	0
1938-10-10	85	50	67.5	4.2	0	3	0.00	0.0	0
1938-10-11	83	50	66.5	3.6	0	2	0.00	0.0	0
1938-10-12	82	54	68.0	5.5	0	3	0.00	0.0	0
1938-10-13	80	49	64.5	2.4	0	0	0.00	0.0	0
1938-10-14	82	50	66.0	4.3	0	1	0.00	0.0	0
1938-10-15	82	48	65.0	3.7	0	0	0.00	0.0	0
1938-10-16	82	48	65.0	4.1	0	0	0.00	0.0	0
1938-10-17	81	49	65.0	4.5	0	0	0.00	0.0	0
1938-10-18	82	47	64.5	4.4	0	0	0.00	0.0	0
1938-10-19	84	48	66.0	6.3	0	1	0.00	0.0	0
1938-10-20	80	58	69.0	9.7	0	4	0.00	0.0	0
1938-10-21	66	35	50.5	-8.4	14	0	0.03	0.0	0
1938-10-22	74	33	53.5	-5.0	11	0	0.00	0.0	0
1938-10-23	71	44	57.5	-0.6	7	0	0.00	0.0	0
1938-10-24	67	44	55.5	-2.2	9	0	0.00	0.0	0
1938-10-25	68	30	49.0	-8.3	16	0	0.00	0.0	0
1938-10-26	79	31	55.0	-1.9	10	0	0.00	0.0	0
1938-10-27	73	40	56.5	0.0	8	0	0.00	0.0	0
1938-10-28	68	33	50.5	-5.6	14	0	0.00	0.0	0
1938-10-29	74	36	55.0	-0.7	10	0	0.00	0.0	0
1938-10-30	77	45	61.0	5.7	4	0	0.00	0.0	0
1938-10-31	76	42	59.0	4.1	6	0	0.00	0.0	0
Sum	2425	1395	-	-	122	26	0.03	0.0	-
Average	78.2	45.0	61.6	0.7	-	-	-	-	0.0
Normal	74.3	47.5	60.9	-	175	48	3.56	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - November 1938

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1938-11-01	76	41	58.5	3.9	6	0	0.00	0.0	0
1938-11-02	80	42	61.0	6.8	4	0	0.00	0.0	0
1938-11-03	81	41	61.0	7.2	4	0	0.00	0.0	0
1938-11-04	71	60	65.5	12.1	0	1	0.00	0.0	0
1938-11-05	70	40	55.0	1.9	10	0	0.42	0.0	0
1938-11-06	78	40	59.0	6.3	6	0	0.00	0.0	0
1938-11-07	75	64	69.5	17.1	0	5	0.00	0.0	0
1938-11-08	70	39	54.5	2.5	10	0	0.91	0.0	0
1938-11-09	57	29	43.0	-8.7	22	0	0.00	0.0	0
1938-11-10	67	30	48.5	-2.9	16	0	0.00	0.0	0
1938-11-11	73	47	60.0	9.0	5	0	0.00	0.0	0
1938-11-12	77	47	62.0	11.3	3	0	0.00	0.0	0
1938-11-13	78	64	71.0	20.6	0	6	0.00	0.0	0
1938-11-14	71	43	57.0	6.9	8	0	0.00	0.0	0
1938-11-15	64	31	47.5	-2.3	17	0	0.00	0.0	0
1938-11-16	56	38	47.0	-2.4	18	0	0.00	0.0	0
1938-11-17	66	47	56.5	7.4	8	0	1.64	0.0	0
1938-11-18	75	59	67.0	18.1	0	2	0.03	0.0	0
1938-11-19	64	45	54.5	5.9	10	0	2.26	0.0	0
1938-11-20	59	31	45.0	-3.3	20	0	T	0.0	0
1938-11-21	62	31	46.5	-1.5	18	0	0.00	0.0	0
1938-11-22	67	39	53.0	5.3	12	0	0.00	0.0	0
1938-11-23	68	39	53.5	6.0	11	0	0.00	0.0	0
1938-11-24	60	30	45.0	-2.2	20	0	0.21	1.5	T
1938-11-25	40	20	30.0	-17.0	35	0	0.00	0.0	0
1938-11-26	45	19	32.0	-14.7	33	0	0.00	0.0	0
1938-11-27	41	21	31.0	-15.5	34	0	0.00	0.0	0
1938-11-28	42	13	27.5	-18.7	37	0	0.00	0.0	0
1938-11-29	53	17	35.0	-11.0	30	0	0.00	0.0	0
1938-11-30	61	23	42.0	-3.8	23	0	0.00	0.0	0
Sum	1947	1130	-	-	420	14	5.47	1.5	-
Average	64.9	37.7	51.3	1.5	-	-	-	-	0.0
Normal	62.6	37.0	49.8	-	461	5	4.76	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - December 1938

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1938-12-01	63	26	44.5	-1.0	20	0	0.00	0.0	0
1938-12-02	64	29	46.5	1.2	18	0	0.00	0.0	0
1938-12-03	61	44	52.5	7.4	12	0	0.00	0.0	0
1938-12-04	62	38	50.0	5.1	15	0	0.11	0.0	0
1938-12-05	55	35	45.0	0.3	20	0	0.00	0.0	0
1938-12-06	52	36	44.0	-0.5	21	0	0.00	0.0	0
1938-12-07	59	25	42.0	-2.3	23	0	0.00	0.0	0
1938-12-08	54	35	44.5	0.4	20	0	0.27	0.0	0
1938-12-09	46	34	40.0	-3.9	25	0	0.15	T	T
1938-12-10	50	19	34.5	-9.2	30	0	0.00	0.0	0
1938-12-11	60	31	45.5	2.0	19	0	0.00	0.0	0
1938-12-12	59	46	52.5	9.2	12	0	0.00	0.0	0
1938-12-13	49	34	41.5	-1.6	23	0	0.00	0.0	0
1938-12-14	51	28	39.5	-3.5	25	0	0.00	0.0	0
1938-12-15	52	28	40.0	-2.8	25	0	0.00	0.0	0
1938-12-16	55	24	39.5	-3.1	25	0	0.00	0.0	0
1938-12-17	50	37	43.5	1.0	21	0	0.00	0.0	0
1938-12-18	49	27	38.0	-4.3	27	0	0.00	0.0	0
1938-12-19	51	20	35.5	-6.6	29	0	0.00	0.0	0
1938-12-20	57	26	41.5	-0.5	23	0	0.00	0.0	0
1938-12-21	54	39	46.5	4.7	18	0	0.07	0.0	0
1938-12-22	52	25	38.5	-3.2	26	0	0.00	0.0	0
1938-12-23	55	32	43.5	2.0	21	0	0.00	0.0	0
1938-12-24	57	30	43.5	2.1	21	0	0.65	0.0	0
1938-12-25	55	32	43.5	2.3	21	0	0.00	0.0	0
1938-12-26	52	41	46.5	5.4	18	0	1.30	0.0	0
1938-12-27	51	17	34.0	-7.0	31	0	0.00	0.0	0
1938-12-28	46	16	31.0	-9.8	34	0	0.00	0.0	0
1938-12-29	41	31	36.0	-4.7	29	0	0.04	T	0
1938-12-30	43	36	39.5	-1.1	25	0	0.00	0.0	0
1938-12-31	47	23	35.0	-5.5	30	0	0.00	0.0	0
Sum	1652	944	-	-	707	0	2.59	T	-
Average	53.3	30.5	41.9	-0.9	-	-	-	-	0.0
Normal	53.5	32.0	42.8	-	691	1	6.20	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - January 1939

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1939-01-01	58	21	39.5	-0.9	25	0	0.00	0.0	0
1939-01-02	61	25	43.0	2.7	22	0	0.00	0.0	0
1939-01-03	65	28	46.5	6.3	18	0	0.03	0.0	0
1939-01-04	71	50	60.5	20.4	4	0	0.00	0.0	0
1939-01-05	69	50	59.5	19.5	5	0	0.50	T	0
1939-01-06	61	29	45.0	5.1	20	0	0.00	0.0	0
1939-01-07	64	27	45.5	5.7	19	0	0.00	0.0	0
1939-01-08	65	29	47.0	7.3	18	0	0.00	0.0	0
1939-01-09	71	37	54.0	14.3	11	0	0.00	0.0	0
1939-01-10	69	59	64.0	24.4	1	0	0.68	0.0	0
1939-01-11	64	37	50.5	10.9	14	0	0.04	0.0	0
1939-01-12	50	42	46.0	6.5	19	0	0.66	0.0	0
1939-01-13	50	37	43.5	4.0	21	0	1.01	0.0	0
1939-01-14	48	30	39.0	-0.5	26	0	0.00	0.0	0
1939-01-15	47	27	37.0	-2.5	28	0	0.02	0.0	0
1939-01-16	43	35	39.0	-0.5	26	0	0.00	0.0	0
1939-01-17	48	23	35.5	-4.0	29	0	0.10	0.0	0
1939-01-18	48	36	42.0	2.5	23	0	0.55	0.0	0
1939-01-19	50	23	36.5	-3.0	28	0	0.00	0.0	0
1939-01-20	60	29	44.5	5.0	20	0	0.00	0.0	0
1939-01-21	64	30	47.0	7.4	18	0	0.00	0.0	0
1939-01-22	59	36	47.5	7.9	17	0	0.17	0.0	0
1939-01-23	42	21	31.5	-8.2	33	0	0.00	0.0	0
1939-01-24	43	35	39.0	-0.7	26	0	0.72	0.0	0
1939-01-25	45	29	37.0	-2.8	28	0	0.00	0.0	0
1939-01-26	50	27	38.5	-1.4	26	0	0.00	0.0	0
1939-01-27	46	28	37.0	-3.0	28	0	0.00	0.0	0
1939-01-28	52	23	37.5	-2.6	27	0	0.00	0.0	0
1939-01-29	58	42	50.0	9.8	15	0	0.00	0.0	0
1939-01-30	59	36	47.5	7.2	17	0	0.80	0.0	0
1939-01-31	45	32	38.5	-1.9	26	0	0.00	0.0	0
Sum	1725	1013	-	-	638	0	5.28	T	-
Average	55.6	32.7	44.2	4.4	-	-	-	-	0.0
Normal	50.4	29.2	39.8	-	781	0	6.07	0.1	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - February 1939

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1939-02-01	56	35	45.5	4.9	19	0	0.00	0.0	0
1939-02-02	65	47	56.0	15.3	9	0	0.64	0.0	0
1939-02-03	68	36	52.0	11.1	13	0	2.39	0.0	0
1939-02-04	48	30	39.0	-2.1	26	0	0.00	0.0	0
1939-02-05	59	30	44.5	3.3	20	0	0.00	0.0	0
1939-02-06	66	45	55.5	14.1	9	0	1.78	0.0	0
1939-02-07	59	33	46.0	4.4	19	0	0.00	0.0	0
1939-02-08	67	34	50.5	8.7	14	0	0.00	0.0	0
1939-02-09	71	54	62.5	20.5	2	0	0.26	0.0	0
1939-02-10	68	45	56.5	14.3	8	0	0.31	0.0	0
1939-02-11	51	30	40.5	-1.9	24	0	1.33	0.0	0
1939-02-12	58	31	44.5	1.9	20	0	0.00	0.0	0
1939-02-13	63	28	45.5	2.6	19	0	0.00	0.0	0
1939-02-14	71	53	62.0	18.9	3	0	1.84	0.0	0
1939-02-15	68	38	53.0	9.7	12	0	1.34	0.0	0
1939-02-16	56	29	42.5	-1.1	22	0	0.00	0.0	0
1939-02-17	59	38	48.5	4.7	16	0	0.00	0.0	0
1939-02-18	69	38	53.5	9.5	11	0	0.00	0.0	0
1939-02-19	75	46	60.5	16.2	4	0	0.00	0.0	0
1939-02-20	72	43	57.5	13.0	7	0	0.55	0.0	0
1939-02-21	59	31	45.0	0.2	20	0	0.00	0.0	0
1939-02-22	34	18	26.0	-19.1	39	0	0.00	0.0	0
1939-02-23	42	14	28.0	-17.3	37	0	0.00	0.0	0
1939-02-24	56	28	42.0	-3.6	23	0	0.00	0.0	0
1939-02-25	53	33	43.0	-2.9	22	0	0.79	0.0	0
1939-02-26	50	42	46.0	-0.1	19	0	0.40	0.0	0
1939-02-27	53	37	45.0	-1.4	20	0	0.07	0.0	0
1939-02-28	62	49	55.5	8.8	9	0	1.80	0.0	0
Sum	1678	1015	-	-	466	0	13.50	0.0	-
Average	59.9	36.3	48.1	4.8	-	-	-	-	0.0
Normal	54.8	31.9	43.3	-	607	1	5.72	0.6	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - March 1939

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1939-03-01	56	35	45.5	-1.4	19	0	0.00	0.0	0
1939-03-02	52	35	43.5	-3.7	21	0	0.36	0.0	0
1939-03-03	65	31	48.0	0.5	17	0	0.00	0.0	0
1939-03-04	60	42	51.0	3.3	14	0	0.00	0.0	0
1939-03-05	76	49	62.5	14.5	2	0	0.90	0.0	0
1939-03-06	73	49	61.0	12.7	4	0	1.01	0.0	0
1939-03-07	60	30	45.0	-3.5	20	0	0.00	0.0	0
1939-03-08	69	41	55.0	6.2	10	0	0.00	0.0	0
1939-03-09	77	39	58.0	8.9	7	0	0.00	0.0	0
1939-03-10	71	43	57.0	7.6	8	0	0.85	0.0	0
1939-03-11	75	49	62.0	12.4	3	0	0.20	0.0	0
1939-03-12	68	49	58.5	8.6	6	0	0.13	0.0	0
1939-03-13	62	40	51.0	0.8	14	0	0.02	0.0	0
1939-03-14	77	35	56.0	5.6	9	0	0.00	0.0	0
1939-03-15	66	45	55.5	4.8	9	0	0.00	0.0	0
1939-03-16	49	33	41.0	-10.0	24	0	0.24	0.0	0
1939-03-17	54	25	39.5	-11.7	25	0	0.00	0.0	0
1939-03-18	50	36	43.0	-8.5	22	0	0.00	0.0	0
1939-03-19	59	25	42.0	-9.8	23	0	0.00	0.0	0
1939-03-20	69	37	53.0	1.0	12	0	0.00	0.0	0
1939-03-21	70	41	55.5	3.2	9	0	0.00	0.0	0
1939-03-22	77	36	56.5	3.9	8	0	0.00	0.0	0
1939-03-23	81	41	61.0	8.2	4	0	0.00	0.0	0
1939-03-24	83	44	63.5	10.4	1	0	0.00	0.0	0
1939-03-25	73	51	62.0	8.6	3	0	0.00	0.0	0
1939-03-26	72	55	63.5	9.9	1	0	0.03	0.0	0
1939-03-27	68	56	62.0	8.1	3	0	0.35	0.0	0
1939-03-28	69	48	58.5	4.4	6	0	0.05	0.0	0
1939-03-29	68	50	59.0	4.6	6	0	0.00	0.0	0
1939-03-30	65	53	59.0	4.3	6	0	1.30	0.0	0
1939-03-31	67	38	52.5	-2.4	12	0	0.00	0.0	0
Sum	2081	1281	-	-	328	0	5.44	0.0	-
Average	67.1	41.3	54.2	3.2	-	-	-	-	0.0
Normal	63.3	38.6	51.0	-	440	4	5.69	0.5	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - April 1939

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1939-04-01	67	47	57.0	1.8	8	0	0.17	0.0	0
1939-04-02	63	43	53.0	-2.5	12	0	0.03	0.0	0
1939-04-03	67	43	55.0	-0.7	10	0	0.04	0.0	0
1939-04-04	69	44	56.5	0.5	8	0	0.00	0.0	0
1939-04-05	71	46	58.5	2.2	6	0	0.00	0.0	0
1939-04-06	69	43	56.0	-0.5	9	0	0.90	0.0	0
1939-04-07	50	33	41.5	-15.3	23	0	0.15	0.0	0
1939-04-08	59	28	43.5	-13.5	21	0	0.00	0.0	0
1939-04-09	75	40	57.5	0.2	7	0	0.01	0.0	0
1939-04-10	77	51	64.0	6.4	1	0	0.00	0.0	0
1939-04-11	72	50	61.0	3.2	4	0	0.00	0.0	0
1939-04-12	51	37	44.0	-14.1	21	0	0.65	T	0
1939-04-13	59	34	46.5	-11.9	18	0	0.00	0.0	0
1939-04-14	73	39	56.0	-2.6	9	0	0.00	0.0	0
1939-04-15	78	54	66.0	7.1	0	1	0.02	0.0	0
1939-04-16	80	58	69.0	9.8	0	4	0.00	0.0	0
1939-04-17	76	56	66.0	6.6	0	1	0.55	0.0	0
1939-04-18	71	50	60.5	0.8	4	0	0.00	0.0	0
1939-04-19	54	40	47.0	-13.0	18	0	0.10	0.0	0
1939-04-20	63	34	48.5	-11.7	16	0	0.03	0.0	0
1939-04-21	66	50	58.0	-2.5	7	0	0.00	0.0	0
1939-04-22	71	36	53.5	-7.3	11	0	0.00	0.0	0
1939-04-23	80	39	59.5	-1.5	5	0	0.00	0.0	0
1939-04-24	83	44	63.5	2.2	1	0	0.00	0.0	0
1939-04-25	80	63	71.5	9.9	0	7	0.04	0.0	0
1939-04-26	82	60	71.0	9.1	0	6	0.48	0.0	0
1939-04-27	72	55	63.5	1.4	1	0	0.28	0.0	0
1939-04-28	76	56	66.0	3.6	0	1	0.24	0.0	0
1939-04-29	69	53	61.0	-1.7	4	0	0.37	0.0	0
1939-04-30	73	39	56.0	-6.9	9	0	0.00	0.0	0
Sum	2096	1365	-	-	233	20	4.06	T	-
Average	69.9	45.5	57.7	-1.4	-	-	-	-	0.0
Normal	72.1	46.0	59.1	-	206	27	5.04	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - May 1939

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1939-05-01	77	44	60.5	-2.7	4	0	0.00	0.0	0
1939-05-02	70	45	57.5	-6.0	7	0	0.00	0.0	0
1939-05-03	67	37	52.0	-11.8	13	0	0.00	0.0	0
1939-05-04	73	39	56.0	-8.1	9	0	0.00	0.0	0
1939-05-05	80	42	61.0	-3.3	4	0	0.00	0.0	0
1939-05-06	81	45	63.0	-1.6	2	0	0.00	0.0	0
1939-05-07	77	53	65.0	0.1	0	0	0.00	0.0	0
1939-05-08	82	59	70.5	5.3	0	6	0.15	0.0	0
1939-05-09	78	60	69.0	3.6	0	4	0.08	0.0	0
1939-05-10	79	49	64.0	-1.7	1	0	0.02	0.0	0
1939-05-11	86	49	67.5	1.5	0	3	0.00	0.0	0
1939-05-12	82	55	68.5	2.2	0	4	0.00	0.0	0
1939-05-13	76	55	65.5	-1.1	0	1	0.10	0.0	0
1939-05-14	73	49	61.0	-5.9	4	0	0.16	0.0	0
1939-05-15	68	50	59.0	-8.2	6	0	0.00	0.0	0
1939-05-16	76	48	62.0	-5.4	3	0	0.00	0.0	0
1939-05-17	84	50	67.0	-0.7	0	2	0.00	0.0	0
1939-05-18	85	53	69.0	1.0	0	4	0.00	0.0	0
1939-05-19	77	61	69.0	0.7	0	4	T	0.0	0
1939-05-20	79	62	70.5	1.9	0	6	0.56	0.0	0
1939-05-21	83	63	73.0	4.1	0	8	0.04	0.0	0
1939-05-22	77	59	68.0	-1.2	0	3	0.03	0.0	0
1939-05-23	77	65	71.0	1.6	0	6	0.11	0.0	0
1939-05-24	82	65	73.5	3.8	0	9	0.48	0.0	0
1939-05-25	88	63	75.5	5.5	0	11	0.26	0.0	0
1939-05-26	84	67	75.5	5.2	0	11	0.15	0.0	0
1939-05-27	85	67	76.0	5.4	0	11	0.02	0.0	0
1939-05-28	85	69	77.0	6.1	0	12	0.07	0.0	0
1939-05-29	82	67	74.5	3.4	0	10	0.00	0.0	0
1939-05-30	82	66	74.0	2.6	0	9	1.35	0.0	0
1939-05-31	79	67	73.0	1.3	0	8	0.09	0.0	0
Sum	2454	1723	-	-	53	132	3.67	0.0	-
Average	79.2	55.6	67.4	0.0	-	-	-	-	0.0
Normal	79.5	55.4	67.4	-	55	130	4.55	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - June 1939

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1939-06-01	85	69	77.0	5.0	0	12	0.18	0.0	0
1939-06-02	84	67	75.5	3.3	0	11	0.00	0.0	0
1939-06-03	85	65	75.0	2.5	0	10	0.00	0.0	0
1939-06-04	81	64	72.5	-0.3	0	8	0.27	0.0	0
1939-06-05	88	66	77.0	4.0	0	12	0.04	0.0	0
1939-06-06	90	68	79.0	5.7	0	14	0.00	0.0	0
1939-06-07	89	66	77.5	4.0	0	13	0.76	0.0	0
1939-06-08	90	65	77.5	3.7	0	13	T	0.0	0
1939-06-09	86	65	75.5	1.5	0	11	1.52	0.0	0
1939-06-10	85	63	74.0	-0.2	0	9	0.00	0.0	0
1939-06-11	82	65	73.5	-1.0	0	9	0.28	0.0	0
1939-06-12	84	57	70.5	-4.2	0	6	0.14	0.0	0
1939-06-13	78	63	70.5	-4.4	0	6	0.92	0.0	0
1939-06-14	83	66	74.5	-0.6	0	10	0.27	0.0	0
1939-06-15	86	65	75.5	0.2	0	11	0.00	0.0	0
1939-06-16	88	72	80.0	4.5	0	15	0.00	0.0	0
1939-06-17	79	70	74.5	-1.2	0	10	0.10	0.0	0
1939-06-18	85	71	78.0	2.1	0	13	0.49	0.0	0
1939-06-19	87	69	78.0	1.9	0	13	0.01	0.0	0
1939-06-20	90	66	78.0	1.7	0	13	0.00	0.0	0
1939-06-21	92	68	80.0	3.6	0	15	0.00	0.0	0
1939-06-22	89	68	78.5	1.9	0	14	0.00	0.0	0
1939-06-23	86	63	74.5	-2.2	0	10	0.00	0.0	0
1939-06-24	88	59	73.5	-3.4	0	9	0.00	0.0	0
1939-06-25	90	62	76.0	-1.0	0	11	0.00	0.0	0
1939-06-26	92	68	80.0	2.8	0	15	0.04	0.0	0
1939-06-27	88	67	77.5	0.2	0	13	0.00	0.0	0
1939-06-28	88	68	78.0	0.6	0	13	0.00	0.0	0
1939-06-29	86	69	77.5	0.0	0	13	0.31	0.0	0
1939-06-30	85	70	77.5	-0.1	0	13	0.36	0.0	0
Sum	2589	1984	-	-	0	345	5.69	0.0	-
Average	86.3	66.1	76.2	1.0	-	-	-	-	0.0
Normal	86.4	64.0	75.2	-	2	308	4.62	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - July 1939

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1939-07-01	88	65	76.5	-1.2	0	12	0.07	0.0	0
1939-07-02	89	61	75.0	-2.8	0	10	0.00	0.0	0
1939-07-03	86	67	76.5	-1.4	0	12	0.08	0.0	0
1939-07-04	86	65	75.5	-2.5	0	11	0.33	0.0	0
1939-07-05	91	67	79.0	1.0	0	14	T	0.0	0
1939-07-06	93	70	81.5	3.4	0	17	0.00	0.0	0
1939-07-07	91	71	81.0	2.8	0	16	T	0.0	0
1939-07-08	92	70	81.0	2.8	0	16	0.22	0.0	0
1939-07-09	87	72	79.5	1.2	0	15	0.13	0.0	0
1939-07-10	87	70	78.5	0.2	0	14	0.02	0.0	0
1939-07-11	89	66	77.5	-0.9	0	13	0.19	0.0	0
1939-07-12	88	58	73.0	-5.4	0	8	0.00	0.0	0
1939-07-13	92	60	76.0	-2.4	0	11	0.00	0.0	0
1939-07-14	94	74	84.0	5.5	0	19	0.00	0.0	0
1939-07-15	90	58	74.0	-4.5	0	9	0.00	0.0	0
1939-07-16	86	62	74.0	-4.5	0	9	0.00	0.0	0
1939-07-17	92	65	78.5	-0.1	0	14	0.00	0.0	0
1939-07-18	97	64	80.5	1.9	0	16	0.00	0.0	0
1939-07-19	98	67	82.5	3.9	0	18	0.00	0.0	0
1939-07-20	88	67	77.5	-1.1	0	13	0.00	0.0	0
1939-07-21	91	66	78.5	-0.1	0	14	0.06	0.0	0
1939-07-22	90	65	77.5	-1.1	0	13	0.08	0.0	0
1939-07-23	91	66	78.5	-0.1	0	14	0.00	0.0	0
1939-07-24	89	66	77.5	-1.1	0	13	0.51	0.0	0
1939-07-25	86	69	77.5	-1.1	0	13	1.15	0.0	0
1939-07-26	85	66	75.5	-3.1	0	11	0.17	0.0	0
1939-07-27	89	66	77.5	-1.1	0	13	0.32	0.0	0
1939-07-28	88	64	76.0	-2.6	0	11	0.00	0.0	0
1939-07-29	84	64	74.0	-4.6	0	9	0.00	0.0	0
1939-07-30	84	67	75.5	-3.1	0	11	0.42	0.0	0
1939-07-31	88	66	77.0	-1.6	0	12	0.00	0.0	0
Sum	2769	2044	-	-	0	401	3.75	0.0	-
Average	89.3	65.9	77.6	-0.8	-	-	-	-	0.0
Normal	89.1	67.7	78.4	-	0	415	5.17	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - August 1939

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1939-08-01	88	65	76.5	-2.1	0	12	0.02	0.0	0
1939-08-02	89	66	77.5	-1.1	0	13	0.00	0.0	0
1939-08-03	84	66	75.0	-3.6	0	10	1.74	0.0	0
1939-08-04	88	65	76.5	-2.0	0	12	0.03	0.0	0
1939-08-05	89	62	75.5	-3.0	0	11	0.00	0.0	0
1939-08-06	87	62	74.5	-4.0	0	10	0.00	0.0	0
1939-08-07	90	68	79.0	0.5	0	14	0.00	0.0	0
1939-08-08	90	66	78.0	-0.4	0	13	0.00	0.0	0
1939-08-09	92	67	79.5	1.1	0	15	0.00	0.0	0
1939-08-10	91	65	78.0	-0.4	0	13	0.00	0.0	0
1939-08-11	93	68	80.5	2.2	0	16	0.00	0.0	0
1939-08-12	91	69	80.0	1.7	0	15	0.00	0.0	0
1939-08-13	88	72	80.0	1.8	0	15	0.00	0.0	0
1939-08-14	80	71	75.5	-2.7	0	11	0.06	0.0	0
1939-08-15	80	72	76.0	-2.1	0	11	0.02	0.0	0
1939-08-16	82	71	76.5	-1.5	0	12	0.03	0.0	0
1939-08-17	80	69	74.5	-3.5	0	10	0.13	0.0	0
1939-08-18	86	67	76.5	-1.4	0	12	T	0.0	0
1939-08-19	87	67	77.0	-0.8	0	12	0.36	0.0	0
1939-08-20	84	67	75.5	-2.2	0	11	0.00	0.0	0
1939-08-21	85	61	73.0	-4.6	0	8	0.00	0.0	0
1939-08-22	87	60	73.5	-4.0	0	9	0.00	0.0	0
1939-08-23	89	60	74.5	-2.9	0	10	0.00	0.0	0
1939-08-24	87	63	75.0	-2.3	0	10	0.01	0.0	0
1939-08-25	85	63	74.0	-3.1	0	9	0.97	0.0	0
1939-08-26	87	59	73.0	-4.0	0	8	0.00	0.0	0
1939-08-27	86	61	73.5	-3.3	0	9	0.00	0.0	0
1939-08-28	86	59	72.5	-4.2	0	8	0.00	0.0	0
1939-08-29	87	58	72.5	-4.0	0	8	0.00	0.0	0
1939-08-30	85	59	72.0	-4.4	0	7	0.00	0.0	0
1939-08-31	85	59	72.0	-4.2	0	7	0.10	0.0	0
Sum	2688	2007	-	-	0	341	3.47	0.0	-
Average	86.7	64.7	75.7	-2.1	-	-	-	-	0.0
Normal	89.1	66.5	77.8	-	0	397	4.05	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - September 1939

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1939-09-01	89	60	74.5	-1.5	0	10	0.00	0.0	0
1939-09-02	88	61	74.5	-1.3	0	10	0.00	0.0	0
1939-09-03	88	62	75.0	-0.6	0	10	0.24	0.0	0
1939-09-04	89	62	75.5	0.1	0	11	0.00	0.0	0
1939-09-05	85	62	73.5	-1.7	0	9	1.76	T	0
1939-09-06	87	58	72.5	-2.4	0	8	0.00	0.0	0
1939-09-07	88	62	75.0	0.3	0	10	0.00	0.0	0
1939-09-08	90	60	75.0	0.6	0	10	0.00	0.0	0
1939-09-09	90	67	78.5	4.3	0	14	0.00	0.0	0
1939-09-10	92	65	78.5	4.6	0	14	0.00	0.0	0
1939-09-11	86	59	72.5	-1.2	0	8	0.00	0.0	0
1939-09-12	88	55	71.5	-1.9	0	7	0.00	0.0	0
1939-09-13	91	63	77.0	3.9	0	12	0.00	0.0	0
1939-09-14	93	65	79.0	6.2	0	14	0.00	0.0	0
1939-09-15	87	65	76.0	3.5	0	11	0.00	0.0	0
1939-09-16	90	63	76.5	4.3	0	12	0.00	0.0	0
1939-09-17	91	68	79.5	7.6	0	15	0.00	0.0	0
1939-09-18	86	67	76.5	4.9	0	12	0.15	0.0	0
1939-09-19	77	63	70.0	-1.2	0	5	0.02	0.0	0
1939-09-20	79	61	70.0	-0.9	0	5	0.01	0.0	0
1939-09-21	82	55	68.5	-2.1	0	4	0.00	0.0	0
1939-09-22	82	50	66.0	-4.2	0	1	0.00	0.0	0
1939-09-23	83	50	66.5	-3.4	0	2	0.00	0.0	0
1939-09-24	85	53	69.0	-0.5	0	4	0.00	0.0	0
1939-09-25	87	54	70.5	1.3	0	6	0.00	0.0	0
1939-09-26	79	64	71.5	2.7	0	7	0.00	0.0	0
1939-09-27	85	68	76.5	8.1	0	12	0.11	0.0	0
1939-09-28	83	66	74.5	6.4	0	10	0.00	0.0	0
1939-09-29	87	65	76.0	8.3	0	11	0.00	0.0	0
1939-09-30	81	62	71.5	4.2	0	7	0.31	0.0	0
Sum	2588	1835	-	-	0	271	2.60	T	-
Average	86.3	61.2	73.7	1.6	-	-	-	-	0.0
Normal	84.4	59.8	72.1	-	15	228	4.26	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - October 1939

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1939-10-01	65	50	57.5	-9.4	7	0	0.23	0.0	0
1939-10-02	73	45	59.0	-7.5	6	0	0.00	0.0	0
1939-10-03	76	48	62.0	-4.1	3	0	0.00	0.0	0
1939-10-04	77	50	63.5	-2.2	1	0	0.00	0.0	0
1939-10-05	82	51	66.5	1.2	0	2	0.00	0.0	0
1939-10-06	85	59	72.0	7.1	0	7	0.00	0.0	0
1939-10-07	85	59	72.0	7.5	0	7	0.00	0.0	0
1939-10-08	88	59	73.5	9.4	0	9	0.00	0.0	0
1939-10-09	88	60	74.0	10.3	0	9	0.00	0.0	0
1939-10-10	85	57	71.0	7.7	0	6	0.00	0.0	0
1939-10-11	79	60	69.5	6.6	0	5	0.07	0.0	0
1939-10-12	76	50	63.0	0.5	2	0	0.00	0.0	0
1939-10-13	75	42	58.5	-3.6	6	0	0.00	0.0	0
1939-10-14	72	42	57.0	-4.7	8	0	0.00	0.0	0
1939-10-15	68	39	53.5	-7.8	11	0	0.00	0.0	0
1939-10-16	68	34	51.0	-9.9	14	0	0.00	0.0	0
1939-10-17	76	34	55.0	-5.5	10	0	0.00	0.0	0
1939-10-18	79	43	61.0	0.9	4	0	0.00	0.0	0
1939-10-19	78	53	65.5	5.8	0	1	0.00	0.0	0
1939-10-20	79	54	66.5	7.2	0	2	0.05	0.0	0
1939-10-21	83	48	65.5	6.6	0	1	0.00	0.0	0
1939-10-22	82	59	70.5	12.0	0	6	0.00	0.0	0
1939-10-23	84	44	64.0	5.9	1	0	0.00	0.0	0
1939-10-24	86	45	65.5	7.8	0	1	0.00	0.0	0
1939-10-25	81	62	71.5	14.2	0	7	0.00	0.0	0
1939-10-26	77	67	72.0	15.1	0	7	0.02	0.0	0
1939-10-27	83	67	75.0	18.5	0	10	0.21	0.0	0
1939-10-28	78	49	63.5	7.4	1	0	0.25	0.0	0
1939-10-29	64	30	47.0	-8.7	18	0	0.00	0.0	0
1939-10-30	60	35	47.5	-7.8	17	0	0.00	0.0	0
1939-10-31	50	33	41.5	-13.4	23	0	0.00	0.0	0
Sum	2382	1528	-	-	132	80	0.83	0.0	-
Average	76.8	49.3	63.1	2.2	-	-	-	-	0.0
Normal	74.3	47.5	60.9	-	175	48	3.56	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - November 1939

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1939-11-01	64	31	47.5	-7.1	17	0	0.00	0.0	0
1939-11-02	64	34	49.0	-5.2	16	0	0.00	0.0	0
1939-11-03	54	35	44.5	-9.3	20	0	0.00	0.0	0
1939-11-04	47	35	41.0	-12.4	24	0	0.10	0.0	0
1939-11-05	51	25	38.0	-15.1	27	0	0.00	0.0	0
1939-11-06	59	23	41.0	-11.7	24	0	0.00	0.0	0
1939-11-07	61	32	46.5	-5.9	18	0	0.00	0.0	0
1939-11-08	69	32	50.5	-1.5	14	0	0.00	0.0	0
1939-11-09	71	32	51.5	-0.2	13	0	0.00	0.0	0
1939-11-10	74	44	59.0	7.6	6	0	0.00	0.0	0
1939-11-11	69	48	58.5	7.5	6	0	0.11	0.0	0
1939-11-12	53	44	48.5	-2.2	16	0	0.10	0.0	0
1939-11-13	63	39	51.0	0.6	14	0	0.05	0.0	0
1939-11-14	65	27	46.0	-4.1	19	0	0.00	0.0	0
1939-11-15	67	29	48.0	-1.8	17	0	0.00	0.0	0
1939-11-16	69	40	54.5	5.1	10	0	0.00	0.0	0
1939-11-17	64	35	49.5	0.4	15	0	0.00	0.0	0
1939-11-18	61	49	55.0	6.1	10	0	0.00	0.0	0
1939-11-19	59	49	54.0	5.4	11	0	0.21	0.0	0
1939-11-20	57	50	53.5	5.2	11	0	0.50	0.0	0
1939-11-21	54	42	48.0	0.0	17	0	0.17	0.0	0
1939-11-22	44	29	36.5	-11.2	28	0	T	0.0	0
1939-11-23	50	31	40.5	-7.0	24	0	0.00	0.0	0
1939-11-24	55	27	41.0	-6.2	24	0	0.00	0.0	0
1939-11-25	54	38	46.0	-1.0	19	0	0.03	0.0	0
1939-11-26	52	34	43.0	-3.7	22	0	0.00	0.0	0
1939-11-27	53	25	39.0	-7.5	26	0	0.00	0.0	0
1939-11-28	60	29	44.5	-1.7	20	0	0.00	0.0	0
1939-11-29	58	28	43.0	-3.0	22	0	0.00	0.0	0
1939-11-30	56	37	46.5	0.7	18	0	0.00	0.0	0
Sum	1777	1053	-	-	528	0	1.27	0.0	-
Average	59.2	35.1	47.2	-2.6	-	-	-	-	0.0
Normal	62.6	37.0	49.8	-	461	5	4.76	0.0	-

Reliable observation times are not available prior to 1982.

Climatological Data for SCOTTSBORO, AL - December 1939

Date	Temperature				HDD	CDD	Precipitation	New Snow	Snow Depth
	Maximum	Minimum	Average	Departure					
1939-12-01	67	44	55.5	10.0	9	0	0.60	0.0	0
1939-12-02	60	39	49.5	4.2	15	0	0.06	0.0	0
1939-12-03	51	32	41.5	-3.6	23	0	0.00	0.0	0
1939-12-04	50	26	38.0	-6.9	27	0	0.00	0.0	0
1939-12-05	62	27	44.5	-0.2	20	0	0.00	0.0	0
1939-12-06	63	34	48.5	4.0	16	0	0.00	0.0	0
1939-12-07	73	28	50.5	6.2	14	0	0.00	0.0	0
1939-12-08	64	36	50.0	5.9	15	0	0.00	0.0	0
1939-12-09	63	24	43.5	-0.4	21	0	0.00	0.0	0
1939-12-10	60	34	47.0	3.3	18	0	0.00	0.0	0
1939-12-11	60	40	50.0	6.5	15	0	0.10	0.0	0
1939-12-12	64	28	46.0	2.7	19	0	0.00	0.0	0
1939-12-13	59	42	50.5	7.4	14	0	0.21	T	0
1939-12-14	49	22	35.5	-7.5	29	0	0.00	0.0	0
1939-12-15	53	22	37.5	-5.3	27	0	0.00	0.0	0
1939-12-16	58	41	49.5	6.9	15	0	0.03	0.0	0
1939-12-17	65	47	56.0	13.5	9	0	T	T	M
1939-12-18	67	42	54.5	12.2	10	0	0.00	0.0	0
1939-12-19	63	40	51.5	9.4	13	0	0.00	0.0	0
1939-12-20	58	33	45.5	3.5	19	0	0.69	0.0	0
1939-12-21	52	24	38.0	-3.8	27	0	0.00	0.0	0
1939-12-22	48	23	35.5	-6.2	29	0	0.00	0.0	0
1939-12-23	44	33	38.5	-3.0	26	0	0.65	0.0	0
1939-12-24	52	28	40.0	-1.4	25	0	0.57	0.0	0
1939-12-25	53	41	47.0	5.8	18	0	0.00	0.0	0
1939-12-26	58	25	41.5	0.4	23	0	0.17	0.0	0
1939-12-27	45	36	40.5	-0.5	24	0	0.20	0.0	0
1939-12-28	39	33	36.0	-4.8	29	0	0.05	0.0	0
1939-12-29	39	31	35.0	-5.7	30	0	T	T	M
1939-12-30	42	19	30.5	-10.1	34	0	0.00	0.0	0
1939-12-31	40	26	33.0	-7.5	32	0	0.00	0.0	0
Sum	1721	1000	-	-	645	0	3.33	T	-
Average	55.5	32.3	43.9	1.1	-	-	-	-	0.0
Normal	53.5	32.0	42.8	-	691	1	6.20	0.1	-

Reliable observation times are not available prior to 1982.