



NATURAL WOVEN SHADES

PANEL TRACK

Effective February 4, 2019

design simplified™

TABLE OF CONTENTS

Product Overview

• Features & Benefits.....	2
• Color Charts	3

Product Specifications

• Product Characteristics	4
• Options and Features.....	4
• Product Specifications & Configurations.....	5-6

Pricing

• Price Group 1	7
• Price Group 2	8
• Price Group 3	9
• Price Group 4	10
• Options & Surcharges	11
• Measuring and Installation Specifications	12

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width are considered oversize. Therefore, a net shipping charge of \$40 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

FEATURES & BENEFITS



- Offered in a nice selection of Natural Woven Wood, Select Weave, and Grass Weave styles featuring unique patterns and warm, rich tones
- Optional fixed translucent & room darkening liners provide additional privacy and a neutral outside appearance
- Twill edge-bindings frame the individual panels using a high-quality sewing process, adding a decorative finishing touch, and also providing additional panel structure and support
- Coordinated wood wand complements the natural look and provides convenient operation.
- Offers an excellent configuration to cover sliding glass doors and extra wide windows
- Available in side stack, split stack and free-floating panel configurations along with optional valances
- Limited Lifetime Warranty ensures your customers' satisfaction

COLOR CHARTS

WOVEN WOOD COLOR CHART

COLLECTION	COLOR #	COLOR NAME	TWILL EDGE-BINDING COLOR NAME	TWILL EDGE-BINDING* COLOR #
------------	---------	------------	-------------------------------------	-----------------------------------

Price Group 1 Panel Track

ELI	2104	Nagoya Harvest	Mocha	417 & 817
TER	2011	Sonora Desert	Mocha	417 & 418

Price Group 2 Panel Track

EXO	2052	Serengeti Sunrise	Mocha	417 & 817
EXO	2053	Serengeti Cocoa	Chocolate	418 & 818
CUL	2072	Hunan	Mocha	417 & 817
EXO	2150	Sumatra Surprise	Desert	412 & 812
EXO	2232	Taos	Steel	421 & 821

Price Group 3 Panel Track

EXO	2054	Indo Chic	Black	424 & 824
EXO	2068	Kiribati Jungle	Mocha	417 & 817
EXO	2069	Kiribati Rainforest	Chocolate	418 & 818

Price Group 4 Panel Track

CUL	2070	Tobago	Mocha	417 & 817
CUL	2085	Antiqua Maze	Desert	412 & 812
CUL	2086	Antiqua Surf	Jute	409 & 809
EXO	2096	Zulu	Espresso	419 & 819
ELI	2153	Sakura Etude	Espresso	419 & 819

Standard 5/8" twill edge-bindings are represented by the 4xx numbers.

Optional 1-1/2" twill edge-bindings are represented by the 8xx numbers.

** Note: Twill edge-binding colors White, Duck, Latte, and Silver are not available in 1-1/2" widths.

IMPORTANT NOTE ABOUT NATURAL WOVEN MATERIALS:

Our Woven Wood shades are uniquely constructed from natural bamboo, reeds, jutes, rattan, grasses and woods. Many materials, such as natural grasses, are hand tied and braided with expert care. Each woven wood shade is one of a kind. Slight cracks, wood imperfections and variations in color are all inherent in natural products and are not considered flaws.

SELECT & GRASS WEAVES COLOR CHART

COLLECTION	COLOR #	COLOR NAME	TWILL EDGE-BINDING COLOR NAME	TWILL EDGE-BINDING* COLOR #
------------	---------	------------	-------------------------------------	-----------------------------------

Price Group 1 Panel Track

GRW	2305	Coban Parchment	White	400**
GRW	2337	Singapore Bisque	Beige	408 & 808
GRW	2338	Singapore Talc	Dusk	405 & 805
GRW	2339	Singapore Cotton	White	400**
GRW	9410	Coban Gray	Silver	420**
GRW	9450	Singapore Gray	Steel	421 & 821
GRW	9474	Celebes Cornsilk	Dusk	405 & 805
GRW	9475	Celebes Seashell	Silver	420**
GRW	9476	Celebes Ivory	Silver	420**

Price Group 2 Panel Track

GRW	2304	Caracas Tortoise	Beige	408 & 808
GRW	2310	Granada Cinnamon	Jute	409 & 809
GRW	2311	Granada Ginger	Duck	403**
GRW	2312	Granada Nutmeg	Camel	410 & 810
GRW	2331	Nassau Pewter	Latte	404**
GRW	2340	St. Lucia Sand	Duck	403**
GRW	2343	St. Lucia Storm	Steel	421 & 821
GRW	2345	Zaire Camel	Duck	403**
GRW	2346	Zaire Earth	Jute	409 & 809
GRW	9420	Granada Bark	Espresso	419 & 819
GRW	9440	Nassau Cocoa	Chocolate	418 & 818

Price Group 3 Panel Track

GRW	2323	Luzon Whisper	White	400**
GRW	2324	Luzon Cornsilk	Duck	403**
GRW	2325	Luzon Greige	Silver	420**
GRW	9400	St. Kitts Dune	Dusk	405 & 805
GRW	9401	St. Kitts Greywood	Silver	420**
GRW	9460	Aruba Summer	White	400**
GRW	9461	Aruba Straw	Duck	403**
GRW	9462	Aruba Sand Dune	Beige	408 & 808
GRW	9463	Aruba Driftwood	Silver	420**
GRW	9464	Aruba Café	Espresso	419 & 819
GRW	9470	Martinique White Wash	White	400**
GRW	9471	Martinique Sea Grass	Duck	403**
GRW	9472	Martinique Surf	Silver	420**
GRW	9473	Martinique Coral	Jute	409 & 809
SLW	2420	Macau	Mocha	417 & 817
SLW	2423	Mali Tan	Duck	403**
SLW	2436	Tai White	White	400**
SLW	2438	Suva	Mocha	417 & 817
SLW	2526	Salvador Driftwood	Steel	421 & 821
SLW	2527	Cancun Light Gray	Duck	403**
SLW	2528	Cancun Off White	Natural	402 & 802
SLW	2529	Cano Cream	Sand	406 & 806
SLW	2530	Madeira Green	Jute	409 & 809
SLW	2531	Rio Gray	Silver	420**

Price Group 4 Panel Track

SLW	2411	Jaipur Natural	Natural	402 & 802
SLW	2417	Lagos	Duck	403**
SLW	2419	Lomaloma	Duck	403**
SLW	2431	Santos Natural	Duck	403**
SLW	2433	Sintra Dust	Duck	403**
SLW	2441	Tunisia	Natural	402 & 802

Standard 5/8" twill edge-bindings are represented by the 4xx numbers.

Optional 1-1/2" twill edge-bindings are represented by the 8xx numbers.

** Note: Twill edge-binding colors White, Duck, Latte, and Silver are not available in 1-1/2" widths.

PRODUCT CHARACTERISTICS

Product Characteristics

- Panels do not hang perfectly flat.
- Panel materials may have (billowing/waviness) effect.
- Pattern matching from panel to panel cannot be guaranteed, although the factory will make every effort to match patterns as close as possible.


- **NOTE: Material Stretching – twill edge-bindings come standard to minimize the stretching effect; however you should anticipate that panels may still stretch up to 1" length; also, each panel may stretch differently causing panel bottoms to not be perfectly level from panel to panel**

OPTIONS AND FEATURES

3-Sided Cotton Twill Edge-Binding

- 5/8" twill edge-binding comes standard.
- Optional 1-1/2" twill edge-binding available at **5%** additional charge.
- On panel sides, twill edge-binding is folded & sewn.
- On panel top, twill edge-binding is attached to front side of panel.
- No twill edge-binding on bottom hem.
- Color-coordinated twill edge-binding by factory, or specify optional tape color.

Natural characteristics of binding results in slight waviness



Attached Translucent and Room-Darkening Liner – 10% Additional Charge

- Provides additional light and privacy control.
- Neutral appearance to the outside.
- Refer to sample book for fixed liner colors.

Family	Color #	Color Name
Translucent	LF-1001	White
Translucent	LF-1002	Ivory
Translucent	LF-1003	Khaki
Room Darkening	RD-3008	Beige-Deluxe
Room Darkening	RD-3009	Taupe-Deluxe
Room Darkening	RD-2001	White
Room Darkening	RD-2002	Ivory
Room Darkening	RD-2003	Khaki
Room Darkening	RD-2004	Brown
Room Darkening	RD-2006	Black

Translucent fixed privacy liners are made of 100% Cotton.

Room-Darkening and Blackout fixed privacy liners are made of 30% Cotton and 70% Polyester.

Panel Attachment

- Heavy-duty Velcro sewn to backside of material.
- Provides easy panel installation & removal from carrier glides.



Bottom Hem

- Weighted enclosed bottom hem.



PRODUCT SPECIFICATIONS & CONFIGURATIONS

How To Order

Controls

- Must specify control type with order – cord, wand, free floating (with wands).
- Cord control length is 10" less than ordered length.
- Wand draw is available on all shades; Wood wand sizes: 36"
- Some configurations require dual wands. Lead panel on each side will come with a wand.


Panel Stack Configurations

- Specify panel configuration from choices below.
- Approximately 3" material overlap when panels in fully closed position.
- Each stacking side will have 1 fixed panel.
- Optional **"free-floating"** panels available at **10% Additional Charge**.
- Free-floating panels available on one-way up to 5 panels only.

No split-draw or multi-stack configurations.

Each panel comes with wand.

Panels not interconnected with each other; each panel hand operated independently and can be positioned any place along the track.



Number of Panels	Select Weaves (Overall Width)	Woven Wood & Grass Weaves (Overall Width)	Stack Position / Configurations ("Room View" - Each stacking side will have 1 fixed panel)		
			Single Stack Left Stack	Single Stack Right Stack	Split Stack Note: Come with Dual Wand (if ordered with wand control)
2 Panels (1 overlap)	33" - 89"	21" - 89"	2L – two panels stack left (2 channel track) 	2R – two panels stack right (2 channel track) 	NA
3 Panels (2 overlaps)	48" - 132"	30" - 132"	3L – three panels stack left (3 channel track) 	3R – three panels stack right (3 channel track) 	NA
4 Panels (2 or 3 overlaps depending on number of stacks)	63" - 175"	39" - 175"	4L – four panels stack left (4 channel track) 	4R – four panels stack right (4 channel track) 	2L2R – two panels stack left, two panels stack right (2 channel track)
5 Panels (4 overlaps)	78" - 218"	48" - 218"	5L – five panels stack left (5 channel track) 	5R – five panels stack right (5 channel track) 	NA
6 Panels (5 overlaps)	93" - 261"	57" - 261"	NA	NA	3L3R – three panels stack left, three panels stack right (3 channel track)
8 Panels (7 overlaps)	123" - 261"	75" - 261"	NA	NA	4L4R – four panels stack left, four panels stack right (4 channel track)
10 Panels (9 overlaps)	152" - 261"	93" - 261"	NA	NA	5L5R – five panels stack left, five panels stack right (5 channel track)

PRODUCT SPECIFICATIONS

Panel Track Headrail

- White painted aluminum profile.
- See mounting depth requirements for panel track sizes.

Panel Track Splice

- Automatically comes with any window opening over 144" wide – track ships from factory in (2) equal size pieces.
- Recommended (request when placing order) with window openings over 100" wide to reduce risk of freight damage and to provide easier handling by installers.
- Splice plate easily & securely connects separate tracks together to operate as a single track unit.
- Installers prefer the convenience of handling smaller tracks onto the jobsite, then connecting together at installation.



Panel Size / Stacking Width


- **18" Minimum Panel Width – Select Weaves**
- **12" Minimum Panel Width – all other styles**
- **46" Maximum Panel Width**
- Individual panel size varies depending on overall shade width & panel configuration.

NOTE: The smaller the panel width, the narrower the stacking space.

To calculate stacking width; overall width + (number of overlaps x 3) then divide by number of panels.

Example # 1 – 3 panel 112" W + 6 (2 overlaps x 3 = 6) = 118 divide by 3 panels = 39-3/8" stacking / panel width

Example # 2 – 4 panel 112" W + 9 (3 overlaps x 3 = 9) = 121 divide by 4 panels = 30-1/4" stacking / panel width



- | | |
|-----------------------------------|----------------------------|
| 1. Aluminum Track | 10. Cord |
| 2. Sliding Panel w/Velcro | 11. Tensioner |
| 3. Woven Material | 12. Control Wand |
| 4. Support w/Needle | 13. Flat Weight |
| 5. Double L Bracket Angle | 14. Panel Stop Screw |
| 6. L-Bracket Angle | 15. End Cap |
| 7. Channel Guide | 16. Brass Cord Locking Nut |
| 8. Double Support (front or Back) | 17. Velcro Velour |
| 9. Installation Clip | 18. Splice (not pictured) |

NOTE: Panel Tracks over 144" wide are spliced together at installation.

② **ELI**
2104 Nagoya Harvest

② **GRW**
9474 Celebes Cornsilk
9476 Celebes Ivory
9475 Celebes Seashell
9410 Coban Gray
2305 Coban Parchment
2337 Singapore Bisque
2339 Singapore Cotton
9450 Singapore Gray
2338 Singapore Talc

② **TER**
2011 Sonora Desert

Price Group 1

2 PANEL

② min width = 21"



WIDTH TO:	36"	48"	60"	72"	84"	89"
HEIGHT TO:						
36"	\$375	427	486	562	617	638
48"	417	478	547	632	691	724
60"	463	528	604	709	775	804
72"	507	589	676	785	865	905
84"	543	632	724	840	920	964
96"	568	669	762	895	983	1027
108"	604	703	811	947	1044	1093
Track	240	263	291	333	356	366

3 PANEL

② min width = 30"



WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"
HEIGHT TO:									
36"	\$459	512	571	651	709	760	823	907	960
48"	505	566	636	726	794	865	922	1013	1082
60"	552	625	703	802	884	949	1025	1131	1215
72"	604	686	771	880	975	1057	1139	1257	1356
84"	638	733	825	943	1051	1139	1229	1358	1432
96"	672	779	876	992	1105	1202	1314	1423	1543
108"	703	811	912	1048	1160	1276	1381	1518	1632
Track	303	326	356	400	429	453	482	531	558

4 PANEL

② min width = 39"



WIDTH TO:	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	175"
HEIGHT TO:												
36"	\$589	644	733	796	859	912	1004	1065	1120	1213	1267	1295
48"	651	718	817	884	947	1019	1126	1194	1253	1358	1408	1457
60"	712	785	903	975	1055	1126	1238	1331	1396	1493	1579	1615
72"	775	865	983	1074	1166	1253	1362	1463	1556	1661	1741	1798
84"	825	912	1046	1143	1227	1335	1476	1566	1665	1779	1886	1924
96"	869	968	1103	1204	1309	1413	1549	1663	1768	1893	2004	2048
108"	909	1025	1164	1274	1392	1507	1638	1760	1869	2000	2118	2164
Track	\$387	417	465	495	520	552	608	632	661	714	741	752

PANEL ONLY

② min width = 12"
max width = 46"

WIDTH TO:	12"	24"	30"	36"	46"
HEIGHT TO:					
36"	\$118	154	177	198	232
48"	133	175	202	229	267
60"	147	198	229	261	305
72"	162	221	257	293	343
84"	173	238	282	320	377
96"	185	259	301	343	408
108"	196	274	322	368	436

5 - 10 PANEL

② **5 Panel** min width = 48" ② **6 Panel** min width = 57"
② **8 Panel** min width = 75" ② **10 Panel** min width = 93"

WIDTH TO:	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	204"	216"	228"	240"	252"	261"
HEIGHT TO:																	
36"	\$752	813	869	935	1017	1065	1126	1213	1267	1333	1396	1476	1526	1592	1672	1739	1781
48"	827	895	958	1029	1112	1181	1253	1343	1408	1478	1552	1638	1695	1764	1851	1931	1979
60"	899	975	1055	1126	1223	1314	1394	1493	1564	1642	1722	1821	1882	1964	2061	2147	2198
72"	983	1074	1166	1253	1347	1446	1533	1642	1722	1806	1895	2006	2099	2164	2269	2364	2421
84"	1044	1131	1227	1318	1440	1531	1623	1741	1844	1935	2034	2149	2223	2318	2432	2533	2594
96"	1088	1192	1293	1396	1512	1623	1726	1851	1939	2059	2137	2261	2362	2461	2585	2691	2756
108"	1143	1259	1362	1469	1598	1697	1825	1958	2048	2175	2257	2389	2501	2600	2731	2842	2914
Track	\$537	571	602	634	693	720	762	808	844	884	909	968	1000	1025	1080	1112	1143

Separate Valance

WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"	144"
Inside 6" Valance	\$74	88	137	158	185	217	236	261	301	318
Outside 6" Valance	93	114	164	185	217	246	269	297	337	356
Each Additional 3" Height	15	19	23	25	29	32	34	36	40	40
Add Valance Liner	27	36	46	57	67	78	84	91	103	109

// Natural Woven Panel Track

NOTE: Select Weave fabrics maximum height is 96". Panel Tracks over 144" wide are spliced together at installation.

② **CUL**
2072 Hunan

② **EXO**
2052 Serengeti Sunrise
2053 Serengeti Cocoa
2150 Sumatra Surprise
2232 Taos

② **GRW**
2304 Caracas Tortoise
2310 Granada Cinnamon
2311 Granada Ginger
2312 Granada Nutmeg
9420 Granada Bark
2331 Nassau Bark
9440 Nassau Cocoa
2340 St. Lucia Sand
2343 St. Lucia Storm
2345 Zaire Camel
2346 Zaire Earth

Price Group 2

2 PANEL

② min width = 21"



WIDTH TO:	36"	48"	60"	72"	84"	89"
HEIGHT TO:						
36"	\$398	457	520	598	661	691
48"	444	512	589	686	760	787
60"	495	575	667	773	857	897
72"	552	648	745	867	964	1008
84"	589	699	798	937	1042	1088
96"	625	739	855	998	1120	1168
108"	663	783	914	1069	1196	1246
Track	240	263	291	333	356	366

3 PANEL

② min width = 30"



WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"
HEIGHT TO:									
36"	\$478	545	608	691	758	821	884	968	1025
48"	531	611	686	781	857	939	1008	1103	1179
60"	589	676	760	880	964	1055	1133	1248	1324
72"	653	752	846	968	1076	1173	1272	1400	1488
84"	699	806	905	1046	1168	1267	1385	1509	1613
96"	735	846	971	1114	1229	1366	1480	1621	1739
108"	766	897	1027	1187	1312	1453	1575	1728	1859
Track	303	326	356	400	429	453	482	531	558

4 PANEL

② min width = 39"



WIDTH TO:	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	175"
HEIGHT TO:												
36"	\$621	686	771	838	903	975	1069	1137	1206	1301	1366	1394
48"	693	771	869	952	1019	1099	1217	1291	1366	1459	1545	1577
60"	766	851	966	1065	1154	1227	1364	1451	1537	1655	1735	1787
72"	844	945	1074	1173	1276	1381	1518	1611	1712	1855	1947	2004
84"	899	1008	1147	1267	1383	1491	1644	1745	1853	2011	2109	2171
96"	945	1072	1219	1333	1465	1596	1749	1876	1989	2137	2242	2333
108"	1002	1133	1286	1421	1560	1703	1872	1985	2128	2286	2398	2497
Track	\$387	417	465	495	520	552	608	632	661	714	741	752

PANEL ONLY

② min width = 12"
max width = 46"

WIDTH TO:	12"	24"	30"	36"	46"
HEIGHT TO:					
36"	\$124	164	192	219	253
48"	141	192	221	255	297
60"	156	217	255	293	343
72"	175	246	286	328	387
84"	189	267	316	362	429
96"	202	291	339	394	467
108"	215	312	368	425	503

5 - 10 PANEL

5 Panel ② min width = 48"

8 Panel ② min width = 75"

6 Panel ② min width = 57"

10 Panel ② min width = 93"

WIDTH TO:	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	204"	216"	228"	240"	252"	261"
HEIGHT TO:																	
36"	\$789	853	920	987	1069	1137	1202	1301	1366	1434	1501	1587	1648	1722	1722	2038	2103
48"	874	952	1029	1112	1202	1276	1362	1459	1528	1606	1684	1783	1848	1931	1931	2331	2366
60"	968	1065	1143	1227	1349	1434	1516	1621	1716	1802	1893	2000	2074	2171	2171	2606	2659
72"	1069	1162	1261	1366	1486	1577	1684	1802	1909	2004	2103	2223	2328	2421	2421	2909	2996
84"	1139	1255	1356	1457	1592	1688	1808	1931	2046	2147	2251	2385	2501	2621	2621	3149	3244
96"	1198	1320	1436	1560	1693	1796	1943	2074	2198	2309	2423	2566	2659	2789	2789	3354	3457
108"	1272	1394	1528	1646	1789	1920	2057	2196	2328	2442	2566	2716	2846	2981	2981	3587	3697
Track	\$537	571	602	634	693	720	762	808	844	884	909	968	1000	1025	1080	1112	1143

Separate Valance

WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"	144"
Inside 6" Valance	\$74	88	137	158	185	217	236	261	301	318
Outside 6" Valance	93	114	164	185	217	246	269	297	337	356
Each Additional 3" Height	15	19	23	25	29	32	34	36	40	40
Add Valance Liner	27	36	46	57	67	78	84	91	103	109

② **EXO**
2054 Indo Chic
2068 Kiribati Jungle
2069 Kiribati Rainforest

② **GRW**
2323 Luzon Whisper
2324 Luzon Cornsilk
2325 Luzon Greige
9400 St. Kitts Dune
9401 St. Kitts Greywood
9460 Aruba Summer
9461 Aruba Straw
9462 Aruba Sand Dune
9463 Aruba Driftwood
9464 Aruba Cafe
9470 Martinique White Wash
9471 Martinique Sea Grass
9472 Martinique Surf
9473 Martinique Coral

① **SLW**
2527 Cancun Light Gray
2528 Cancun Off White
2529 Cano Cream
2420 Macau
2530 Madeira Green
2423 Mali Tan
2531 Rio Gray
2526 Salvador Driftwood
2438 Suva
2436 Tai White

NOTE: Select Weave fabrics maximum height is 96". Panel Tracks over 144" wide are spliced together at installation.

Price Group 3

2 PANEL ① min width = 33"
② min width = 21" 

WIDTH TO:	36"	48"	60"	72"	84"	89"
HEIGHT TO:						
36"	\$400	467	535	623	684	709
48"	453	535	611	720	794	821
60"	512	606	699	817	897	945
72"	571	676	785	914	1019	1059
84"	615	728	851	998	1112	1158
96"	659	785	918	1069	1192	1253
108"	699	840	987	1145	1282	1343
Track	240	263	291	333	356	366

3 PANEL ① min width = 48"
② min width = 30" 

WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"
HEIGHT TO:									
36"	\$486	549	619	712	781	848	909	1002	1074
48"	545	623	701	806	895	968	1048	1152	1232
60"	604	699	798	907	1008	1109	1198	1316	1411
72"	676	781	888	1019	1131	1246	1343	1486	1581
84"	724	838	960	1101	1229	1347	1465	1604	1733
96"	768	897	1029	1194	1318	1451	1579	1739	1867
108"	811	949	1097	1267	1402	1545	1697	1855	1996
Track	303	326	356	400	429	453	482	531	558

4 PANEL ① min width = 63"
② min width = 39" 

WIDTH TO:	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	175"
HEIGHT TO:												
36"	\$625	699	794	861	931	998	1107	1177	1248	1343	1408	1453
48"	709	785	895	981	1061	1137	1257	1347	1427	1535	1608	1674
60"	792	876	1004	1099	1200	1297	1425	1528	1621	1739	1840	1893
72"	880	983	1116	1234	1339	1457	1600	1716	1819	1947	2082	2139
84"	939	1059	1204	1333	1453	1575	1735	1857	1971	2109	2255	2318
96"	987	1124	1291	1425	1568	1701	1865	1998	2118	2286	2421	2488
108"	1059	1208	1371	1516	1672	1817	1994	2137	2263	2444	2592	2663
Track	\$387	417	465	495	520	552	608	632	661	714	741	752

PANEL ONLY ① min width = 18"
② min width = 12"
max width = 46"

WIDTH TO:	12"	24"	30"	36"	46"
HEIGHT TO:					
36"	\$126	171	202	227	269
48"	145	200	234	267	318
60"	160	232	269	312	368
72"	183	261	305	354	421
84"	194	286	339	387	467
96"	211	312	368	425	516
108"	225	335	396	461	556

5 - 10 PANEL 5 Panel ① min width = 78" ② min width = 48" 6 Panel min width = 93" ② min width = 57"
8 Panel ① min width = 123" ② min width = 75" 10 Panel min width = 152" ② min width = 93"

WIDTH TO:	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	204"	216"	228"	240"	252"	261"
HEIGHT TO:																	
36"	\$829	901	975	1044	1133	1202	1282	1383	1453	1524	1598	1691	1739	1823	1926	1992	2038
48"	931	1019	1093	1175	1286	1377	1451	1566	1642	1724	1808	1924	2011	2067	2204	2257	2331
60"	1034	1141	1223	1326	1455	1545	1646	1754	1859	1949	2048	2168	2276	2373	2472	2579	2659
72"	1162	1257	1362	1472	1617	1716	1844	1983	2101	2204	2314	2427	2547	2663	2773	2909	2996
84"	1229	1358	1480	1589	1735	1857	2000	2128	2255	2387	2505	2629	2762	2888	3004	3149	3244
96"	1305	1438	1568	1720	1865	1998	2128	2286	2421	2568	2695	2829	2971	3107	3234	3387	3491
108"	1394	1528	1672	1817	1994	2137	2278	2444	2592	2743	2884	3025	3179	3320	3457	3623	3735
Track	\$537	571	602	634	693	720	762	808	844	884	909	968	1000	1025	1080	1112	1143

Separate Valance

WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"	144"
Inside 6" Valance	\$74	88	137	158	185	217	236	261	301	318
Outside 6" Valance	93	114	164	185	217	246	269	297	337	356
Each Additional 3" Height	15	19	23	25	29	32	34	36	40	40
Add Valance Liner	27	36	46	57	67	78	84	91	103	109

NOTE: Select Weave fabrics maximum height is 96". Panel Tracks over 144" wide are spliced together at installation.

- ② **CUL**
 2070 Tobago
 2085 Antiqua Maze
 2086 Antiqua Surf
- ② **ELI**
 2153 Sakura Etude
- ② **EXO**
 2096 Zulu
- ① **SLW**
 2411 Jaipur Natural
 2417 Lagos
 2419 Lomaloma
 2431 Santos Natural
 2433 Sintra Dust
 2441 Tunisia

Price Group 4

2 PANEL

① min width = 33"
 ② min width = 21"



WIDTH TO:	36"	48"	60"	72"	84"	89"
HEIGHT TO:						
36"	\$499	583	669	781	855	888
48"	566	669	764	899	994	1025
60"	640	758	872	1021	1122	1183
72"	712	844	983	1143	1274	1324
84"	768	909	1063	1246	1389	1446
96"	823	981	1147	1339	1491	1566
108"	874	1048	1234	1432	1602	1680
Track	240	263	291	333	356	366

3 PANEL

① min width = 48"
 ② min width = 30"



WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"
HEIGHT TO:									
36"	\$606	686	775	891	975	1059	1139	1253	1343
48"	680	779	876	1006	1120	1211	1312	1440	1537
60"	756	872	998	1135	1259	1387	1497	1644	1764
72"	844	977	1112	1274	1413	1556	1678	1859	1979
84"	905	1048	1200	1377	1537	1684	1832	2004	2166
96"	962	1120	1286	1491	1646	1813	1975	2173	2335
108"	1015	1187	1371	1585	1752	1931	2120	2318	2495
Track	303	326	356	400	429	453	482	531	558

4 PANEL

① min width = 63"
 ② min width = 39"



WIDTH TO:	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	175"
HEIGHT TO:												
36"	\$783	874	992	1078	1162	1248	1383	1469	1558	1678	1760	1815
48"	886	983	1118	1225	1326	1421	1571	1684	1785	1918	2011	2093
60"	989	1097	1257	1373	1501	1623	1781	1912	2025	2171	2301	2366
72"	1101	1227	1396	1541	1672	1821	2000	2143	2274	2432	2602	2676
84"	1175	1322	1505	1663	1815	1966	2166	2320	2463	2636	2819	2897
96"	1234	1404	1613	1781	1960	2128	2331	2499	2644	2857	3027	3112
108"	1322	1509	1714	1895	2088	2272	2493	2672	2827	3055	3238	3328
Track	\$387	417	465	495	520	552	608	632	661	714	741	752

PANEL ONLY

① min width = 18"
 ② min width = 12"
 max width = 46"

WIDTH TO:	12"	24"	30"	36"	46"
HEIGHT TO:					
36"	\$158	213	253	284	337
48"	179	251	293	333	398
60"	200	288	337	389	461
72"	227	324	381	442	526
84"	242	358	423	486	585
96"	263	389	461	531	644
108"	282	419	493	575	695

5 - 10 PANEL

5 Panel ① min width = 78" ② min width = 48"
 8 Panel ① min width = 123" ② min width = 75"
 6 Panel ① min width = 93" ② min width = 57"
 10 Panel ① min width = 152" ② min width = 93"

WIDTH TO:	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	204"	216"	228"	240"	252"	261"
HEIGHT TO:																	
36"	1036	1126	1219	1305	1417	1503	1602	1731	1815	1905	1996	2114	2173	2280	2408	2491	2545
48"	1164	1274	1366	1469	1606	1720	1813	1958	2053	2156	2261	2404	2512	2585	2754	2821	2912
60"	1291	1427	1528	1659	1819	1931	2059	2192	2322	2438	2560	2712	2844	2964	3091	3223	3322
72"	1453	1571	1703	1842	2021	2143	2305	2478	2627	2756	2893	3034	3183	3331	3465	3636	3745
84"	1537	1697	1851	1985	2166	2320	2501	2661	2819	2983	3128	3288	3453	3611	3756	3937	4055
96"	1632	1800	1960	2149	2331	2499	2661	2857	3027	3211	3368	3537	3712	3884	4040	4234	4362
108"	1741	1912	2088	2272	2493	2672	2846	3055	3238	3427	3606	3783	3973	4149	4320	4528	4667
Track	\$537	571	602	634	693	720	762	808	844	884	909	968	1000	1025	1080	1112	1143

Separate Valance

WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"	144"
Inside 6" Valance	\$74	88	137	158	185	217	236	261	301	318
Outside 6" Valance	93	114	164	185	217	246	269	297	337	356
Each Additional 3" Height	15	19	23	25	29	32	34	36	40	40
Add Valance Liner	27	36	46	57	67	78	84	91	103	109

PANEL TRACK OPTIONS

Separate Valance Only

- Minimum width: 12" net
- Maximum width: 144"
- Standard valance height 6" – longer heights available (maximum height 24")



Inside Mount
(No Returns)

- 3/4" Dust Cover depth.
- Add liner to valance only at extra charge.
- Simple installation; pre-drilled opening in headrail; mount with hex head screws.



Outside Mount
with End Flap returns

- Standard return depth 6".
- Minimum return depth: 5", maximum return depth 7".
- Add liner to valance only at extra charge.
- Simple installation; pre-drilled opening in headrail; mount with L-Bracket attached to a threaded bolt and wing nut.

Separate Valance

WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"	144"
Inside 6" Valance	\$74	88	137	158	185	217	236	261	301	318
Outside 6" Valance	93	114	164	185	217	246	269	297	337	356
Each Additional 3" Height	15	19	23	25	29	32	34	36	40	40
Add Valance Liner	27	36	46	57	67	78	84	91	103	109

Additional Surcharges (Add to base price of Panel Track)

LINERS

- Translucent lineradd 10%
- Room-Darkening lineradd 10%

COTTON TWILL EDGE-BINDING

- 5/8" trim come standardno charge
- 1 1/2" trim sizeadd 5%


MEASURING & INSTALLATION SPECIFICATIONS

Panel Track Brackets



(A)

Inside / Ceiling Mount
Used on 2 and 3 channel track
Bracket Clip
(Part #181-CA-00700)



(B)

Inside / Ceiling Mount
Used on 4 and 5 channel track
Bracket Clip
(Part #181-CA-00600)



(C)

Outside / Wall Mount
Used on all tracks
Installation Bracket
(Part #30-CA-06600)

Mounting Depth Requirements

Number Track Channels	IB Mount Flush Mount Depth	IB Mount W/ Valance Flush Mount Depth	IB Mount Minimum Depth	OB Mount Wall Clearance	OB Mount Overall Projection
2	2-1/2"	3-1/2"	1-3/4"	2-1/2" – 3-1/8"	4-1/8" – 4-3/4"
3	2-3/4"	3-3/4"	1-3/4"	2-1/2" – 3-1/8"	4-1/2" – 5-1/4"
4	3-1/2"	4-1/2"	1-3/4"	2-1/2" – 3-1/8"	5-1/4" – 6"
5	3-1/2"	4-1/2"	2"	1-3/4" – 4"	5-1/8" – 7-3/8"

Deductions

	IB Mount	OB Mount
Headrail Width	- 1/4"	net
Panel Height Allowance	- 1/2"	net
Valance	- 1/8"	+2"


How To Measure

Note: Projection of window handles / cranks could interfere with panel track panels . . . refer to "mounting depth requirements" above for projection clearance

Inside Mount (IB) Installation - Window

To find width: Measure the opening across the top where the headrail is to be installed from inside of jamb on left to inside of jamb on right. **Round the measurement down to the nearest 1/8". Refer to mounting depth requirements.**

To find height: Measure from the inside top of the opening on the left, at the center, and on the right to the sill; **round the measurement down to the nearest 1/8" and note the smallest dimension. Do not make any allowances: the factory will make all adjustments so the headrail will fit the opening properly and the panels will clear the sill by 1/2".**




Inside Mount

Outside Mount (OB) Installation - Window

To find width: Measure the width of the area to be covered at the place where the headrail will be installed to the nearest 1/8". Blind should overlap opening at least 4" on each side to ensure privacy. To calculate stack dimensions, refer to page 6.

To find height: Measure the height of the area to be covered and **round down to the nearest 1/8"**. Blind should extend **at least 3" above and 3" below opening or window moulding.**



Outside Mount

Valance Brackets



Outside Mount
3" x 3" L-bracket
for 3-1/4" dust cap



Inside Mount
Hex Head Screw
1-1/2" #8




WARNING

Young children can STRANGLE in cord loops. They can also wrap cords around their necks and STRANGLE.

Child Safety Cord Tensioner

Attach the cord tensioner on the cord loop to the wall or window casement. This can prevent children from pulling cord loops around their necks.




Outside Mount (OB) Installation - Patio Door / Room Divider

To find width: Measure the width of the area to be covered at the place where the headrail will be installed to the nearest 1/8". Blind should overlap opening at least 4" on each side.

To find height: Measure the height of the area to be covered and **round down to the nearest 1/8"**. Blind should extend **at least 3" above opening or window moulding.**

For ceiling-to-floor installations, deduct 1/2" for proper clearance.

Specifying OB measurement means the factory makes no allowances.



Special Measuring & Installation Considerations

Stretching of panel materials is probable:

IB Mount - we do not recommend IB mount due to probable stretching

OB Mount - extra adjustment recommended for placement of mounting brackets above the floor to anticipate panel material stretching:

- Material can stretch up to 1" length