

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Wendy's Foxcroft	Facility Type Food Service Establishment	
Licensee Name G.K.Foods Corp	Facility Telephone # 304 264-1441	
Facility Address 765 Foxcroft Ave Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Complaint	Inspection Date 06/15/2018	Total Time Spent 0.58

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk In Cooler	
Frosty 1	
Under Counter Line 1	
Burger Cooler	
Burger Hot Holds Line	
Upper Hot Holds Line	
Under Counter Line 2	
Upper Prep Unit	
Fry Hot Hold	
Server Cooler	
Front Hot Holds	
Cooler Under Microwave	
Frosty 2	
Drive Thru Cooler	
Drive Thru Hot Holds	
Bacon/Cheese Sauce Hot Holds	
Chili hot hold above burger cooler	
M3 Turbo Air	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3bayBuckets	ChemicalChemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 1

Observed Non-Critical Violations

Total # 3

Repeated # 1

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Walls/Door Frames need repaired

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Broken Floor Tiles around establishment need repaired/replaced

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Drain/Wall behind + under ice machine needs cleaned

Inspection Outcome

Comments

Last Pest Control on May 22, 2018. Treated for cockroaches. Gel Bait/Arilon Insecticide/Demand CS Insecticide. No evidence of cockroaches/pest infestation at this time. Noted violations are possible entry points for pests/insects/rodents.

Disclaimer

Person in Charge

Sanitarian

Keith Allison