



ALUMINUM

BLINDS

Effective February 4, 2019

design simplified™

TABLE OF CONTENTS

Features And Options

- Features & Benefits 2
- Color Chart. 3

Pricing Information

- Price Chart and Option Charges. 4-10

Product Information

- Controls. 11
- Cord and Ladder Specifications. 11
- Mounting Requirements. 11
- Tilt Wand Lengths. 11
- Ladder Placement Chart 11
- Stack-Up Chart. 11
- Offset Stacking Chart 11
- Product Specifications. 12-13
- Cordless Lift & Lock™ Bottomrail Color Chart 14
- Product Components 15-20

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width are considered oversize. Therefore, a net shipping charge of \$40 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

FEATURES & BENEFITS



Value/Basic 1" Blinds:

- Spring-tempered .006 gauge slats - offered in a popular variety of colors. (Value offered in 6 top-selling colors)
- Heavy-duty standard headrail with crashproof cordlock and cast metal slip-clutch tilter – ensures smooth, reliable operation.
- Comes standard with a two-slat valance.

Traditional 1" Blinds:

- Spring-tempered .006 and .008 gauge slats – offered in best-selling styles and colors.
- Heavy-duty standard headrail with crash-proof cordlock and cast metal slip-clutch tilter – ensures smooth, reliable operation.
- Two-slat channel valance – covers the headrail and brackets and adds a finished look.

Deluxe 1" Blinds:

- Spring-tempered .008 gauge slats - available in a full selection of decorative colors and styles.
- Heavy-duty headrail with built-in valance - adds contemporary appeal.
- LightsOut room-darkening feature – blocks out unwanted light and increases privacy.
- 18mm ladder spacing - provides maximum slat overlap to ensure a tight closure.
- Crash-proof cordlock and cast metal slip-clutch tilter - provide smooth, reliable operation.

Macro 2" Blinds:

- Spring-tempered .008 gauge slats offered in popular colors.
- Heavy-duty standard headrail with crashproof cordlock and cast metal slip-clutch tilter – ensures smooth, reliable operation.
- Channel valance – covers the headrail and brackets and adds a finished look.

All Aluminum Blinds:

- Spring-tempered slats – resist kinks and dents, they bounce back.
- Dust-resistant finish repels dust and makes cleaning easier.
- Lockseam bottomrail provides added durability and resists bowing.
- Cord Connector separates under pressure and easily snaps together again.
- Cordless Lift & Lock upgrade provides cord free lifting for enhanced child & pet safety.
- Limited Lifetime Warranty ensures your customers' satisfaction.



Aluminum Blinds with
Cordless Lift & Lock™ are
Best For Kids certified
when ordered with wand tilt

COLOR CHART

	Deluxe Collection	Traditional Collection		Value Collection	Basic Collection	Macro Collection
COLOR NAME	1" .008 GAUGE	1" .006 GAUGE	1" .008 GAUGE	1" .006 GAUGE	1" .006 GAUGE	2" .008 GAUGE
ALABASTER	D8002	T6002	T8002	V6002	B6002	M2002
ANTIQUE	D8973	T6973	T8973		B6973	M2973
ANTIQUE PERFORATED	D8973P		T8973P			
ASH	D8913					
BEIGE	D8186	T6186	T8186		B6186	M2186
BISCUIT	D8315					
BISQUE	D8269	T6269	T8269		B6269	M2269
BLACK	D8048	T6048	T8048		B6048	M2048
BLACK PERFORATED	D8048P		T8048P			
BRIGHT ALUMINUM	D8190	T6190	T8190		B6190	M2190
BRUSHED ALUMINUM	D8065	T6065	T8065	V6065	B6065	
BRUSHED ALUMINUM PERFORATED	D8065P		T8065P			
BRUSHED NICKEL TEXTURE	D8262		T8262			
BURGUNDY	D8188					
CANVAS	D8830	T6830	T8830		B6830	M2830
CHALK WHITE	D8885	T6885	T8885		B6885	M2885
CHAR BROWN	D8064	T6064	T8064	V6064	B6064	M2064
CHAR BROWN MATTE	D8254					
CLASSIC RED	D8916					
CLAY	D8180	T6180	T8180		B6180	
COBALT BLUE	D8280					
COBBLESTONE	D8318	T6318	T8318		B6318	
COUNTRY BEIGE	D8319					
EGGSHELL	D8173				B6173	M2173
EVENING SNOW	D8385					
FAWN	D8205	T6205	T8205		B6205	M2205
FOREST	D8413	T6413	T8413		B6413	
GRAPHITE	D8983					
GRAYSTONE	D8748	T6748	T8748		B6748	M2748
KAOLIN PEARL	D8711	T6711	T8711		B6711	
LIGHT CAFFE	D8914					
LINEN	D8270				B6270	M2270
MERCURY	D8276				B6276	
OPAL	D8001	T6001	T8001		B6001	
PARCHMENT	D8402					
PEARL	D8974	T6974	T8974		B6974	M2974
PEWTER GRAY	D8405				B6405	
PLASTER	D8127	T6127	T8127	V6127	B6127	
PUMICE	D8203					
PURE WHITE	D8125	T6125	T8125	V6125	B6125	M2125
QUARTZ	D8018	T6018	T8018		B6018	M2018
RIVER LOG	D8917					
SEASHELL	D8795	T6795	T8795		B6795	
SIERRA	D8820	T6820	T8820		B6820	
SNOW GLOSS	D8110	T6110	T8110	V6110	B6110	M2110
SNOW GLOSS PERFORATED	D8110P		T8110P			
SOFT TAUPE	D8361					
SPRIG	D8919					
TALC	D8981				B6981	
TUSK	D8268	T6268	T8268		B6268	
VANILLA	D8350	T6350	T8350		B6350	M2350

// Aluminum Blinds – Traditional Routes

ALTA
WINDOW FASHIONS

ORDERING KEY

Style Code
1" V6+Color #

• Value 1" (V6)

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
HEIGHT TO:																				
42"	\$47	55	56	59	62	74	75	80	81	86	99	101	110	118	134	150	167	179	186	198
48"	48	55	58	60	65	75	81	84	86	90	103	105	115	123	140	159	174	189	194	206
54"	48	58	59	62	66	80	81	85	88	90	104	107	116	125	144	161	178	193	198	210
60"	50	58	60	63	69	81	85	86	89	93	105	110	119	131	146	164	183	197	205	220
66"	54	62	65	69	73	86	89	90	93	99	111	116	125	137	153	171	191	206	215	228
72"	55	63	66	70	74	88	90	93	96	101	115	118	129	140	156	176	195	213	221	236
78"	56	65	69	73	78	90	93	96	100	104	118	122	134	145	163	183	201	220	228	243
84"	56	66	70	73	80	92	95	99	103	107	120	125	137	149	165	186	206	225	235	250
90"	58	69	71	74	81	93	99	101	104	110	123	129	140	152	170	191	212	230	240	255
96"	58	69	73	75	84	95	100	103	105	111	125	133	144	155	174	195	215	236	245	261
102"	58	70	74	78	85	96	101	104	108	115	129	134	146	159	178	200	221	242	251	268
108"	59	71	74	80	86	100	103	107	110	116	133	137	149	161	182	204	225	246	257	273
114"	59	71	75	81	88	101	105	108	114	119	135	140	152	165	186	208	230	253	261	280
120"	60	73	78	84	89	103	107	110	115	122	138	144	155	168	190	212	236	257	268	287
126"	60	74	80	85	90	104	108	114	118	123	140	146	159	171	194	216	240	261	273	294

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	No Returns	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE	OPTIONS: NO EXTRA CHARGE
• Cordless Lift & Lock..... add \$56 each	• 2 On 1 Headrailprice as separate blinds • 3 On 1 Headrailprice as separate blinds (3 On 1 Headrail not available with Cordless Lift & Lock) • Controls – either LR, RL or grouped (Standard only) • Hold-Down Brackets (not available with Cordless Lift & Lock) • Extension Brackets • Spacer Blocks • Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) • Special Wand and Cord Length

SIZE SPECIFICATIONS - Value .006 Gauge		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	144"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	144"	144"
Maximum width with three on one headrail	144"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.

ORDERING KEY

 Style
 1"

 Code
 B6+Color #

• Basic 1" (B6)

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
HEIGHT TO:																				
42"	\$48	58	62	65	70	81	85	88	90	95	108	111	120	133	148	167	186	200	208	221
48"	50	60	63	66	71	86	90	93	96	101	115	118	129	140	156	176	195	210	219	234
54"	51	62	65	70	74	88	92	95	99	103	116	120	133	144	161	182	201	216	225	240
60"	54	63	69	71	78	90	93	99	101	107	120	125	137	149	165	189	208	224	235	253
66"	56	69	73	75	84	95	100	103	107	114	126	134	145	156	175	197	219	236	249	265
72"	58	70	74	80	86	99	103	107	110	116	133	137	149	161	182	204	224	246	257	273
78"	59	73	78	84	89	103	107	110	115	122	137	144	153	167	189	210	235	255	266	285
84"	59	74	80	85	90	104	108	114	118	125	141	148	159	174	194	219	242	264	275	295
90"	60	75	81	86	93	107	111	116	122	129	146	152	163	178	200	224	249	270	283	303
96"	62	78	84	89	95	108	115	119	123	133	149	155	167	183	205	228	254	276	291	311
102"	62	80	85	90	99	111	118	122	129	137	152	160	171	189	210	238	261	285	299	320
108"	63	81	88	92	100	115	120	125	133	140	156	164	176	194	216	243	269	294	309	329
114"	63	84	89	95	103	118	122	129	135	144	161	167	182	198	223	250	275	302	315	340
120"	65	85	90	96	104	119	125	133	138	148	164	171	186	204	228	255	283	310	325	348
126"	65	86	92	99	107	122	129	135	141	150	168	176	191	209	235	261	291	317	332	358

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	No Returns	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE

- Cordless Lift & Lock add \$56 each

OPTIONS: NO EXTRA CHARGE

- 2 On 1 Headrailprice as separate blinds
- 3 On 1 Headrail.....price as separate blinds
(3 On 1 Headrail not available with Cordless Lift & Lock)
- Controls – either LR, RL or grouped (Standard only)
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Extension Brackets
- Spacer Blocks
- Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock)
- Special Wand and Cord Length

SIZE SPECIFICATIONS - Basic .006 Gauge

	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	144"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	144"	144"
Maximum width with three on one headrail	144"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.

ORDERING KEY

Style

Code

1" .006 Gauge

T6+Color #

• Traditional 1" Aluminum Blinds with 2-Slat Channel Valance .006 Gauge (T6)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"	152"
HEIGHT TO:																					
42"	\$84	88	90	95	99	104	110	114	118	125	133	140	144	165	209	225	240	254	266	281	294
48"	85	89	92	96	101	107	111	115	120	127	137	142	148	170	216	231	249	262	277	291	305
54"	88	90	95	99	104	110	114	119	126	133	141	148	153	175	224	238	255	273	285	302	314
60"	89	92	96	101	105	111	116	122	130	135	144	150	156	180	230	246	262	280	294	310	325
66"	90	93	97	103	108	114	119	125	133	138	148	155	161	185	235	253	269	288	303	321	336
72"	93	97	103	107	112	118	125	131	137	144	153	161	168	193	245	261	283	298	314	333	348
78"	112	116	120	127	135	144	150	156	164	174	187	195	204	232	250	268	290	307	324	341	359
84"	116	122	127	134	141	149	156	164	171	180	194	204	210	240	260	280	299	318	336	354	373
90"	118	125	131	137	144	152	160	167	175	185	198	208	217	247	265	287	307	326	344	365	382
96"	119	126	133	138	145	155	163	170	179	190	202	212	223	251	273	292	314	336	352	374	393
102"	120	127	134	141	148	156	165	174	182	193	206	217	227	257	280	299	322	343	362	382	401
108"	122	131	137	142	150	160	168	176	187	197	209	223	231	262	285	306	332	351	371	393	411
114"	126	133	138	145	152	163	171	180	190	200	213	227	236	268	291	313	339	359	380	401	423
120"	126	134	140	146	155	165	175	182	193	202	219	231	240	275	296	318	344	366	388	410	431
126"	130	135	141	148	156	168	178	187	195	206	224	235	246	280	303	326	351	374	396	420	441

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	2-1/8"	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE

- Cordless Lift & Lock add \$56 each

OPTIONS: NO EXTRA CHARGE

- 2 On 1 Headrailprice as separate blinds
- 3 On 1 Headrail.....price as separate blinds
(3 On 1 Headrail not available with Cordless Lift & Lock)
- Controls – either LR, RL or grouped (Standard only)
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Extension Brackets
- Spacer Blocks
- Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock)
- Special Wand and Cord Length

SIZE SPECIFICATIONS - Traditional .006 Gauge

	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	152"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	152"	142"
Maximum width with three on one headrail	152"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.

ORDERING KEY

<u>Style</u>	<u>Code</u>
1" .008 Gauge	T8+Color #

• Traditional 1" Aluminum Blinds with 2-Slat Channel Valance .008 Gauge (T8)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"	152"
HEIGHT TO:																					
42"	\$85	89	92	96	101	107	112	116	122	130	137	144	149	170	217	232	250	264	279	292	306
48"	86	90	93	97	104	110	115	119	126	133	141	148	153	176	224	239	257	275	288	303	317
54"	89	93	96	101	107	112	118	122	130	137	145	152	159	182	232	249	266	284	298	314	330
60"	90	95	97	104	108	115	120	126	134	141	149	156	164	187	238	255	276	292	307	325	341
66"	92	96	101	105	111	118	125	130	137	144	153	161	168	193	246	262	284	302	317	336	351
72"	96	101	105	110	115	122	130	135	142	149	160	168	175	200	255	275	295	313	332	348	366
78"	115	119	126	133	140	148	155	163	171	180	194	204	212	242	261	283	303	322	340	360	378
84"	119	126	133	138	145	155	163	170	179	190	202	212	223	251	273	292	314	336	352	374	393
90"	120	127	134	141	148	159	165	174	182	193	206	217	228	258	280	299	324	344	363	384	403
96"	125	131	137	142	150	161	168	178	187	197	210	223	232	264	287	307	333	352	374	395	414
102"	126	133	138	145	153	164	174	180	191	201	216	228	238	269	292	315	340	362	382	405	427
108"	127	134	141	148	156	167	176	185	194	205	220	232	245	277	299	324	348	371	393	416	437
114"	130	137	142	149	159	170	179	189	198	209	227	238	249	283	307	332	356	381	401	427	449
120"	131	138	145	152	161	174	182	191	201	212	230	242	253	288	313	337	365	389	410	435	457
126"	133	140	146	153	164	176	185	195	205	217	234	247	258	294	318	345	373	397	422	446	470

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	2-1/8"	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE	OPTIONS: NO EXTRA CHARGE
• Cordless Lift & Lock..... add \$56 each	• 2 On 1 Headrailprice as separate blinds • 3 On 1 Headrail.....price as separate blinds (3 On 1 Headrail not available with Cordless Lift & Lock) • Controls – either LR, RL or grouped (Standard only) • Hold-Down Brackets (not available with Cordless Lift & Lock) • Extension Brackets • Spacer Blocks • Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) • Special Wand and Cord Length

SIZE SPECIFICATIONS - Traditional .008 Gauge		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	152"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	152"	142"
Maximum width with three on one headrail	152"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.

// Aluminum Blinds – Traditional Routes

ALTA
WINDOW FASHIONS

ORDERING KEY

Style Code
1" D8+Color #

• Deluxe 1" with Traditional Routes (D8)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"
HEIGHT TO:																				
42"	\$89	92	95	97	103	107	111	115	118	125	135	140	145	165	213	228	245	258	269	284
48"	90	93	96	101	105	110	114	118	122	127	140	145	149	171	224	236	254	269	283	295
54"	93	96	99	104	108	114	118	122	127	134	144	150	155	178	232	247	265	283	295	310
60"	95	97	103	107	111	116	120	126	131	138	149	155	161	185	240	257	277	294	307	324
66"	96	101	104	108	112	119	125	131	135	142	153	161	167	191	250	265	287	305	324	340
72"	99	104	107	111	116	122	130	135	140	146	159	167	174	197	258	277	296	321	337	354
78"	122	130	134	140	146	153	161	168	175	183	200	209	217	249	266	285	311	333	348	366
84"	126	131	137	142	148	159	165	171	179	189	204	213	224	254	275	292	321	341	359	378
90"	131	137	142	148	155	164	174	180	189	197	213	225	234	265	287	309	335	355	374	395
96"	134	140	145	150	159	168	178	185	193	202	220	231	239	275	296	318	344	367	385	407
102"	135	141	146	153	163	171	180	190	197	206	225	236	247	281	306	328	354	378	397	420
108"	138	144	149	156	165	176	185	194	201	212	231	242	253	291	314	337	365	390	410	433
114"	140	145	150	160	168	180	191	200	208	223	239	254	264	305	332	354	384	411	433	459
120"	141	148	153	163	174	183	195	204	212	227	246	260	269	313	339	365	395	423	448	474
126"	144	149	159	165	176	190	200	208	217	232	253	265	283	321	348	375	405	434	459	486

Finished Dimensions	Outside (OB) Mount			Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Hidden Bracket	+1/4"	Ordered Height	Ordered Width	-1/4"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE	OPTIONS: NO EXTRA CHARGE
• Cordless Lift & Lock add \$56 each	• 2 On 1 Headrailprice as separate blinds • 3 On 1 Headrail.....price as separate blinds (3 On 1 Headrail not available with Cordless Lift & Lock) • Controls – either LR, RL or grouped (Standard only) • Hold-Down Brackets (not available with Cordless Lift & Lock) • Extension Brackets • Spacer Blocks • Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) • Special Wand and Cord Length

SIZE SPECIFICATIONS - Deluxe .008 Gauge, Traditional Routes		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	142"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	142"	142"
Maximum width with three on one headrail	142"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	124 sq. ft.	133 sq. ft.

ORDERING KEY

 Style
 1"

 Code
 D8+Color #

• Deluxe 1" with LightsOut (D8)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"
HEIGHT TO:																				
42"	\$90	93	96	101	105	110	115	118	122	130	140	145	150	174	225	239	255	273	285	298
48"	93	96	99	104	108	114	118	122	127	135	145	152	156	180	235	250	268	287	299	314
54"	96	99	103	107	112	118	122	130	134	140	150	159	164	189	246	261	283	299	314	332
60"	97	103	105	110	115	120	127	134	138	145	156	164	171	195	255	275	294	313	330	347
66"	99	104	108	112	118	126	133	137	142	149	163	170	178	202	265	284	306	326	347	365
72"	103	107	111	116	122	131	137	142	148	155	168	178	185	210	277	296	321	345	363	382
78"	127	134	140	146	153	163	171	179	187	197	212	224	234	265	287	307	336	356	377	397
84"	131	137	142	149	156	167	176	183	193	202	220	231	240	276	296	318	347	373	392	412
90"	137	144	149	156	164	175	185	193	201	210	231	242	253	287	310	336	363	389	408	431
96"	140	145	152	160	168	179	190	197	205	217	236	249	260	295	322	347	375	400	423	446
102"	142	148	155	163	174	183	194	202	210	225	245	257	266	305	335	356	388	414	437	461
108"	144	150	159	167	176	189	198	208	217	231	250	262	276	315	343	367	399	427	450	478
114"	146	153	163	171	180	195	205	216	227	239	261	277	290	335	362	390	425	453	480	509
120"	148	155	165	175	185	198	209	223	232	246	266	284	296	344	373	401	434	468	493	524
126"	150	161	168	178	191	204	213	228	238	254	276	291	309	352	384	412	449	482	510	542

Finished Dimensions	Outside (OB) Mount			Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Hidden Bracket	+1/4"	Ordered Height	Ordered Width	-1/4"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: NO EXTRA CHARGE

- 2 On 1 Headrailprice as separate blinds
- 3 On 1 Headrail.....price as separate blinds
- Controls – either LR, RL or grouped (Standard only)
- Hold-Down Brackets
- Extension Brackets
- Spacer Blocks
- Tile Cut-Out – max. 5-1/2" each side
- Special Wand and Cord Length

SIZE SPECIFICATIONS - Deluxe .008 Gauge, Routeless

	Standard Cordlock
Slat width	1"
Minimum width (NET)	8"
Minimum height	6"
Maximum width of a single blind	142"
Maximum height	126"
Maximum width with two on one headrail	142"
Maximum width with three on one headrail	142"
Blind with tilter only – net width	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"
Blind with controls in any position – net width	18-1/8" or more
Maximum square feet, single blind	124 sq. ft.

ORDERING KEY

Style Code
2" M2+Color #

• Macro 2" with Channel Valance (M2)

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
HEIGHT TO:																				
42"	\$88	104	108	114	120	126	133	141	145	152	160	165	179	247	262	295	311	345	362	373
48"	89	105	111	116	125	131	135	145	150	159	164	171	187	255	273	306	324	359	375	388
54"	92	108	114	119	130	135	141	149	155	164	171	179	193	265	284	318	337	374	392	404
60"	92	111	116	122	133	138	144	153	160	168	176	183	198	275	291	326	345	384	401	416
66"	96	115	120	130	138	144	149	161	167	176	183	193	206	285	305	341	362	400	420	435
72"	97	116	125	131	141	146	153	164	170	180	189	197	210	292	313	350	371	410	431	448
78"	125	150	160	167	179	189	197	209	219	231	240	253	273	306	328	366	388	429	449	465
84"	127	153	163	171	183	193	201	216	225	236	249	260	280	314	337	377	399	441	463	483
90"	127	155	165	175	187	195	205	220	230	242	254	264	285	322	345	385	408	452	476	494
96"	133	163	171	182	195	205	216	232	240	255	268	283	303	344	367	411	437	483	509	532
102"	134	165	176	185	200	209	223	236	247	262	276	290	310	352	380	425	450	495	524	547
108"	135	168	179	191	204	213	227	242	254	268	283	295	318	360	389	433	460	509	538	561
114"	138	171	182	194	208	220	231	247	260	276	290	303	326	370	397	445	475	523	550	577
120"	141	175	187	198	212	225	236	255	265	283	296	310	336	380	408	455	485	536	565	592
126"	142	178	191	202	217	231	240	260	273	290	303	318	344	389	420	468	498	549	580	607

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
2" Aluminum Blind – Box Bracket	-1/4"	Ordered Height	Ordered Width	2-7/8"	-3/4"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE	OPTIONS: NO EXTRA CHARGE
• Cordless Lift & Lock add \$56 each	• 2 On 1 Headrailprice as separate blinds • 3 On 1 Headrail.....price as separate blinds (3 On 1 Headrail not available with Cordless Lift & Lock) • Controls – either LR, RL or grouped (Standard only) • Hold-Down Brackets • Extension Brackets • Spacer Blocks • Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) • Special Wand and Cord Length

SIZE SPECIFICATIONS - 2" Macro, Traditional Routes		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	2"	2"
Minimum width (NET)	8"	10-1/2"
Minimum height	12"	12"
Maximum width of a single blind	144"	144"
Maximum height	126"	84"
Maximum width with two on one headrail	192"	144"
Maximum width with three on one headrail	192"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	144 sq. ft.	

SIZE SPECIFICATIONS - 2" Macro, Routeless	
	Standard Cordlock
Slat width	2"
Minimum width (NET)	8"
Minimum height	12"
Maximum width of a single blind	144"
Maximum height	126"
Maximum width with two on one headrail	192"
Maximum width with three on one headrail	192"
Blind with tilter only – net width	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"
Blind with controls in any position – net width	18-1/8" or more
Maximum square feet, single blind	144 sq. ft.

FEATURES AND OPTIONS

CONTROLS

Standard Cordlock	Width (NET)
Tilt only (does not lift)	8" to 10-3/8"
Split (Lift Cord L, Wand R)	10-1/2" to 18"
Any position (LR, RL, Grouped)	18-1/8" or more

Lift & Lock	Width (NET)
Center tilt only	10-1/2" to 12-3/8"
Left or Right tilt (Center tilt n/a)	12-1/2" or more

Note: Lift function is controlled by the bottomrail for Cordless Lift & Lock

CORD AND LADDER

- Color coordinated with slats
- Cord length is 40% of the height of the blind unless otherwise specified.
- Lift cord features a color-coordinated cord connector that separates under pressure. It easily snaps together again.

TILT WAND

Clear wand. Wand length is standard, see chart below, or select one of the other lengths available and specify that length when ordering.*

Tilt Wand	
All 1" Blinds	
Wand Length	Blind Height
12"	12" to 22"
20"	22-1/8" to 37"
30"	37-1/8" to 52"
40"	52-1/8" to 67"
50"	67-1/8" to 82"
60"	82-1/8" to 144"

*Optional Lengths: 70", 78", 90", or 120"

2" Blinds	
Wand Length**	Blind Height
12"	12" to 24"
20"	24-1/8" to 36"
30"	36-1/8" to 48"
40"	48-1/8" to 60"
50"	60-1/8" to 75"
60"	75-1/8" to 90"
70"	90-1/8" to 105"
78"	105-1/8" to 117"
90"	117-1/8" to 126"

*Optional Length: 120"

** Cord tilt cord length will be 40% of the blind height unless otherwise specified

MOUNTING REQUIREMENTS

	Inside (IB) Mount		Outside (OB) Mount
	Minimum Required Depth	Minimum Required Depth Flush Mount	Minimum Required Mounting Surface
Value/Basic 1"	7/8"	1-1/4"	5/8"
Traditional 1"	1-3/8"	2-1/4"	1-3/8"
Deluxe 1"	7/8"	1-3/4"	5/8"
Macro 2"	1-1/8"	3-3/8"	1-3/4"

Center Support Brackets – All Blinds	
Width	# of Brackets
48" - 84"	1
84-1/8" - 120"	2
Over 120"	3

LADDER PLACEMENT

The following charts show the number of ladders based on blind width.

1" Blinds	
Finished Width	# of Ladders
Up to 36"	2
36-1/8" to 60"	3
60-1/8" to 84"	4
84-1/8" to 108"	5
108-1/8" to 132"	6
132-1/8" to 152"	7

2" Blinds	
Finished Width	# of Ladders
Up to 46-1/2"	2
46-5/8" to 80-1/2"	3
80-5/8" to 114-1/2"	4
114-5/8" to 144"	5

STACKING

Add the selected style to the Blind Stack


Headrail/Bottomrail	1" Blinds
Value/Basic	1-1/2"
Traditional	1-1/2"
Deluxe	2"
+	+
Each 12" of Blind Height	3/8"

Blind Height	2" Blinds (approx)
36"	4-1/2"
48"	4-3/4"
60"	5"
72"	5-1/4"
84"	5-1/2"
96"	5-3/4"
108"	6"
120"	6-1/4"
126"	6-1/2"

For Lift & Lock add an additional 3/4" to the total.

DELUXE 1" BLIND OFFSET STACKING

Length of Offset	Amount of Offset
12"	1/4"
24"	7/16"
36"	9/16"
48"	11/16"
60"	3/4"
72"	13/16"
84"	13/16"
96"	7/8"
108"	7/8"
120"	7/8"



PRODUCT SPECIFICATIONS

	Value	Basic	Traditional	
FEATURES	1" .006 GAUGE	1" .006 GAUGE	1" .006 GAUGE	1" .008 GAUGE
# of Colors	6	31	26	31
Slat Gauge	0.006	0.006	0.006	0.008
Dust-Resistant Finish	Yes	Yes	Yes	Yes
Headrail Size	1" X 1"	1" X 1"	1" X 1-1/2"	1" X 1-1/2"
Headrail Gauge	0.024	0.024	0.024	0.024
Bottomrail - Standard	Lockseam	Lockseam	Lockseam	Lockseam
Bottomrail - Lift & Lock	The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail. Please refer to the Lift & Lock Bottomrail Color listing for the coordinating rail color.			
Lightsout Feature	N/A	N/A	N/A	N/A
Bracket Style	Box	Box	Box	Box
Cord Size	1.4 mm	1.4 mm	1.4 mm	1.4 mm
Ladder Spacing	23 mm	22 mm	22 mm	22 mm
Wand	Clear, Standard	Clear, Standard	Clear, Standard	Clear, Standard
Cord Tilter	N/A	N/A	N/A	N/A
Valance Style	2 Slats in Clips	2 Slats in Clips	2 Slat Channel Valance	2 Slat Channel Valance
Headrail End Stiffener	Yes	Yes	Yes	Yes
Cord Connector	Colored	Colored	Colored	Colored
OPTIONS				
Cordless Lift & Lock™	Yes	Yes	Yes	Yes
2 or 3 on 1 Headrail* - 3 on 1 headrail not available with Cordless Lift & Lock	Yes	Yes	Yes	Yes
Control Positions (LR, RL, Grouped)	Yes	Yes	Yes	Yes
Extension Brackets	Yes	Yes	Yes	Yes
Hold-down Brackets - not available with 1" Cordless Lift & Lock	Yes	Yes	Yes	Yes
Spacer Blocks	Yes	Yes	Yes	Yes
Tile Cut-out - not available with Cordless Lift & Lock	Yes	Yes	Yes	Yes
SIZE SPECIFICATIONS				
Slat width	1"	1"	1"	1"
Standard Lift Cords				
Minimum width (NET)	8"	8"	8"	8"
Minimum height	6"	6"	6"	6"
Maximum width of a single blind	144"	144"	152"	152"
Maximum height	126"	126"	126"	126"
Maximum width with 2 or 3 on 1 headrail	144"	144"	152"	152"
Maximum width end mount	48"	48"	48"	48"
Blind with tilter only – net width	8" to 10-3/8"	8" to 10-3/8"	8" to 10-3/8"	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"	10-1/2" to 18"	10-1/2" to 18"	10-1/2" to 18"
Blind can have controls in any position – net width	18-1/8" to 144"	18-1/8" to 144"	18-1/8" to 152"	18-1/8" to 152"
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.	133 sq. ft.	133 sq. ft.
Cordless Lift & Lock™				
Minimum width (NET)	10-1/2"	10-1/2"	10-1/2"	10-1/2"
Maximum width of a single blind	120"	120"	120"	120"
Minimum height	12"	12"	12"	12"
Maximum height	84"	84"	84"	84"
Maximum width Cordless Lift & Lock w/ 2 on 1	144"	144"	142"	142"
Maximum width end mount	N/A	N/A	N/A	N/A
Center tilt only – NET width	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"
Left or Right tilt only - NET width	12-1/2" or more	12-1/2" or more	12-1/2" or more	12-1/2" or more
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.	133 sq. ft.	133 sq. ft.

* 2 or 3 Blinds On 1 Headrail – a crating surcharge may be assessed, see General Information section for shipping related surcharges

PRODUCT SPECIFICATIONS

	Deluxe	Macro
FEATURES	1" .008 GAUGE	2" .008 GAUGE
# of Colors	51	18
Slat Gauge	0.008	0.008
Dust Resistant Finish	Yes	Yes
Headrail Size	1-1/4" X 1-1/2"	2-1/4" X 1-1/2"
Headrail Gauge	0.024	0.024
Bottomrail - Standard	Lockseam	Lockseam
Bottomrail - Lift & Lock	The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail. Please refer to the Lift & Lock Bottomrail Color listing for the coordinating rail color.	
Lightsout Feature - not available with Cordless Lift & Lock	Available	Available
Bracket Style	Hidden	Box
Cord Size	1.4 mm	1.4 mm
Ladder Spacing	22 mm	42 mm
Wand Tilt	Clear, Standard	Clear, Standard
Valance Style	Built-in	Channel Valance
Headrail End Stiffener	n/a	Yes
Cord Connector	Colored	Colored
OPTIONS		
Cordless Lift & Lock™	Yes	Yes
2 or 3 on 1 Headrail* - 3 on 1 headrail not available with Cordless Lift & Lock	Yes	Yes
Control Positions (LR, RL, Grouped)	Yes	Yes
Cord Tilt	N/A	Yes
Extension Brackets	Yes	Yes
Hold-down Brackets - not available with 1" Cordless Lift & Lock	Yes	Yes
Spacer Blocks	Yes	Yes
Tile Cut-out - not available with Cordless Lift & Lock	Yes	Yes
SIZE SPECIFICATIONS		
Slat width	1"	2"
Standard Lift Cords		
Minimum width (NET)	8"	8"
Minimum height	6"	12"
Maximum width of a single blind	142"	144"
Maximum height	126"	126"
Maximum width with 2 or 3 on 1 headrail	142"	192"
Blind with tilter only – net width	8" to 10-3/8"	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"	10-1/2" to 18"
Blind can have controls in any position – net width	18-1/8" to 142"	18-1/8" to 144"
Maximum square feet, single blind	124 sq. ft.	144 sq. ft.
Cordless Lift & Lock™		
Minimum width (NET)	10-1/2"	10-1/2"
Minimum height	12"	12"
Maximum width of a single blind	120"	144"
Maximum height	84"	84"
Maximum width 2 on 1 headrail	142"	144"
Maximum square feet, single blind	124 sq. ft.	144 sq. ft.
Center tilt only – NET width	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"
Left or Right tilt only - NET width	12-1/2" or more	12-1/2" or more
Maximum square feet, single blind	124 sq. ft.	144 sq. ft.

* 2 or 3 Blinds On 1 Headrail – a crating surcharge may be assessed, see General Information section for shipping related surcharges

CORDLESS LIFT & LOCK™ BOTTOMRAIL COLOR CHART




The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below. There are **more slat** colors **than** available **rail** colors, please review the rail colors listed below when ordering. Rail colors listed can be found in the Aluminum sample deck.

NOTE: Due to color availability in each size rail, there are cases where the 1" and 2" slats in the same color will have different color bottomrails.


COLOR NAME	1" .008 GAUGE	Traditional Collection		Value Collection	Basic Collection	All 1" Styles		Macro Collection	All 2" Blinds	
		1" .006 GAUGE	1" .008 GAUGE			Cordless Lift & Lock Bottomrail	Color #		Cordless Lift & Lock Bottomrail	Color #
Alabaster	D8002	T6002	T8002	V6002	B6002	Alabaster	002	M2002	Alabaster	002
Antique	D8973	T6973	T8973		B6973	Alabaster	002	M2973	Antique	973
Antique Perforated	D8973P		T8973P			Alabaster	002			
Ash	D8913					Mercury	276			
Beige	D8186	T6186	T8186		B6186	Alabaster	002	M2186	Alabaster	002
Biscuit	D8315					Alabaster	002			
Bisque	D8269	T6269	T8269		B6269	Plaster	127	M2269	Antique	973
Black	D8048	T6048	T8048		B6048	Black	048	M2048	Black	048
Black Perforated	D8048P		T8048P			Black	048			
Bright Aluminum	D8190	T6190	T8190		B6190	Brushed Aluminum	065	M2190	Brushed Aluminum	065
Brushed Aluminum	D8065	T6065	T8065	V6065	B6065	Brushed Aluminum	065			
Brushed Aluminum Perforated	D8065P		T8065P			Brushed Aluminum	065			
Brushed Nickel Texture	D8262		T8262			Brushed Aluminum	065			
Burgundy	D8188					Alabaster	002			
Canvas	D8830	T6830	T8830		B6830	Alabaster	002	M2830	Alabaster	002
Chalk White	D8885	T6885	T8885		B6885	Pure White	125	M2885	Snow Gloss	110
Char Brown	D8064	T6064	T8064	V6064	B6064	Char Brown	064	M2064	Char Brown	064
Char Brown Matte	D8254					Char Brown	064			
Classic Red	D8916					Alabaster	002			
Clay	D8180	T6180	T8180		B6180	Graystone	748			
Cobalt Blue	D8280					Mercury	276			
Cobblestone	D8318	T6318	T8318		B6318	Graystone	748			
Country Beige	D8319					Plaster	127			
Eggshell	D8173				B6173	Alabaster	002	M2173	Alabaster	002
Evening Snow	D8385					Plaster	127			
Fawn	D8205	T6205	T8205		B6205	Alabaster	002	M2205	Alabaster	002
Forest	D8413	T6413	T8413		B6413	Alabaster	002			
Graphite	D8983					Black	048			
Graystone	D8748	T6748	T8748		B6748	Graystone	748	M2748	Brushed Aluminum	065
Kaolin Pearl	D8711	T6711	T8711		B6711	Plaster	127			
Light Caffe	D8914					Mercury	276			
Linen	D8270				B6270	Plaster	127	M2270	Antique	973
Mercury	D8276				B6276	Mercury	276			
Opal	D8001	T6001	T8001		B6001	Pure White	125			
Parchment	D8402					Alabaster	002			
Pearl	D8974	T6974	T8974		B6974	Plaster	127	M2974	Pearl	974
Pewter Gray	D8405				B6405	Mercury	276			
Plaster	D8127	T6127	T8127	V6127	B6127	Plaster	127			
Pumice	D8203					Alabaster	002			
Pure White	D8125	T6125	T8125	V6125	B6125	Pure White	125	M2125	Snow Gloss	110
Quartz	D8018	T6018	T8018		B6018	Snow Gloss	110	M2018	Snow Gloss	110
River Log	D8917					Char Brown	064			
Seashell	D8795	T6795	T8795		B6795	Pure White	125			
Sierra	D8820	T6820	T8820		B6820	Black	048			
Snow Gloss	D8110	T6110	T8110	V6110	B6110	Snow Gloss	110	M2110	Snow Gloss	110
Snow Gloss Perforated	D8110P		T8110P			Snow Gloss	110			
Soft Taupe	D8361					Char Brown	064			
Sprig	D8919					Alabaster	002			
Talc	D8981				B6981	Pure White	125			
Tusk	D8268	T6268	T8268		B6268	Plaster	127			
Vanilla	D8350	T6350	T8350		B6350	Alabaster	002	M2350	Alabaster	002

NOTE: Bottomrail colors are pre-selected. Hardware color override is not available.


PRODUCT COMPONENTS – 1" VALUE/BASIC BLIND




PRODUCT COMPONENTS – 1" TRADITIONAL BLIND



PRODUCT COMPONENTS – 1" DELUXE BLIND



PRODUCT COMPONENTS – ALL 1" CORDLESS LIFT & LOCK™




Pocket/Ferrule Clear (Part #3200156000C)
Included in headrail for skew adjustment

1" Deluxe Wand Extender
(Part #7008702000)



NOTE: Components shown are for the 1" Lift & Lock bottomrail. With the exception of the pocket & ferrule, all headrail components are the same as standard blinds.



PRODUCT COMPONENTS – 2" MACRO BLIND



PRODUCT COMPONENTS – 2" MACRO WITH CORDLESS LIFT & LOCK™



*when ordered with wand tilt



Hold Down Brackets for 2" Macro
Cordless Lift & Lock
Sill - 3/8" (Part #KIT2009)
Jamb - 3/4" (Part #KIT2010)



Cord Skew Adjuster (Part #7300501000)
Included in headrail for skew adjustment

NOTE: Components shown are for the 2" Lift & Lock bottomrail. With the exception of the skew adjuster, all headrail components are the same as standard blinds.