

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Just in Time Seafood	Facility Type Food Service Establishment	
Licensee Name Just in Time Seafood, LLC	Facility Telephone # 304 262-3474	
Facility Address 245 Retail Commons Parkway Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 01/30/2018	Total Time Spent 1.27

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Fridge	40
Ice display	40
Prep unit	41
Walk in Cooler	37
Hot Holds	139

Food Temperatures	
Description	Temperature (Fahrenheit)
Steam table food	139

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
SanitizerBucket	Chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 0</p> <p>4-501.114 - MANUAL AND MECHANICAL WAREWASHING EQUIPMENT - SANITIZER NOT BEING USED PER MANUFACTURER This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): No sanitizer at time of inspction made</p>

Observed Non-Critical Violations

Total # 6

Repeated # 0

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Sandwich case needs gasket repaired

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Dunnage rack across from the steamers needs cleaned

4-601.11(C) - NON-FOOD CONTACT SURFACES

OBSERVATION: Inside of the sandwich case needs cleaned in back, non food contact area

4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED

OBSERVATION: Clean pans are being stored or stacked without being air-dried first..

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor and racks need cleaned in the freezer.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Several vents need cleaned in the unit

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



Amanda Curtin



Glenn GCO Ondick