

# ALL SAW BLADE COILS (BY WIDTH)



<u>ITEM</u>	<u>P/N</u>	<u>WIDTH</u>	<u>GAGE</u>	<u>PITCH</u>	<u>SET</u>	<u>LENGTH</u>	<u>UNIT</u>	<u>EDGE</u>	<u>BACKING</u>	<u>CARBIDE TOOTH</u>
1	1308-0490	1/5	0.025	14	0.043	200	FT	CARBON	CARBON	-
2	1333-0460	1/4	0.035	6	0.058	16,800	FT	MATRIX	D6A	-
3	1303-0110	3/8	0.035	6	0.058	10,900	FT	M42	3% Cr.	-
4	1305-0150	3/8	0.025	2.5	0.044	63	FT	TUNGSTEN	-	SET TOOTH
5	1358-1040	3/8	0.032	2	0.060	500	FT	CARBON	CARBON	-
6	1358-1080	3/8	0.025	3	0.050	13,250	FT	CARBON	CARBON	-
7	1358-1110	3/8	0.032	3	0.060	50	FT	CARBON	CARBON	-
8	1358-1140	3/8	0.032	3	0.060	700	FT	CARBON	CARBON	-
9	1358-1180	3/8	0.025	4	0.050	375	FT	CARBON	CARBON	-
10	1384-1040	3/8	0.032	2	0.060	15,000	FT	CARBON	CARBON	-
11	1384-1080	3/8	0.025	3	0.050	52,250	FT	CARBON	CARBON	-
12	1384-1370	3/8	0.032	3	0.060	34,500	FT	CARBON	CARBON	-
13	1303-0170	1/2	0.025	10	0.043	2,500	FT	M42	3% Cr.	-
14	1303-0180	1/2	0.035	10	0.058	500	FT	M42	3% Cr.	-
15	1303-0190	1/2	0.025	14	0.043	12,500	FT	M42	3% Cr.	-
16	1303-0260	1/2	0.025	18	0.043	15,700	FT	M42	3% Cr.	-
17	1303-9320	1/2	0.035	5-8	0.058	2,700	FT	MATRIX	D6A	-
18	1303-9340	1/2	0.035	6-10	0.058	8,000	FT	MATRIX	D6A	-
19	1303-9350	1/2	0.025	8-12	0.044	8,300	FT	MATRIX	D6A	-
20	1303-9360	1/2	0.035	8-12	0.058	17,000	FT	MATRIX	D6A	-
21	1310-0370	1/2	0.032	10	0.062	11,460	FT	CARBON	CARBON	-
22	1323-0300	1/2	0.025	10	0.040	24,630	FT	CARBON KNIFE	CARBON	-
23	1333-0260	1/2	0.035	6	0.058	9,200	FT	MATRIX	D6A	-
24	1358-1560	1/2	0.032	3	0.060	8,500	FT	CARBON	CARBON	-
25	1384-1520	1/2	0.025	3	0.050	480	FT	CARBON	CARBON	-

# ALL SAW BLADE COILS (BY WIDTH)



<u>ITEM</u>	<u>P/N</u>	<u>WIDTH</u>	<u>GAGE</u>	<u>PITCH</u>	<u>SET</u>	<u>LENGTH</u>	<u>UNIT</u>	<u>EDGE</u>	<u>BACKING</u>	<u>CARBIDE TOOTH</u>
26	1384-1600	1/2	0.025	4	0.050	92	FT	CARBON	CARBON	-
27	1321-0260	5/8	0.017	3	0.026	5,850	FT	CARBON KNIFE	CARBON	-
28	1321-0340	5/8	0.017	4	0.026	7,500	FT	CARBON KNIFE	CARBON	-
29	1321-0590	5/8	0.020	4	0.035	200	FT	CARBON	CARBON	-
30	1321-0750	5/8	0.020	3	0.040	1,900	FT	CARBON	CARBON	-
31	1321-0830	5/8	0.025	4	0.040	8,941	FT	CARBON KNIFE	CARBON	-
32	1321-5050	5/8	0.020	3	0.035	9,000	EA	CARBON KNIFE	CARBON	-
33	1322-0240	5/8	0.020	3	0.035	21,527	EA	CARBON KNIFE	CARBON	-
34	1322-0320	5/8	0.020	4	0.035	7,413	EA	CARBON KNIFE	CARBON	-
35	1322-0400	5/8	0.025	3	0.040	16,320	FT	CARBON	CARBON	-
36	1322-0650	5/8	0.025	4	0.040	2,726	FT	CARBON KNIFE	CARBON	-
37	1358-2110	5/8	0.032	2	0.062	1,500	FT	CARBON	CARBON	-
38	1358-2150	5/8	0.032	3	0.062	1,250	FT	CARBON	CARBON	-
39	1384-2180	5/8	0.032	4	0.062	500	FT	CARBON	CARBON	-
40	1303-1820	3/4	0.035	5-8	0.058	1,250	FT	MATRIX	D6A	-
41	1303-3000	3/4	0.035	8-12	0.058	1,700	FT	MATRIX	D6A	-
42	1303-4100	3/4	0.035	4-6	0.058	7,000	FT	M42	3% Cr.	-
43	1303-4150	3/4	0.035	6-10	0.058	2,000	FT	M42	3% Cr.	-
44	1310-0940	3/4	0.035	10	0.066	16,532	FT	CARBON	CARBON	-
45	1321-9430	3/4	0.025	3	0.040	150	FT	CARBON	CARBON	-

# ALL SAW BLADE COILS (BY WIDTH)



<u>ITEM</u>	<u>P/N</u>	<u>WIDTH</u>	<u>GAGE</u>	<u>PITCH</u>	<u>SET</u>	<u>LENGTH</u>	<u>UNIT</u>	<u>EDGE</u>	<u>BACKING</u>	<u>CARBIDE TOOTH</u>
46	1326-0250	3/4	0.035	3	0.065	78	FT	TUNGSTEN	-	TRIPLE CHIP
47	1333-1580	3/4	0.035	5-8	0.058	4,500	FT	MATRIX	D6A	-
48	1358-2520	3/4	0.032	2	0.062	12,750	FT	CARBON	CARBON	-
49	1358-2540	3/4	0.032	2	0.100	4,750	FT	CARBON	CARBON	-
50	1358-2560	3/4	0.032	3	0.062	1,250	FT	CARBON	CARBON	-
51	1302-9510	1	0.035	4-6	0.058	8,231	FT	MATRIX	D6A	-
52	1302-9520	1	0.035	5-8	0.058	4,824	FT	MATRIX	D6A	-
53	1302-9530	1	0.035	6-10	0.058	9,136	FT	MATRIX	D6A	-
54	1303-4750	1	0.035	5-8	0.075	10,283	FT	MATRIX	D6A	-
55	1303-5960	1	0.042	5-8	0.085	260	FT	MATRIX	D6A	-
56	1303-7290	1	0.050	5-8	0.080	35	FT	-	-	-
57	1303-7690	1	0.035	10-14	0.058	3,664	FT	M42	3% Cr.	-
58	1303-9000	1	0.035	4-6	0.058	13,037	FT	M42	3% Cr.	-
59	1305-0290	1	0.035	2.5	0.058	245	FT	TUNGSTEN	-	SET TOOTH
60	1305-0450	1	0.035	2.5	0.058	26	FT	TUNGSTEN	-	SET TOOTH
61	1307-6700	1	0.035	5-8	0.055	5,849	FT	PM	3% Cr.	-
62	1309-2110	1	0.035	3	0.060	5,913	FT	CARBON	CARBON	-
63	1310-1340	1	0.035	8	0.066	9,919	FT	CARBON	CARBON	-
64	1310-1360	1	0.035	10	0.066	3,175	FT	CARBON	CARBON	-
65	1319-6350	1	0.035	4-6	0.065	494	FT	-	-	-
66	1320-2340	1	0.035	3-4	0.065	4,617	FT	M42	3% Cr.	-
67	1320-2580	1	0.035	5-8	0.065	6,231	FT	M42	3% Cr.	-
68	1323-0550	1	0.035	8	0.058	6,735	FT	CARBON KNIFE	CARBON	-
69	1326-0350	1	0.035	3	0.065	224	FT	TUNGSTEN	-	TRIPLE CHIP
70	1333-2230	1	0.035	2-3	0.058	765	FT	MATRIX	D6A	-

# ALL SAW BLADE COILS (BY WIDTH)



<u>ITEM</u>	<u>P/N</u>	<u>WIDTH</u>	<u>GAGE</u>	<u>PITCH</u>	<u>SET</u>	<u>LENGTH</u>	<u>UNIT</u>	<u>EDGE</u>	<u>BACKING</u>	<u>CARBIDE TOOTH</u>
71	1334-7480	1	0.035	10	0.058	250	FT	CARBON	CARBON	-
72	1358-3040	1	0.035	2	0.070	5,680	FT	CARBON	CARBON	-
73	1358-3280	1	0.035	3	0.065	4,500	FT	CARBON	CARBON	-
74	1381-2340	1	0.035	3-4	0.065	75	FT	PM	3% Cr.	-
75	1381-2460	1	0.035	4-6	0.065	16,572	FT	PM	3% Cr.	-
76	1381-2580	1	0.035	5-8	0.055	8,638	FT	PM	3% Cr.	-
77	1384-3130	1	0.035	1.3	0.065	4,750	FT	CARBON	CARBON	-
78	1301-3750	1 1/5	0.050	4-6	0.078	10	FT	M42	3% Cr.	-
79	1301-5930	1 1/4	0.042	1.15	0.085	3,150	FT	M42	3% Cr.	-
80	1301-5940	1 1/4	0.042	1.3	0.072	3,191	FT	M42	3% Cr.	-
81	1301-6110	1 1/4	0.042	4-6	0.065	5,300	FT	M42	3% Cr.	-
82	1301-8420	1 1/4	0.042	2	0.072	6,395	FT	M42	3% Cr.	-
83	1302-9610	1 1/4	0.042	3-4	0.065	13,679	FT	MATRIX	D6A	-
84	1302-9620	1 1/4	0.042	4-6	0.065	9,439	FT	MATRIX	D6A	-
85	1303-0990	1 1/4	0.042	4-6	0.080	4,114	FT	M42	3% Cr.	-
86	1303-7700	1 1/4	0.042	6	0.065	3,069	FT	M42	3% Cr.	-
87	1305-3260	1 1/4	0.042	2.5	0.065	484	FT	TUNGSTEN	-	SET TOOTH
88	1306-4660	1 1/4	0.042	4-6	0.065	196	FT	M42	3% Cr.	-
89	1310-3590	1 1/4	0.042	10	0.066	13,591	FT	CARBON	CARBON	-
90	1319-5330	1 1/4	0.042	3-4	0.065	2,077	FT	M42	3% Cr.	-
91	1319-5580	1 1/4	0.042	2-3	0.065	806	FT	M42	3% Cr.	-
92	1326-0400	1 1/4	0.042	2	0.072	1,052	FT	TUNGSTEN	-	TRIPLE CHIP
93	1327-3340	1 1/4	0.042	3-4	0.072	288	FT	TUNGSTEN	-	TRIPLE CHIP
94	1328-3340	1 1/4	0.042	3-4	0.072	242	FT	TUNGSTEN	-	TRIPLE CHIP
95	1331-3340	1 1/4	0.042	3-4	0.072	484	FT	TUNGSTEN	-	TRIPLE CHIP
96	1333-3460	1 1/4	0.042	4-6	0.065	551	FT	MATRIX	D6A	-

8/9/2013

# ALL SAW BLADE COILS (BY WIDTH)



<u>ITEM</u>	<u>P/N</u>	<u>WIDTH</u>	<u>GAGE</u>	<u>PITCH</u>	<u>SET</u>	<u>LENGTH</u>	<u>UNIT</u>	<u>EDGE</u>	<u>BACKING</u>	<u>CARBIDE TOOTH</u>
97	1358-3560	1 1/4	0.035	1.3	0.070	11,697	FT	CARBON	CARBON	-
98	1381-3230	1 1/4	0.042	2-3	0.065	1,012	FT	PM	3% Cr.	-
99	1381-3460	1 1/4	0.042	4-6	0.070	770	FT	PM	3% Cr.	-
100	1381-3580	1 1/4	0.042	5-8	0.062	4,699	FT	PM	3% Cr.	-
101	1384-3440	1 1/4	0.035	.75	0.070	500	FT	CARBON	CARBON	-
102	1384-3990	1 1/4	0.042	1.3	0.085	12,729	FT	CARBON	CARBON	-
103	1302-5390	1 1/4	0.042	5-8	0.065	3,000	FT	MTX	D6A	-
104	1301-8870	1 1/2	0.050	3-4	0.080	2,333	FT	M42	3% Cr.	-
105	1304-8140	1 1/2	0.050	3-4	0.085	270	FT	PM	3% Cr.	-
106	1305-4230	1 1/2	0.050	2-3	0.085	36	FT	TUNGSTEN	-	SET TOOTH
107	1307-8870	1 1/2	0.050	3-4	0.080	34	FT	PM	3% Cr.	-
108	1309-9060	1 1/2	0.035	3	0.065	5,418	FT	CARBON	CARBON	-
109	1319-3750	1 1/2	0.050	4-6	0.078	505	FT	M42	3% Cr.	-
110	1320-4230	1 1/2	0.050	2-3	0.100	5,140	FT	M42	3% Cr.	-
111	1320-4580	1 1/2	0.050	5-8	0.100	1,976	FT	M42	3% Cr.	-
112	1327-3750	1 1/2	0.050	2-.085	0.085	127	FT	TUNGSTEN	-	TRIPLE CHIP
113	1327-4220	1 1/2	0.050	2-3	0.085	55	FT	TUNGSTEN	-	TRIPLE CHIP
114	1328-4220	1 1/2	0.050	2-3	0.085	548	FT	TUNGSTEN	-	TRIPLE CHIP
115	1328-4310	1 1/2	0.050	1.3-2	0.085	297	FT	TUNGSTEN	-	TRIPLE CHIP
116	1328-4340	1 1/2	0.050	3-4	0.085	2,838	FT	TUNGSTEN	-	TRIPLE CHIP
117	1331-4340	1 1/2	0.050	3-4	0.000	236	FT	TUNGSTEN	-	TRIPLE CHIP
118	1358-4230	1 1/2	0.035	1.3	0.070	179	FT	CARBON	CARBON	-
119	1358-4320	1 1/2	0.035	2	0.060	1,200	FT	CARBON	CARBON	-
120	1381-4120	1 1/2	0.050	1.5-2	0.000	1,755	FT	PM	3% Cr.	-
121	1857-0950	1 4/5	0.050	4	.015- .022	348	FT	TUNGSTEN	-	TRIPPLE CHIP

# ALL SAW BLADE COILS (BY WIDTH)



<u>ITEM</u>	<u>P/N</u>	<u>WIDTH</u>	<u>GAGE</u>	<u>PITCH</u>	<u>SET</u>	<u>LENGTH</u>	<u>UNIT</u>	<u>EDGE</u>	<u>BACKING</u>	<u>CARBIDE TOOTH</u>
122	1301-0700	2	0.063	1.5-2	0.100	1,634	FT	M42	3% Cr.	-
123	1301-0720	2	0.063	.8-1.2	0.100	212	FT	M42	3% Cr.	-
124	1301-3840	2	0.063	4-6	0.090	1,998	FT	M42	3% Cr.	-
125	1304-8460	2	0.063	1-1.5	0.105	988	FT	PM	3% Cr.	-
126	1305-5230	2	0.063	2-3	0.100	61	FT	TUNGSTEN	-	SET TOOTH
127	1306-4450	2	0.063	1.5-2	0.080	387	FT	M42	3% Cr.	-
128	1306-5120	2	0.063	1.5-2	0.110	1,337	FT	M42	3% Cr.	-
129	1307-9020	2	0.063	2-3	0.100	255	FT	PM	3% Cr.	-
130	1319-3270	2	0.063	2-3	0.100	231	FT	M42	3% Cr.	-
131	1320-5230	2	0.063	2-3	0.120	729	FT	M42	3% Cr.	-
132	1320-5340	2	0.063	3-4	0.120	947	FT	M42	3% Cr.	-
133	1320-5460	2	0.063	4-6	0.110	945	FT	M42	3% Cr.	-
134	1327-5320	2	0.063	1.3-2	0.110	397	FT	TUNGSTEN	-	TRIPPLE CHIP
135	1328-5230	2	0.063	2-3	0.110	601	FT	TUNGSTEN	-	TRIPLE CHIP
136	1328-5710	2	0.063	.7-1.0	0.110	193	FT	TUNGSTEN	-	TRIPLE CHIP
137	1333-5460	2	0.063	4-6	0.100	1,823	FT	MATRIX	D6A	-
138	1333-5460	2	0.063	4-6	0.100	1,823	FT	MATRIX	D6A	-
139	1336-5230	2	0.050	2-3	0.080	2,165	FT	MATRIX	D6A	-
140	1336-5460	2	0.050	4-6	0.080	1,220	FT	MATRIX	D6A	-
141	1340-5460	2	0.050	4-6	0.100	3,399	FT	M42	3% Cr.	-
142	1358-5130	2	0.035	3	0.070	1,251	FT	CARBON	CARBON	-
143	1381-5110	2	0.063	1-1.3	0.100	1,355	FT	PM	3% Cr.	-
144	1381-5120	2	0.063	1.5-2	0.100	46	FT	PM	3% Cr.	-
145	1381-5810	2	0.063	.8-1.2	0.100	946	FT	PM	3% Cr.	-
146	1301-1830	2 5/8	0.063	.8-1.2	0.100	890	FT	M42	3% Cr.	-
147	1301-1850	2 5/8	0.063	1-1.5	0.100	200	FT	M42	3% Cr.	-

8/9/2013

# ALL SAW BLADE COILS (BY WIDTH)



<u>ITEM</u>	<u>P/N</u>	<u>WIDTH</u>	<u>GAGE</u>	<u>PITCH</u>	<u>SET</u>	<u>LENGTH</u>	<u>UNIT</u>	<u>EDGE</u>	<u>BACKING</u>	<u>CARBIDE TOOTH</u>
148	1301-1860	2 5/8	0.063	1-1.5	0.100	2,628	FT	M42	3% Cr.	-
149	1301-6110	2 5/8	0.063	1-1.3	0.100	49	FT	M42	3% Cr.	-
150	1301-9660	2 5/8	0.063	1.3	0.100	1,865	FT	M42	3% Cr.	-
151	1305-6720	2 5/8	0.063	1.3-2	0.110	567	FT	TUNGSTEN	-	SET TOOTH
152	1306-6120	2 5/8	0.063	1.5-2	0.110	64	FT	M42	3% Cr.	-
153	1320-6230	2 5/8	0.063	2-3	0.120	7	FT	M42	3% Cr.	-
154	1320-6250	2 5/8	0.063	2-3	0.135	81	FT	M42	3% Cr.	-
155	1320-6340	2 5/8	0.063	3-4	0.120	932	FT	M42	3% Cr.	-
156	1327-6720	2 5/8	0.063	1.3-2	0.110	80	FT	TUNGSTEN	-	TRIPLE CHIP
157	1328-6710	2 5/8	0.063	.7-1.0	0.110	198	FT	TUNGSTEN	-	TRIPLE CHIP
158	1328-6720	2 5/8	0.063	1.3-2	0.110	794	FT	TUNGSTEN	-	TRIPLE CHIP
159	1301-4300	3 1/7	0.063	.8-1.2	0.100	40	FT	M42	3% Cr.	-
160	1301-9900	3 1/7	0.063	3-4	0.095	460	FT	M42	3% Cr.	-
161	1306-7110	3 1/7	0.063	1-1.3	0.110	185	FT	M42	3% Cr.	-
162	1381-7810	3 1/7	0.063	.8-1.2	0.100	2,499	FT	PM	3% Cr.	-