UPDATED 2018

Minimum Requirements for New Commercial Buildings

	REQUIRED DOCUMENTS MUST BE SUBMITTED AT TIME OF PERMIT APPLICATION					
1.	1. Copy of the recorded deed (if metes and bounds) or legal description and County Property Records Card.					
2.	Florida Energy Efficiency Forms: Provide two (2) complete sets of energy calculations on the appropriate forms. All sheets shall contain the signatures of the person who performed the calculations, owner/agent, architect, electrical, mechanical, plumbing, and lighting designers. Provide two (2) copies of load calculations.	Yes	No	N/A		
3.	Fire Marshall plan review form shall be complete. MSDS shall be provided for storage of hazardous materials in "H" occupancies.	Yes	No	N/A		
4.	Two copies of the approved site plans.	Yes	No	N/A		
5.	Restaurants are required to submit two (2) copies of plans approved by Department of Business and Professional Regulation, Division of Hotels and Restaurants.	Yes	No	N/A		
6.	Contact the appropriate state agency if you plan on installing any underground storage tanks (352) 343-3776	Yes	No	N/A		
7.	Sanitary sewer/water: If sanitary sewer/water service is not available, provide a copy of septic tank permit/well permit. Contact State of Florida Health Department NOTE: Septic tank /well is not an option; if facilities are available, the plumbing systems shall be connected to the available services.	Yes	No	N/A		
8.	Flood Protection: Flood Damage Control Regulations and minimum standards under the National Flood Insurance Program require new construction, substantial improvements and remodeling projects to be protected from flood damage. Pursuant to these regulations, the following information must be included with plans submitted for approval for structures built within the Special Flood Hazard Area (for greater detail, please refer to the Flood Plain Coordinator): verification of grade and structural related elevations; certification of materials, ventilation and floodproofing techniques, area identified for remodeling and the value of construction; and added engineer certifications for construction within a floodway or velocity zone and for commercial construction below the base flood elevation.	Yes	No	N/A		
9.	Two (2) copies of pre-engineered building shop drawings. Shop drawings shall be signed and sealed by a design professional and shall indicate the design criteria clearly indicated; i.e., wind loading, floor and roof live and dead loads. One copy if electronically submitted.	Yes	No	N/A		
10.	State Health Department permit is required to install water distribution systems serving multiple buildings or if water line is 1 ¹ / ₄ " or larger.	Yes	No	N/A		
	PLANS AND SPECIFICATIONS		-			
1.	Plans and specifications: Three (3) copies of drawings to scale (¹ / ₄ " = 1') with sufficient clarity and detail to indicate the nature and scope of work. Such drawings shall contain information, in the form of notes or otherwise, as to the quality of materials, where the quality is essential to conforming with the technical codes of the 2020 Florida Building, Plumbing, Mechanical, Fuel Gas, 2017 National Electrical Codes, and the 2020 Florida Fire Prevention Code. All drawings, specifications and accompanying data shall bear the name and signature of the person(s) responsible for the design.	Yes	N o	N/ A		
2.	 The following information related to wind loads shall be shown on the construction plans: Basic wind speed, mph, (km/hr). Wind importance factor (I) and building category per FBC requirements. Wind exposure – if more than one (1) wind exposure is utilized, the wind exposure and applicable wind direction shall be indicated. The applicable internal pressure coefficient. Components and Cladding. The design wind pressures in terms of psf, (kN/m2) to be used for the design of exterior component and cladding materials not specifically designed by the registered design professional. 	Yes	No	N/A		

	To Be Each Be Ci App	Box S	hall As	
3.	Occupancy group and special occupancy shall be noted.	Yes	No	N/A
	Minimum type of construction shall be noted as determined by Table 601 and 602	Yes	No	N/A
4.	Detail(s) Provided showing compliance with table 601	Yes	No	N/A
	Detail(s) provided showing compliance with table 602.	Yes	No	N/A
5.	Provide the maximum area as provided by applicable sections of chapter 5 FBC and any required calculations justifying any area of increase.	Yes	No	N/A
6.	Allowable Height/Actual Height including calculations per chapter 5.	Yes	No	N/A
7.	Designed Occupant Load per table 1004.1.2 FBC.	Yes	No	N/A
8.	Method of treating mixed uses per section 508 FBC. Please provided written description of how this is being treated, Non-separated, separated mixed use (provide ration sum), or separated buildings.	Yes	No	N/A
9.	Minimum plumbing fixtures Required/Provided per section 403 FPC.	Yes	No	N/A
10.	 Fire resistant construction requirements shall be shown and shall include the following components: Fire resistant separations. (Table 706.4 FBC) Fire resistant protection for type of construction.(Table 601 & Table 602) Protection of openings and penetrations of rated walls.(t. 716.5) Listed assemblies of rated walls, floors/ceilings, and shaft enclosures. Calculated fire resistance.(section 722) Incidental usage separation (509) 	Yes	No	N/A
ID	ENTIFY THE FOLLOWING ON SCALED, DIMENSIONED FLOOR AND CEILING PI SCALED DIMENSIONED CODE ANALYSIS DIAGRAM FOR 11 - 20	LANS O	OR OI	NA
11.	Buildings on the same lot or fire area (section 705.3 and 503.1.2)	Yes	No	N/A
12.	Each tenant space if the project is in a shopping center or other use with multiple tenants (chapter 4).	Yes	No	N/A
13.	The use of each room or space (t. 1004.1 and 302)	Yes	No	N/A
14.	Square footage and design occupant load per room. Give actual design number and tabular area per Table 1004.1.2 and 302.1. where applicable.	Yes	No	N/A
15.	Demolition plan and asbestos abatement		No	N/A
16.	Fire-resistive rated construction, including fire wall, fire partitions, fire barriers, smoke barriers, shaft enclosures, horizontal assemblies, fire separation assemblies, incidental use area and smoke partitions per chapter 7.		No	N/A
17.	Sprinkler, fire alarm and detection systems, and fire suppression equipment locations per chapter 9	Yes	No	N/A
18.	Fire extinguishing cabinet and stand pipe cabinet locations 905.7	Yes	No	N/A
19.	Egress capacity, proposed egress and egress direction at every point chapter 10	Yes	No	N/A
20.	Exit signage and emergency lighting locations, sections 1013 and 1008	Yes	No	N/A

A DIMENSIONED SITE LAYOUT PLAN THAT INCLUDES ALL OF THE FOLLOWING 21-26

			r	r
21.	Established street grades, proposed finished grades and ground floor elevations.	Yes	No	N/A
22.	The slopes of paving on the accessible route.	Yes	No	N/A
23.	Overall dimensions of all buildings on the site	Yes	No	N/A
24.	Footprints of all construction to be demolished, to remain, or to be constructed	Yes	No	N/A
25.	The distance from the building footprint(s) to property lines and any adjacent buildings drawn in accordance with an accurate boundary line survey.	Yes	No	N/A
26.	Accessible parking	Yes	No	N/A
	A DOOR SCHEDULE THAT PROVIDES ALL OF THE FOLLOWING 27-3	1		
27.	All door sizes	Yes	No	N/A
28.	Hardware type (locks, latches, handles, closers, panic and fire exit hardware, operating devices, access control systems)	Yes	No	N/A
29.	Door fire rating expressed in hours or minutes if rated	Yes	No	N/A
30.	Glazing type	Yes	No	N/A
31.	Product Approval requirements for exterior doors and windows etc.	Yes	No	N/A
32.	Building Sections locating floor/ceiling and roof/ceiling assemblies with details, design numbers and specifications	Yes	No	N/A
33.	Typical wall sections and partition types All fire rated walls must be labeled as to the type (fire partition, fire barrier, smoke barrier, shaft enclosure, horizontal assembly, fire separation assembly, fire wall, smoke partition), provided with design numbers and specifications (U.L. Gypsum Association, etc.), drawn full height with cross sections of all fire rated assemblies including all material used in the assembly, support and termination details must be included.	Yes	No	N/A
34.	Stair and ramp sections	Yes	No	N/A
35.	Through penetration and fire stopping systems with details, design numbers and specifications.	Yes	No	N/A
36.	If this project is an alteration, identify all walls and other structural framing that will be affected by the alteration. If the framing or foundation systems will be altered, provide complete foundation and framing plans with the design loads listed. Framing plans should provide beam, joist, rafter and truss sizes and layouts. Foundation plans should show footing depths, sizes and design bearing capacity.	Yes	No	N/A
37.	Interior wall finish requirements (section 803 and t. 803.11)	Yes	No	N/A

		Г	r	r 1
38.	Floor live loads, including concentrated loads	Yes	No	N/A
39.	Roof live loads and dead loads	Yes	No	N/A
40.	Effective wind loads/pressures for the main wind force resisting system and components and cladding (windward, leeward, uplift, component and cladding pressures section 1609)	Yes	No	N/A
41.	Rain load including the ds and dh used for calculation per section 1611 for flat /very low slope roofs	Yes	No	N/A
42.	Basic Wind Speed section, including risk category, exposure group, and internal pressure coefficient 1609 FBC	Yes	No	N/A
43.	Note indicating all assembly rooms must have occupant load posted	Yes	No	N/A
44.	Compliance statement per 110.8.4.4 FBC	Yes	No	N/A
45.	Threshold Inspection Plan and Shoring Plan where required by 109.3.6 FBC	Yes	No	N/A
46	Special Inspector Credentials	Yes	No	N/A
47.	Provide structural calculations	Yes	No	N/A
	ELECTRICAL REQUIREMENTS			
48.	 Electrical plans shall comply with the 2017 National Electrical Code and shall include the following: Designer name and registration number shall be on all plans. Type, location, and capacity of all service equipment. Size and length of wiring enclosures, including dimensions of junction boxes. The number, size, and type of all conductors to be installed in wiring enclosures. The location of every proposed outlet, including switches. The location, voltage, horsepower, kilowatt, or similar rating of every motor or generator. Location and wattage of every transformer or other appliance to be installed. Details of panelboard, switchboard, and distribution centers, showing type and arrangement switches, over-current devices, and general control equipment. Panelboard or switchboard schedules showing wattage or amperage and the number of active or branch circuits to be installed, and the number of spare or branch circuits for future use. The location of emergency lighting systems and exit lighting. The circuiting of every electrical outlet with size of conductor and raceway. The load calculation sheet, and method used to perform the calculation. Conduit type and conductors installed. Derating calculations if applicable. Identification of all Hazardous locations. Identification of all rooms as they apply to the requirements of NFPA 70 	Yes	No	N/A

	GAS REQUIREMENTS								
49.	 Gas plans shall include the following: Designer name and registration number shall be on all plans. Gas piping layout.with all lengths, and size changes. Venting. Gas riser diagram/shut-offs and pipe sizes. Type of gas. Appliances.along with BTU rating Fireplaces. Chimneys and vents. L P tank locations. 	Yes	No	N/A					
	MECHANICAL PLANS								
50.	 Designer name and registration number Duct size and type for both Return and Supply Damper locations, along with the type of damper. Equipment location and required access widths CFM at each register for both Return and Supply Typical Duct Installation requirements, insulation attachment and support Exhaust duct type, size, location, termination and roof penetration detail Make up air size and location. Fresh air location, size and volume. Location must be indicated on the plan per 403 FMC Attachment of mechanical equipment must be indicated per the wind zone indicated. Combustion air size, location. Required clearances of specific appliances 								

inspecti	e An Inspe ionrequest ispections.r		Per Applic		In addition to t may be require approval from Federal agenc commencing v	other State of ies prior to		Permit Nun	nber
	•	es of this form	•	Project Addre	ess				
be notarized	if signed p	rior to coming	to City Hall.	Project Desc	ription				
Property ID Key	/Number			Parcel Numbe	ər				
Owner's Name		Mailing Addres	SS		City, State, Zip	•		Telephone	
General Contrac	ctor	Mailing Addres	SS		City, State, Zip)		Telephone	
Construction Co	ontractor	Mailing Addres	SS		City, State, Zip	1		Telephone	
Electrical Contra	actor	Mailing Addres	SS		City, State, Zip)		Telephone	
Plumbing Contra	actor	Mailing Addres	ŝS		City, State, Zip)		Telephone	
HVAC Contracto	or	Mailing Addres	SS		City, State, Zip)		Telephone	
Roofing Contrac	ctor	Mailing Addres	SS		City, State, Zip)		Telephone	
Legal Descriptio	on								
Bonding Compa									
Bonding Compa	any Address								
Architect's Name	е								
Architect's Addr	ess								
		•		Project In	formation				
Sub	bdivision N	ame	Phase	Lot No.	Model	Elevation	Lot Area	Impervious	s Surface Ratio
Flood Zone									
	1		Setbac	ks Provided	d over Requi	ired (ft)			
Front		Rear		Side		Corner		Street Side	÷
Proj	ject		rea	Electrical	Hvac		ater		Meter
New		Living		Service Size	Туре	Municipal		Size	
Alteration		Garage		4	Effic	Well		Dlumbin	
Addition Repair		Porch(s) Other		-	Airhandler	iency	Sewer	Plumbin	<u>y</u>
Other		Total		-	Condenser	1	Septic	-	
Gara	aue		of Bedrooms		Cost / Value			Code In Ef	fect
Attached			Boardonie						1001
Detached									
						Data			
Applicant Sign		r failure to record	a Notice of Com	mencement ma	av result in your	Date _	r improvemen	ts to your prope	rty. If you intend to
									t does not assure
			e structure does						
Ũ	•	setbacks and nor d all Re-Inspectio		of easements. P	Permits expire 6	months after is	suance. You	are responsible	for the completion
or the permit, ins	spections, an		11 Fees.						
The forego	bing instru	ument was a	acknowledge	ed before i	me this		da	y of	
		, 20	_, by						who
is persona	lly known	to me or ha	as produced						as
-	-		or did not _						3.0
(Seal)									
```	alia								
Notary Put	UIIC								

# **PRODUCT APPROVAL SPECIFICATION SHEET**

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. Statewide approved products are listed online @ www.floridabuilding.org

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
1. EXTERIOR DOORS			
A. SWINGING			
B. SLIDING			
C. SECTIONAL/ROLL UP			
D. OTHER			
2. WINDOWS			
A. SINGLE/DOUBLE HUNG			
B. HORIZONTAL SLIDER			
C. CASEMENT			
D. FIXED			
E. MULLION			
F. SKYLIGHTS			
G. OTHER			
3. PANEL WALL			
A. SIDING			
B. SOFFITS			
C. STOREFRONTS			
D. GLASS BLOCK			
E. OTHER			
4. ROOFING PRODUCTS			
A. ASPHALT SHINGLES			
B. NON-STRUCT METAL			
C. ROOFING TILES			
D. SINGLE PLY ROOF			
E. OTHER			
5. STRUCT COMPONENTS			
A. WOOD CONNECTORS			
B. WOOD ANCHORS			
C. TRUSS PLATES			
D. INSULATION FORMS			
E. LINTELS			
F. OTHERS			
6. NEW EXTERIOR			
ENVELOPE PRODUCTS			
Α.			

The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements. Further, I understand these products may have to be removed if approval cannot be demonstrated during inspection.

After recording return to:

Permit No:	
Tax Folio or Alternate Key #:	

#### NOTICE OF COMMENCEMENT Astatula, Clermont, Eustis, Fruitland Park, Howey in the Hills, Groveland, Lady Lake, Lake County, Leesburg, Mascotte, Minneola, Montverde, Mount Dora, Tavares, Umatilla

The undersigned hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

1.	Description of property:	(legal description of the property	, and street address if available)
		Street Address:	
2.	General description of impro-	vement:	
3.	Owner's Information:	Name:	
		Address:	
		Interest in Property:	e titleholder (if other than owner):
		Name and Address of fee simple	s titlenolder (if other than owner):
4.	Contractor Information:	Name:	
		Address:	
		Telephone No.	Fax No. (Opt.)
5.	Surety Information:	Name:	
		Address:	
		Telephone No Amount of Bond:	Fax No. (Opt.)
6.	Lender Information:	Name:	
		Address:	
		Telephone No.	Fax No. (Opt.)
7.	Persons within the State of F served as provided by Section	n 713.13(1)(a)7.,Florida Statutes:	om notices or other documents may be
		Address:	Fax No. (Opt.)
8.	In addition to himself or herse	elf, Owner designates	of ection <u>713.13</u> (1) (b), Florida Statutes:
	to receive a copy of the follow	Name:	ection <u>713.13</u> (1) (b), Florida Statutes:
		Address:	
		Telephone No.	Fax No. (Opt.)
9.		ommencement (the expiration date is	1 year from the date of recording unless a
PA) PR(	MENTS UNDER CHAPTER 713, DPERTY. A NOTICE OF COMMEN	PART I, SECTION <u>713.13</u> , FLORIDA STA ICEMENT MUST BE RECORDED AND P	IE EXPIRATION OF THE NOTICE OF COMMENCEMENT ARE CONSIDERED IMPROPER TUTES, AND CAN RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR OSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN ENCING WORK OR RECORDING YOUR NOTICE OF COMMENCEMENT.
			Signature of Owner or Owner's Authorized Officer/Director /Partner /Manager
			Printed Name & Signatory's Title/Office
<b>Th</b> -	for a going in a trunch trunch a start and	adread before me this day of	20 hu
ine	ioregoing instrument was acknowl	eugeu belore me misday or	, 20, by

who is [] personally known to me or [] has produced ______as identification and [] who did or [] did not take an oath.

Signature of Notary Public - State of Florida

Print, type or Stamp Commissioned Name of Notary Public

Verification pursuant to Section 92.525, Florida Statutes

Under penalties of perjury, I declare that I have read the foregoing and that the facts stated in it are true to the best of my knowledge and belief.

## **LIMITED POWER OF ATTORNEY**

Date	:	
I here	eby name and appoint:	
an ag	gent of:	
	gent of:(Name of Company)	
	e my lawful attorney-in-fact to act for me to apply for, receipt for, sign for and do all ssary to this appointment for ( <b>check only one option</b> ):	things
	All permits and applications submitted by this contractor.	
	The specific permit and application for work located at:	
	(Street Address)	
Expi	ration Date for This Limited Power of Attorney:	
Licer	nse Holder Name:	
State	e License Number:	
Signa	ature of License Holder:	
	TE OF FLORIDA JNTY OF	
	The foregoing instrument was acknowledged before me this $\ day$ of $ 20_ by \ who is \Box personally know$	wn
	to me or $\Box$ who has produced	as
	Signature	
(Nota	ary Seal) Print or type name	
	Notary Public - State of	
	Commission No.	
	My Commission Expires:	