

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name McDonald's Apple Harvest	Facility Type Food Service Establishment	
Licensee Name Keenen Enterprises II, Inc	Facility Telephone # 304	
Facility Address 14634 Apple Harvest Drive Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 05/18/2018	Total Time Spent 1.50

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk-In	37
Drawers	38
Salad Prep	39
Salad	38
Creamer	35
McCafe Machine	37
Milk	38
Orange Juice	37
Beverage Air Shake Mix	38
Drive Thru Refrig	38

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
Chicken Nuggets	165
Hamburger	149

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-BaySinkBucket	ChemicalChemical		30050	QuatChlorine	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

**Observed Critical Violations**

**Total # 2**

**Repeated # 0**

**2-301.14 - WHEN TO WASH**

**This is a critical violation**

**OBSERVATION:** Observed employee sneeze at drive thru handling cups for drinks and did not wash hands after and handling cups from the top..

**4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE**

**This is a critical violation**

**OBSERVATION: (CORRECTED DURING INSPECTION):** Clean utensils stored not clean

**Observed Non-Critical Violations**

**Total # 7**

**Repeated # 0**

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** Hinge on McCafe machine door missing (part ordered)

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

**OBSERVATION:** Chicken nugget frozen storage gaskets need replaced (torn)

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Inside of microwaves need cleaned (tops)

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Bag-In-Box valve leaking (part ordered and on way)

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Valve access for mop sink faucet needs repaired

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Vent covers above Walk-In door need cleaned

**6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION**


**OBSERVATION:** Burger grill hood vents need cleaned

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



**Shelley Degrange**

Sanitarian



**Keith Allison**