WEST VIRGINIA Department of Health & Human Resources
BUREAU FOR PUBLIC HEALTH

West Virginia Department of Health & Human Resources

Berkeley County Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of **Priority** items and 10 calendar days for **Priority Foundation** items or **HACCP** Plan deviations. (§ *64 C.S.R. 17-3.1.j.*)

OBSERVATION TOTALS PRIORITY: 0 PRIORITY FOUNDATION: 0
CORE: 0 TOTAL: 0

ESTABLISHMENT: P+G		**PERMIT NO.:**	**DATE:** 11/4/2019
ADDRESS: 396 Development Drive.	**CITY:** Martinsburg	**STATE:** WV	**ZIP:**
PERSON IN CHARGE/TITLE: X JUSTIN MEYER		**TELEPHONE:**	
RECEIVED BY (SIGNATURE): X		**SANITARIAN (SIGNATURE):**	
INSPECTION TYPE: ROUTINE ☑ FOLLOW-UP ☐ COMPLAINT ☐ OTHER:			**TIME:** 1:30 pm.

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
				- Report of no hot water in building.
				- Kitchen is closed. Water heaters are being worked on at this time.
				Resume normal operation once water heater is repaired.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM