

# HaloKlear LiquiFloc 2%

HaloKlear LiquiFloc 2% is formulated from natural biopolymers. The patented design & concentrated formula delivers superior and consistent performance and is biodegradable through enzymatic activity preventing bioaccumulation. HaloKlear LiquiFloc 2% can be used as a standalone product or in conjunction with HaloKlear DBP-2100 or LBP-2101 as part of the "Dual Polymer System."

The higher-concentration formula of HaloKlear LiquiFloc 2% enables the treatment of greater volumes of water with less product thus reducing cost factors such as shipping and storage. It works in moderate to cool climates.

## Deployment Method

HaloKlear LiquiFloc 2% is typically deployed using metering pumps

## Application

HaloKlear LiquiFloc 2% can be applied using several delivery methods, including semi-passive and active systems.



Works Well in Cool to Moderate  
Climate Applications

Higher Concentration Allows for  
Lower

Dose Rates

Use Alone or as Part of the  
HaloKlear

Dual Polymer System (DPS)



### Product Specification Sheet

Parameter	Requirement
Product Name	LiquiFloc

### Product Requirements

Parameter	Requirement
pH	<4.5

### Physical Properties

Parameter	Requirement
Appearance	A clear pale amber, viscous liquid with a pungent odor of vinegar
Viscosity	1500 - 6000 cps
Specific Gravity	1.0 g/mL

### Packaging, Transportation, & Storage Requirements

Parameter	Requirement
Lot Number	Lot Number Must Be Legible on Each Container
Container Type	<ul style="list-style-type: none"><li>• 275-gallon IBC tote w/ camlock or threaded outlet</li><li>• 55-gallon drum or 5-gallon pail</li><li>• All Containers Must Be Free of Leaks, Damage, and Gross Contamination</li></ul>
Storage Requirements	Product should be maintained between 40 F and 90 F. Keep from freezing.

### Field Handling Recommendations

Check with your federal, state and local environmental regulators for rules and regulations regarding the use of this product. Do not deploy in streams, lakes, rivers, bays, or other natural waterways.

For more information and questions about regulatory approvals contact Dober at (800) 323-4983

### EcoTox Studies (data provided upon request)

Contact [doberinfo@dober-group.com](mailto:doberinfo@dober-group.com)



HaloKlear is a registered trademark of Dober ©2011 Dober 11230 Katherine's Xing Woodridge, IL 60517  
doberinfo@dober-group.com