

**West Virginia Department of Health & Human
Resources
Berkeley County Health Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name St. Leo's Catholic Church	Facility Type Food Service Establishment	
Licensee Name St. Leo's Catholic Church	Facility Telephone # 304 229-8945	
Facility Address 2109 Sulphur Springs Rd Inwood , WV	Licensee Address 2109 Sulphur Springs Rd Inwood , WV 25428	
Inspection Information		
Inspection Type Routine	Inspection Date 05/08/2017	Total Time Spent 0.75

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Delfield refrig walkin	35
	34

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
dishmachine	heat	yes			

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1 Repeated # 0 4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS <i>This is a critical violation</i> OBSERVATION: inside ice machine needs cleaned-white divider(Also check upper area-could not open)

ObservedNon-CriticalViolations
Total # 4 Repeated # 0 4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: walkin-door gasket and fan covers need cleaned 4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: outside of cabinets need cleaned-coffee area 6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER OBSERVATION: old and unused items should be discarded-cutting boards and tea urns 6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS OBSERVATION: several ceiling light covers need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards