

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Winchester Avenue Elementary	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 267-3500	
Facility Address 650 Winchester Ave Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 04/16/2018	Total Time Spent 1.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Crescor Warmer	146
Milk cooler-large	38
Milk cooler-small	38
Advant Edge-single door	36
Advant Edge-2 door	38
Hoshizaki cooler	36
Hoshizaki snack refrigerator	38
Steam Table	147

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachinebleac hbucket	Heat	160		Heat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 1

Observed Non-Critical Violations
Total # 2
Repeated # 1
 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR REPEAT OBSERVATION Floor under freezers in main hall needs repaired (tiles loose)
 6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Handle on bag drawer needs repaired (loose)

Inspection Outcome


Comments

Watch best by Dates Taco Sauce 1/27/2018, Tostitos 1/30/2018

Disclaimer

Person in Charge

Sanitarian



Lora Tillert



Keith Allison