# // Retail Price List & Product Info Guide





# WINDOW Shadings

Effective February 1, 2017 (Revised 7/1/17)

design simplified

# TABLE OF CONTENTS

### **Product Overview**

Features & Benefits	 2
Collection Information (includes Light Control)	 1

### **Pricing Groups**

Pricing Group 1 (Standard and Options)	5
Pricing Group 2 (Standard and Options)	6
Product Specifications.	7
Options and Additional Notes	0
RemoteLift <sup>™</sup> 2.0 Motorization	2
Standard Retractable Cord and Cordless Operation13-1	4
Product Components	8

# **Oversize Common Carrier Delivery**

All orders with any quantity of shades over 102" in width are considered oversize and require common carrier delivery. Therefore, a net charge of \$75 per order will be assessed.

# // Window Shadings



# **FEATURES & BENEFITS**



- Three vane sizes complement any window, providing desired view through available in 2", 2 1/2" and 3" for decorating flexibility.
- Available in translucent and light-dimming vane styles to provide varying degrees of light control.
- Filters out up to 88% of incoming harmful UV rays when open, and up to 99% when closed.
- Covers large window expanses with no visible internal lift cords to detract from their elegant appearance.
- When raised, they completely disappear into the headrail allowing more outside view.
- Standard cord loop, retractable cord control, cordless lift and battery-operated RemoteLift 2.0 motorization options for operating convenience.
- Cordless lift and battery-operated RemoteLift 2.0 motorization shades are certified Best for Kids
- Fabric-covered headrail option for a soft look top to bottom.
- Limited Lifetime Warranty ensures your customers' satisfaction.

# **COLLECTION INFORMATION**

Family Name	Color Name	Family Code	Color #	Coordinating Hardware Color Number	Coordinating Hardware Color Name	Light Control	Price Gro
	Applesauce	N8	226	551	Worn Leather	В	1
	Beige Glow	N8	203	320	Rich Cream	В	1
	Butternut	N8	214	350	Vanilla	В	1
	Cashmere	N8	206	320	Rich Cream	В	1
	Dusky View	N8	208	679	Buff Beige	В	1
Classic	Grey Mist	N8	212	897	Heatherwood	В	1
2-1/2" Translucent	New Snow	N8	213	885	Flex White	В	1
	Porcelain	N8	210	885	Flex White	В	1
	Powder Blue	N8	218	896	Gray Lady	В	1
	Sand Dunes	N8	207	320	Rich Cream	В	1
	Snow Cap	N8	201	661	White Tiara	В	1
	Spring Garden	N8	216	002	Alabaster	В	1
	Stardust	N8	204	320	Rich Cream	В	1
	Sun Dream	N8	202	320	Rich Cream	В	1
	Warm Wicker	N8	209	679	Buff Beige	В	1
	Foam	SL2	700	885	Flex White	В	1
Coastal	Sand	SL2	701	320	Rich Cream	В	1
2" Translucent	Seashell	SL2	703	679	Buff Beige	В	1
2	Sunrise	SL2 SL2	703	320	Rich Cream	В	1
	Citron	CS	205	656	Golden Straw	В	1
		CS	203	132		B	1
Crossroads	Lily				Charming Rosewood		
2-1/2" Translucent	Parchment	CS	203	319	Earthen Beige	В	1
2-1/2 Hansiucent	Sage Mist	CS	219	697	Evening Light	В	1
	Sunlit Crème	CS	204	329	Summer Linen	В	1
	Swan White	CS	201	661	White Tiara	В	1
	Classic Cream	P9	254	350	Vanilla	В	1
	Destiny's Dream	P9	253	661	White Tiara	В	1
Passion	Heather White	P9	250	661	White Tiara	В	1
2-1/2" Translucent	Hint of Spice	P9	255	319	Earthen Beige	В	1
	Spiced Vinegar	P9	251	320	Rich Cream	В	1
	Touch of Beige	P9	252	320	Rich Cream	В	1
	Alpine	SR2	300	885	Flex White	С	2
	Antique	SR2	302	329	Summer Linen	С	2
Retreat	Bamboo	SR2	304	320	Rich Cream	С	2
2" Light Dimming	Buff	SR2	303	133	Feather Fantasy	С	2
	Soft Peach	SR2	305	205	Fawn	С	2
	Sunset	SR2	301	320	Rich Cream	С	2
	Alpine	SR3	300	885	Flex White	С	2
	Antique	SR3	302	329	Summer Linen	С	2
	Bamboo	SR3	304	320	Rich Cream	C	2
	Buff	SR3	303	133	Feather Fantasy	C	2
Retreat	Cloud	SR3	309	320	Rich Cream	c	2
3" Light Dimming	Coffee Bean	SR3	308	849	Mocha	c	2
	Maple Leaf	SR3	307	472	Aspen Leaf	c c	2
	Pebble	SR3 SR3	311	810	Mushroom	C C	2
						c	2
	Slate	SR3	306	048	Black		
	Soft Peach	SR3	305	205	Fawn	С	2
	Stone	SR3	310	656	Golden Straw	С	2
	Sunset	SR3	301	320	Rich Cream	С	2
	Chiffon	N10	213	320	Rich Cream	В	1
	Custard	N10	205	350	Vanilla	В	1
	Honey Roast	N10	222	679	Buff Beige	В	1
Slub Style	Magnolia	N10	210	885	Flex White	В	1
2-1/2" Translucent	Seashell	N10	204	320	Rich Cream	В	1
	Sugar Cane	N10	201	661	White Tiara	В	1
	Tea Time	N10	220	319	Earthen Beige	В	1
	Willow Herb	N10	226	551	Worn Leather	В	1
		1	205	350	Vanilla	В	1
	Banana Split	N14 I					
	Banana Split Crème Brulee	N14 N14			Rich Cream	В	1
Soft Stripe	Crème Brulee	N14	203	320	Rich Cream	В	
Soft Stripe 2-1/2" Translucent	Crème Brulee Ground Ginger	N14 N14	203 226	320 551	Rich Cream Worn Leather	B	1
Soft Stripe 2-1/2" Translucent	Crème Brulee	N14	203	320	Rich Cream	В	

\* Light Dimming fabrics provide category C, opaque light control because even when the vanes are completely closed they DO NOT completely seal off all incoming light. See vane closure diagram on page 12 for a visual reference.

Note: Collections are presented alphabetically. Within each collection colors are also arranged alphabetically



A. Glare Reducing Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



**B. Filtering** Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



**C. Shading** Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening.



### D. Blocking

Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout vanes).



E. Blackout Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

# **COLLECTION INFORMATION**

Family Name	Color Name	Family Code	Color #	Coordinating Hardware Color Number	Coordinating Hardware Color Name	Light Control	Price Gro
	Citron	M16	205	350	Vanilla	С	2
	Jute	M16	203	679	Buff Beige	С	2
Solitude	Parchment	M16	201	320	Rich Cream	С	2
2-1/2" Light Dimming	Soft Souffle	M16	204	551	Worn Leather	С	2
	Sunlit Crème	M16	202	320	Rich Cream	С	2
	Swan White	M16	200	661	White Tiara	С	2
	Applesauce	SS2	607	350	Vanilla	В	1
	Carmel	SS2	610	205	Fawn	В	1
	Cocoa	SS2	613	205	Fawn	В	1
	Coffee Bean	SS2	614	849	Mocha	В	1
	Dusty Peach	SS2	608	679	Buff Beige	В	1
	Eggnog	SS2	605	320	Rich Cream	В	1
	Glacier	SS2	616	661	White Tiara	В	1
	Herb Garden	SS2	612	697	Evening Light	В	1
Sophisticate	Hush White	SS2	600	885	Flex White	В	1
2" Translucent	Lily	SS2	601	885	Flex White	В	1
	Maple Leaf	SS2	611	472	Aspen Leaf	В	1
	Mist	SS2	602	661	White Tiara	В	1
	Moonlight	SS2	603	320	Rich Cream	В	1
	Natural Linen	SS2	619	002	Alabaster	В	1
	Opal	SS2	604	320	Rich Cream	В	1
	Pearl Grey	SS2	617	320	Rich Cream	В	1
	Pebblestone	SS2	618	133	Feather Fantasy	В	1
	Praline	SS2	609	350	Vanilla	В	1
	Sandstone	SS2	606	319	Earthen Beige	B	1
	Slate	SS2	615	048	Black	В	1
	Applesauce	SS3	607	350	Vanilla	В	1
	Cocoa		613	205	Fawn	B	1
	Coffee Bean		614	849	Mocha	B	1
	Eggnog		605	320	Rich Cream	B	1
Sophisticate	Herb Garden		612	697	Evening Light	B	1
3" Translucent	-						
5 Transideent	Lily	SS3	601	885	Flex White	В	1
	Maple Leaf	SS3	611	472	Aspen Leaf	В	1
	Moonlight	SS3	603	320	Rich Cream	В	1
	Opal	SS3	604	320	Rich Cream	В	1
	Sandstone	SS3	606	319	Earthen Beige	В	1
	Slate	SS3	615	048	Black	В	1
	Autumn	N6	209	132	Charming Rosewood	С	2
	Castle Stone	N6	226	551	Worn Leather	С	2
	Coral	N6	202	320	Rich Cream	С	2
Villa	Cotton	N6	201	885	Flex White	С	2
2-1/2" Light Dimming	Dusty Peach	N6	205	320	Rich Cream	С	2
	Fawn	N6	203	320	Rich Cream	С	2
	Hazelnut	N6	204	320	Rich Cream	с	2
	White Sand	N6	213	885	Flex White	С	2
	Beach	N7	207	319	Earthen Beige	В	1
	Blush	N7	202	320	Rich Cream	В	1
Weavescape	Chamois	N7	206	320	Rich Cream	В	1
2-1/2" Translucent	Cloud	N7	201	661	White Tiara	В	1
	Linen	N7	210	885	Flex White	В	1
	Stone	N7	203	320	Rich Cream	В	1
	Cream	SB2	501	661	White Tiara	В	1
Windswept	Custard	SB2	503	350	Vanilla	B	1
2" Translucent	Mesa	SB2	504	205	Fawn	В	1
	Soft White	SB2	500	885	Flex White	B	1
	Cream	SB3	501	661	White Tiara	В	1
Windswept	Custard	SB3	503	350	Vanilla	В	1
WIIIUSWEDL					1	-	
3" Translucent	Mesa	SB3	504	205	Fawn	В	1

\* Light Dimming fabrics provide category C, opaque light control because even when the vanes are completely closed they DO NOT completely seal off all incoming light. See vane closure diagram on page 12 for a visual reference.

Note: Collections are presented alphabetically. Within each collection colors are also arranged alphabetically



### A. Glare Reducing

Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



**B. Filtering** Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.

**C. Shading** Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening.



### D. Blocking

Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout vanes).



E. Blackout Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.



# **GROUP 1**

2" Translucent Coastal (SL2) Sophisticate (SS2) Windswept (SB2) 2 1/2" Translucent Classic (N8) Crossroads (CS) Passion (P9) Slub Style (N10) Soft Stripe (N14) Weavescape (N7) <u>3" Translucent</u> Sophisticate (SS3) Windswept (SB3)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"	109"	120"
HEIGHT TO:																
36"	\$359	404	449	494	538	587	629	676	793	840	887	933	977	1038	1162	1269
42"	377	428	475	526	574	626	676	725	845	898	948	999	1047	1113	1245	1360
48"	401	450	506	557	612	666	724	779	901	955	1009	1062	1118	1184	1326	1447
54"	416	474	531	592	650	709	769	836	954	1013	1071	1132	1194	1268	1422	1552
60"	437	500	561	621	683	754	819	888	1005	1072	1136	1205	1274	1360	1529	1670
66"	456	524	590	654	725	797	872	946	1059	1133	1207	1283	1356	1450	1638	1788
72"	475	548	618	689	766	845	923	1001	1118	1196	1276	1356	1434	1536	1737	1896
78"	489	565	641	721	798	881	962	1048	1170	1257	1339	1424	1503	1614	1827	1994
84"	509	590	668	756	840	927	1017	1104	1231	1323	1411	1498	1584	1700	1927	2103
90"	530	612	698	791	881	976	1067	1159	1290	1384	1481	1573	1665	1784	2023	2208
96"	551	639	727	825	923	1018	1116	1213	1350	1450	1550	1647	1745	1875	2124	2318
102"	630	730	829	938	1037	1131	1262	1387	1483	1583	1687	1782	1881	2000	2257	2464
108"	662	767	872	986	1089	1191	1327	1462	1560	1667	1774	1878	1981	2105	2378	2596
114"	702	814	926	1048	1160	1266	1410	1551	1658	1772	1881	1990	2099	2233	2518	2750
120"	756	872	993	1121	1238	1356	1509	1660	1774	1895	2017	2131	2249	2390	2696	2944

### **STANDARD FEATURES**

- Headrail Size: 3-1/4" x 3-1/16"
- Snap-in Bracket Style
- Cord Tilt & Lift
- Color-Coordinated Hardware

### **OPTIONS: EXTRA CHARGE**

- Fabric-Covered Headrail Surcharge..... add \$37 per shading
- Hardware Color Substitution Surcharge . . add \$21 per shading
- Cordless Lift Surcharge ...... add \$75 per shading
- Retractable Cord Control Surcharge . . . . add \$66 per shading
- Retractable Cord Two-on-One Headrail ..... add \$132

SIZE STANDARDS	Standard Loop	Retractable Cord
Minimum ordered width	12"	12"
Minimum ordered width – tilt only	6"	N/A
Maximum ordered width	120"	120"
Maximum ordered width end mount	48"	48"
Maximum ordered width – tilt only	11-7/8"	N/A
Minimum ordered height	16"	16"
Maximum ordered height – translucent	120"	120"

TWO-ON-ONE HEADRAIL	Standard Loop	Retractable Cord		
Minimum ordered width	24"	24"		
Maximum ordered width	144"	144"		
Maximum height	120"	120"		
Center gap	3/8"	3/8"		

Note: Two-On-One Headrail option not available for end mount applications.

### **OPTIONS: NO CHARGE – SPECIFY ON ORDER**

- Tilt Only Shadings 6" to 11-7/8" (standard only)
- Two-On-One Headrail price as 2 separate shades (standard)
- Control Positions (R or L)
- Spacer Blocks
- Extension Brackets
- Hold-Down Brackets
- Back Cover for Inside Mounts
- Dust Cover for Outside Mounts

SIZE STANDARDS	Cordless Lift
Minimum ordered width	18"
Maximum ordered width	84"
Maximum ordered width end mount	N/A
Minimum ordered height	16"
Maximum ordered height – Translucent	84"

Note: Two-On-One Headrail option not available with cordless lift

Note: End Mount not available with cordless lift

IR/RF MOTORIZATION UPGRADE	
Minimum ordered width with motor and optional battery wand	12" or 20"**
Maximum ordered width with motor and optional battery wand	120"
Minimum ordered height with motor	12"
Maximum ordered height with motor – translucent	120"

\*\* Battery Pack or DC Power Supply = 12" min. Built-in Battery Wand = 20" min.

# // Window Shadings



GROUI	P 2							Retreat (SR2)			<u>2 1/2" Light Dimming</u> Solitude (M16) Villa (N6)				<u>3" Light Dimming</u> Retreat (SR3)		
WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	76"	84"	90"	96"	102"	109"	120"	
HEIGHT TO:																	
36"	\$397	445	495	545	593	645	692	744	870	924	976	1028	1076	1142	1282	1399	
42"	416	473	524	579	634	689	744	797	932	987	1043	1098	1152	1222	1366	1491	
48"	439	496	557	612	674	733	796	856	987	1049	1109	1169	1229	1303	1461	1594	
54"	458	522	587	651	711	779	846	916	1048	1115	1177	1247	1318	1396	1570	1714	
60"	480	548	617	684	754	827	905	977	1105	1177	1250	1327	1404	1494	1681	1835	
66"	501	572	650	724	797	878	959	1041	1165	1248	1329	1410	1490	1596	1802	1968	
72"	524	601	681	757	843	932	1014	1099	1229	1318	1405	1490	1574	1689	1934	2111	
78"	538	619	706	792	878	973	1060	1153	1288	1380	1476	1567	1656	1776	2075	2265	
84"	561	650	733	828	926	1019	1119	1213	1356	1455	1551	1739	1817	1890	2225	2429	
90"	584	674	766	868	972	1072	1174	1273	1416	1522	1711	1816	1894	2012	2335	2549	
96"	668	766	867	975	1073	1170	1287	1403	1577	1676	1776	1877	1974	2111	2450	2675	
102"	765	875	987	1109	1204	1298	1457	1603	1731	1831	1933	2028	2128	2256	2602	2841	

### STANDARD FEATURES

- Headrail Size: 3-1/4" x 3-1/16"
- Snap-in Bracket Style
- Cord Tilt & Lift
- Color-Coordinated Hardware

### **OPTIONS: EXTRA CHARGE**

- Fabric-Covered Headrail Surcharge..... add \$37 per shading
- Hardware Color Substitution Surcharge ... add \$21 per shading
- Cordless Lift Surcharge ..... add \$75 per shading
- Retractable Cord Control Surcharge . . . . . add \$66 per shading
- Retractable Cord Two-on-One Headrail ..... add \$132
   Demotel iff

SIZE STANDARDS	Standard Loop	Retractable Cord
Minimum ordered width	12"	12"
Minimum ordered width - tilt only	6"	N/A
Maximum ordered width	120"	120"
Maximum ordered width end mount	48"	48"
Maximum ordered width – tilt only	11-7/8"	N/A
Minimum ordered height	16"	16"
Maximum ordered height - light dimming	102"	102"

TWO-ON-ONE HEADRAIL	Standard Loop	Retractable Cord		
Minimum ordered width	24"	24"		
Maximum ordered width	144"	144"		
Maximum height	102"	102"		
Center gap	3/8"	3/8"		

Note: Two-On-One Headrail option not available for end mount applications.

### **OPTIONS: NO CHARGE – SPECIFY ON ORDER**

- Tilt Only Shadings 6" to 11-7/8" (standard only)
- Two-On-One Headrail price as 2 separate shades (standard)
- Control Positions (R or L)
- Spacer Blocks
- Extension Brackets
- Hold-Down Brackets
- Back Cover for Inside Mounts
- Dust Cover for Outside Mounts

SIZE STANDARDS	Cordless Lift
Minimum ordered width	18"
Maximum ordered width	84"
Maximum ordered width end mount	N/A
Minimum ordered height	16"
Maximum ordered height – light dimming	84"

Note: Two-On-One Headrail option not available with cordless lift

Note: End Mount not available with cordless lift

IR/RF MOTORIZATION UPGRADE	
Minimum ordered width with motor and optional battery wand	12" or 20"**
Maximum ordered width with motor and optional battery wand	120"
Minimum ordered height with motor	12"
Maximum ordered height with motor – light dimming	102"

\*\* Battery Pack or DC Power Supply = 12" min. Built-in Battery Wand = 20" min.

# **PRODUCT SPECIFICATIONS**

FEATURES	
# of fabric styles	13
# of Colors	112
Headrail size	3-1/4" X 3-1/16"
Bracket style	Snap-in
Cord loop tilt and lift	Yes, Standard
Raise, lower and tilt with one cord	Yes
Safety cord tensioner	Color Coordinated
Warranty	Lifetime Limited

OPTIONS - EXTRA CHARGE	
Fabric Covered Headrail	Yes
Hardware Color Substitution	Yes
Retractable Cord Control*	Yes
Cordless Lift Not available as Two-on-One headrail	Yes
RemoteLift 2.0 Motorization Not available as Two-on-One headrail	Yes
OPTIONS - NO CHARGE	
Tilt Only (available on standard loop control only)	Yes
Two-On-One Headrail Option Not available with Cordless Lift or RemoteLift	Yes
Control positions	R or L
Spacer blocks	Yes
Extension brackets	Yes
Hold-down brackets	Yes
Back cover (Inside or End Mounts)	Yes
Dust cover (Outside Mounts)	Yes
Cord length (See Cord Loop Drop Chart)	Yes
Specialty shapes	No
Tile cut-out	No

# **MOUNTING REQUIREMENTS**

INSIDE MOUNT - Standard, Cordless & Retractable Cord		
Minimum casement depth*	1"	
Minimum casement depth*, fully recessed	3-3/8"	
Minimum rear fabric clearance	1/8"	

OUTSIDE MOUNT - Standard, Cordless & Retractable Cord		
1"		
3"		
1/8"		

END MOUNT - Standard & Retractable Cord	
Minimum mounting surface depth*	1-1/4"

\* Add 1/4" to minimum depth dimensions if optional back cover is used for inside or end mounts.

INSIDE MOUNT - REMOTELIFT 2.0	Built-In Wand	Sat. Bat. Pack
Minimum casement depth*	2"	1-1/4"
Minimum casement depth*, fully recessed	4"	3-1/2"
Minimum rear fabric clearance	1/8"	1/8"

<b>OUTSIDE MOUNT - REMOTELIFT 2.0</b>	Built-In Wand **	Sat. Bat. Pack
Minimum mounting surface height	1"	1"
Recommended width overlap per side	3"	3"
Minimum rear fabric clearance	1/8"	1/8"

END MOUNT - REMOTELIFT 2.0	Built-In Wand	Sat. Bat. Pack
Minimum mounting surface depth*	2-1/8"	1-1/2"

\* For inside and end mounts an optional back cover and back cover bracket may be ordered. The back cover bracket attaches to the installation brackets.

\*\* Requires 3/4" spacers per installation bracket (included), due to the added clearance required for the battery wand.

# CORD LOOP DROP CHART

SHADING HEIGHT	CORD LOOP DROP
16" to 26-7/8"	1 ft. (white-only)
27" to 39-7/8"	2 ft.
40" to 59-7/8"	3 ft.
60" to 83-7/8"	4 ft.
84" to 107-7/8"	5 ft.
108" to 120"	6 ft. (white-only)

OPTIONAL CORD DROPS (White Cord Only)		
CORD DROP	INCREMENTS	
6' – 12'	6" increments	
12' – 16'	12" increments	

Note: 18" white only cords available upon request

# **FINISHED DIMENSIONS**

Dimensions apply to standard loop contro	I, cordless lift, retractable cord and motorization			
NOTE: WIDTH AND HEIGHT MAY VARY ± 1/8"				
INSIDE MOUNT – Standard Deductions				
Headrail unit	1/8" less than ordered width			
Fabric width	1" less than ordered width			
Fabric width - Cordless Lift	3/4"" less than ordered width			
Shading height	Ordered height			
Shading height - Cordless Lift	1/8" less than ordered height			
OUTSIDE MOUNT – Standard Deductions				
Headrail unit	ordered width			
Fabric width	3/4" less than ordered width			
Fabric width - Cordless Lift	5/8" less than ordered width			
Shading height	ordered height			
Shading height - Cordless Lift	1/8" less than ordered height			
END MOUNT – Standard Deductions (not available with cordless lift)				
Headrail unit	11/16" less than ordered width			
Fabric width	1-1/2" less than ordered width			
Shading height	ordered height			
	DNE HEADRAIL			
(not available with cordless lift)				
Fabric width	1 1/4" less than ordered width			
Gap between fabric panels	3/8"			
	o Fabric (Gaps On Each Side)			
Control Side	5/8"			
Idle Side	3/8"			
Both Sides - Cordless Lift	3/8"			



### **RETRACTABLE CORD**

Raise, lower and tilt shadings with one retractable cord. The cord length remains constant when shading is raised or lowered, making it ideal in homes with children or pets. Cord length will be equal to 2/3 of the shading height and may be shortened for enhanced child safety.

### **TWO-ON-ONE HEADRAIL**

Cover patio doors and other large expanses by placing two independently operated shades side-by-side on the same headrail. Note there will be a 3/8" light gap between the two shades, see minimum/maximum requirements under product specification section.

	B
-	
1	
	l
	U
	U
	T
	TI
	I
	5
	-

### CORDLESS LIFT

**To Lower the Shading** Gently pull down on the strap handle.



### To Open the Vanes

Lower the shading all the way down and continue pulling down on the handle until the vanes open.

# To Close the Vanes and Raise the Shading

Pull down on the handle slightly (about 1") and release the handle. The vanes will close first and then the shading will retract into the headrail.

**NOTE:** With inside mounted shadings, you may need to pull the bottom rail away from the window to release the locking mechanism.

**IMPORTANT:** To reposition the shading, it must be raised several inches first to reset the mechanism and then pulled down to the new position.

**NOTE:** Once you are done operating the shading, lift the pull ring toward the front of the bottom rail until the magnet holds it in place.

### **TILT ONLY SHADING**

Ideal for sidelights or narrow windows.


- Shading cannot be raised, it can only be tilted open or closed.
- Hold down brackets are used to secure the bottomrail.

### FABRIC-COVERED HEADRAIL

Features a coordinating fabric wrapped onto the headrail to provide a soft fabric look from top to bottom.








### BACK COVER BRACKET

When a back cover is used, attach back cover brackets to the installation brackets before mounting them. Remove the tab from the top of the back cover brackets and both tabs at the rear of the installation brackets.



After mounting the installation brackets, install the back cover.


### ADJACENT SHADINGS

To span wide window openings, window shadings may be installed adjacently, so their headrails abut. The gap between the fabric panels of the adjacent shadings varies according to the control placement, as shown in the table below.

CONTROL PLACEMENT		
Adjacent (Abutting)	Window Shadings	
Left/Right Shadings	Center Gap	
Right/Right Controls	3/4"	
Left/Left Controls	3/4"	
Right/Left Controls	1-1/16"	
Left/Right Controls	1/2"	
Window shadings are not recommended for bay windows or butt-and-pass applications.		

### **OPTIONAL DUST COVER (OUTSIDE MOUNT)**

Shields the fabric and internal headrail components from dirt, dust, and other contaminants.



### SIDE-BY-SIDE VANE ALIGNMENT

When window shadings are installed side by side, vane alignment can be guaranteed within 1/4" only if:

- Shadings are ordered at the same time and in the identical style, color and height.
- Shadings that need to be aligned are specified on the order form (a note must be included in Special Instructions).

Note: Vane alignment cannot be guaranteed for Two-On-One Headrail and motorized shadings <u>combined</u> on the same order.

# **ADDITIONAL NOTES**

### SHADING ADJUSTMENT


Shadings should wind evenly and not skew to one side.

A balance weight on the bottomrail can easily be adjusted if the fabric winds unevenly on the roll when the window shading is raised. Uneven winding can cause damage to the edge of the fabric.

- If skewing does occur:
  - Ensure headrail was installed level; shim if necessary.
  - To release, insert a flat blade screwdriver into the weight lock and turn clockwise.
  - Adjust placement of weight in bottomrail, 1" at a time, toward side where fabric is gathering.
  - Secure the weight locks in position by turning them counter clockwise, after making the adjustment.
  - Raise shade, then lower, if necessary, adjust again.



### SHADING INSTALLATION



# Magnetic hold-down brackets secure the bottom of the shading to prevent swaying. Available upon request. Standard on tilt-only shadings.



### **REMOTELIFT™ MOTORIZATION OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER**

Motorization	add \$443 per shadi	ling
Remote Control	Part #2984495100add \$53 ea	ach
Satellite Battery Pack – select with wire length below	Part #KIT2520	
Satellite Battery Pack – with 15" wire	Part #2989899000add \$62 ea	ach
Satellite Battery Pack – with 4' wire	Part #2989900000add \$69 ea	ach
Satellite Battery Pack – with 10' wire	Part #2989901000add \$80 ea	ach
<ul> <li>Satellite Battery Pack – with 10' wire</li> <li>Satellite Battery Pack – with 20' wire</li> </ul>	Part #2989902000add \$90 ea	ach
DC Power Supply – select with wire length below	Part #780600000	
DC Power Supply – with 15" wire	Part #2989899000add \$93 ea	ach
DC Power Supply – with 4' wire	Part #2989900000add \$94 ea	ach
• DC Power Supply – with 10' wire	Part #2989901000add \$98 ea	ach
<ul> <li>DC Power Supply – with 10' wire</li> <li>DC Power Supply – with 20' wire</li></ul>	Part #2989902000add \$102 ea	ach
Daisy Chain Adapter – select with wire length below	Part #2989875000	
<ul> <li>Daisy Chain Adapter – with 15" cable</li> <li>Daisy Chain Adapter – with 4' cable</li> </ul>	Part #2989899000add \$44 ea	ach
Daisy Chain Adapter – with 4' cable	Part #2989900000add \$50 ea	ach
Daisy Chain Adapter – with 10' cable		ach
<ul> <li>Daisy Chain Adapter – with 10' cable</li> <li>Daisy Chain Adapter – with 20' cable</li> </ul>	Part #2989902000add \$59 ea	ach

Notes: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

### **MOMENTA APP BRIDGE KIT** • Momenta App Bridge Kit (includes one Momenta Extender Kit) ......Part #2920072100 (must be submitted as part order).....add \$128 NET Cost Momenta Extender Kit......Part #2920075100 (must be submitted as part order).......add \$47 NET Cost Momenta App Bridge Kit (Includes One Momenta Extender Kit) Momenta App Bridge Momenta Extender Kit DC Power Momenta Supply Extender USB Power Supply Cable DC Power Supply Ethernet Cable

### **REMOTELIFT 2.0 ORDERING NOTES**

- Specify Inside (IB), outside (OB) or end (EB) mount.
- Specify if optional back cover is desired with inside (IB) mounts or end (EB) mounts.
- Specify if additional spacer blocks or extension brackets are needed for added clearance.
- Specify left- or right-side motor assembly.
- Specify number of remote control units (at least 1 required per order).
- If ordering satellite battery pack, specify wire length (15", 4', 10' or 20').
- If ordering DC power supply, specify wire length (15", 4', 10' or 20').
- Specify if daisy-chain cables are required to daisy-chain 2 or 3 shadings together (requires DC power supply). If ordering, specify wire length (15", 4', 10' or 20')

# **REMOTELIFT™ 2.0 PRODUCT CONFIGURATION SPECIFICATIONS**

RemoteLift 2.0 combines IR and RF wireless signals to control your window shadings. By using both line-of-sight (infrared technology) and "out-of-sight" (radio frequency technology), your customers achieve more operating flexibility. RemoteLift 2.0 operates one window at a time or a group of windows, even in multiple rooms.

- Quieter, more robust motor for raising, lowering and tilting shadings
- Ideal option for hard-to-reach windows behind furniture, above counters, in high foyers, etc.
- Enhanced safety in homes with children and pets
- State-of-the-art convenience; multiple options allow even further customization of window shadings
- · Battery-powered system is easy to install and requires no additional wiring

### **REMOTELIFT 2.0 SYSTEM OPTIONS**

### **BATTERY WAND**

Battery wands are the standard power source whether inside (IB), outside (OB) or end (EB) mount, if applicable. Battery wands are mounted on the rear of the headrail. The redesigned battery wand will allow for batteries to be changed without removing the window covering from the window.

- 12 AA 1.5V alkaline batteries.
- Battery life exceeds one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.

### SATELLITE BATTERY PACK

The satellite battery pack is an optional power source. The battery pack connects to the same side of the headrail where the receiver eye or satellite eye is located. The satellite battery pack is the best choice when the window covering is mounted in a high window, restricting access to a battery wand.

- 18V satellite battery pack:
  - Available in 15", 4', 10' and 20' wire lengths.
  - 12 AA 1.5V alkaline batteries.
- Battery life is approximately one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.
- Mounting options: top of headrail, next to molding or under the sill.
- Satellite battery pack cover can be painted.

### DC POWER SUPPLY

The DC power supply is an optional power source. The DC power supply plugs into any standard household outlet.

- 18V DC power supply:
  Available in 15", 4', 10' and 20' wire lengths.
- Eliminates need to change batteries.



18V Battery Wand



18V Satellite Battery Pack



18V DC Power Supply

### **DAISY CHAIN**

The optional Daisy Chain Adapter allows up to 3 shades to run off of one DC power supply. You must specify the cable wire length when order is placed.

Note: Keep in mind which side the sensor eye is positioned on each side when determining daisy-chain length.



Daisy-Chain Adapter/Connector

### STANDARD SHADING **OPERATION**

Shadings are operated using a continuous cord loop. As shown in the illustration below, from the fully raised position [1] pulling down on the rear half of the cord loop lowers the shading [2, 3]. After it is fully lowered, continuing to pull down on the cord pivots the bottomrail and opens the fabric vanes [4]. When the vanes are fully open [5], limit stops in the headrail prevent further movement in that direction.

With the fabric vanes fully open, pulling down on the front half of the cord loop first closes the vanes [6, 7] and then raises the window shading [8]. When

it is fully raised [1], limit stops again halt shading movement, preventing the bottomrail from being retracted too

far into the headrail.

### Light Control

With the shading in the fully lowered position, the continuous cord loop is used to adjust the fabric vanes from open to closed, and anywhere in between. Light control is at your customer's fingertips. (Note: The degree of maximum vane closure varies slightly from the top to the bottom of the shading.)





### Vane Opening

Vane opening is the amount of unobstructed visibility between fully open vanes when looking through the shading at eye level. Vane opening for shadings is 1" to 1-1/2" depending on vane size and opacity.


### Vane Closure

When the vanes of a window shading are closed, they overlap each other, blocking the view. However, the vanes do not contact each other along the full length of the shading - they do not form a perfect seal against light leakage. This is most visible toward the bottom of the shading. Vane closure is measured as the distance between the front and rear fabric facings 6" up from the lowest point of the bottomrail, with the shading fully lowered and the vanes closed, as illustrated here. Vane closure is 5/8" for shadings under 96" in height and 7/8" for shadings over 96" in height.


Vane Closure Measured Here 6"



PLEASE NOTE: Cord tensioner MUST be mounted to window casement or wall in order for the shade to operate.




# **OPERATION**




mechanism and then pulled down to the new position.

**NOTE:** Once you are done operating the shading, lift the pull ring toward the front of the bottom rail until the magnet holds it in place.


# **PRODUCT COMPONENTS – STANDARD**



# **PRODUCT COMPONENTS – RETRACTABLE CORD**



# **PRODUCT COMPONENTS – CORDLESS LIFT**



# **PRODUCT COMPONENTS – REMOTELIFT™ 2.0**

