

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Tomahawk Valley Store	Facility Type Retail Food Store	
Licensee Name Timothy J. Pitzer	Facility Telephone # 304 754-8600	
Facility Address 12755 Back Creek Valley Rd Hedgesville, WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 07/16/2018	Total Time Spent 0.88

<b>Equipment Temperatures</b>	
Description Walk in cooler Sandwich cooler Small white cooler	Temperature (Fahrenheit) 41

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3bay	chem				

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b> <b>Repeated # 1</b>

<b>Observed Non-Critical Violations</b>
<b>Total # 3</b> <b>Repeated # 1</b>
<b>4-601.11(C) - NON-FOOD CONTACT SURFACES</b> <b>OBSERVATION:</b> Bottom of retail ice chest needs cleaned
<b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> REPEAT OBSERVATION Tile floor needs repaired in between ice machine and mop sink
<b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> <b>OBSERVATION:</b> Water leak around ice machine and mop sink.

<b>Inspection Outcome</b>

**Comments**

Disclaimer

Person in Charge

  
Darla Berry

Sanitarian

  
Glenn GCO Ondick