

The CCB Science 2 Service Distance Learning Program[©]

Please complete all required information and fax to 203.284.9500

For questions or assistance with the program, please email Jeff at JQuamme@ctcertboard.org

S2S 2053 Recovery Oriented Methadone Maintenance White and Mojer-Torres Northeast ATTC/Great Lakes ATTC/DBHMRS, 2009

Module 3 Pre Test

providers will be under greater pressure to offer a richer mix of a. dosing variability b. comprehensive services c. medication options d. culture and gender specific options
 2. One of the assumptions of recovery management (RM) is that a. addiction is a brain disease with neurological defects that can be corrected through acute detoxification b. principles and practices that characterize effective management of other chronic illnesses cannot be adapted to addiction treatment
c. high rates of drug seeking following cessation of treatment is a manifestation of the neurobiological defects
d. acute episodes of detoxification and biopsychosocial stabilization constitute sustainable recovery
3. Between of persons on waiting lists fail to enter addiction treatment. a. 10-15% b. 20-30% c. 25-50% d. 30-60%
4. Program related factors that relate to early dropout include a. conflict with one's counselor b. dissatisfaction with methadone c. life events/logistics d. incarceration due to past behavior
5. Nursing time in OTPs is consumed primarily with a. dispensing medication b. assisting with physicals and medical procedures c. drug testing d. all of the above
6. Only of all MM staff in the United States self identified as being in recovery. a. 5% b. 10% c. 15% d. 20%



The CCB Science 2 Service Distance Learning Program[©]

Please complete all required information and fax to 203.284.9500

For questions or assistance with the program, please email Jeff at JQuamme@ctcertboard.org

7. The authors report that recovery ou variability is attributable toa. dosing b. programmatic c. counselor d. regulatory	tcomes vary significantly across OTPs and a portion of that factors.
8. A higher percentage of MM patients	s received ancillary services when these services were provided
a. on site at the clinic b. at community based organizations c. through the insurance company d. free of charge	
	reatment
10. In general, a key predictor of the da. a well trained, professional staff b. regulatory compliance c. duration of active participation in trad. stable dosing	egree of effectiveness of MM is eatment
11. Until the founding ofi for people in medication assisted records. Medication Anonymous b. Opioids Anonymous c. IV User Anonymous d. Methadone Anonymous	in 1991, there was a lack of recovery mutual aid society explicitly very.
12. Questions regarding the future direction and need to be addressed, in part, by the algorithms as policy makers. b. scientists. c. treatment professionals. d. patient advocacy movement.	ection of ROMM treatment are present, according to the authors, the