



# Spectrol™

Technical Data Sheet

[www.spectrolusa.com](http://www.spectrolusa.com)

## PRODUCT

Spectrol High Mileage 5W-20 SN/CF GF-5  
Passenger Car Engine Oil

## FEATURES/BENEFITS

- Premium quality oil formulated for gasoline engines using a combination of quality base oils and carefully selected additives to provide the ultimate in engine protection.
- Formulated for the unique requirements of higher mileage engines
- Provides superior thermal and oxidation stability, corrosion and valve train-wear protections, and prevents sludge formation.
- Formulated to prevent the occurrence of low-speed pre-ignition (LSPI)

## APPLICATIONS

- *Spectrol High Mileage 5W-20 SN/CF ILSAC GF-5* is specially designed with enhanced additives to help reduce leaks and oil consumption in worn or higher mileage engines. It is formulated with to help clean out sludge buildup and keep the engines running clean and with increased efficiency and power. It is specially designed for engines with over 75,000 miles. Spectrol High Mileage 5W-20 may be used in passenger cars, and light-duty trucks requiring the use of: SN, SM, SL, and SJ oils and when ILSAC GF-5 and GF-4 oils are required. Specifically formulated for the rigorous environment of gas-direct engine (GDI) and turbo gas-direct engine (TGDI) designs as well as providing increased protection for carbureted or normally fuel injected engines. Spectrol High Mileage 5W-20 SN/CF ILSAC GF-5 meets the requirements of API SN Plus.

## SPECIFICATIONS/APPROVALS

- *Spectrol Synthetic Blend 5W-20 SN/CF ILSAC GF-5* meets the latest performance requirements of ILSAC GF-5, API SN and SN Plus.

## TYPICAL PHYSICAL PROPERTIES

<b>SAE 5W-20 SN/CF GF-5 High Mileage</b>	<b>Typical Results</b>
Density @ 15.6°C	7.207 lbs/gal
Specific gravity @ 15.6°C	0.865
Viscosity @ 100°C	8.5 cSt
Viscosity @ 40°C	50 cSt
Viscosity Index	150
Flash Point (PMCC), °C	215
Pour Point (D97), °C	-42
CCS Viscosity @ -30 °C	5900 cP
Color	3.0

Rev. 02/26/2018

## ADDITIONAL INFORMATION

Please use proper handling and care that you would use with any motor oil.

4950 Virginia Ave. North Charleston, SC 29405 PH: 1.877.433.5346 F: 1.877.335.3469 [www.spectrolusa.com](http://www.spectrolusa.com)