

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Hampton Inn-Breakfast	Facility Type Food Service Establishment	
Licensee Name Aikens Corporation	Facility Telephone # 304 229-6677	
Facility Address 4758 Gerrardstown Rd Inwood , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 06/06/2019	Total Time Spent 0.53

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Artic Air	39
Ham	142
Oatmeal	140

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 1

<i>ObservedNon-CriticalViolations</i>
Total # 4
Repeated # 1
<p>4-302.12 - TEMPERATURE MEASURING DEVICES OBSERVATION: Thermometer needed in Artic Air refrigerator</p>
<p>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR OBSERVATION: Trim on wall beside Orange juice machine needs replaced (missing)</p>
<p>6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER OBSERVATION: Unused equipment in kitchen needs removed or put into storage</p>
<p>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS REPEAT OBSERVATION Ceiling vent above juice machine needs cleaned</p>

<i>Inspection Outcome</i>

Comments

Disclaimer

Person in Charge

Sanitarian



Erica Sheppard



Keith Allison