



DEPARTMENT OF HEALTH

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 3/16/2014

AA Septic Tank Service, Inc.

8300 W. Beaver
Jacksonville, FL 32220-2301

ACTIVE

Duval

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL USE DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
16-065-01S-C3	C3	2.50	42.88	60	86	750	888	3/6/2002	
REMARKS:									
16-065-02D-C4	C4	3.00	42.88			750		9/13/2004	
REMARKS: steel reinforced--5000 psi 28-day compressive strength concrete.									
16-065-02S-C4	C4	3.00	42.88			750		9/13/2004	
REMARKS: -steel reinforced--5000 psi 28-day compressive strength concrete.									
16-065-03D-C4	C4	6.00	32.00	48	136	750	905	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-03S-C4	C4	6.00	32.00	48	136	750	905	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-04D-C4	C4	6.00	40.00	48	136	900	1,101	2/22/2011	
REMARKS: Tank rated for H-20 traffic4S									
16-065-04S-C4	C4	6.00	40.00	48	136	900	1,101	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-05S-C4	C4	2.50	45.00			525	626	9/13/2004	
REMARKS: steel reinforced--5000 psi 28-day compressive strength concrete.									
16-065-06D-C3	C3	2.50	42.00			900		3/6/2002	
REMARKS: monolithic baffle									
16-065-07D-C4	C4	3.00	42.00			900		9/13/2004	
REMARKS: monolithic baffle-steel reinforced--5000 psi 28-day compressive strength concrete.									
16-065-09D-C3	C3	2.50	42.88	60	102	900	1,044	3/6/2002	
REMARKS: slide-in baffle									
16-065-09S-C3	C3	2.50	42.88	60	102	900	1,068	3/6/2002	
REMARKS:									
16-065-10D-C3	C3	2.50	42.88	60	118	1050	1,224	3/6/2002	
REMARKS: slide-in baffle									
16-065-10S-C3	C3	2.50	42.88	60	118	1050	1,248	3/6/2002	
REMARKS:									
16-065-11D-C4	C4	3.00	42.00			1050		9/13/2004	
REMARKS: monolithic baffle-steel reinforced--5000 psi 28-day compressive strength concrete.									
16-065-12D-C3	C3	2.50	42.88	60	136	1250	1,426	3/6/2002	
REMARKS: 900/300 dual tank; also 600/300 dual tank with 300 gallon pump tank									



DEPARTMENT OF HEALTH
 STATE HEALTH OFFICE
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS
 SEPTIC TANK MANUFACTURERS
 run date: 3/16/2014

AA Septic Tank Service, Inc.

8300 W. Beaver
 Jacksonville, FL 32220-2301

ACTIVE

Duval

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL USE DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
16-065-12S-C3	C3	2.50	42.88	60	136	1250	1,450	3/6/2002	
REMARKS:									
16-065-13D-C4	C4	2.50	42.00			1250	1,442	9/13/2004	
REMARKS: monolithic baffle-steel reinforced—5000 psi 28-day compressive strength concrete.									
16-065-14D-C4	C4	6.00	48.00	71	108	1250	1,525	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-14S-C4	C4	6.00	48.00	71	108	1250	1,525	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-15D-C4	C4	6.00	47.00	60	136	1050	1,269	1/31/2011	
REMARKS: Also H-20 traffic rating									
16-065-15S-C4	C4	6.00	47.00	60	136	1050	1,307	1/31/2011	
REMARKS: Also H-20 traffic rating									
16-065-19D-C4	C4	6.00	47.00	83	108	1900	2,189	1/31/2011	
REMARKS: Also H-20 rating									
16-065-19S-C4	C4	6.00	47.00	83	108	1900	2,274	1/31/2011	
REMARKS: Also H-20 rating									
16-065-20D-C4	C4	4.00	49.00			1500		6/30/2004	
REMARKS: monolithic baffle									
16-065-20D-C3	C3	3.00	49.00			1500		3/6/2002	
REMARKS: monolithic baffle									
16-065-20S-C4	C4	4.00	49.00			1500		6/30/2004	
REMARKS:									
16-065-21D-C4	C4	6.00	58.00	83	108	1500	1,830	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-21S-C4	C4	6.00	58.00	83	108	1500	1,830	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-32D-C3	C3	3.00	48.00			2000		5/14/2002	
REMARKS: monolithic baffle									
16-065-32D-C4	C4	4.00	48.00			2000		6/30/2004	
REMARKS: monolithic baffle									
16-065-32S-C4	C4	4.00	48.00			2000		6/30/2004	
REMARKS:									



DEPARTMENT OF HEALTH
 STATE HEALTH OFFICE
 SEPTIC TANK DESIGNATED APPROVAL NUMBERS
 SEPTIC TANK MANUFACTURERS
 run date: 3/16/2014

AA Septic Tank Service, Inc.

8300 W. Beaver
 Jacksonville, FL 32220-2301

ACTIVE

Duval

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)		
16-065-32S-C3	C3	3.00	48.00	81	156	2000	2,593	5/14/2002	
REMARKS:									
16-065-40D-C3	C3	3.00	49.75	81	156	2300	2,600	5/14/2002	
REMARKS: monolithic baffle									
16-065-40D-C4	C4	4.00	49.75			2300		6/30/2004	
REMARKS: monolithic baffle									
16-065-40S-C4	C4	4.00	49.75			2300		6/30/2004	
REMARKS:									
16-065-40S-C3	C3	3.00	49.75			2300		5/14/2002	
REMARKS:									
16-065-41D-C4	C4	6.00	63.00	83	157	2500	3,096	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-41S-C4	C4	6.00	63.00	83	157	2500	3,096	2/22/2011	
REMARKS: Tank rated for H-20 traffic									
16-065-44D-C3	C3	3.00	54.00	81	156	2500	2,870	5/14/2002	
REMARKS: monolithic baffle									
16-065-44D-C4	C4	4.00	54.00			2500		6/30/2004	
REMARKS: monolithic baffle									
16-065-44S-C4	C4	4.00	54.00			2500		6/30/2004	
REMARKS:									
16-065-44S-C3	C3	3.00	54.00	81	156	2500	2,916	5/14/2002	
REMARKS:									
16-065-48D-C3	C3	3.00	60.00			2700		5/14/2002	
REMARKS: monolithic baffle									
16-065-48D-C4	C4	4.00	60.00	83	158	2700	3,158	6/30/2004	
REMARKS: monolithic baffle									
16-065-48S-C3	C3	3.00	60.00			2700		5/14/2002	
REMARKS:									
16-065-48S-C4	C4	4.00	60.00	83	158	2700	3,200	6/30/2004	
REMARKS:									
16-065-61S-C4	C4	2.50	42.00			300		3/6/2002	
REMARKS:									



DEPARTMENT OF HEALTH

STATE HEALTH OFFICE

SEPTIC TANK DESIGNATED APPROVAL NUMBERS

SEPTIC TANK MANUFACTURERS

run date: 3/16/2014

AA Septic Tank Service, Inc.

8300 W. Beaver
Jacksonville, FL 32220-2301

ACTIVE

Duval

TANK NUMBER	CATEGORY	WALL THICKNESS	LIQUID DEPTH	TOP EXTERIOR		EFFECTIVE GALLONS	TOTAL	APPROVAL USE	APPROVAL DATE	FAMILY
				WIDTH	LENGTH		GALLONS (Pump Tanks)			
16-065-EF10-C4	C4	4.00	48.00			2000		PBTS	6/30/2004	
REMARKS: houses the EnviroFilter 1000 gpd PBTS unit										
16-065-EF18-C3	C3	4.00	60.50	83	158	2700	3,215	PBTS	7/12/2007	
REMARKS: houses the EnviroFilter 1800, 1700, 1600, 1500, 1400, 1300, 1200, 1100, GPD PBTS units										
16-065-EF3-C3	C3	2.50	42.88			750		PBTS	6/30/2004	
REMARKS: houses the EnviroFilter 300 gpd PBTS unit										
16-065-EF5-C3	C3	2.50	42.88			1050		PBTS	6/30/2004	
REMARKS: houses the EnviroFilter 500 gpd PBTS unit										
16-065-EF7-C4	C4	4.00	49.00			1500		PBTS	6/30/2004	
REMARKS: houses the EnviroFilter 750 gpd PBTS unit										