

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Holiday Inn-Lounge	Facility Type Food Service Establishment	
Licensee Name Winchester Hospitality I, LLC	Facility Telephone # 304 267-5500	
Facility Address 301 Foxcroft Ave Martinsburg , WV	Licensee Address 301 Foxcroft Ave Martinsburg , WV 25401	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 11/01/2018	Total Time Spent 0.50

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Cooler	30
Keg Cooler	32
Back fridge	38
Mini fridge	

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
DishMachineGlas s cleaner	ChemicalChemic al		100		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 0

ObservedNon-CriticalViolations

Total # 4

Repeated # 0

4-203.11 - TEMPERATURE MEASURING DEVICES, FOOD - ACCURACY

OBSERVATION: (CORRECTED DURING INSPECTION): 2 door fridge needs thermometer

4-203.11 - TEMPERATURE MEASURING DEVICES, FOOD - ACCURACY

OBSERVATION: (CORRECTED DURING INSPECTION): True refrigerator need thermometer

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Beer fridge needs new gaskets

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Hot water knob leaking at prep sink

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian

on file
on file

On file
Cara N Harding