

**FOOD ESTABLISHMENT INSPECTION REPORT**

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of **Priority** items and 10 calendar days for **Priority Foundation** items or **HACCP** Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS      PRIORITY: 0      PRIORITY FOUNDATION: 1  
CORE: 11      TOTAL: 12

ESTABLISHMENT: The Food Shack      PERMIT NO.:      DATE: 2/7/2020  
ADDRESS: 1614 Winchester Ave      CITY: Martinsburg      STATE: WV      ZIP: 25401  
PERSON IN CHARGE/TITLE: X Elizabeth Neel      TELEPHONE:  
RECEIVED BY (SIGNATURE): X Elizabeth Neel      SANITARIAN (SIGNATURE): Scott Allen RS  
INSPECTION TYPE: ROUTINE  FOLLOW-UP  COMPLAINT  OTHER:      TIME: 11:15 am.

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			4-602.13	Inside of microwave needs cleaned.
			6-501.14	Hood vents need cleaned
			6-501.12	Floor Fans need cleaned. Throughout Establishment
			4-501.11 <sup>PF</sup>	Need Quat test strips for sanitizer.
			6-501.12	Floor around safe needs cleaned.
			6-501.11	Wall behind coffee machine counter needs repaired (Pipes exposed)
			6-501.11	Electrical Cover under wreaths missing and needs replaced. (Outlet needs secured in wall beside it).
			6-501.11	Urinal in men's bathroom needs repaired (out of order)
			6-501.11	Wall beside urinal in men's bathroom needs repaired (paper peeling).
			6-501.11	Doors (wooden) need repaired covering A/C (Heat) units. Tape not approved.
			6-501.12	Dry storage (old cold case) needs cleaned + organized.
			6-501.12	A/C vent in gameroom needs cleaned.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Pepsi Refrigerator	40°						