



ALUMINUM

BLINDS

Effective February 3, 2020

design simplified™

TABLE OF CONTENTS

Features And Options

- Features & Benefits 2
- Color Chart. 3

Pricing Information

- Price Chart and Option Charges. 4-10

Product Information

- Controls. 11
- Cord and Ladder Specifications. 11
- Mounting Requirements. 11
- Tilt Wand Lengths. 11
- Ladder Placement Chart 11
- Stack-Up Chart. 11
- Offset Stacking Chart 11
- Product Specifications. 12-13
- Cordless Lift & Lock™ Bottomrail Color Chart 14
- Product Components 15-20

FEATURES & BENEFITS



Value/Basic 1" Blinds:

- Spring-tempered .006 gauge slats - offered in a popular variety of colors. (Value offered in 6 top-selling colors)
- Heavy-duty standard headrail with crashproof cordlock and cast metal slip-clutch tilter – ensures smooth, reliable operation.
- Comes standard with a two-slat valance.

Traditional 1" Blinds:

- Spring-tempered .006 and .008 gauge slats – offered in best-selling styles and colors.
- Heavy-duty standard headrail with crash-proof cordlock and cast metal slip-clutch tilter – ensures smooth, reliable operation.
- Two-slat channel valance – covers the headrail and brackets and adds a finished look.

Deluxe 1" Blinds:

- Spring-tempered .008 gauge slats - available in a full selection of decorative colors and styles.
- Heavy-duty headrail with built-in valance - adds contemporary appeal.
- LightsOut room-darkening feature – blocks out unwanted light and increases privacy.
- 18mm ladder spacing - provides maximum slat overlap to ensure a tight closure.
- Crash-proof cordlock and cast metal slip-clutch tilter - provide smooth, reliable operation.

Macro 2" Blinds:

- Spring-tempered .008 gauge slats offered in popular colors.
- Heavy-duty standard headrail with crashproof cordlock and cast metal slip-clutch tilter – ensures smooth, reliable operation.
- Channel valance – covers the headrail and brackets and adds a finished look.

All Aluminum Blinds:

- Spring-tempered slats – resist kinks and dents, they bounce back.
- Dust-resistant finish repels dust and makes cleaning easier.
- Lockseam bottomrail provides added durability and resists bowing.
- Cord Connector separates under pressure and easily snaps together again.
- Cordless Lift & Lock upgrade provides cord free lifting for enhanced child & pet safety.
- Limited Lifetime Warranty ensures your customers' satisfaction.



Aluminum Blinds with
Cordless Lift & Lock™ are
Best For Kids certified
when ordered with wand tilt

COLOR CHART

	Deluxe Collection	Traditional Collection		Value Collection	Basic Collection	Macro Collection
COLOR NAME	1" .008 GAUGE	1" .006 GAUGE	1" .008 GAUGE	1" .006 GAUGE	1" .006 GAUGE	2" .008 GAUGE
ALABASTER	D8002	T6002	T8002	V6002	B6002	M2002
ANTIQUE	D8973	T6973	T8973		B6973	M2973
ANTIQUE PERFORATED	D8973P		T8973P			
ASH	D8913					
BEIGE	D8186	T6186	T8186		B6186	M2186
BISCUIT	D8315					
BISQUE	D8269	T6269	T8269		B6269	M2269
BLACK	D8048	T6048	T8048		B6048	M2048
BLACK PERFORATED	D8048P		T8048P			
BRIGHT ALUMINUM	D8190	T6190	T8190		B6190	M2190
BRUSHED ALUMINUM	D8065	T6065	T8065	V6065	B6065	
BRUSHED ALUMINUM PERFORATED	D8065P		T8065P			
BRUSHED NICKEL TEXTURE	D8262		T8262			
BURGUNDY	D8188					
CANVAS	D8830	T6830	T8830		B6830	M2830
CHALK WHITE	D8885	T6885	T8885		B6885	M2885
CHAR BROWN	D8064	T6064	T8064	V6064	B6064	M2064
CHAR BROWN MATTE	D8254					
CLASSIC RED	D8916					
CLAY	D8180	T6180	T8180		B6180	
COBALT BLUE	D8280					
COBBLESTONE	D8318	T6318	T8318		B6318	
COUNTRY BEIGE	D8319					
EGGSHELL	D8173				B6173	M2173
EVENING SNOW	D8385					
FAWN	D8205	T6205	T8205		B6205	M2205
FOREST	D8413				B6413	
GRAPHITE	D8983					
GRAYSTONE	D8748	T6748	T8748		B6748	M2748
KAOLIN PEARL	D8711	T6711	T8711		B6711	
LIGHT CAFFE	D8914					
LINEN	D8270				B6270	M2270
MERCURY	D8276				B6276	
OPAL	D8001	T6001	T8001		B6001	
PARCHMENT	D8402					
PEARL	D8974	T6974	T8974		B6974	M2974
PEWTER GRAY	D8405				B6405	
PLASTER	D8127	T6127	T8127	V6127	B6127	
PUMICE	D8203					
PURE WHITE	D8125	T6125	T8125	V6125	B6125	M2125
QUARTZ	D8018	T6018	T8018		B6018	M2018
RIVER LOG	D8917					
SEASHELL	D8795	T6795	T8795		B6795	
SIERRA	D8820	T6820	T8820		B6820	
SNOW GLOSS	D8110	T6110	T8110	V6110	B6110	M2110
SNOW GLOSS PERFORATED	D8110P		T8110P			
SOFT TAUPE	D8361					
SPRIG	D8919					
TALC	D8981				B6981	
TUSK	D8268	T6268	T8268		B6268	
VANILLA	D8350	T6350	T8350		B6350	M2350

// Aluminum Blinds – Traditional Routes

ORDERING KEY

Style	Code
1"	V6+Color #

• Value 1" (V6)

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
HEIGHT TO:																				
42"	\$50	59	60	63	66	80	81	85	86	92	105	108	118	126	144	161	179	191	200	212
48"	51	59	62	65	69	81	86	89	92	97	110	112	123	131	149	170	186	202	208	221
54"	51	62	63	66	70	85	86	90	93	97	111	114	125	133	153	172	190	206	212	225
60"	54	62	65	67	74	86	90	92	96	100	112	118	127	141	156	175	195	210	220	235
66"	58	66	69	74	78	92	96	97	100	105	119	125	133	146	164	183	205	221	230	245
72"	59	67	70	75	80	93	97	100	103	108	123	126	138	149	167	189	209	228	236	253
78"	60	69	74	78	84	97	100	103	107	111	126	130	144	155	174	195	215	235	245	260
84"	60	70	75	78	85	99	101	105	110	114	129	133	146	160	176	200	221	242	251	268
90"	62	74	77	80	86	100	105	108	111	118	131	138	149	163	182	205	227	246	257	273
96"	62	74	78	81	89	101	107	110	112	119	133	142	153	165	186	209	230	253	262	279
102"	62	75	80	84	90	103	108	111	116	123	138	144	156	170	190	213	236	258	269	287
108"	63	77	80	85	92	107	110	114	118	125	142	146	160	172	194	217	242	264	275	292
114"	63	77	81	86	93	108	112	116	122	127	145	149	163	176	200	223	246	270	279	299
120"	65	78	84	89	96	110	114	118	123	130	148	153	165	180	204	227	253	275	287	307
126"	65	80	85	90	97	111	116	122	126	131	149	156	170	183	208	231	257	279	292	314

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	No Returns	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE	OPTIONS: NO EXTRA CHARGE
• Cordless Lift & Lock..... add \$56 each	• 2 On 1 Headrailprice as separate blinds • 3 On 1 Headrailprice as separate blinds (3 On 1 Headrail not available with Cordless Lift & Lock) • Controls – either LR, RL or grouped (Standard only) • Hold-Down Brackets (not available with Cordless Lift & Lock) • Extension Brackets • Spacer Blocks • Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) • Special Wand and Cord Length

SIZE SPECIFICATIONS - Value .006 Gauge		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	144"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	144"	144"
Maximum width with three on one headrail	144"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.

// Aluminum Blinds – Traditional Routes

ORDERING KEY

Style	Code
1"	B6+Color #

• Basic 1" (B6)

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
HEIGHT TO:																				
42"	\$51	60	65	67	74	85	89	92	95	99	114	116	126	140	155	175	195	209	219	232
48"	52	63	66	69	75	90	95	97	101	107	120	123	135	146	164	185	205	221	230	246
54"	54	65	67	74	78	92	96	99	104	108	122	126	140	150	170	191	210	227	236	253
60"	56	66	73	75	82	95	97	104	107	112	126	131	144	156	174	198	219	235	247	265
66"	59	73	77	80	88	99	105	108	112	119	133	141	152	164	183	206	230	249	261	279
72"	60	74	78	84	90	104	108	112	115	122	140	144	156	170	191	213	235	258	269	287
78"	62	77	82	88	93	108	112	115	120	127	144	150	161	175	198	221	247	268	280	299
84"	62	78	84	89	95	110	114	119	123	131	148	155	167	182	204	230	254	277	288	310
90"	63	80	85	90	97	112	116	122	127	135	153	160	171	187	209	235	261	284	296	318
96"	65	82	88	93	99	114	120	125	130	140	156	163	175	193	216	239	266	290	306	326
102"	65	84	89	95	104	116	123	127	135	144	160	168	179	198	221	250	275	299	314	336
108"	66	85	92	96	105	120	126	131	140	146	164	172	185	204	227	255	283	309	324	345
114"	66	88	93	99	108	123	127	135	142	150	170	175	191	208	234	262	288	317	332	356
120"	67	89	95	101	110	125	131	140	145	155	172	179	195	213	239	268	296	325	341	366
126"	67	90	96	104	112	127	135	142	148	159	176	185	201	220	247	275	306	333	348	375

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	No Returns	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE

- Cordless Lift & Lock add \$56 each

OPTIONS: NO EXTRA CHARGE

- 2 On 1 Headrailprice as separate blinds
- 3 On 1 Headrail.....price as separate blinds
(3 On 1 Headrail not available with Cordless Lift & Lock)
- Controls – either LR, RL or grouped (Standard only)
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Extension Brackets
- Spacer Blocks
- Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock)
- Special Wand and Cord Length

SIZE SPECIFICATIONS - Basic .006 Gauge

	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	144"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	144"	144"
Maximum width with three on one headrail	144"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.

ORDERING KEY

Style	Code
1" .006 Gauge	T6+Color #

• Traditional 1" Aluminum Blinds with 2-Slat Channel Valance .006 Gauge (T6)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"	152"
HEIGHT TO:																					
42"	\$88	92	95	99	104	110	115	119	123	131	140	146	150	174	220	236	253	266	280	295	309
48"	89	93	96	101	107	112	116	120	126	134	144	149	155	178	227	242	261	276	291	306	320
54"	92	95	99	104	110	115	119	125	133	140	148	155	161	183	235	250	268	287	299	317	330
60"	93	96	101	107	111	116	122	127	137	142	150	159	164	190	240	258	276	294	309	325	341
66"	95	97	103	108	114	119	125	131	140	145	155	163	170	194	247	265	283	303	318	337	352
72"	97	103	108	112	118	123	131	138	144	150	161	170	176	202	257	275	296	313	330	350	366
78"	118	122	126	134	142	150	159	164	172	182	197	205	213	245	262	281	305	322	340	359	377
84"	122	127	134	141	148	156	164	172	179	190	204	213	221	253	273	294	314	335	352	371	392
90"	123	131	138	144	150	160	168	175	183	194	208	219	228	260	279	302	322	343	362	382	401
96"	125	133	140	145	152	163	171	178	189	200	212	223	234	264	287	307	330	352	370	393	412
102"	126	134	141	148	155	164	174	182	191	202	217	228	238	269	294	314	339	360	380	401	422
108"	127	138	144	149	159	168	176	185	197	206	220	234	242	276	299	321	348	369	390	412	431
114"	133	140	145	152	160	171	179	190	200	209	224	238	249	281	306	328	355	377	399	422	445
120"	133	141	146	153	163	174	183	191	202	212	230	242	253	288	311	335	362	384	407	430	453
126"	137	142	148	155	164	176	187	197	205	217	235	247	258	294	318	343	369	393	416	441	463

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	2-1/8"	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE

- Cordless Lift & Lock add \$56 each

OPTIONS: NO EXTRA CHARGE

- 2 On 1 Headrailprice as separate blinds
- 3 On 1 Headrail.....price as separate blinds
(3 On 1 Headrail not available with Cordless Lift & Lock)
- Controls – either LR, RL or grouped (Standard only)
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Extension Brackets
- Spacer Blocks
- Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock)
- Special Wand and Cord Length

SIZE SPECIFICATIONS - Traditional .006 Gauge

	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	152"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	152"	142"
Maximum width with three on one headrail	152"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.

ORDERING KEY

Style	Code
1" .008 Gauge	T8+Color #

• Traditional 1" Aluminum Blinds with 2-Slat Channel Valance .008 Gauge (T8)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"	152"
HEIGHT TO:																					
42"	\$89	93	96	101	107	112	118	122	127	137	144	150	156	178	228	245	262	277	292	307	321
48"	90	95	97	103	110	115	120	125	133	140	148	155	161	185	235	251	269	288	303	318	333
54"	93	97	101	107	112	118	123	127	137	144	152	160	167	191	245	261	280	298	313	330	347
60"	95	99	103	110	114	120	126	133	141	148	156	164	172	197	250	268	290	307	322	341	359
66"	96	101	107	111	116	123	131	137	144	150	161	170	176	202	258	276	298	317	333	352	369
72"	101	107	111	115	120	127	137	142	149	156	168	176	183	209	268	288	310	328	348	366	384
78"	120	125	133	140	146	155	163	171	179	190	204	213	223	254	275	296	318	339	356	378	397
84"	125	133	140	145	152	163	171	178	189	200	212	223	234	264	287	307	330	352	370	393	412
90"	126	134	141	148	155	167	174	182	191	202	217	228	239	270	294	314	340	362	381	403	423
96"	131	138	144	149	159	170	176	187	197	206	221	234	245	277	302	322	350	370	393	414	434
102"	133	140	145	152	161	172	182	190	201	210	227	239	250	283	307	332	356	380	401	426	449
108"	134	141	148	155	164	175	185	194	204	216	231	245	257	291	314	340	366	390	412	437	459
114"	137	144	149	156	167	178	189	198	208	220	238	250	261	296	322	348	374	400	422	449	471
120"	138	145	152	160	170	182	191	201	210	223	240	254	265	303	328	354	382	408	430	457	480
126"	140	146	153	161	172	185	194	205	216	228	246	260	270	309	335	363	392	418	442	468	493

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Box Bracket	Ordered Width	Ordered Height	Ordered Width	2-1/8"	-1/2"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE

- Cordless Lift & Lock add \$56 each

OPTIONS: NO EXTRA CHARGE

- 2 On 1 Headrailprice as separate blinds
- 3 On 1 Headrail.....price as separate blinds
(3 On 1 Headrail not available with Cordless Lift & Lock)
- Controls – either LR, RL or grouped (Standard only)
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Extension Brackets
- Spacer Blocks
- Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock)
- Special Wand and Cord Length

SIZE SPECIFICATIONS - Traditional .008 Gauge

	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	152"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	152"	142"
Maximum width with three on one headrail	152"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.

ORDERING KEY

 Style
 1"

 Code
 D8+Color #

• Deluxe 1" with Traditional Routes (D8)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"
HEIGHT TO:																				
42"	\$93	96	99	103	108	112	116	120	123	131	142	146	152	174	224	239	257	270	283	298
48"	95	97	101	107	111	115	119	123	127	134	146	152	156	179	235	249	266	283	296	310
54"	97	101	104	110	114	119	123	127	134	141	150	159	163	187	245	260	279	296	310	325
60"	99	103	108	112	116	122	126	133	138	145	156	163	170	194	253	269	291	309	322	340
66"	101	107	110	114	118	125	131	138	142	149	161	170	175	201	262	279	302	320	340	356
72"	104	110	112	116	122	127	137	142	146	153	167	175	182	206	270	291	311	337	354	371
78"	127	137	141	146	153	161	170	176	183	193	209	220	228	261	280	299	326	350	366	384
84"	133	138	144	149	155	167	174	179	189	198	213	224	235	266	288	307	337	359	377	397
90"	138	144	149	155	163	172	182	190	198	206	224	236	246	279	302	324	351	373	393	414
96"	141	146	152	159	167	176	187	194	202	212	231	242	251	288	311	335	362	385	404	427
102"	142	148	153	161	171	179	190	200	206	217	236	249	260	295	321	344	371	397	418	441
108"	145	150	156	164	174	185	194	204	210	223	242	254	265	306	330	354	382	410	430	455
114"	146	152	159	168	176	190	201	209	219	234	251	266	277	320	348	371	403	431	455	482
120"	148	155	161	171	182	193	205	213	223	238	258	273	283	328	355	382	414	445	470	497
126"	150	156	167	174	185	200	209	219	228	245	265	279	296	337	366	395	426	456	482	510

Finished Dimensions	Outside (OB) Mount			Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Hidden Brackets	+1/8"	Ordered Height	Ordered Width	-1/8"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE

- Cordless Lift & Lock add \$56 each

OPTIONS: NO EXTRA CHARGE

- 2 On 1 Headrailprice as separate blinds
- 3 On 1 Headrail.....price as separate blinds
(3 On 1 Headrail not available with Cordless Lift & Lock)
- Controls – either LR, RL or grouped (Standard only)
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Extension Brackets
- Spacer Blocks
- Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock)
- Special Wand and Cord Length

SIZE SPECIFICATIONS - Deluxe .008 Gauge, Traditional Routes

	Standard Cordlock	Cordless Lift & Lock™
Slat width	1"	1"
Minimum width (NET)	8"	10-1/2"
Minimum height	6"	12"
Maximum width of a single blind	142"	120"
Maximum height	126"	84"
Maximum width with two on one headrail	142"	142"
Maximum width with three on one headrail	142"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	124 sq. ft.	133 sq. ft.

// Aluminum Blinds – LightsOut Routeless

ALTA
WINDOW FASHIONS

ORDERING KEY

Style Code
1" D8+Color #

• Deluxe 1" with LightsOut (D8)

WIDTH TO:	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	142"
HEIGHT TO:																				
42"	\$95	97	101	107	111	115	120	123	127	137	146	152	159	182	236	251	268	287	299	313
48"	97	101	104	110	114	119	123	127	134	142	152	160	164	190	247	262	281	302	314	330
54"	101	104	108	112	118	123	127	137	141	146	159	167	172	198	258	275	296	314	330	348
60"	103	108	111	115	120	126	134	141	145	152	164	172	179	205	268	288	309	328	347	365
66"	104	110	114	118	123	133	140	144	149	156	171	178	187	212	279	298	321	343	365	382
72"	108	112	116	122	127	138	144	149	155	163	176	187	194	221	291	311	337	363	381	401
78"	134	141	146	153	161	171	179	189	197	206	223	235	246	279	302	322	352	374	396	418
84"	138	144	149	156	164	175	185	193	202	212	231	242	253	290	311	335	365	392	411	433
90"	144	150	156	164	172	183	194	202	210	221	242	254	265	302	325	352	381	408	429	453
96"	146	152	160	168	176	189	200	206	216	228	249	261	273	310	339	365	395	420	445	468
102"	149	155	163	171	182	193	204	212	221	236	257	269	280	320	351	374	407	434	459	485
108"	150	159	167	175	185	198	208	219	228	242	262	276	290	332	360	385	419	449	474	502
114"	153	161	171	179	190	205	216	227	238	251	275	291	305	351	380	410	446	476	505	535
120"	155	163	174	183	194	208	220	234	245	258	280	298	311	362	392	422	456	491	517	550
126"	159	170	176	187	201	213	224	239	250	266	290	306	324	370	403	433	471	506	536	569

Finished Dimensions	Outside (OB) Mount			Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Headrail Width	Blind Height	Slat Width
1" Aluminum Blind – Hidden Brackets	+1/8"	Ordered Height	Ordered Width	-1/8"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: NO EXTRA CHARGE

- 2 On 1 Headrailprice as separate blinds
- 3 On 1 Headrail.....price as separate blinds
- Controls – either LR, RL or grouped (Standard only)
- Hold-Down Brackets
- Extension Brackets
- Spacer Blocks
- Tile Cut-Out – max. 5-1/2" each side
- Special Wand and Cord Length

SIZE SPECIFICATIONS - Deluxe .008 Gauge, Routeless

	Standard Cordlock
Slat width	1"
Minimum width (NET)	8"
Minimum height	6"
Maximum width of a single blind	142"
Maximum height	126"
Maximum width with two on one headrail	142"
Maximum width with three on one headrail	142"
Blind with tilter only – net width	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"
Blind with controls in any position – net width	18-1/8" or more
Maximum square feet, single blind	124 sq. ft.

ORDERING KEY

Style	Code
2"	M2+Color #

• Macro 2" with Channel Valance (M2)

WIDTH TO:	12"	24"	28"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	122"	132"	144"
HEIGHT TO:																				
42"	\$92	110	114	119	126	133	140	148	152	160	168	174	189	260	276	310	326	363	380	392
48"	93	111	116	122	131	138	142	152	159	167	172	179	197	268	287	321	340	377	395	407
54"	96	114	119	125	137	142	148	156	163	172	179	189	202	279	298	335	354	393	411	425
60"	96	116	122	127	140	145	150	161	168	176	185	193	208	288	306	343	363	403	422	437
66"	101	120	126	137	145	150	156	170	175	185	193	202	217	299	320	359	380	420	441	457
72"	103	122	131	138	148	153	161	172	178	190	198	206	221	307	328	367	390	430	453	470
78"	131	159	168	175	189	198	206	220	230	242	253	265	287	321	344	384	407	450	471	489
84"	134	161	171	179	193	202	210	227	236	249	261	273	294	330	354	396	419	463	486	508
90"	134	163	174	183	197	205	216	231	240	254	266	277	299	339	363	404	429	475	500	519
96"	140	171	179	191	205	216	227	245	253	268	281	296	318	362	385	431	459	508	535	560
102"	141	174	185	194	209	220	234	249	260	276	290	305	325	370	399	446	474	520	550	574
108"	142	176	189	201	213	224	238	254	266	281	296	310	335	378	408	455	483	535	565	589
114"	145	179	191	204	219	231	242	260	273	290	305	318	343	389	418	467	498	549	577	606
120"	148	183	197	208	223	236	249	268	279	296	311	325	352	399	429	478	509	564	594	622
126"	149	187	201	212	228	242	253	273	287	305	318	335	362	408	441	491	523	576	609	637

Finished Dimensions	Outside (OB) Mount				Inside (IB) Mount		
	Headrail Width	Blind Height	Slat Width	Standard Returns	Headrail Width	Blind Height	Slat Width
2" Aluminum Blind – Box Bracket	-1/4"	Ordered Height	Ordered Width	2-7/8"	-3/4"	Ordered Height	-1/2"

NOTE: Measurements represent difference of total headrail or slat width (including endcaps) from ordered width.

OPTIONS: EXTRA CHARGE	OPTIONS: NO EXTRA CHARGE
• Cordless Lift & Lock add \$56 each	• 2 On 1 Headrailprice as separate blinds • 3 On 1 Headrail.....price as separate blinds (3 On 1 Headrail not available with Cordless Lift & Lock) • Controls – either LR, RL or grouped (Standard only) • Hold-Down Brackets • Extension Brackets • Spacer Blocks • Tile Cut-Out – max. 5-1/2" each side (not available with Cordless Lift & Lock) • Special Wand and Cord Length

SIZE SPECIFICATIONS - 2" Macro, Traditional Routes		
	Standard Cordlock	Cordless Lift & Lock™
Slat width	2"	2"
Minimum width (NET)	8"	10-1/2"
Minimum height	12"	12"
Maximum width of a single blind	144"	144"
Maximum height	126"	84"
Maximum width with two on one headrail	192"	144"
Maximum width with three on one headrail	192"	n/a
Blind with tilter only – net width	8" to 10-3/8"	10-1/2" - 12-3/8" Center tilt only 12-1/2" or greater L or R tilt only
Blind must have split controls – net width	10-1/2" to 18"	
Blind with controls in any position – net width	18-1/8" or more	
Maximum square feet, single blind	144 sq. ft.	

SIZE SPECIFICATIONS - 2" Macro, Routeless	
	Standard Cordlock
Slat width	2"
Minimum width (NET)	8"
Minimum height	12"
Maximum width of a single blind	144"
Maximum height	126"
Maximum width with two on one headrail	192"
Maximum width with three on one headrail	192"
Blind with tilter only – net width	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"
Blind with controls in any position – net width	18-1/8" or more
Maximum square feet, single blind	144 sq. ft.

FEATURES AND OPTIONS

CONTROLS

Standard Cordlock	Width (NET)
Tilt only (does not lift)	8" to 10-3/8"
Split (Lift Cord L, Wand R)	10-1/2" to 18"
Any position (LR, RL, Grouped)	18-1/8" or more

Lift & Lock	Width (NET)
Center tilt only	10-1/2" to 12-3/8"
Left or Right tilt (Center tilt n/a)	12-1/2" or more

Note: Lift function is controlled by the bottomrail for Cordless Lift & Lock

TILT WAND

Clear wand. Wand length is standard, see chart below, or select one of the other lengths available and specify that length when ordering.*

Tilt Wand	
All 1" Blinds	
Wand Length	Blind Height
12"	12" to 22"
20"	22-1/8" to 37"
30"	37-1/8" to 52"
40"	52-1/8" to 67"
50"	67-1/8" to 82"
60"	82-1/8" to 144"

*Optional Lengths: 70", 78", 90", or 120"

2" Blinds	
Wand Length**	Blind Height
12"	12" to 24"
20"	24-1/8" to 36"
30"	36-1/8" to 48"
40"	48-1/8" to 60"
50"	60-1/8" to 75"
60"	75-1/8" to 90"
70"	90-1/8" to 105"
78"	105-1/8" to 117"
90"	117-1/8" to 126"

*Optional Length: 120"

** Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum tilt cord length is 6". For blinds under 15" in height, a tilt cord length override to at least 6" must be requested.

STACKING

Add the selected style to the Blind Stack

Headrail/Bottomrail	1" Blinds
Value/Basic	1-1/2"
Traditional	1-1/2"
Deluxe	2"
+	+
Each 12" of Blind Height	3/8"

Blind Height	2" Blinds (approx)
36"	4-1/2"
48"	4-3/4"
60"	5"
72"	5-1/4"
84"	5-1/2"
96"	5-3/4"
108"	6"
120"	6-1/4"
126"	6-1/2"

For Lift & Lock add an additional 3/4" to the total.

CORD AND LADDER

- Color coordinated with slats
- Standard lift cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum lift cord length is 6". For blinds under 15" in height, a lift cord length override to at least 6" must be requested.
- Lift cord features a color-coordinated cord connector that separates under pressure. It easily snaps together again.

MOUNTING REQUIREMENTS

	Inside (IB) Mount		Outside (OB) Mount
	Minimum Required Depth	Minimum Required Depth Flush Mount	Minimum Required Mounting Surface
Value/Basic 1"	7/8"	1-1/4"	5/8"
Traditional 1"	1-3/8"	2-1/4"	1-3/8"
Deluxe 1"	7/8"	1-3/4"	5/8"
Macro 2"	1-1/8"	3-3/8"	1-3/4"

Center Support Brackets - All Blinds	
Width	# of Brackets
48" - 84"	1
84-1/8" - 120"	2
Over 120"	3

LADDER PLACEMENT


The following charts show the number of ladders based on blind width.

1" Blinds	
Finished Width	# of Ladders
Up to 36"	2
36-1/8" to 60"	3
60-1/8" to 84"	4
84-1/8" to 108"	5
108-1/8" to 132"	6
132-1/8" to 152"	7

2" Blinds	
Finished Width	# of Ladders
Up to 46-1/2"	2
46-5/8" to 80-1/2"	3
80-5/8" to 114-1/2"	4
114-5/8" to 144"	5

DELUXE 1" BLIND OFFSET STACKING

Length of Offset	Amount of Offset
12"	1/4"
24"	7/16"
36"	9/16"
48"	11/16"
60"	3/4"
72"	13/16"
84"	13/16"
96"	7/8"
108"	7/8"
120"	7/8"



PRODUCT SPECIFICATIONS

	Value	Basic	Traditional	
FEATURES	1" .006 GAUGE	1" .006 GAUGE	1" .006 GAUGE	1" .008 GAUGE
# of Colors	6	31	25	30
Slat Gauge	0.006	0.006	0.006	0.008
Dust-Resistant Finish	Yes	Yes	Yes	Yes
Headrail Size	1" X 1"	1" X 1"	1" X 1-1/2"	1" X 1-1/2"
Headrail Gauge	0.024	0.024	0.024	0.024
Bottomrail - Standard	Lockseam	Lockseam	Lockseam	Lockseam
Bottomrail - Lift & Lock	The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail. Please refer to the Lift & Lock Bottomrail Color listing for the coordinating rail color.			
Lightsout Feature	N/A	N/A	N/A	N/A
Bracket Style	Box	Box	Box	Box
Cord Size	1.4 mm	1.4 mm	1.4 mm	1.4 mm
Ladder Spacing	23 mm	22 mm	22 mm	22 mm
Wand	Clear, Standard	Clear, Standard	Clear, Standard	Clear, Standard
Cord Tilter	N/A	N/A	N/A	N/A
Valance Style	2 Slats in Clips	2 Slats in Clips	2 Slat Channel Valance	2 Slat Channel Valance
Headrail End Stiffener	Yes	Yes	Yes	Yes
Cord Connector	Colored	Colored	Colored	Colored
OPTIONS				
Cordless Lift & Lock™	Yes	Yes	Yes	Yes
2 or 3 on 1 Headrail* - 3 on 1 headrail not available with Cordless Lift & Lock	Yes	Yes	Yes	Yes
Control Positions (LR, RL, Grouped)	Yes	Yes	Yes	Yes
Extension Brackets	Yes	Yes	Yes	Yes
Hold-down Brackets - not available with 1" Cordless Lift & Lock	Yes	Yes	Yes	Yes
Spacer Blocks	Yes	Yes	Yes	Yes
Tile Cut-out - not available with Cordless Lift & Lock	Yes	Yes	Yes	Yes
SIZE SPECIFICATIONS				
Slat width	1"	1"	1"	1"
Standard Lift Cords				
Minimum width (NET)	8"	8"	8"	8"
Minimum height	6"	6"	6"	6"
Maximum width of a single blind	144"	144"	152"	152"
Maximum height	126"	126"	126"	126"
Maximum width with 2 or 3 on 1 headrail	144"	144"	152"	152"
Maximum width end mount	48"	48"	48"	48"
Blind with tilter only – net width	8" to 10-3/8"	8" to 10-3/8"	8" to 10-3/8"	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"	10-1/2" to 18"	10-1/2" to 18"	10-1/2" to 18"
Blind can have controls in any position – net width	18-1/8" to 144"	18-1/8" to 144"	18-1/8" to 152"	18-1/8" to 152"
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.	133 sq. ft.	133 sq. ft.
Cordless Lift & Lock™				
Minimum width (NET)	10-1/2"	10-1/2"	10-1/2"	10-1/2"
Maximum width of a single blind	120"	120"	120"	120"
Minimum height	12"	12"	12"	12"
Maximum height	84"	84"	84"	84"
Maximum width Cordless Lift & Lock w/ 2 on 1	144"	144"	142"	142"
Maximum width end mount	N/A	N/A	N/A	N/A
Center tilt only – NET width	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"
Left or Right tilt only - NET width	12-1/2" or more	12-1/2" or more	12-1/2" or more	12-1/2" or more
Maximum square feet, single blind	133 sq. ft.	133 sq. ft.	133 sq. ft.	133 sq. ft.

* 2 or 3 Blinds On 1 Headrail – a crating surcharge may be assessed, see General Information section for shipping related surcharges

PRODUCT SPECIFICATIONS

	Deluxe	Macro
FEATURES	1" .008 GAUGE	2" .008 GAUGE
# of Colors	51	18
Slat Gauge	0.008	0.008
Dust Resistant Finish	Yes	Yes
Headrail Size	1-1/4" X 1-1/2"	2-1/4" X 1-1/2"
Headrail Gauge	0.024	0.024
Bottomrail - Standard	Lockseam	Lockseam
Bottomrail - Lift & Lock	The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail. Please refer to the Lift & Lock Bottomrail Color listing for the coordinating rail color.	
Lightsout Feature - not available with Cordless Lift & Lock	Available	Available
Bracket Style	Hidden	Box
Cord Size	1.4 mm	1.4 mm
Ladder Spacing	22 mm	42 mm
Wand Tilt	Clear, Standard	Clear, Standard
Valance Style	Built-in	Channel Valance
Headrail End Stiffener	n/a	Yes
Cord Connector	Colored	Colored
OPTIONS		
Cordless Lift & Lock™	Yes	Yes
2 or 3 on 1 Headrail* - 3 on 1 headrail not available with Cordless Lift & Lock	Yes	Yes
Control Positions (LR, RL, Grouped)	Yes	Yes
Cord Tilt	N/A	Yes
Extension Brackets	Yes	Yes
Hold-down Brackets - not available with 1" Cordless Lift & Lock	Yes	Yes
Spacer Blocks	Yes	Yes
Tile Cut-out - not available with Cordless Lift & Lock	Yes	Yes
SIZE SPECIFICATIONS		
Slat width	1"	2"
Standard Lift Cords		
Minimum width (NET)	8"	8"
Minimum height	6"	12"
Maximum width of a single blind	142"	144"
Maximum height	126"	126"
Maximum width with 2 or 3 on 1 headrail	142"	192"
Blind with tilter only – net width	8" to 10-3/8"	8" to 10-3/8"
Blind must have split controls – net width	10-1/2" to 18"	10-1/2" to 18"
Blind can have controls in any position – net width	18-1/8" to 142"	18-1/8" to 144"
Maximum square feet, single blind	124 sq. ft.	144 sq. ft.
Cordless Lift & Lock™		
Minimum width (NET)	10-1/2"	10-1/2"
Minimum height	12"	12"
Maximum width of a single blind	120"	144"
Maximum height	84"	84"
Maximum width 2 on 1 headrail	142"	144"
Maximum square feet, single blind	124 sq. ft.	144 sq. ft.
Center tilt only – NET width	10-1/2" to 12-3/8"	10-1/2" to 12-3/8"
Left or Right tilt only - NET width	12-1/2" or more	12-1/2" or more
Maximum square feet, single blind	124 sq. ft.	144 sq. ft.

* 2 or 3 Blinds On 1 Headrail – a crating surcharge may be assessed, see General Information section for shipping related surcharges

CORDLESS LIFT & LOCK™ BOTTOMRAIL COLOR CHART




The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below. There are **more slat** colors **than** available **rail** colors, please review the rail colors listed below when ordering. Rail colors listed can be found in the Aluminum sample deck.

NOTE: Due to color availability in each size rail, there are cases where the 1" and 2" slats in the same color will have different color bottomrails.


BEST FOR KIDS	Deluxe Collection	Traditional Collection		Value Collection	Basic Collection	All 1" Styles		Macro Collection	All 2" Blinds	
						Cordless Lift & Lock Bottomrail	Color #		Cordless Lift & Lock Bottomrail	Color #
COLOR NAME	1" .008 GAUGE	1" .006 GAUGE	1" .008 GAUGE	1" .006 GAUGE	1" .006 GAUGE	Color	Color #	2" .008 GAUGE	Color	Color #
Alabaster	D8002	T6002	T8002	V6002	B6002	Alabaster	002	M2002	Alabaster	002
Antique	D8973	T6973	T8973		B6973	Alabaster	002	M2973	Antique	973
Antique Perforated	D8973P		T8973P			Alabaster	002			
Ash	D8913					Mercury	276			
Beige	D8186	T6186	T8186		B6186	Alabaster	002	M2186	Alabaster	002
Biscuit	D8315					Alabaster	002			
Bisque	D8269	T6269	T8269		B6269	Plaster	127	M2269	Antique	973
Black	D8048	T6048	T8048		B6048	Black	048	M2048	Black	048
Black Perforated	D8048P		T8048P			Black	048			
Bright Aluminum	D8190	T6190	T8190		B6190	Brushed Aluminum	065	M2190	Brushed Aluminum	065
Brushed Aluminum	D8065	T6065	T8065	V6065	B6065	Brushed Aluminum	065			
Brushed Aluminum Perforated	D8065P		T8065P			Brushed Aluminum	065			
Brushed Nickel Texture	D8262		T8262			Brushed Aluminum	065			
Burgundy	D8188					Alabaster	002			
Canvas	D8830	T6830	T8830		B6830	Alabaster	002	M2830	Alabaster	002
Chalk White	D8885	T6885	T8885		B6885	Pure White	125	M2885	Snow Gloss	110
Char Brown	D8064	T6064	T8064	V6064	B6064	Char Brown	064	M2064	Char Brown	064
Char Brown Matte	D8254					Char Brown	064			
Classic Red	D8916					Alabaster	002			
Clay	D8180	T6180	T8180		B6180	Graystone	748			
Cobalt Blue	D8280					Mercury	276			
Cobblestone	D8318	T6318	T8318		B6318	Graystone	748			
Country Beige	D8319					Plaster	127			
Eggshell	D8173				B6173	Alabaster	002	M2173	Alabaster	002
Evening Snow	D8385					Plaster	127			
Fawn	D8205	T6205	T8205		B6205	Alabaster	002	M2205	Alabaster	002
Forest	D8413	T6413	T8413		B6413	Alabaster	002			
Graphite	D8983					Black	048			
Graystone	D8748	T6748	T8748		B6748	Graystone	748	M2748	Brushed Aluminum	065
Kaolin Pearl	D8711	T6711	T8711		B6711	Plaster	127			
Light Caffe	D8914					Mercury	276			
Linen	D8270				B6270	Plaster	127	M2270	Antique	973
Mercury	D8276				B6276	Mercury	276			
Opal	D8001	T6001	T8001		B6001	Pure White	125			
Parchment	D8402					Alabaster	002			
Pearl	D8974	T6974	T8974		B6974	Plaster	127	M2974	Pearl	974
Pewter Gray	D8405				B6405	Mercury	276			
Plaster	D8127	T6127	T8127	V6127	B6127	Plaster	127			
Pumice	D8203					Alabaster	002			
Pure White	D8125	T6125	T8125	V6125	B6125	Pure White	125	M2125	Snow Gloss	110
Quartz	D8018	T6018	T8018		B6018	Snow Gloss	110	M2018	Snow Gloss	110
River Log	D8917					Char Brown	064			
Seashell	D8795	T6795	T8795		B6795	Pure White	125			
Sierra	D8820	T6820	T8820		B6820	Black	048			
Snow Gloss	D8110	T6110	T8110	V6110	B6110	Snow Gloss	110	M2110	Snow Gloss	110
Snow Gloss Perforated	D8110P		T8110P			Snow Gloss	110			
Soft Taupe	D8361					Char Brown	064			
Sprig	D8919					Alabaster	002			
Talc	D8981				B6981	Pure White	125			
Tusk	D8268	T6268	T8268		B6268	Plaster	127			
Vanilla	D8350	T6350	T8350		B6350	Alabaster	002	M2350	Alabaster	002

NOTE: Bottomrail colors are pre-selected. Hardware color override is not available.

PRODUCT COMPONENTS – 1" VALUE/BASIC BLIND



PRODUCT COMPONENTS – 1" TRADITIONAL BLIND



PRODUCT COMPONENTS – 1" DELUXE BLIND

3/8" Spacer Block
Part #KIT-AB-001 (2PK)
Part #KIT-AB-002 (3PK)
(Not required on every blind)

Extension Bracket
Part #KIT1309 (2PK)
Part #KIT1310 (3PK)

End Mount Bracket Kit
(Part #5908139000)

Cordlock
(Part #50085640000)

Cordlock Adapter w/Separator
(Part #5908564000)

Tape Roll
(Part #5908570000)

Headrail End Cap
(Part #5908133-COLOR)

Tape Roll Support
(Part #5908573000)

Hidden Installation Bracket
Part #KIT1303 (2PK)
Part #KIT1304 (3PK)

Wand Tilter
(Part #5908566000)

Headrail

Slat

Tiltrod
(Part #5908027000)

Bottomrail End Cap
(Part #5009032-COLOR)

Lift Cord
(Part #5009075-COLOR)

Cord Connector
(Part #7007736-COLOR)

Tassel
(Part #2930770000)

Tape Spacer
(Part #5008136000)

Clear Wands

12": Part #WDS-25012-PC-CLR

20": Part #WDS-25020-PC-CLR

30": Part #WDS-25030-PC-CLR

40": Part #WDS-25040-PC-CLR

50": Part #WDS-25050-PC-CLR

60": Part #WDS-25060-PC-CLR

70": Part #5008570000

78": Part #5008578000

90": Part #5008506000

120": Part #WDS-25120-PC-CLR

Cable Tape Ladder

Bottomrail


Tape Button
(Part #5009035-COLOR)

Hold-Down Bracket
(Part #KIT2009)

Installation Screw (#6 x 1.5)
(Part #02-70-9021) – not shown

Child Safety Kit
(Part #KIT2728) – not shown

PRODUCT COMPONENTS – ALL 1" CORDLESS LIFT & LOCK™




Pocket/Ferrule Clear (Part #3200156000C)
Included in headrail for skew adjustment

1" Deluxe Wand Extender
(Part #7008702000)



NOTE: Components shown are for the 1" Lift & Lock bottomrail. With the exception of the pocket & ferrule, all headrail components are the same as standard blinds.



PRODUCT COMPONENTS – 2" MACRO BLIND



PRODUCT COMPONENTS – 2" MACRO WITH CORDLESS LIFT & LOCK™



*when ordered with wand tilt



Hold Down Brackets for 2" Macro
Cordless Lift & Lock
Sill - 3/8" (Part #KIT2009)
Jamb - 3/4" (Part #KIT2010)



Cord Skew Adjuster (Part #7300501000)
Included in headrail for skew adjustment

NOTE: Components shown are for the 2" Lift & Lock bottomrail. With the exception of the skew adjuster, all headrail components are the same as standard blinds.