





# **TABLE OF CONTENT**

Staple Guns	4
Mini Air Tools	5
Air Tools	6
Hole Saws, Drill Bits, Step Drills	7
Wire Cutters, Crimpers & Strippers	8-11
Aviation Snips	12
Shears	13
Fiber Glass Tools	14
Brushes, Rollers	15
File Sets	16
Soldering-Torch-Heat Gun, Glue Gun, Caulking Gun	17
Buffing Wheels	18
Hex Keys	19
Window & Door Clip Remover, Door Panel Fastener Remover Tape Measure, Screw Drivers, Drill Bit, Pry & Chisel Tools	20
Radio Removal Keys	21
Safty Glasses and Respirators	22

### **Upholstery Air Stapler**

### US-2258

Air Upholstery Stapler 22 gauge Leg Length 3/8" to 5/8" Magazine Capacity 156 Pressure Range 70 to 100 psi Firing Mode Automatic Swivel Connector





### **Brad Air Nailer**

### BN-182

Drives a range of 18 gauge brad nails, from 5/8" to 2", into hard or soft wood applications; magazine application is up to 100 nails.

Quick release cam-lock opens nail guide assembly to easily clear jammed nails; efficient design minimizes downtime

Easy to use "tool-less" depth adjustment dial for a wide variety of finish applications

Non-marring rubber nose and bumpers protect the wood's surface from being scratched or damaged

Tool hook can be rotated 180° and attached on either left or right side so tool can remain close by, but never in the way

Multi-directional exhaust port rotates 360° to direct exhaust air away from user Rubber covered hand grip for non-slip, comfortable contact

**Swivel Connector** 

### **Narrow Crown Air Stapler**

### NCS-158

Air Finishing Stapler, Narrow Crown Leg Length 1/2 to 1-5/8" 18 gauge Magazine Capacity 100 CFM per Shot 0.047 Pressure Range 70 to 120 psi Swivel Connector



4

# MINI AIR TOOLS



### 1/4" Mini Angle Die Grinder

### MAG-14

1/4" Mini Air Angle Die Grinder

Collect Size: 6mm or 1/4" Free Speed: 22,000rpm

Motor: 0.3hp Air Inlet: 1/4" Length 120mm Swivel Connector



### 2" Mini Angle Grinder

### MG-2

2" Mini Air Angle Grinder

Grinding Wheel Size: 2" Free Speed: 22,000rpm

Motor: 0.3hp Air Inlet: 1/4" Length 120mm Swivel Connector



### 2" Mini Angle Sander

### MAS-2

2" Mini Air Angle Sander

Pad Size: 2"

Free Speed: 22,000rpm

Motor: 0.3hp Air Inlet: 1/4" Length 120mm Swivel Connector



### Mini Air Rachet

### MSR-38

3/8" Mini Air Rachet Wrench/Screw Driver

Torque: 20ft-lb
Ratchet Anvil: 3/8"
Screwdriver Shank: 1/4"
Free Speed: 280rpm
Air Inlet: 1/4"
Length 140mm
Swivel Connector



### Mini Air Grinder

### MSDG-14

1/4" Mini Straight Air Die Grinder

Collect Size: 6mm or 1/4" Free Speed: 30,000rpm

Motor: 0.3hp Air Inlet: 1/4" Length 120mm Swivel Connector



### **Reciprocating Air Body Saw**

### LVBS-1

Low Vibration & Low Noise Air Body Saw

- Stroke: 3/8" (10mm)
- Speed: 10,000rpm
- Cuting Capacity: 2mm Steel Sheet
- Vibration: 3 m/s<sup>2</sup>
- Total Length 260mm
- 2.5 Average CFM @ 15 Second Run Time, 9.0 Cuts Flat and Curved Surfaces CFM @ Full Load
- Required Pressure 90 psi
- Air Inlet 1/4 In. NPT
- Min. Hose Size 3/8 In.
- · Housing Material Aluminum
- Lock Off Lever Throttle
- No Variable Speed

  - · High Speed Steel Cutting Blade





### **Air Blow Gun**

### TABG-2

Turbo Venturi Pistol Grip Blow Gun features a Venturi nozzle that makes it ideal for cleaning debris from a work space, drying wet surfaces, blowing up balloons and more.


The pistol grip trigger provides a nonslip surface for ease of use and helps you control the precise amount of airflow at the tip. With Swivel Connector.



### **Narrow Crown Staples**

	Collation Type Adhesive,	Chisel Point Type, Smo	oth Shank, Steel, Galvanized Fini	ish
8	condition type ridiresive,	ernser rount rype, sino	otil Sharily Steel, Galvarilea i ili	511

X5NC1834	3/4" Length	1/4" Crown	18ga.	2,500pcs
XSNC18100	1" Length	1/4" Crown	18ga.	2,500pcs
X5NC18118	11/8" Length	1/4" Crown	18ga.	2,500pcs
XSNC18114	1 <sup>1</sup> /4" Length	1/4" Crown	18ga.	2,500pcs
XSNC18112	11/2" Length	1/4" Crown	18ga.	2,500pcs



### **Brad Nails**

T-Shape Head Style, Collation Type Adhesive, Chisel Point Type, Smooth Shank, Steel, Galvanized Finish
--

XSBN1834	3/4" Length		18ga.	5,000pcs
XSBN1858	5/8" Length		18ga.	5,000pcs
X5BN18100	1" Length		18ga.	5,000pcs
XSBN18118	1 <sup>1</sup> /8" Length		18ga.	5,000pcs
XSBN18114	1 <sup>1</sup> /4" Length		18ga.	5,000pcs
XSBN16112	1 <sup>1</sup> /2" Length	Galvanized Finish Nails	16ga.	2,500pcs
X5BN16200	2 Length	Galvanized Finish Nails	16ga.	2,500pcs



### Staples

71 Series Collated Staple, Chisel Point type, Steel, Galvanized Finish					
<b>X5-7118</b> (71 Series)	1/8" Length	<sup>3</sup> /8" Crown	22ga.	10,000pcs	
<b>X5-7114</b> (71 Series)	1/4" Length	<sup>3</sup> /8" Crown	22ga.	10,000pcs	
<b>X5-7138</b> (71 Series)	3/8" Length	3/8" Crown	22ga.	10,000pcs	
<b>X5-7112</b> (71 Series)	1/2" Length	<sup>3</sup> /8" Crown	22ga.	10,000pcs	
<b>X5-7158</b> (71 Series)	5/8" Length	<sup>3</sup> /8" Crown	22ga.	10.000pcs	

## **HOLE SAWS**

### **Hole Saw Set**

### HSS-14

14pc M42 Material Hole Saw Set

- 11pcs Hole Saw: 3/4" (19mm) 3" (76mm)
- 2pcs Arbors: 3/8" Hex, fit 14-30mm
- 7/16" Hex, fit 32-216mm
   1pc Adapter: 1/2" 20 UNF

Unique tooth design/set pattern for improved metal cutting performance and increased durability.

Improved backing plate prevents warping at holes and increases cycles.

Includes 3/4", 7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/4", 2-1/2"

## **DRILL BITS**

XSCORPION TOOLS

M2 HIGH SPEED STEEL

STRAIGHT SHANK

DOUBLE CONOID TW. ANGLE

OVER 3/16" WITH THREE FLAT SHANK

WARRISON ALMAYS read and to the operating and safety branches or the powerful branch and an instruction for the up of the a





### TDB-21

21pcs Titanium Finish Drill Bits, M2 HSS Material

- Bit Range: 1/16" 3/8"
- Tip Type: Double Conoid TW Angle
- Shank: Over 3/16" with three flat shanks

# **STEP DRILLS**

### **Step Drills**

M2 HSS STEP DRILL STRAIGHT FLUTE THREE-FLATTED SHANK, TIN COATED

### SD18-12

1/8"-1/2" - 13 Position Titanium Step Drill, 1/4" Shank, M2 HSS Material

### 5D14-34

1/4"-3/4" - 9 Position Titanium Step Drill, 3/8" Shank, M2 HSS Material

### 5D916-1

9/16"-1 - 8 Position Titanium Step Drill, 3/8" Shank, M2 HSS Material







# WIRE CRIMPERS, CUTTERS & STRIPPERS









# Telephone & Data Crimper, Stripper & Cutter

### TCSC-68

Cat3, Cat5e, Cat6

All-in-one crimper for WE/SS-style data and phone cable provides multi-function cutting, stripping and crimping

Crimps RJ45, RJ11/12 and RJ22 handset plugs; cuts and strips round UTP/STP phone and data cable

Advanced ratchet mechanism with emergency release for effortless terminations

Ergonomic handle for reliable grip and all-day comfort

# Quick Wire Stripper, Crimper & Cutter

### QWS-108

Strips & cuts 10-24 AWG (2.6-0.51mm) wire, crimper 10-22 AWG (2.6-0.64mm).

Compound-action tool crimps 10-22 AWG insulated terminals to meet or exceed MIL-SPEC pull-out tests.

Built-in ratchet with safety release assures uniform crimps every time.

Compound lever-action of narrow-span handles puts more crimping power into each squeeze.

Special locator quickly positions terminal for double crimp.

Comfort-grip plastic handles





### **Quick Wire Stripper & Cutter**

### **QWSC-10**4

Strips 10-24 AWG (2.6-0.51mm) & cuts 24-14 AWG (0.5-1.6mm) wire

Automatically adjusts to wire size.

Easily strips insulation from 10-24 AWG soft

Simply insert amount of wire to be stripped and squeeze handle.

### **Automatic Wire Stripper**

### AWS-106

Strips 10-18 AWG (2.6-1.02mm) wire

Compound action wire stripping: grip and strip via single action squeezing motion.

Precision machined stripping holes easily remove jacket insulation without damaging the wire.

Remove up to 1" (24 mm) in length of the insulation layer (jacket layer) in a single step.

Tension loaded wire-grip gently holds the wire in place while retaining the cable geometry.

Recoil spring design returns tool to ready position upon cycle completion.

Cast alloy chassis with heavy-duty Ecoat finish for corrosion resistance and durability.

# **WIRE CUTTERS**





# The second secon

### **HD Cable Cutter & Stripper**

### CC-06WS

Heavy Duty Electrical Wire & Cable Cutter/ Stripper

Cuts any thickness wire up to 1/0 AWG Strips any wire from 8 to 14 AWG

Curved blade cuts wire up to 8.25mm

Innovative patented design provides greater cutting power and the option for easy repetitive cutting.

Unique design can be used to cut thicker wire using a repetitive cutting process.

Forged from heavy duty Chrome Vanadium steel for greater strength.

### **Heavy Duty Cable Cutter**

### CC-06

Cuts any thickness wire upto 1/0 AWG (10mm with side knife strip upto 8 AWG

Innovative patented design provides greater cutting power and the option for easy repetitive cutting

Unique design can be used to cut thicker wire using a repetitive cutting process.

Compact size is convenient to carry and use in confined work areas.

High transmission ratio results in less strain on hand muscles and reduces hand fatigue.

Forged from heavy duty Chrome Vanadium steel for greater strength.





### Mini Cable Cutter

### MCC-5

Cuts 4-24 AWG (5.19-0.5mm) wire.

Angular offset cutting blades provide a clean cut of coated or uncoated wire rope and steel cable. Will not crush or damage wire ends.

Internal spring mechanism opens the tools in the hand and makes repetitive cutting much

Forged from oil-hardened chrome vanadium electric steel for greater strength and lighter weight.

### Flush Mini Cutter

### FMC-5

Cuts Copper, Metal & Hard Plastic.

Micro-Shear Wire Cutter/ Flush Cut.

These micro-shear flush cutters give you a way to cut leads very cleanly and close to the solder joint.

6

# **WIRE CUTTERS & STRIPPERS**



# 0000





### Adjustable Stripper & Cutter

### **AWSC-105**

Strips & cuts 10-24 AWG (2.6-0.51mm) wire A handy, light, compact tool for stripping insulation.

Convenient hole for looping or bending wire. Cuts, strips, and loops 10-24 solid and stranded wire

### Wire Sripper & Cutter

### WSC-106

Cuts & strips 10-20 AWG (2.6-0.812mm) wire Cuts, strips, loops and bends stranded wire. Shear-type cutting blades for clean cuts. Spring-loaded action for self-opening. Comfortable, plastic-covered handles.









### Wire Stripper & Cutter

### **WSC-107C**

Cuts & strips 10-20 AWG (2.6-0.812mm) wire

Precision shear-type blades for clean cuts on solid and stranded copper wire.

Easy-to-read markings on both sides.

Curved handles help reach into confined areas.

Wire looping and bending holes.

Coil spring provides fast self-opening action.

Precision-ground stripping holes.

Strong-gripping serrated nose; for easy bending, shaping, and pulling of wire.

Screw-shearing holes.

Handy closure lock for convenient storage.

Double-dipped comfort grips.

### Mini Wire Stripper

### MW5-105

Strips 10-22 AWG (2.6-0.644mm) wire

stripping slots quickly remove outer jacket of Type NM-B non-metallic-sheathed cable.

Precision staggered blades for square, clean cuts on solid copper wire.

Narrow nose fits into tight places.

Precision shear-type blades for square, clean cuts on solid copper wire.

Curved handles help reach into confined areas.

Strong-gripping serrated nose; for easy bending, shaping and pulling of wire.

Wire looping and bending holes.

Screw-shearing holes.

Coil spring provides fast self-opening action.

Handy closure lock for convenient storage.

Double-dipped comfort grips.

# WIRE CRIMPERS









### Mini Crimper

### MC-5

Crimps 10-22 AWG (2.6-0.644mm) insulated terminal

Angular offset provides a clean crimp every time

Internal spring mechanism opens the tools in the hand and makes repetitive crimping much easier

Forged from oil-hardened chrome vanadium electric steel for greater strength and lighter weight

### Cable Tie Gun

### **CTG-6**

Tightens & cuts Nylon cable tie 0.09"-0.18" (2.2-4.8mm)

This lightweight tool efficiently tightens and trims cable ties for neat, clean-looking installations.

These ergonomic cable tie guns increase production, and cut ties flush to eliminate sharp edges.



### **Crimping Tools**

### **MGCT-24**

24" Heavy Duty Multi-Guage Crimping Tools Crimps 8-4/0 AWG (10-120mm)

- · Features Ident Crimping
- Longer handles minimise the effort required to produce a perfect crimp
- · Crimp size easily selected using screw adjustment



# **AVATION SNIPS**

- Meets and Exceeds Federal Specifications ANSI/ASME, B107.16 and German Standard DIN6438/11.71
- Cuts all Sheet Metal up to 16 Gauge Cold-Rolled Sheet Metal & 20 Gauge Stainless-Steel Metal.
- 3 Cutting Patterns
- Drop Forged Chrome-Malybdenum Alloy Steel Blades
- Serated Edge Blades, Induction Hardened



12)

# **SHEARS**



- 4mm SUS 4202 Japanese Stainless Steel
- Precission-Ground and Hardened for Lasting
- One Blade serrated for Material Control
- Soft Mold Non-Slip Comfort Ergonomic Grips
- · Adjustable to Fit Hand
- Patent Pending Handel Design for Left and Right-handed users.



### 8" PRO Stainless-Steel Shears

SCS-8

8" Professional Grade Stainless Steel Shears




### 5" Stainless-Steel Shears

SCS-5

5" Stainless Steel Shears

# FIBER GLASS TOOLS





### **Shaver Set**

**FGSTS** 

5pc compact and light weight molded body works on the pull stroke for efficiancy and ease of use.



# **ROLLERS**





### Rattle Block Rollers (PU)

RBR-1P

1" Roller

RBR-2P

2" Roller

### RATTLE BLOCK HEAVY DUTY SOLID PU ROLLER

- · Solid rubber roller that will not scratch surface
- Thick, plated steel frame
- Contoured handle
- · Water and rust resistant
- · Designed for applying Rattle Block to get the strongest bond possible. Additionally, the roller will help adhere any mounted or glued material.



### Rattle Block Roller (Rubber)

RBR-6P

6" Rattle Block Heavy Duty Roller Tool

- Thick Plated Steel Frame 6" Rolling area making it the industries Largest and most effeciant

# **BRUSHES**



### **Wire Brushes**

3B-NB5

3 Mini Wire Brushes Nylon, Brass & Stainless-Steel

Steel Wire Brush is a medium brush for general-purpose cleaning. It is also good for delicate or finish work and can be used to clean aluminum.

### **Chip Brushes**

CB-1

1" Chip Brush

**CB-2** 

2" Chip Brush

**CB-4** 

4" Chip Brush



# **FILE SETS**



ROUND



SQUARE



FLAT



HALF-ROUND



HAND





### **Bastard Cut File Set**

### BSCF-5

10" Bastard Cut 5pc File Set for All Purpose Professional use.

- Ergonomic handles for comfort use and control.
- Includes, 10" Round, 10" Square, 10" Flat, 10" Half-Round, and 10" Hand

### **Second Cut File Set**

### SCCF-5

10" Second Cut 5pc File Set for All Purpose Professional use.

- Ergonomic handles for comfort use and control.
- Includes, 10" Round, 10" Square, 10" Flat, 10" Half-Round, and 10" Hand

### **Smooth Cut File Set**

### SMCF-5

10" Smooth Cut 5pc File Set for All Purpose Professional use.

- Ergonomic handles for comfort use and control.
- Includes, 10" Round, 10" Square, 10" Flat, 10" Half-Round, and 10" Hand

# **SOLDERING, TORCH & HEAT GUN**



### Butane Powered Self-Igniting Multi-Functional Soldering Tool

### **BP513**

Soldering Iron, Heat Gun and Blow Torch

- Standard Tip, 3mm Diagonal, 3.5mm Chisel, Hot Knife, Hot Blower, Reflector Tips are included.
- 480F to 1,000F
- 30 to 125Watts
- · Temperature Controled
- Refillable
- The 3-in-1 XScorpion Butane Blow Torch/ Soldering Iron/heat gun is lightweight, compact, easy to handle, and is great for a variety of jobs.
- The package features a continuous working lock, and child safety lock.
- Flow control knob makes for convenient operation, and comes with everything else you need to get started (minus butane gas).



## **GLUE GUN**



# Butane Gas Glue Gun with Automatic Temperature Control

### BGG-2

Hot Melt Butane-Gas Glue Gun

- Portable / cordless
- Hi-Tech PIEZO Electronic Self-ignition
- Easy to Re-fill
- Each Re-fill continuesly use up to 2-3 hours
- Automatic Temperature Control Off ON 180deg (356F) - ON under 120deg (248F)
- Quick warm up Time in 2 to 3 minutes with and Impressive glue output of over 5-1/2 lbs./hour.

# **CAULKING GUN**

### Caulking Gun

### **CG-9**

Heavy-Duty Clauking Gun (Standard Tube)

- Use to caulk around trim giving you a clean air-tight seal
- Use with glue for all various types of wood working applications
- Swinging barrel design keeps the point flush at all times
- · Built in paker in shaft
- Fits all standard size caulk and glue tubes



# **BUFFING WHEELS**



### Feature:

Both wheels feature a loose 40ply cotton construction with stitching aroud the arbor hole, but with looser construction toward the outer edge.



### 8" Buffing Wheel

### CSBW-8

8" x 1/2" x 5/8" Cotton stitch Mop

### 6" Buffing Wheel

### CSBW-6

6" x 1/2" x 5/8" Cotton stitch Mop

### **SMC Buffers**

### SPM-2

2 x 1/2" Shank Polishing Mop

### **SPM-4**

4 x 1/2" Shank Polishing Mop



### 8" Buffing Wheel

### LFBW-8

8" x 40P x 5/8" Loosefold Border Flannel Polishing Mop

### 6" Buffing Wheel

### LFBW-6

6" x 40P x 5/8" Loosefold Border Flannel Polishing Mop

### **Cylinder Buffer**

### **CPM-1.5**

11/2 Cylinder Polishing Mop



### **Mushroom Buffers**

### MPM-2.5

21/2" Mushroom Polishing Mop

### MPM-4.5

41/2" Mushroom Polishing Mop



### **Taper Buffer**

### **TPM-2.2**

2" x 2" Tapered Polishing Mop



### Compound

### PCR-2W

2 pounds ROUGH polishing compound (white) - specifically for Acrylic surfaces.

### PCF-2W

2 pounds FINE polishing compound (white) - specifically for Acrylic surfaces.

### PC-2R-2

2 pounds Buffing compound for Aluminum (red)





# **HEX KEYS**





### **TX Star Hex Keys**



### SKS-8TF

8pcs Trox Star Key Folding-Set T9 - T10 - T15 - T20 - T25 - T27 - T30 -T40



### **US (SAE) Hex Keys**



### HKS-9UF

9pcs Hex Key Folding-Set 5/64" - 3/32" - 7/64" - 1/8" - 9/64" 5/32" - 3/16" - 7/32" - 1/4"



### **Metric Hex Keys**



### HKS-8MF

8pcs Hex Key Folding-Set 1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8MM



### US (SAE) Hex Keys



### HKS-9UL

9pcs Hex Key Set (L-Shape) US (inches) 5/64" - 3/32" - 1/8" - 5/32" 3/16" - 7/32" - 1/4" - 5/16" - 3/8"



### **Metric Hex Keys**



9pcs Hex Key Set (L-Shape) Metric

1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10MM



### HKS-20MU

20pcs Hex Key Set (L-Shape)

Metric (MM)

1.5 - 2 - 2.5 - 3 - 4 - 5 - 6 - 8 - 10

Imperial (inches)

1/16" - 5/64" - 3/32" - 1/8" - 5/32" 3/16" - 7/32" - 1/4" - 5/16" - 3/8"



# CLIP & FASTENER REMOVERS, PRYS & CHISELS



### Window & Door Clip Remover

### **WDCR2**

Removes and installs door handel and window crank clips. Works on GM, Ford and others, using "C-Type" clips



### **Tape Measure**

### TM16

Self Lock Tape Measure 16FT (5 Meters) x 3/4" (19mm)

### Philip Screw-driver Bit. PH2

Torsion Bit with Magnetic Tip



PTB-2 2 inch



# ACO ACO

### **Door Panel Fastener Remover**

### DPFR6

Removes door panel, plastic fastener, CRV Hardner material with oil & slip resistance handel.

### **Screw Driver**

Highly Alloyed CRV Material with Oil Slip Resistance Handle and Magnetized Tip.

### PSD246

#2 Philips, 4 Inch (102mm) long, 6mm thickness, Satin Finish.

### PSD266

#2 Philips, 6 Inch (152mm) long, 6mm thickness, Satin Finish.



# My manufactures of the control of th

### **Pry & Chisel Tool**

Door Panel, Gasket, Dash Kit, Trim Removal and Chisel Set (9 pcs)

### PCT9

Durable Nylon Plastic (Dark Blue)

Hard set- This kit is designed to satisfy any and every installers needs. Always have the proper tool for any type of job.

### PCT95

Sylacone Type Plastic (Clear)

Soft set- The soft set is made specifically for high-end vehicle, eliminating the possibility of scratches and chips.

### Applications:

- · Automotive Interior & Exterior
- · Stereo Installation
- · Dash & Trim Removal
- Door Panel Removal
- Emblem Removal
- Trim Removal
- Rubber Grommet Removal

# **RADIO REMOVAL KEYS**





### Radio Removal Keys (38pcs)

RRK-38

### Keys for:

Clarion JVC

Kenwood

Panasonic

Pioneer

Sony

Audi

Becker

Blaupunkt BMW

Ford

Grundig

Mercedes

Opel

Porsche

Skoda VW



### **Head Unit Removal Keys**

EURO-KEY333

Mercedes, Audi, Passat and VW (Jetta-Beetle)

1950-UP (1set / 2pcs)



### **Head Unit Removal Keys**

RRK-EU7

VW, Audi, Most European (1set / 2pcs)



### **Head Unit Removal Keys**

RRK-FD4

Head Unit Removal Keys (1set / 2pcs)



### **Mercedes Radio**

RRK-MB6

Mercedes Radio Removal Keys (3sets / 6pcs)



### **General Motors - Double DIN**

GM-KEY222DD

Double-Din Head Unit Removal Keys (1set / 2pcs)



# **SAFETY GLASSES AND RESPIRATORS**





### Safety Glasses - Expert Series

### SG-EXPERT

- Strong Lightweight Nylon Frame
- Scratch-Resistant Blue Mirror Poly-Carbonate Lens
- Adjustable Temple Length
- Extra Clear Poly-Carbonate Lenses
- Travelling Hard Case





### **Safety Glasses - PRO Series**

### 56-PR0

- Nylon Frame
- Scratch-Resistant Blue Mirror PC Lens
- Blister Package



### Safety Glasses - Installer Series

### SG-INST

- Scratch-Resistant Clear Lens
- Blister Package





### **Safety Respirator**

### PPR-1E

N95 Approved Protection Particulate Respirator with Ear Loop.

### PPR-1EF

N95 Approved Protection Particulate Respirator Filtering Face piece.

22



