



AMERICAN ELECTRIC EQUIPMENT, INC.

P.O. BOX 710 BECKLEY, WV 25801 PHONE: 304-255-7438 FAX: 304-255-7448

RG11107-107 Document A-13807 March 14, 2014




MOUNTING DIMENSIONS






PIN ARRANGEMENT 600 AMP 995 VOLT



Lever Action Connectors

AEEI's low voltage figure 107 connectors are rugged, trouble free devices providing quick, confident connect/disconnect for portable mining equipment or self-propelled machinery. They are rated 600 Amperes at 995 VAC. Cable sizes range from #1/0 to 350 MCM.

ltem	Quantity	/Part Numbei	Description
	4		
1	1	12001	
2 3	1		BOTTOM LATCH
3 4	2		SHOULDER BOLT
	1		RIGHT HAND SPRING LEFT HAND SPRING
5 6	1 4		
6	4	2069-2	10/32 SLOTTED HEX HEAD SCREW 1/4" LONG
7	1	13363-5	IDENTIFICATION STICKER
8	1	13397	INSULATOR
9	3	13207	POWER BLADE ASSEMBLY
10	1	056-1	POWER BLADE AND STUD
11	1	2064	7/8" ROTOR CLIP
12	1	011	LARGE COUNTERSUNK NON
			THREADED CLIP
13	1		LARGE THREADED CLIP
14	1	592	COUNTERSUNK 10/32 ALLEN
			HEAD MACHINE SCREW 1-1/2"
15	1	140	LONG POWER TERMINAL
15 16	1 1	149	5/8"-18 NF X 3/4" SET SCREW
	1	3305	
17	-	13425	GROUND BLADE ASSEMBLY
19	1	12056	5/8" COPPER BLADE AND STUD
20	2		SMALL NON THREADED CLIP 10/32 X 3/4" SLOTTED HEX HEAD
21	I	2009-1	SCREW
32	1	10940	10/32 LOCKNUT
23	1	2064-1	5/8" ROTOR CLIP
24	1	102	GROUND BLADE - STUD
			TERMINAL
31	1	2694	7/16" 20 X 3/4" ALLEN HEAD SET
			SCREW
25	2		PILOT BLADE ASSEMBLY
26	1	10937	PILOT BLADE AND STUD
27	2		SMALL NON THREADED CLIP
28	1	2069-1	10/32 X 3/4" SLOTTED HEX HEAD
20	1	10040	SCREW
29	1 1		10/32 LOCKNUT 1/2" ROTOR CLIP
22			SLOTTED HEAD or ALLEN HEAD
30	1	0r	SET SCREW 1/4" - 20 x 1/2"
		2077-57	
33	1	024-1	
34	1		DUST COVER ROLL PIN
35	2		E25 ROTOR CLIP



9-

0

Ð

Available Repair Kits

Part Number	0.11/	Description
Number	Qty.	Description Top Latch Kit For 64 / 107 Plug
		Parts Included In Kit
064-2-	2	TOP LATCH
KIT	8	3/16" x 1/2" HEX HEAD SLOTTED MACH. SCREW
	8	3/16" LOCK WASHER
		Complete Kit For 64 / 107 Receptacle
		Parts Included In Kit
	1	DUST COVER
	1	ROLL PIN
024-1-	2	ROTOR CLIP E-25
KIT	1	BOTTOM LATCH
	2	SHOULDER BOLT
	1	RIGHT HAND SPRING
	1	LEFT HAND SPRING
	4	10/32 SLOTTED HEX HEAD SCREW 1/4" LONG
		Bottom Latch Kit For 64 / 107 Receptacle
		Parts Included In Kit
	1	BOTTOM LATCH
065-1- KIT	2	SHOULDER BOLT
	1	RIGHT HAND SPRING
	1	LEFT HAND SPRING
	4	10/32 SLOTTED HEX HEAD SCREW 1/4" LONG
		Dust Cover Kit For 64 / 107 Receptacle
		Parts Included In Kit
024-KIT		
	1	DUST COVER ROLL PIN
	2	E25 ROTOR CLIP

Features

- ✓ Single-piece, high grade insulator
- ✓ Aluminum housing
- \checkmark All live exposed parts are completely enclosed by the metal housing
- ✓ Captive dust covers standard on gear mounted receptacle
- ✓ Minimum effort required to connect or disconnect electrical connections.
- \checkmark The ground blade is always the last to break, first to make
- ✓ Ground check circuits make last, break first to insure phase connections are de-energized when connector opens
- ✓ Self-wiping contacts insure good electrical connections after each operation
- ✓ Interchangeable with other industry standard figure 107 receptacles