

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Wal-Mart Supercenter Martinsburg Bakery	Facility Type Food Service Establishment	
Licensee Name Wal-Mart Stores, Inc	Facility Telephone # 304 263-6061	
Facility Address 800 Foxcroft Ave Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 08/24/2018	Total Time Spent 0.50

<b>Equipment Temperatures</b>	
Description Walk-In Display case	Temperature (Fahrenheit) 36

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
DishMachineThre eBaySink	Heat	160		Heat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 2</b> <b>Repeated # 0</b></p> <p><b>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE</b> <b>This is a critical violation</b> REPEAT OBSERVATION Bread machine needs cleaned</p> <p><b>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE</b> <b>This is a critical violation</b> <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> Long handled spoons and spatulas stored with cake spatulas (possible bare hand contac)</p>

<b>ObservedNon-CriticalViolations</b>
<b>Total # 2</b> <b>Repeated # 0</b>
<b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> <b>OBSERVATION:</b> Stained floor tiles by bread oven need replaced/cleaned
<b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> <b>OBSERVATION:</b> Button on dishmachine needs repaired/replaced (hole)

<b>Inspection Outcome</b>

<b>Comments</b>

Disclaimer

Person in Charge

Sanitarian



**Amanda Strickland**



**Keith Allison**