



West Virginia Department of Health & Human Resources

Berkeley County Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS      PRIORITY: 3      PRIORITY FOUNDATION: 0  
 CORE: 8      TOTAL: 11

ESTABLISHMENT: Angel's Bar + Grill      PERMIT NO.:      DATE: 9/23/2019  
 ADDRESS: 7119 Winchester Ave      CITY: Inwood      STATE: WV      ZIP: 25428  
 PERSON IN CHARGE/TITLE: Angel Willis      TELEPHONE:      RECEIVED BY (SIGNATURE): \* [Signature]      SANITARIAN (SIGNATURE): [Signature]  
 INSPECTION TYPE: ROUTINE  FOLLOW-UP  COMPLAINT  OTHER:      TIME: 10:30am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			4-501.11	Left Door Gasket on Cold Milk refrigerator need replaced (torn)
			4-501.11	Gasket on upright Kenmore Freezer needs replaced (torn)
			4-602.13	Metal drawers under prep table need cleaned.
	✓		4-602.11	Inside of ice machine needs cleaned (mud/lime)
✓	✓		4-602.11	Cook Pots under long prep table need cleaned.
✓	✓		4-602.11	Potatoe Slicer needs cleaned.
			4-903.11	Inside of utensil storage bin needs cleaned.
			6-501.11	Holes in wall above 3-Bay sink need sealed/repai <del>red</del> .
			4-501.11	Gasket of keg cooler needs replaced (torn)
			6-501.11	Vent cover on big beer cooler (4-Door) needs repaired/replaced.
			6-501.11	Cover on heater by pool tables needs replaced/repaired.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Cold milk	37°	Big Beer Cooler	32°				
milk + Juice	40°						
Frigidaire	39°						
Beer Cooler	39°						