

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b><i>Establishment Information</i></b>		
Facility Name <b>H-Mart</b>	Facility Type <b>Food Service Establishment</b>	
Licensee Name <b>H-Mart</b>	Facility Telephone # <b>304</b>	
Facility Address <b>1501 New York Ave Martinsburg , WV</b>	Licensee Address <b>1501 New York Ave Martinsburg , WV 25401</b>	
<b><i>Inspection Information</i></b>		
Inspection Type <b>Routine</b>	Inspection Date <b>03/30/2018</b>	Total Time Spent <b>1.50</b>

<b><i>Equipment Temperatures</i></b>	
Description	Temperature (Fahrenheit)
chili/cheese machine	137 scan
sandwich refrig	22 scan
walkin	30
green refrigerator	38

<b><i>Food Temperatures</i></b>	
Description	Temperature (Fahrenheit)
hotdogs	137-142

<b><i>Warewashing Info</i></b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
bleachbottle	chemical				

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b><i>Observed Critical Violations</i></b>
<b>Total # 3</b>
<b>Repeated # 2</b>
<b>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS</b>
<b>This is a critical violation</b>
<b>OBSERVATION:</b> Jolly rancher drink machines need cleaned-nozzles, (drip pans, side vents, etc)
<b>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS</b>
<b>This is a critical violation</b>
<b>OBSERVATION:</b> cheese machine nozzles need cleaned
<b>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS</b>
<b>This is a critical violation</b>
<b>OBSERVATION:</b> soda nozzles and inside ice chute needs cleaned

**ObservedNon-CriticalViolations**

**Total # 7**

**Repeated # 2**

**4-204.112 - TEMPERATURE MEASURING DEVICES – LOCATION, EASILY READABLE**

**OBSERVATION: (CORRECTED DURING INSPECTION):** thermometer needed in sandwich refrigerator-scan of 22

**4-302.12 - TEMPERATURE MEASURING DEVICES**

**OBSERVATION:** probe thermometer needed for grill items

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** back microwave needs cleaned(room with green refrigerator)

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** soda machine-inside cabinet needs cleaned(including door tracks)

**4-602.13 - NONFOOD CONTACT SURFACES**

REPEAT OBSERVATION green refrigerator-freezer and door gaskets need cleaned

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** soda machine cabinet needs repaired

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION public restroom needs cleaned-toilet, ceiling fan

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



Sanitarian



**Amy ARE Edwards**