

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Latte' Da Cupcakery	Facility Type Food Service Establishment	
Licensee Name Latte' Da Cupcakery	Facility Telephone # 304 707-8237	
Facility Address 202 S Queen St Martinsburg , WV	Licensee Address 202 S Queen St Martinsburg , WV 25403	
Inspection Information		
Inspection Type Routine	Inspection Date 11/05/2018	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
display case	41
milk refrig	37
kitchen refrigerator	41

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
bleachspraybottle	chemical		100		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 0</p> <p>6-501.111 - CONTROLLING PESTS This is a critical violation OBSERVATION: Mouse droppings under 3 bay sink, prep table, and chest freezer</p> <p>6-501.111(C)* - APPROVED METHODS OF CONTROLLING PESTS This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Old style snap traps observed in use in the kitchen, needs to be a covered trap</p>

ObservedNon-CriticalViolations

Total # 2

Repeated # 0

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Light above 3 bay sink is flickering, needs replaced or repaired

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Faucet is loose in connection to pipes, needs repaired

Inspection Outcome

Comments

Disclaimer

Person in Charge



Dolly Fergus

Sanitarian



Luke Hartley