

# **2017 Nevada High School Youth Risk Behavior Survey (YRBS): Coalition Special Report**



**University of Nevada, Reno**

**School of Community Health Sciences**

**Nevada Center for Surveys, Evaluation, and Statistics**

\*For grant writing and internal planning purposes only. Please do not distribute without obtaining permission from the  
Division of Public and Behavioral Health.

## **Acknowledgements**

We would like to acknowledge those who assisted with the 2017 Nevada High School Youth Risk Behavior Survey (YRBS) including the Nevada Department of Education; school district superintendents; school principals, teachers and staff; and the Substance Abuse Prevention Coalition members.

## **Recommended Citation**

Lensch, T., Martin, H., Zhang, F., Parrish, B., Clements-Nolle, K., Yang, W. State of Nevada, Division of Public and Behavioral Health and the University of Nevada, Reno. *2017 Nevada High School Youth Risk Behavior Survey (YRBS): Coalition Special Report.*

## **Funding Source**

This surveillance project was partially supported by a grant from the Centers for Disease Control and Prevention (CDC-PS13-1308). Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the CDC.

## **Additional Resources**

UNR YRBS Statewide and Special Reports

<https://www.unr.edu/public-health/research/yrbs>

YRBS Adolescent and School Health

<http://www.cdc.gov/HealthyYouth/yrbs/index.htm>

## **Nevada YRBS Team Members**

### ***State of Nevada, Division of Public and Behavioral Health***

Brian Parrish, MPH

YRBS Program Coordinator

### ***University of Nevada, Reno School of Community Health Sciences Nevada Center for Surveys, Evaluation, and Statistics***

Wei Yang, PhD

Professor and YRBS Principal Investigator

Kristen Clements-Nolle, PhD, MPH

Associate Professor and YRBS Co-Principal Investigator

Taylor Lensch, MPH

PhD Graduate Student and YRBS Coordinator

Heather Martin, BS

MPH Graduate Student and Research Assistant

Fannie Zhang, PhD, MS

YRBS Biostatistician

## Contents

<b>INTRODUCTION</b> .....	<b>1</b>
<b>METHODS</b> .....	<b>1</b>
Table 1: 2017 YRBS sampling regions and prevention coalition structure .....	2
<b>PERMISSION STATUS AND RESPONSE RATES</b> .....	<b>2</b>
Table 2: 2013, 2015, and 2017 YRBS response rates by school district.....	3
Figure 1: YRBS response rates and permission status by school district, 2017.....	3
<b>RESULTS</b> .....	<b>4</b>
<b>PARTICIPANT CHARACTERISTICS</b> .....	<b>4</b>
Table 3: Total number of participating students .....	4
Table 4: Sex of participating students .....	5
Table 5: Age of participating students .....	6
Table 6: Grade of participating students.....	8
Table 7: Race/ethnicity of participating students .....	10
Table 8: Percentage of high school students who had parents or other adults in the home serving on active duty in the military.....	13
Table 9: Percentage of high school students who qualified for or received free and reduced lunch at school .....	14
Table 10: Percentage of high school students who made mostly A's or B's in school during the 12 months before the survey .....	15
Table 11: Percentage of high school students whose parents or other adults asked where they were going or who they would be with .....	16
<b>SAFETY</b> .....	<b>17</b>
Table 12: Percentage of high school students who rarely or never wore a seat belt when riding in a car driven by someone else .....	17
Table 13: Percentage of high school students who texted or e-mailed while driving a car or other vehicle on at least one day during the 30 days before the survey .....	18
<b>VIOLENCE-RELATED BEHAVIORS</b> .....	<b>19</b>
Table 14: Percentage of high school students who carried a weapon on school property during the 30 days before the survey .....	19
Table 15: Percentage of high school students who were threatened or injured with a weapon on school property during the 12 months before the survey .....	20
Table 16: Percentage of high school students who were in a physical fight during the 12 months before the survey .....	21
Table 17: Percentage of high school students who were in a physical fight on school property during the 12 months before the survey .....	22
Table 18: Percentage of high school students who were bullied on school property during the 12 months before the survey .....	23
Table 19: Percentage of high school students who were electronically bullied during the 12 months before the survey .....	24
Table 20: Percentage of high school students who did not go to school because they felt unsafe at school or on their way to or from school during the 30 days before the survey.....	25

Table 21: Percentage of high school students who were forced to do sexual things when they did not want to during the 12 months before the survey .....	26
Table 22: Percentage of high school students who experienced physical dating violence during the 12 months before the survey .....	27
Table 23: Percentage of high school students who experienced sexual dating violence during the 12 months before the survey .....	28
Table 24: Percentage of high school students who were ever physically forced to have sexual intercourse when they did not want to .....	29
Table 25: Percentage of high school students who have ever been hit, beaten, kicked, or physically hurt in anyway by an adult.....	30
Table 26: Percentage of high school students who have ever been sworn at, insulted by, or put down by an adult.....	31
Table 27: Percentage of high school students who have ever seen adults in their home slap, hit, kick, punch, or beat each other up .....	32
<b>EMOTIONAL HEALTH.....</b>	<b>33</b>
Table 28: Percentage of high school students who felt sad or hopeless almost every day for two or more weeks in a row during the 12 months before the survey.....	33
Table 29: Percentage of high school students who seriously considered attempting suicide during the 12 months before the survey .....	34
Table 30: Percentage of high school students who made a plan about how they would attempt suicide during the 12 months before the survey.....	35
Table 31: Percentage of high school students who attempted suicide during the 12 months before the survey.....	36
Table 32: Percentage of high school students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the 12 months before the survey .....	37
Table 33: Percentage of high school students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose during the 12 months before the survey .....	38
Table 34: Percentage of high school students who ever lived with someone who was depressed, mentally ill, or suicidal .....	39
Table 35: Percentage of high school students who ever got the kind of help they need when they felt sad, empty, hopeless, angry, or anxious .....	40
<b>TOBACCO USE .....</b>	<b>41</b>
Table 36: Percentage of high school students who ever smoked cigarettes .....	41
Table 37: Percentage of high school students who smoked cigarettes for the first time before age 13 years.....	42
Table 38: Percentage of high school students who smoked cigarettes during the 30 days before the survey .....	43
Table 39: Percentage of high school students who smoked cigarettes on 20 or more days during the 30 days before the survey.....	44
Table 40: Percentage of high school students who smoked more than 10 cigarettes per day during the 30 days before the survey .....	45
Table 41: Percentage of high school students who usually obtained their own cigarettes by buying them in a store or gas station during the 30 days before the survey.....	46

Table 42: Percentage of high school students who used smokeless tobacco during the 30 days before the survey .....	47
Table 43: Percentage of high school students who smoked cigars during the 30 days before the survey .....	48
Table 44: Percentage of high school students who used tobacco during the 30 days before the survey.....	49
<b>ELECTRONIC VAPOR PRODUCT USE .....</b>	<b>50</b>
Table 45: Percentage of high school students who ever used electronic vapor products .....	50
Table 46: Percentage of high school students who used electronic vapor products during the 30 days before the survey .....	51
Table 47: Percentage of high school students who tried electronic vapor products for the first time before age 13 years .....	52
Table 48: Percentage of high school students who usually obtained their electronic vapor products by buying them in a store or gas station during the 30 days before the survey.....	53
<b>ALCOHOL USE .....</b>	<b>54</b>
Table 49: Percentage of high school students who ever drank alcohol.....	54
Table 50: Percentage of high school students who drank alcohol for the first time before age 13 years .....	55
Table 51: Percentage of high school students who had at least one drink of alcohol during the 30 days before the survey .....	56
Table 52: Percentage of high school students who participated in binge drinking during the 30 days before the survey .....	57
Table 53: Percentage of high school students who drank 10 or more drinks in a row during the 30 days before the survey .....	58
Table 54: Percentage of high school students who usually obtained the alcohol they drank by someone giving it to them during the 30 days before the survey.....	59
Table 55: Percentage of high school students who rode in a car or other vehicle during the 30 days before the survey driven by someone who had been drinking alcohol.....	60
Table 56: Percentage of high school students who drove a car or other vehicle during the 30 days before the survey when they had been drinking alcohol .....	61
<b>MARIJUANA USE .....</b>	<b>62</b>
Table 57: Percentage of high school students who ever used marijuana.....	62
Table 58: Percentage of high school students who tried marijuana for the first time before age 13 years .....	63
Table 59: Percentage of high school students who used marijuana during the 30 days before the survey .....	64
Table 60: Percentage of high school students who usually used marijuana by different methods during the past 30 days before the survey.....	65
Table 61: Percentage of high school students who rode in a car or other vehicle during 30 days before the survey driven by someone who had been using marijuana .....	66
Table 62: Percentage of high school students who drove a car or other vehicle during the 30 days before the survey when they had been using marijuana.....	67

<b>OTHER DRUG USE.....</b>	<b>68</b>
Table 63: Percentage of high school students who ever used cocaine .....	68
Table 64: Percentage of high school students who ever used inhalants .....	69
Table 65: Percentage of high school students who ever used heroin .....	70
Table 66: Percentage of high school students who ever used methamphetamines	71
Table 67: Percentage of high school students who used ecstasy .....	72
Table 68: Percentage of high school students who ever used synthetic marijuana	73
Table 69: Percentage of high school students who ever took steroids without a doctor's prescription .....	74
Table 70: Percentage of high school students who ever took prescription pain medicine without a doctor's prescription.....	75
Table 71: Percentage of high school students who took prescription pain medicine without a doctor's prescription .....	76
Table 72: Percentage of high school students who ever injected any illegal drugs .	77
Table 73: Percentage of high school students who were offered, sold, or given an illegal drug by someone on school property during the 12 months before the survey .....	78
Table 74: Percentage of high school students who attended high school under the influence of alcohol or other illegal drugs during the 12 months before the survey .	79
Table 75: Percentage of high school students who ever lived with someone who was a problem drinker, alcoholic, or abused street or prescription drugs.....	80
<b>SEXUAL BEHAVIORS.....</b>	<b>81</b>
Table 76: Percentage of high school students who ever had sexual intercourse ....	81
Table 77: Percentage of high school students who had sexual intercourse for the first time before age 13 years .....	82
Table 78: Percentage of high school students who had sexual intercourse with four or more persons during their life.....	83
Table 79: Percentage of high school students who had sexual intercourse with at least one person during the 3 months before the survey.....	84
Table 80: Percentage of high school students who drank alcohol or used drugs before last sexual intercourse .....	85
Table 81: Percentage of high school students who used a condom during last sexual intercourse .....	86
Table 82: Percentage of high school students who used birth control pills before last sexual intercourse .....	87
Table 83: Percentage of high school students who used Depo-Provera .....	88
Table 84: Percentage of high school students who used birth control pills, Depo- Provera.....	89
Table 85: Percentage of high school students who used both a condom and birth control pills, Depo-Provera .....	90
Table 86: Percentage of high school students who did not use any method to prevent pregnancy during last sexual intercourse .....	91
Table 87: Percentage of high school students who have ever been pregnant or gotten someone pregnant .....	92

Table 88: Percentage of high school students did not have sexual contact, who had sexual contact with the opposite sex, and who had sexual contact with the same or both sexes.....	93
Table 89: Percentage of high school students who were heterosexual (straight), gay or lesbian, bisexual, or not sure .....	94
Table 90: Percentage of high school students who have ever been tested for HIV <sup>d</sup> 95	95
<b>DIET .....</b>	<b>96</b>
Table 91: Percentage of high school students who did not eat fruit or drink 100% fruit juices during the 7 days before the survey .....	96
Table 92: Percentage of high school students who ate fruit or drank 100% fruit juices one or more times/day during the 7 days before the survey .....	97
Table 93: Percentage of high school students who ate fruit or drank 100% fruit juices two or more times/day during the 7 days before the survey .....	98
Table 94: Percentage of high school students who ate fruit or drank 100% fruit juices three or more times/day during the 7 days before the survey .....	99
Table 95: Percentage of high school students who did not eat vegetables during the 7 days before the survey .....	100
Table 96: Percentage of high school students who ate vegetables one or more times/day during the 7 days before the survey .....	101
Table 97: Percentage of high school students who ate vegetables two or more times/day during the 7 days before the survey .....	102
Table 98: Percentage of high school students who ate vegetables three or more times/day during the 7 days before the survey .....	103
Table 99: Percentage of high school students who did not drink milk during the 7 days before the survey .....	104
Table 100: Percentage of high school students who drank one or more glasses/day of milk during the 7 days before the survey .....	105
Table 101: Percentage of high school students who drank two or more glasses/day of milk during the 7 days before the survey .....	106
Table 102: Percentage of high school students who drank three or more glasses/day of milk during the 7 days before the survey .....	107
Table 103: Percentage of high school students who did not drink soda or pop during the 7 days before the survey .....	108
Table 104: Percentage of high school students who drank soda or pop one or more times/day during the 7 days before the survey .....	109
Table 105: Percentage of high school students who drank soda or pop two or more times/day during the 7 days before the survey .....	110
Table 106: Percentage of high school students who drank soda or pop three or more times/day during the 7 days before the survey .....	111
Table 107: Percentage of high school students who did not eat breakfast during the 7 days before the survey .....	112
Table 108: Percentage of high school students who ate breakfast all 7 days before the survey.....	113
Table 109: Percentage of high school students who go hungry because there is not enough food in the house during the 30 days before the survey .....	114

Table 110: Percentage of high school students who visited a dentist during the 12 months before the survey .....	115
<b>PHYSICAL ACTIVITY .....</b>	<b>116</b>
Table 111: Percentage of high school students who did not participate in at least 60 minutes of physical activity on any day during the 7 days before the survey .....	116
Table 112: Percentage of high school students who were physically active at least 60 minutes/day on 5 or more days during the 7 days before the survey .....	117
Table 113: Percentage of high school students who were physically active at least 60 minutes/day on all 7 days before the survey .....	118
Table 114: Percentage of high school students who played video or computer games, watched TV, or used a computer for 3 or more hours per day.....	119
Table 115: Percentage of high school students who attended physical education (PE) classes on one or more days in an average school week .....	120
Table 116: Percentage of high school students who attended physical education (PE) classes daily.....	121
Table 117: Percentage of high school students who played on at least one sports team run by their school or community groups during the 12 months before the survey.....	122
Table 118: Percentage of high school students who have had a concussion from playing in a sport or being physically active during the 12 months before the survey .....	123
Table 119: Percentage of high school students who had 8 or more hours of sleep on an average school night .....	124
<b>WEIGHT .....</b>	<b>125</b>
Table 120: Percentage of high school students who were obese .....	125
Table 121: Percentage of high school students who were overweight.....	126



## INTRODUCTION

Priority health risk behaviors (i.e. preventable behaviors that contribute to the leading causes of morbidity and mortality) are often established during childhood and adolescence and extend into adulthood. Ongoing surveillance of youth risk behaviors is critical for the design, implementation, and evaluation of public health interventions to improve adolescent health. The Youth Risk Behavior Survey (YRBS) is a national surveillance system that was established in 1991 by the Centers for Disease Control and Prevention (CDC) to monitor the prevalence of health risk behaviors among youth. The Nevada High School YRBS is a biennial, anonymous, and voluntary survey of students in 9<sup>th</sup> through 12<sup>th</sup> grade in regular public, charter, and alternative schools. Students self-report their behaviors in six major areas of health that directly lead to morbidity and mortality, these include:

- 1) Behaviors that contribute to unintentional injuries and violence;
- 2) Sexual behaviors that contribute to human immunodeficiency virus (HIV) infection, other sexually transmitted diseases, and unintended pregnancy;
- 3) Tobacco use;
- 4) Alcohol and other drug use;
- 5) Unhealthy dietary behaviors; and
- 6) Physical inactivity.

In 2017, 36 high schools were randomly chosen by the CDC to represent Nevada. To ensure greater representation from schools in *all* districts, the Nevada Division of Public and Behavioral Health contracted with the University of Nevada, Reno, School of Community Health Sciences to conduct the YRBS in all high schools throughout the state. The 2017 Nevada High School YRBS provides statewide data to assess priority health-risk behaviors among high school students; measure progress toward achieving national health objectives for *Healthy People 2020* and other program and policy indicators; and evaluate the impact of school and community interventions at the national, state, and local level. It is our intention that these data will be used by education and health professionals, policy makers, community members, and researchers to improve the health of Nevada's high school students.

## METHODS

### Sampling, Weighting, and Analysis

The 2017 Nevada YRBS sampling plan was designed to ensure that every eligible student had an equal chance of selection. A two-stage (region and classroom) cluster sample design was used to produce a representative sample of students in grades 9–12 (all Nevada regular public, charter, and alternative high schools). In order to provide regional data that represent all counties in the state, the first sampling stage grouped all 17 school districts into 7 regions that generally reflect the substance abuse prevention coalition structure (Table 1). The regional grouping also helped ensure that individual schools could not be identified. In the second sampling stage, classes were selected within schools with the probability based on a required margin of error in the sample size for each region. Intact classes of either all second period or all required English courses were randomly selected from each school. The questionnaire was administered to all students in sampled classes from February to May, 2017.

The 2017 Nevada YRBS data were weighted at the state level and regional level based on the sex, race/ethnicity, and grade level of students in each region. The weighting process ensured that the estimates accurately represent the entire student population in each region and the state as a whole. Non-response or poor sampling procedures can result in a sample that is not a representative subset of the population; therefore un-weighted results from these samples may not accurately reflect student behaviors and could be misleading. This report displays weighted results at the regional level, but not the coalition level.

**Table 1: 2017 YRBS sampling regions and prevention coalition structure**

Region	School District	# Schools	Coalitions
1	Carson City	2	Partnership Carson City
2	Douglas County	2	Partnership of Community Resources
3	Elko County White Pine County Eureka County	9	Pace Coalition
4	Churchill County	1	Churchill Community Coalition
4	Humboldt County Pershing County Lander County	4	Frontier Community Coalition
5	Lyon County Mineral County Storey County	7	Healthy Communities Coalition
6	Esmeralda County Nye County Lincoln County	7	Nye Communities Coalition
7	Washoe County	17	Join Together Northern Nevada
8	Clark County	6	Nevada Community Prevention Coalition
8	Clark County	39	PACT Coalition
8	Clark County	4	Care Coalition

### Permission Status and Response Rates


Parental permission is required for YRBS participation. Nevada school districts have two forms of parental permission: 1) active and 2) passive. *Active parental permission* means the students must return a signed permission form indicating their parent or guardian’s approval for participation in the survey. *Passive parental permission* means the students take a permission form home and return it only if their parent or guardian does not want them to participate in the survey. The type of permission status varies by district based on school district policy. Active permission requires more time and resources and may reduce the number of students that participate in the survey. All school districts agreed to participate in the 2017 High School YRBS and only 3 schools did not participate (77 potential respondents). Overall, 5,336 youth from 98 schools completed the survey. Overall response rates (a combination of school and student participation) were generally higher in the school districts with passive parental permission (Table 2 and Figure 1).

**Table 2: 2013, 2015, and 2017 YRBS response rates by school district**

District	2015 YRBS Response Rate	2017 YRBS Response Rate	Permission
Carson City School District	76.5%	74.6%	Passive
Churchill County School District	88.4%	84.4%	Passive
Clark County School District	62.2%	61.1%	Active
Douglas County School District	27.0%	51.6%	Active
Elko County School District	74.8%	81.6%	Passive
Eureka County School District	91.0%	71.4%	Passive
Humboldt County School District	87.4%	91.3%	Passive
Lander County School District	83.6%	51.5%	Active
Lincoln County School District	89.6%	87.6%	Passive
Lyon County School District	51.3%	39.6%	Active
Mineral County School District	77.1%	82.1%	Passive*
Nye County School District	57.8%	52.1%	Active
Pershing County School District	96.9%	92.1%	Passive
Storey County School District	30.6%	95.9%	Passive*
Washoe County School District	80.8%	76.8%	Passive
White Pine County School District	60.0%	80.9%	Active
<b>Overall Response Rate</b>	<b>65.0%</b>	<b>65.7%</b>	

\*In 2017, Mineral County and Storey County changed their permission requirements from active to passive

**Figure 1: YRBS response rates and permission status by school district, 2017**



## RESULTS

### Participant Characteristics

**Table 3: Total number of participating students — Nevada, Youth Risk Behavior Survey, 2017**

Coalition	Frequency	Percent <sup>b</sup>
Partnership Carson City	259	1.74
Partnership of Community Resources	192	1.46
PACE Coalition	389	2.48
Churchill Community Coalition	152	0.60
Frontier Community Coalition	321	1.24
Healthy Communities Coalition	281	1.96
Nye Communities Coalition	413	1.57
Join Together Northern Nevada	1310	15.15
NV Community Prevention Coalition	98	3.50
PACT Coalition	1669	61.24
CARE Coalition	252	9.06
<b>Total</b>	<b>5336</b>	<b>100.00</b>

<sup>b</sup> Weighted column percent

**Table 4: Sex of participating students — Nevada, Youth Risk Behavior Survey, 2017**

Coalition	Sex	Frequency <sup>a</sup>	Percent <sup>b</sup>
Partnership Carson City	Female	115	0.87
	Male	142	0.87
Partnership of Community Resources	Female	112	0.72
	Male	78	0.74
PACE Coalition	Female	180	1.20
	Male	206	1.30
Churchill Community Coalition	Female	84	0.32
	Male	67	0.29
Frontier Community Coalition	Female	166	0.55
	Male	154	0.69
Healthy Communities Coalition	Female	141	0.98
	Male	135	0.96
Nye Communities Coalition	Female	185	0.73
	Male	228	0.85
Join Together Northern Nevada	Female	597	7.19
	Male	699	7.94
NV Community Prevention Coalition	Female	48	1.67
	Male	50	1.84
PACT Coalition	Female	862	30.74
	Male	797	30.56
CARE Coalition	Female	96	3.31
	Male	153	5.72
Total	Female	2586	48.28
	Male	2709	51.72

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted column percent

**Table 5: Age of participating students — Nevada, Youth Risk Behavior Survey, 2017**

<b>Coalition</b>	<b>Age</b>	<b>Frequency<sup>a</sup></b>	<b>Percent<sup>b</sup></b>
<b>Partnership Carson City</b>	14 years old or younger	29	0.15
	15 years old	79	0.42
	16 years old	77	0.49
	17 years old	43	0.41
	18 years old or older	31	0.27
<b>Partnership of Community Resources</b>	14 years old or younger	22	0.14
	15 years old	40	0.30
	16 years old	27	0.39
	17 years old	44	0.34
	18 years old or older	58	0.28
<b>PACE Coalition</b>	14 years old or younger	37	0.29
	15 years old	87	0.54
	16 years old	125	0.68
	17 years old	96	0.62
	18 years old or older	44	0.35
<b>Churchill Community Coalition</b>	14 years old or younger	16	0.06
	15 years old	34	0.12
	16 years old	43	0.16
	17 years old	35	0.15
	18 years old or older	24	0.12
<b>Frontier Community Coalition</b>	14 years old or younger	23	0.10
	15 years old	67	0.28
	16 years old	90	0.30
	17 years old	85	0.34
	18 years old or older	55	0.23
<b>Healthy Communities Coalition</b>	14 years old or younger	29	0.07
	15 years old	60	0.22
	16 years old	64	0.25
	17 years old	88	0.30
	18 years old or older	40	0.10
<b>Nye Communities Coalition</b>	14 years old or younger	43	0.15
	15 years old	87	0.35
	16 years old	85	0.32
	17 years old	127	0.45
	18 years old or older	71	0.30

2017 Nevada High School YRBS: Coalition Analysis

<b>Join Together Northern Nevada</b>	<b>14 years old or younger</b>	165	1.98
	<b>15 years old</b>	376	3.78
	<b>16 years old</b>	389	3.93
	<b>17 years old</b>	294	4.20
	<b>18 years old or older</b>	82	1.25
<b>NV Community Prevention Coalition</b>	<b>14 years old or younger</b>	27	0.88
	<b>15 years old</b>	44	1.57
	<b>16 years old</b>	14	0.53
	<b>17 years old</b>	11	0.44
	<b>18 years old or older</b>	2	0.07
<b>PACT Coalition</b>	<b>14 years old or younger</b>	247	8.07
	<b>15 years old</b>	403	14.47
	<b>16 years old</b>	399	15.42
	<b>17 years old</b>	432	16.42
	<b>18 years old or older</b>	185	6.87
<b>CARE Coalition</b>	<b>14 years old or younger</b>	38	1.15
	<b>15 years old</b>	52	1.78
	<b>16 years old</b>	73	2.89
	<b>17 years old</b>	59	2.18
	<b>18 years old or older</b>	29	1.07
<b>Total</b>	<b>14 years old or younger</b>	676	13.17
	<b>15 years old</b>	1329	24.13
	<b>16 years old</b>	1386	25.58
	<b>17 years old</b>	1314	26.06
	<b>18 years old or older</b>	621	11.06

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted column percent

**Table 6: Grade of participating students — Nevada, Youth Risk Behavior Survey, 2017**

<b>Coalition</b>	<b>Grade</b>	<b>Frequency<sup>a</sup></b>	<b>Percent<sup>b</sup></b>
<b>Partnership Carson City</b>	9th grade	91	0.45
	10th grade	76	0.44
	11th grade	43	0.44
	12th grade	43	0.38
	Ungraded or other grade	4	0.03
<b>Partnership of Community Resources</b>	9th grade	58	0.38
	10th grade	16	0.35
	11th grade	35	0.35
	12th grade	83	0.39
	Ungraded or other grade	0	0.00
<b>PACE Coalition</b>	9th grade	75	0.59
	10th grade	126	0.66
	11th grade	110	0.64
	12th grade	72	0.59
	Ungraded or other grade	2	0.01
<b>Churchill Community Coalition</b>	9th grade	31	0.14
	10th grade	56	0.17
	11th grade	29	0.13
	12th grade	34	0.17
	Ungraded or other grade	0	0.00
<b>Frontier Community Coalition</b>	9th grade	69	0.31
	10th grade	101	0.31
	11th grade	80	0.34
	12th grade	64	0.26
	Ungraded or other grade	1	0.00
<b>Healthy Communities Coalition</b>	9th grade	67	0.50
	10th grade	51	0.51
	11th grade	91	0.48
	12th grade	67	0.46
	Ungraded or other grade	2	0.01
<b>Nye Communities Coalition</b>	9th grade	100	0.36
	10th grade	86	0.37
	11th grade	108	0.38
	12th grade	114	0.45
	Ungraded or other grade	0	0.00



2017 Nevada High School YRBS: Coalition Analysis

<b>Join Together Northern Nevada</b>	<b>9th grade</b>	329	3.92
	<b>10th grade</b>	444	3.88
	<b>11th grade</b>	303	3.70
	<b>12th grade</b>	219	3.62
	<b>Ungraded or other grade</b>	7	0.10
<b>NV Community Prevention Coalition</b>	<b>9th grade</b>	57	1.93
	<b>10th grade</b>	20	0.77
	<b>11th grade</b>	9	0.38
	<b>12th grade</b>	10	0.38
	<b>Ungraded or other grade</b>	0	0.00
<b>PACT Coalition</b>	<b>9th grade</b>	470	15.41
	<b>10th grade</b>	370	14.80
	<b>11th grade</b>	395	15.52
	<b>12th grade</b>	411	15.38
	<b>Ungraded or other grade</b>	3	0.07
<b>CARE Coalition</b>	<b>9th grade</b>	48	1.41
	<b>10th grade</b>	89	3.32
	<b>11th grade</b>	59	2.34
	<b>12th grade</b>	54	1.98
	<b>Ungraded or other grade</b>	1	0.04
<b>Total</b>	<b>9th grade</b>	1395	25.41
	<b>10th grade</b>	1435	25.60
	<b>11th grade</b>	1262	24.69
	<b>12th grade</b>	1171	24.06
	<b>Ungraded or other grade</b>	20	0.25

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted column percent

**Table 7: Race/ethnicity of participating students — Nevada, Youth Risk Behavior Survey, 2017**

Coalition	Race/Ethnicity	Frequency <sup>a</sup>	Percent <sup>b</sup>
Partnership Carson City	American Indian/Alaska Native <sup>c</sup>	6	0.03
	Asian <sup>c</sup>	6	0.04
	Black <sup>c</sup>	6	0.01
	Native Hawaiian/Pacific Islander <sup>c</sup>	3	0.00
	White <sup>c</sup>	107	0.89
	Hispanic/Latino	122	0.72
	Other/Multiple Races <sup>c</sup>	6	0.05
Partnership of Community Resources	American Indian/Alaska Native <sup>c</sup>	3	0.04
	Asian <sup>c</sup>	2	0.02
	Black <sup>c</sup>	2	0.01
	Native Hawaiian/Pacific Islander <sup>c</sup>	2	0.00
	White <sup>c</sup>	121	0.97
	Hispanic/Latino	46	0.30
	Other/Multiple Races <sup>c</sup>	12	0.10
PACE Coalition	American Indian/Alaska Native <sup>c</sup>	19	0.13
	Asian <sup>c</sup>	1	0.03
	Black <sup>c</sup>	4	0.05
	Native Hawaiian/Pacific Islander <sup>c</sup>	2	0.01
	White <sup>c</sup>	210	1.55
	Hispanic/Latino	132	0.68
	Other/Multiple Races <sup>c</sup>	10	0.03
Churchill Community Coalition	American Indian/Alaska Native <sup>c</sup>	4	0.01
	Asian <sup>c</sup>	1	0.02
	Black <sup>c</sup>	3	0.01
	Native Hawaiian/Pacific Islander <sup>c</sup>	2	0.00
	White <sup>c</sup>	86	0.41
	Hispanic/Latino	41	0.12
	Other/Multiple Races <sup>c</sup>	11	0.03
Frontier Community Coalition	American Indian/Alaska Native <sup>c</sup>	28	0.08
	Asian <sup>c</sup>	0	0.00
	Black <sup>c</sup>	1	0.01
	Native Hawaiian/Pacific Islander <sup>c</sup>	3	0.01
	White <sup>c</sup>	143	0.69
	Hispanic/Latino	134	0.42
	Other/Multiple Races <sup>c</sup>	9	0.04

2017 Nevada High School YRBS: Coalition Analysis

<b>Healthy Communities Coalition</b>	<b>American Indian/Alaska Native<sup>c</sup></b>	16	0.09
	<b>Asian<sup>c</sup></b>	3	0.03
	<b>Black<sup>c</sup></b>	3	0.01
	<b>Native Hawaiian/Pacific Islander<sup>c</sup></b>	1	0.01
	<b>White<sup>c</sup></b>	155	1.29
	<b>Hispanic/Latino</b>	81	0.49
	<b>Other/Multiple Races<sup>c</sup></b>	14	0.04
	<b>Nye Communities Coalition</b>	<b>American Indian/Alaska Native<sup>c</sup></b>	10
<b>Asian<sup>c</sup></b>		6	0.02
<b>Black<sup>c</sup></b>		9	0.11
<b>Native Hawaiian/Pacific Islander<sup>c</sup></b>		7	0.02
<b>White<sup>c</sup></b>		240	0.98
<b>Hispanic/Latino</b>		114	0.39
<b>Other/Multiple Races<sup>c</sup></b>		19	0.03
<b>Join Together Northern Nevada</b>		<b>American Indian/Alaska Native<sup>c</sup></b>	21
	<b>Asian<sup>c</sup></b>	57	0.71
	<b>Black<sup>c</sup></b>	31	0.36
	<b>Native Hawaiian/Pacific Islander<sup>c</sup></b>	19	0.15
	<b>White<sup>c</sup></b>	542	6.63
	<b>Hispanic/Latino</b>	547	5.68
	<b>Other/Multiple Races<sup>c</sup></b>	65	0.74
	<b>NV Community Prevention Coalition</b>	<b>American Indian/Alaska Native<sup>c</sup></b>	3
<b>Asian<sup>c</sup></b>		2	0.07
<b>Black<sup>c</sup></b>		2	0.11
<b>Native Hawaiian/Pacific Islander<sup>c</sup></b>		0	0.00
<b>White<sup>c</sup></b>		47	1.91
<b>Hispanic/Latino</b>		38	1.20
<b>Other/Multiple Races<sup>c</sup></b>		5	0.14
<b>PACT Coalition</b>		<b>American Indian/Alaska Native<sup>c</sup></b>	6
	<b>Asian<sup>c</sup></b>	122	4.42
	<b>Black<sup>c</sup></b>	149	8.84
	<b>Native Hawaiian/Pacific Islander<sup>c</sup></b>	33	1.03
	<b>White<sup>c</sup></b>	385	16.48
	<b>Hispanic/Latino</b>	825	26.76
	<b>Other/Multiple Races<sup>c</sup></b>	124	3.57

2017 Nevada High School YRBS: Coalition Analysis

<b>CARE Coalition</b>	<b>American Indian/Alaska Native<sup>c</sup></b>	3	0.07
	<b>Asian<sup>c</sup></b>	34	1.25
	<b>Black<sup>c</sup></b>	17	1.04
	<b>Native Hawaiian/Pacific Islander<sup>c</sup></b>	4	0.14
	<b>White<sup>c</sup></b>	35	1.53
	<b>Hispanic/Latino</b>	136	4.56
	<b>Other/Multiple Races<sup>c</sup></b>	15	0.45
<b>Total</b>	<b>American Indian/Alaska Native<sup>c</sup></b>	119	1.61
	<b>Asian<sup>c</sup></b>	234	6.61
	<b>Black<sup>c</sup></b>	227	10.56
	<b>Native Hawaiian/Pacific Islander<sup>c</sup></b>	76	1.37
	<b>White<sup>c</sup></b>	2071	33.32
	<b>Hispanic/Latino</b>	2216	41.32
	<b>Other/Multiple Races<sup>c</sup></b>	290	5.21

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted column percent

<sup>c</sup> Non-Hispanic

**Table 8: Percentage of high school students who had parents or other adults in the home serving on active duty in the military — Nevada, Youth Risk Behavior Survey, 2017\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		226	4.5%	(3.8-5.3)	4804	95.5%	(94.7-96.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	16	6.8%	(3.4-10.3)	228	93.2%	(89.7-96.6)
	<b>Partnership of Community Resources</b>	8	2.4%	(0.6-4.1)	178	97.6%	(95.9-99.4)
	<b>PACE Coalition</b>	11	2.7%	(1.0-4.5)	352	97.3%	(95.5-99.0)
	<b>Churchill Community Coalition</b>	4	2.5%	(0.0-5.0)	136	97.5%	(95.0-100.0)
	<b>Frontier Community Coalition</b>	13	3.4%	(1.5-5.4)	299	96.6%	(94.6-98.5)
	<b>Healthy Communities Coalition</b>	14	4.8%	(2.1-7.5)	252	95.2%	(92.5-97.9)
	<b>Nye Communities Coalition</b>	13	2.9%	(1.3-4.5)	371	97.1%	(95.5-98.7)
	<b>Join Together Northern Nevada</b>	63	5.2%	(3.8-6.5)	1183	94.8%	(93.5-96.2)
	<b>NV Community Prevention Coalition</b>	6	4.8%	(0.7-9.0)	91	95.2%	(91.0-99.3)
	<b>PACT Coalition</b>	63	4.1%	(3.1-5.2)	1517	95.9%	(94.8-96.9)
	<b>CARE Coalition</b>	15	7.2%	(3.5-10.8)	197	92.8%	(89.2-96.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**\* Note: In 2017, the wording of this question changed to focus only on adults in the home. Comparisons should not be made with previous years.**

**Table 9: Percentage of high school students who qualified for or received free and reduced lunch at school — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1991	42.3%	(40.5-44.0)	3236	57.7%	(56.0-59.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	94	35.7%	(29.3-42.2)	163	64.3%	(57.8-70.7)
	<b>Partnership of Community Resources</b>	48	26.7%	(18.3-35.1)	142	73.3%	(64.9-81.7)
	<b>PACE Coalition</b>	87	21.5%	(17.3-25.8)	292	78.5%	(74.2-82.7)
	<b>Churchill Community Coalition</b>	48	29.5%	(21.8-37.2)	102	70.5%	(62.8-78.2)
	<b>Frontier Community Coalition</b>	89	24.4%	(19.6-29.2)	228	75.6%	(70.8-80.4)
	<b>Healthy Communities Coalition</b>	96	32.1%	(26.3-37.8)	177	67.9%	(62.2-73.7)
	<b>Nye Communities Coalition</b>	144	34.6%	(29.6-39.5)	255	65.4%	(60.5-70.4)
	<b>Join Together Northern Nevada</b>	442	32.7%	(29.9-35.5)	837	67.3%	(64.5-70.1)
	<b>NV Community Prevention Coalition</b>	47	48.7%	(38.5-58.9)	50	51.3%	(41.1-61.5)
	<b>PACT Coalition</b>	776	45.6%	(43.2-48.1)	872	54.4%	(51.9-56.8)
	<b>CARE Coalition</b>	120	49.2%	(42.6-55.7)	118	50.8%	(44.3-57.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 10: Percentage of high school students who made mostly A's or B's in school during the 12 months before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		3611	73.5%	(71.9-75.1)	1481	26.5%	(24.9-28.1)
<b>Coalition</b>	<b>Partnership Carson City</b>	157	60.7%	(54.0-67.3)	101	39.3%	(32.7-46.0)
	<b>Partnership of Community Resources</b>	151	70.9%	(61.5-80.3)	38	29.1%	(19.7-38.5)
	<b>PACE Coalition</b>	273	73.8%	(69.2-78.5)	107	26.2%	(21.5-30.8)
	<b>Churchill Community Coalition</b>	92	65.6%	(57.4-73.7)	55	34.4%	(26.3-42.6)
	<b>Frontier Community Coalition</b>	204	66.3%	(60.7-71.8)	108	33.7%	(28.2-39.3)
	<b>Healthy Communities Coalition</b>	188	70.8%	(65.0-76.6)	79	29.2%	(23.4-35.0)
	<b>Nye Communities Coalition</b>	263	75.2%	(70.7-79.8)	96	24.8%	(20.2-29.3)
	<b>Join Together Northern Nevada</b>	815	66.4%	(63.5-69.3)	432	33.6%	(30.7-36.5)
	<b>NV Community Prevention Coalition</b>	79	83.8%	(76.2-91.4)	15	16.2%	(8.6-23.8)
	<b>PACT Coalition</b>	1238	75.7%	(73.5-77.9)	389	24.3%	(22.1-26.5)
	<b>CARE Coalition</b>	151	71.0%	(64.6-77.3)	61	29.0%	(22.7-35.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 11: Percentage of high school students whose parents or other adults asked where they were going or who they would be with — Nevada, Youth Risk Behavior Survey, 2017**

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		707	12.7%	(11.5-13.9)	478	8.9%	(7.9-9.9)	3930	78.4%	(76.9-79.8)
<b>Coalition</b>	<b>Partnership Carson City</b>	34	11.2%	(7.2-15.1)	25	9.9%	(5.8-14.0)	198	78.9%	(73.5-84.3)
	<b>Partnership of Community Resources</b>	18	10.6%	(4.2-17.0)	21	10.4%	(4.8-16.1)	151	79.0%	(71.0-86.9)
	<b>PACE Coalition</b>	53	14.0%	(10.2-17.8)	34	9.6%	(6.3-12.8)	294	76.4%	(71.8-81.1)
	<b>Churchill Community Coalition</b>	16	11.5%	(5.6-17.5)	12	8.8%	(3.7-14.0)	120	79.6%	(72.3-87.0)
	<b>Frontier Community Coalition</b>	61	19.8%	(15.1-24.6)	26	8.6%	(5.3-12.0)	227	71.5%	(66.2-76.9)
	<b>Healthy Communities Coalition</b>	47	16.9%	(12.1-21.6)	29	10.5%	(6.7-14.4)	193	72.6%	(67.0-78.2)
	<b>Nye Communities Coalition</b>	49	13.7%	(10.1-17.4)	34	8.7%	(5.6-11.8)	276	77.6%	(73.1-82.1)
	<b>Join Together Northern Nevada</b>	196	15.0%	(12.8-17.2)	136	11.0%	(9.1-12.9)	920	74.0%	(71.4-76.7)
	<b>NV Community Prevention Coalition</b>	7	6.6%	(1.8-11.5)	5	4.4%	(0.6-8.3)	83	88.9%	(82.9-95.0)
	<b>PACT Coalition</b>	185	11.4%	(9.8-13.0)	135	8.4%	(7.0-9.8)	1312	80.2%	(78.1-82.2)
	<b>CARE Coalition</b>	41	19.4%	(13.9-24.9)	21	9.3%	(5.2-13.4)	156	71.3%	(65.0-77.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval



**Safety**

**Table 12: Percentage of high school students who rarely or never wore a seat belt when riding in a car driven by someone else — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		401	7.1%	(6.2-8.0)	4898	92.9%	(92.0-93.8)
<b>Coalition</b>	<b>Partnership Carson City</b>	18	6.0%	(2.9-9.1)	241	94.0%	(90.9-97.1)
	<b>Partnership of Community Resources</b>	13	6.9%	(1.9-12.0)	179	93.1%	(88.0-98.1)
	<b>PACE Coalition</b>	46	11.9%	(8.4-15.3)	343	88.1%	(84.7-91.6)
	<b>Churchill Community Coalition</b>	8	4.5%	(0.9-8.1)	144	95.5%	(91.9-99.1)
	<b>Frontier Community Coalition</b>	28	9.1%	(5.7-12.4)	291	90.9%	(87.6-94.3)
	<b>Healthy Communities Coalition</b>	20	7.3%	(4.0-10.6)	257	92.7%	(89.4-96.0)
	<b>Nye Communities Coalition</b>	34	8.5%	(5.4-11.6)	369	91.5%	(88.4-94.6)
	<b>Join Together Northern Nevada</b>	90	6.0%	(4.7-7.3)	1211	94.0%	(92.7-95.3)
	<b>NV Community Prevention Coalition</b>	5	4.6%	(0.6-8.7)	93	95.4%	(91.3-99.4)
	<b>PACT Coalition</b>	104	6.4%	(5.2-7.6)	1562	93.6%	(92.4-94.8)
	<b>CARE Coalition</b>	35	13.0%	(8.7-17.4)	208	87.0%	(82.6-91.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 13: Percentage of high school students who texted or e-mailed while driving a car or other vehicle on at least one day during the 30 days before the survey<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		939	31.5%	(29.2-33.8)	1846	68.5%	(66.2-70.8)
<b>Coalition</b>	<b>Partnership Carson City</b>	40	32.3%	(23.4-41.2)	96	67.7%	(58.8-76.6)
	<b>Partnership of Community Resources</b>	61	47.8%	(35.3-60.3)	53	52.2%	(39.7-64.7)
	<b>PACE Coalition</b>	94	40.6%	(33.9-47.2)	148	59.4%	(52.8-66.1)
	<b>Churchill Community Coalition</b>	39	46.7%	(35.1-58.3)	50	53.3%	(41.7-64.9)
	<b>Frontier Community Coalition</b>	90	40.9%	(34.1-47.7)	137	59.1%	(52.3-65.9)
	<b>Healthy Communities Coalition</b>	60	32.3%	(24.9-39.6)	107	67.7%	(60.4-75.1)
	<b>Nye Communities Coalition</b>	105	42.8%	(36.1-49.5)	143	57.2%	(50.5-63.9)
	<b>Join Together Northern Nevada</b>	194	32.3%	(28.5-36.2)	488	67.7%	(63.8-71.5)
	<b>NV Community Prevention Coalition</b>	9	22.2%	(9.1-35.2)	34	77.8%	(64.8-90.9)
	<b>PACT Coalition</b>	228	31.8%	(28.3-35.3)	502	68.2%	(64.7-71.7)
	<b>CARE Coalition</b>	19	17.3%	(9.6-25.0)	88	82.7%	(75.0-90.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more days during the 30 days before the survey

<sup>e</sup> Among students who drove a car or other vehicle

## Violence-Related Behaviors

**Table 14: Percentage of high school students who carried a weapon on school property during the 30 days before the survey<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		396	5.7%	(4.9-6.5)	4894	94.3%	(93.5-95.1)
<b>Coalition</b>	<b>Partnership Carson City</b>	21	6.7%	(3.6-9.8)	237	93.3%	(90.2-96.4)
	<b>Partnership of Community Resources</b>	17	11.2%	(4.5-17.9)	175	88.8%	(82.1-95.5)
	<b>PACE Coalition</b>	53	15.6%	(11.6-19.6)	333	84.4%	(80.4-88.4)
	<b>Churchill Community Coalition</b>	18	10.7%	(5.6-15.8)	133	89.3%	(84.2-94.4)
	<b>Frontier Community Coalition</b>	37	12.3%	(8.3-16.2)	283	87.7%	(83.8-91.7)
	<b>Healthy Communities Coalition</b>	28	9.8%	(6.1-13.6)	251	90.2%	(86.4-93.9)
	<b>Nye Communities Coalition</b>	38	9.9%	(6.4-13.3)	362	90.1%	(86.7-93.6)
	<b>Join Together Northern Nevada</b>	95	7.4%	(5.8-9.0)	1205	92.6%	(91.0-94.2)
	<b>NV Community Prevention Coalition</b>	4	4.5%	(0.1-8.8)	94	95.5%	(91.2-99.9)
	<b>PACT Coalition</b>	68	4.5%	(3.4-5.6)	1596	95.5%	(94.4-96.6)
	<b>CARE Coalition</b>	17	5.2%	(2.5-7.9)	225	94.8%	(92.1-97.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> For example, a gun, knife, or club

<sup>e</sup> One or more days during the 30 days before the survey

**Table 15: Percentage of high school students who were threatened or injured with a weapon on school property during the 12 months before the survey<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		420	7.7%	(6.8-8.7)	4859	92.3%	(91.3-93.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	25	8.3%	(4.8-11.8)	232	91.7%	(88.2-95.2)
	<b>Partnership of Community Resources</b>	10	8.3%	(1.9-14.7)	181	91.7%	(85.3-98.1)
	<b>PACE Coalition</b>	31	7.5%	(4.8-10.3)	353	92.5%	(89.7-95.2)
	<b>Churchill Community Coalition</b>	16	9.9%	(4.7-15.2)	136	90.1%	(84.8-95.3)
	<b>Frontier Community Coalition</b>	31	9.6%	(6.2-13.0)	289	90.4%	(87.0-93.8)
	<b>Healthy Communities Coalition</b>	24	8.8%	(5.3-12.4)	255	91.2%	(87.6-94.7)
	<b>Nye Communities Coalition</b>	18	4.2%	(2.2-6.1)	382	95.8%	(93.9-97.8)
	<b>Join Together Northern Nevada</b>	118	9.7%	(7.8-11.5)	1175	90.3%	(88.5-92.2)
	<b>NV Community Prevention Coalition</b>	6	7.0%	(1.6-12.5)	92	93.0%	(87.5-98.4)
	<b>PACT Coalition</b>	109	6.7%	(5.5-8.0)	1552	93.3%	(92.0-94.5)
	<b>CARE Coalition</b>	32	11.5%	(7.6-15.5)	212	88.5%	(84.5-92.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> For example, a gun, knife, or club

<sup>e</sup> One or more times during the 12 months before the survey

**Table 16: Percentage of high school students who were in a physical fight during the 12 months before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1022	19.3%	(17.9-20.8)	4182	80.7%	(79.2-82.1)
<b>Coalition</b>	<b>Partnership Carson City</b>	44	15.0%	(10.3-19.8)	206	85.0%	(80.2-89.7)
	<b>Partnership of Community Resources</b>	35	24.6%	(15.2-34.1)	154	75.4%	(65.9-84.8)
	<b>PACE Coalition</b>	72	19.1%	(14.9-23.3)	312	80.9%	(76.7-85.1)
	<b>Churchill Community Coalition</b>	37	25.5%	(17.7-33.2)	111	74.5%	(66.8-82.3)
	<b>Frontier Community Coalition</b>	74	22.1%	(17.3-26.9)	243	77.9%	(73.1-82.7)
	<b>Healthy Communities Coalition</b>	52	18.9%	(14.0-23.8)	219	81.1%	(76.2-86.0)
	<b>Nye Communities Coalition</b>	66	16.9%	(12.8-21.0)	327	83.1%	(79.0-87.2)
	<b>Join Together Northern Nevada</b>	269	20.1%	(17.7-22.5)	1009	79.9%	(77.5-82.3)
	<b>NV Community Prevention Coalition</b>	25	24.8%	(16.1-33.6)	73	75.2%	(66.4-83.9)
	<b>PACT Coalition</b>	293	18.3%	(16.3-20.2)	1346	81.7%	(79.8-83.7)
	<b>CARE Coalition</b>	55	23.0%	(17.3-28.6)	182	77.0%	(71.4-82.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more times during the 12 months before the survey

**Table 17: Percentage of high school students who were in a physical fight on school property during the 12 months before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		357	5.8%	(5.0-6.6)	4845	94.2%	(93.4-95.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	18	6.0%	(2.9-9.0)	232	94.0%	(91.0-97.1)
	<b>Partnership of Community Resources</b>	8	5.4%	(1.3-9.4)	181	94.6%	(90.6-98.7)
	<b>PACE Coalition</b>	32	8.4%	(5.4-11.3)	352	91.6%	(88.7-94.6)
	<b>Churchill Community Coalition</b>	16	13.0%	(6.7-19.2)	132	87.0%	(80.8-93.3)
	<b>Frontier Community Coalition</b>	27	8.3%	(5.1-11.5)	291	91.7%	(88.5-94.9)
	<b>Healthy Communities Coalition</b>	23	8.5%	(5.0-11.9)	248	91.5%	(88.1-95.0)
	<b>Nye Communities Coalition</b>	27	7.0%	(4.0-10.0)	367	93.0%	(90.0-96.0)
	<b>Join Together Northern Nevada</b>	97	6.7%	(5.3-8.1)	1178	93.3%	(91.9-94.7)
	<b>NV Community Prevention Coalition</b>	11	10.8%	(4.7-17.0)	87	89.2%	(83.0-95.3)
	<b>PACT Coalition</b>	78	4.5%	(3.5-5.6)	1560	95.5%	(94.4-96.5)
	<b>CARE Coalition</b>	20	8.8%	(4.9-12.7)	217	91.2%	(87.3-95.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more times during the 12 months before the survey

**Table 18: Percentage of high school students who were bullied on school property during the 12 months before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		991	16.6%	(15.3-17.8)	4273	83.4%	(82.2-84.7)
<b>Coalition</b>	<b>Partnership Carson City</b>	58	21.9%	(16.4-27.5)	196	78.1%	(72.5-83.6)
	<b>Partnership of Community Resources</b>	46	20.9%	(14.4-27.4)	145	79.1%	(72.6-85.6)
	<b>PACE Coalition</b>	77	19.6%	(15.4-23.9)	312	80.4%	(76.1-84.6)
	<b>Churchill Community Coalition</b>	38	25.3%	(17.7-32.9)	111	74.7%	(67.1-82.3)
	<b>Frontier Community Coalition</b>	68	20.1%	(15.5-24.6)	252	79.9%	(75.4-84.5)
	<b>Healthy Communities Coalition</b>	71	26.6%	(21.0-32.2)	205	73.4%	(67.8-79.0)
	<b>Nye Communities Coalition</b>	73	17.8%	(13.9-21.7)	324	82.2%	(78.3-86.1)
	<b>Join Together Northern Nevada</b>	254	19.8%	(17.4-22.2)	1037	80.2%	(77.8-82.6)
	<b>NV Community Prevention Coalition</b>	20	21.2%	(12.8-29.5)	78	78.8%	(70.5-87.2)
	<b>PACT Coalition</b>	242	14.4%	(12.6-16.1)	1415	85.6%	(83.9-87.4)
	<b>CARE Coalition</b>	44	18.3%	(13.3-23.3)	198	81.7%	(76.7-86.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 19: Percentage of high school students who were electronically bullied during the 12 months before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		786	13.1%	(11.9-14.2)	4474	86.9%	(85.8-88.1)
<b>Coalition</b>	<b>Partnership Carson City</b>	40	16.6%	(11.4-21.7)	215	83.4%	(78.3-88.6)
	<b>Partnership of Community Resources</b>	33	13.1%	(8.1-18.0)	156	86.9%	(82.0-91.9)
	<b>PACE Coalition</b>	61	15.7%	(11.9-19.5)	327	84.3%	(80.5-88.1)
	<b>Churchill Community Coalition</b>	39	26.2%	(18.5-33.8)	110	73.8%	(66.2-81.5)
	<b>Frontier Community Coalition</b>	54	15.2%	(11.3-19.2)	266	84.8%	(80.8-88.7)
	<b>Healthy Communities Coalition</b>	51	19.4%	(14.3-24.4)	224	80.6%	(75.6-85.7)
	<b>Nye Communities Coalition</b>	42	10.8%	(7.6-14.0)	353	89.2%	(86.0-92.4)
	<b>Join Together Northern Nevada</b>	232	18.4%	(16.0-20.8)	1061	81.6%	(79.2-84.0)
	<b>NV Community Prevention Coalition</b>	9	9.8%	(3.6-16.0)	89	90.2%	(84.0-96.4)
	<b>PACT Coalition</b>	195	11.7%	(10.1-13.3)	1464	88.3%	(86.7-89.9)
	<b>CARE Coalition</b>	30	11.7%	(7.6-15.8)	209	88.3%	(84.2-92.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Including being bullied through texting, Instagram, Facebook, or other social media



**Table 20: Percentage of high school students who did not go to school because they felt unsafe at school or on their way to or from school during the 30 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		505	8.7%	(7.7-9.6)	4795	91.3%	(90.4-92.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	28	10.1%	(6.1-14.0)	231	89.9%	(86.0-93.9)
	<b>Partnership of Community Resources</b>	19	9.8%	(4.9-14.7)	173	90.2%	(85.3-95.1)
	<b>PACE Coalition</b>	31	8.1%	(5.2-11.1)	357	91.9%	(88.9-94.8)
	<b>Churchill Community Coalition</b>	12	7.0%	(2.9-11.2)	140	93.0%	(88.8-97.1)
	<b>Frontier Community Coalition</b>	29	8.7%	(5.5-11.9)	292	91.3%	(88.1-94.5)
	<b>Healthy Communities Coalition</b>	27	9.5%	(5.8-13.1)	252	90.5%	(86.9-94.2)
	<b>Nye Communities Coalition</b>	24	5.8%	(3.5-8.1)	378	94.2%	(91.9-96.5)
	<b>Join Together Northern Nevada</b>	171	12.7%	(10.7-14.6)	1129	87.3%	(85.4-89.3)
	<b>NV Community Prevention Coalition</b>	1	0.9%	(0.0-2.6)	97	99.1%	(97.4-100.0)
	<b>PACT Coalition</b>	124	7.2%	(5.9-8.5)	1542	92.8%	(91.5-94.1)
	<b>CARE Coalition</b>	39	15.3%	(10.6-20.0)	204	84.7%	(80.0-89.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more days during the 30 days before the survey

**Table 21: Percentage of high school students who were forced to do sexual things when they did not want to during the 12 months before the survey<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		559	10.5%	(9.4-11.5)	4567	89.5%	(88.5-90.6)
<b>Coalition</b>	<b>Partnership Carson City</b>	31	13.4%	(8.4-18.4)	215	86.6%	(81.6-91.6)
	<b>Partnership of Community Resources</b>	17	7.7%	(3.6-11.8)	166	92.3%	(88.2-96.4)
	<b>PACE Coalition</b>	50	14.0%	(10.1-17.9)	330	86.0%	(82.1-89.9)
	<b>Churchill Community Coalition</b>	21	13.7%	(7.8-19.7)	125	86.3%	(80.3-92.2)
	<b>Frontier Community Coalition</b>	28	7.8%	(4.9-10.7)	280	92.2%	(89.3-95.1)
	<b>Healthy Communities Coalition</b>	39	13.5%	(9.2-17.8)	227	86.5%	(82.2-90.8)
	<b>Nye Communities Coalition</b>	29	7.1%	(4.5-9.7)	360	92.9%	(90.3-95.5)
	<b>Join Together Northern Nevada</b>	144	11.9%	(9.9-14.0)	1123	88.1%	(86.0-90.1)
	<b>NV Community Prevention Coalition</b>	8	8.2%	(2.7-13.7)	90	91.8%	(86.3-97.3)
	<b>PACT Coalition</b>	152	9.4%	(7.9-10.9)	1453	90.6%	(89.1-92.1)
	<b>CARE Coalition</b>	40	15.0%	(10.4-19.5)	198	85.0%	(80.5-89.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Including kissing, touching, or physically forced to have sexual intercourse by anyone when they did not want to

<sup>e</sup> One or more times during the 12 months before the survey

**Table 22: Percentage of high school students who experienced physical dating violence during the 12 months before the survey<sup>d,e,f</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		265	7.9%	(6.6-9.1)	3191	92.1%	(90.9-93.4)
<b>Coalition</b>	<b>Partnership Carson City</b>	17	8.1%	(3.7-12.5)	168	91.9%	(87.5-96.3)
	<b>Partnership of Community Resources</b>	6	4.3%	(0.2-8.4)	119	95.7%	(91.6-99.8)
	<b>PACE Coalition</b>	25	10.1%	(6.0-14.1)	235	89.9%	(85.9-94.0)
	<b>Churchill Community Coalition</b>	8	8.5%	(2.3-14.7)	86	91.5%	(85.3-97.7)
	<b>Frontier Community Coalition</b>	12	4.1%	(1.7-6.4)	222	95.9%	(93.6-98.3)
	<b>Healthy Communities Coalition</b>	24	10.5%	(6.2-14.8)	182	89.5%	(85.2-93.8)
	<b>Nye Communities Coalition</b>	17	5.5%	(2.9-8.1)	271	94.5%	(91.9-97.1)
	<b>Join Together Northern Nevada</b>	60	7.8%	(5.7-9.9)	761	92.2%	(90.1-94.3)
	<b>NV Community Prevention Coalition</b>	0	0.0%	(0.0-0.0)	67	100.0%	(100.0-100.0)
	<b>PACT Coalition</b>	83	8.5%	(6.7-10.3)	939	91.5%	(89.7-93.3)
<b>CARE Coalition</b>	13	7.2%	(3.0-11.4)	141	92.8%	(88.6-97.0)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with

<sup>e</sup> One or more times during the 12 months before the survey

<sup>f</sup> Among students who dated or went out with someone during the 12 months before the survey

**Table 23: Percentage of high school students who experienced sexual dating violence during the 12 months before the survey<sup>d,e,f</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		210	5.7%	(4.7-6.7)	3115	94.3%	(93.3-95.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	15	7.7%	(3.6-11.9)	164	92.3%	(88.1-96.4)
	<b>Partnership of Community Resources</b>	6	4.6%	(0.3-9.0)	112	95.4%	(91.0-99.7)
	<b>PACE Coalition</b>	17	7.2%	(3.6-10.8)	236	92.8%	(89.2-96.4)
	<b>Churchill Community Coalition</b>	7	6.7%	(1.7-11.7)	84	93.3%	(88.3-98.3)
	<b>Frontier Community Coalition</b>	15	6.0%	(2.9-9.0)	209	94.0%	(91.0-97.1)
	<b>Healthy Communities Coalition</b>	16	7.4%	(3.6-11.2)	183	92.6%	(88.8-96.4)
	<b>Nye Communities Coalition</b>	10	3.3%	(1.2-5.3)	268	96.7%	(94.7-98.8)
	<b>Join Together Northern Nevada</b>	60	7.8%	(5.7-9.8)	738	92.2%	(90.2-94.3)
	<b>NV Community Prevention Coalition</b>	5	7.6%	(1.2-14.0)	62	92.4%	(86.0-98.8)
	<b>PACT Coalition</b>	48	4.8%	(3.4-6.2)	922	95.2%	(93.8-96.6)
	<b>CARE Coalition</b>	11	6.3%	(2.5-10.1)	137	93.7%	(89.9-97.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Including kissing, touching, or physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with

<sup>e</sup> One or more times during the 12 months before the survey

<sup>f</sup> Among students who dated or went out with someone during the 12 months before the survey

**Table 24: Percentage of high school students who were ever physically forced to have sexual intercourse when they did not want to — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		443	7.3%	(6.5-8.2)	4780	92.7%	(91.8-93.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	30	14.2%	(8.8-19.6)	223	85.8%	(80.4-91.2)
	<b>Partnership of Community Resources</b>	19	7.5%	(3.6-11.4)	170	92.5%	(88.6-96.4)
	<b>PACE Coalition</b>	53	14.7%	(10.7-18.6)	327	85.3%	(81.4-89.3)
	<b>Churchill Community Coalition</b>	22	14.6%	(8.5-20.7)	125	85.4%	(79.3-91.5)
	<b>Frontier Community Coalition</b>	29	8.3%	(5.3-11.3)	288	91.7%	(88.7-94.7)
	<b>Healthy Communities Coalition</b>	23	7.3%	(4.2-10.5)	248	92.7%	(89.5-95.8)
	<b>Nye Communities Coalition</b>	26	7.0%	(4.2-9.8)	369	93.0%	(90.2-95.8)
	<b>Join Together Northern Nevada</b>	99	7.6%	(6.0-9.1)	1191	92.4%	(90.9-94.0)
	<b>NV Community Prevention Coalition</b>	8	8.1%	(2.5-13.7)	90	91.9%	(86.3-97.5)
	<b>PACT Coalition</b>	105	6.2%	(5.0-7.4)	1540	93.8%	(92.6-95.0)
	<b>CARE Coalition</b>	29	10.8%	(6.8-14.7)	209	89.2%	(85.3-93.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 25: Percentage of high school students who have ever been hit, beaten, kicked, or physically hurt in anyway by an adult<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		957	17.7%	(16.4-19.1)	4248	82.3%	(80.9-83.6)
<b>Coalition</b>	<b>Partnership Carson City</b>	48	17.0%	(12.0-22.0)	208	83.0%	(78.0-88.0)
	<b>Partnership of Community Resources</b>	40	22.4%	(14.6-30.3)	150	77.6%	(69.7-85.4)
	<b>PACE Coalition</b>	87	23.3%	(18.7-27.8)	297	76.7%	(72.2-81.3)
	<b>Churchill Community Coalition</b>	33	19.9%	(13.4-26.4)	114	80.1%	(73.6-86.6)
	<b>Frontier Community Coalition</b>	49	14.1%	(10.1-18.0)	265	85.9%	(82.0-89.9)
	<b>Healthy Communities Coalition</b>	67	23.9%	(18.5-29.3)	203	76.1%	(70.7-81.5)
	<b>Nye Communities Coalition</b>	66	16.0%	(12.2-19.8)	328	84.0%	(80.2-87.8)
	<b>Join Together Northern Nevada</b>	224	17.4%	(15.1-19.6)	1045	82.6%	(80.4-84.9)
	<b>NV Community Prevention Coalition</b>	11	10.6%	(4.3-17.0)	85	89.4%	(83.0-95.7)
	<b>PACT Coalition</b>	284	17.5%	(15.6-19.4)	1364	82.5%	(80.6-84.4)
	<b>CARE Coalition</b>	48	19.7%	(14.4-24.9)	189	80.3%	(75.1-85.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Not including spanking for bad behavior

**Table 26: Percentage of high school students who have ever been sworn at, insulted by, or put down by an adult — Nevada, Youth Risk Behavior Survey, 2017**

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		3519	66.7%	(65.0-68.4)	1136	22.1%	(20.7-23.6)	630	11.2%	(10.1-12.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	180	69.2%	(62.9-75.5)	46	18.2%	(13.0-23.4)	32	12.6%	(8.0-17.2)
	<b>Partnership of Community Resources</b>	115	58.9%	(49.8-68.0)	54	29.5%	(21.4-37.7)	22	11.5%	(5.0-18.1)
	<b>PACE Coalition</b>	256	64.6%	(59.5-69.8)	81	20.2%	(16.0-24.5)	49	15.1%	(11.1-19.2)
	<b>Churchill Community Coalition</b>	105	72.5%	(64.9-80.0)	28	16.0%	(10.1-21.9)	17	11.5%	(5.9-17.2)
	<b>Frontier Community Coalition</b>	204	66.9%	(61.6-72.3)	78	22.3%	(17.7-27.0)	37	10.8%	(7.3-14.2)
	<b>Healthy Communities Coalition</b>	186	68.1%	(62.3-73.9)	51	17.7%	(13.0-22.5)	42	14.2%	(9.9-18.5)
	<b>Nye Communities Coalition</b>	273	68.2%	(63.3-73.2)	82	20.0%	(15.9-24.1)	43	11.7%	(8.1-15.4)
	<b>Join Together Northern Nevada</b>	859	65.8%	(63.0-68.7)	255	19.5%	(17.2-21.8)	186	14.7%	(12.4-16.9)
	<b>NV Community Prevention Coalition</b>	70	72.9%	(64.0-81.9)	23	21.7%	(13.5-30.0)	5	5.3%	(0.7-9.9)
	<b>PACT Coalition</b>	1098	66.0%	(63.7-68.4)	396	23.7%	(21.6-25.8)	169	10.3%	(8.8-11.8)
<b>CARE Coalition</b>	173	70.7%	(64.7-76.6)	42	18.1%	(13.0-23.1)	28	11.3%	(7.1-15.5)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 27: Percentage of high school students who have ever seen adults in their home slap, hit, kick, punch, or beat each other up — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		862	16.8%	(15.5-18.2)	4389	83.2%	(81.8-84.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	39	13.7%	(9.3-18.0)	215	86.3%	(82.0-90.7)
	<b>Partnership of Community Resources</b>	25	15.4%	(8.2-22.5)	166	84.6%	(77.5-91.8)
	<b>PACE Coalition</b>	65	17.5%	(13.2-21.8)	322	82.5%	(78.2-86.8)
	<b>Churchill Community Coalition</b>	27	16.5%	(10.3-22.6)	121	83.5%	(77.4-89.7)
	<b>Frontier Community Coalition</b>	47	13.4%	(9.6-17.2)	273	86.6%	(82.8-90.4)
	<b>Healthy Communities Coalition</b>	63	22.0%	(16.9-27.1)	214	78.0%	(72.9-83.1)
	<b>Nye Communities Coalition</b>	45	11.5%	(8.2-14.8)	351	88.5%	(85.2-91.8)
	<b>Join Together Northern Nevada</b>	210	16.3%	(14.1-18.6)	1076	83.7%	(81.4-85.9)
	<b>NV Community Prevention Coalition</b>	12	13.1%	(6.0-20.2)	85	86.9%	(79.8-94.0)
	<b>PACT Coalition</b>	277	16.7%	(14.8-18.5)	1380	83.3%	(81.5-85.2)
	<b>CARE Coalition</b>	52	21.5%	(16.0-26.9)	186	78.5%	(73.1-84.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval



## Emotional Health

**Table 28: Percentage of high school students who felt sad or hopeless almost every day for two or more weeks in a row during the 12 months before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1845	34.6%	(32.9-36.3)	3397	65.4%	(63.7-67.1)
<b>Coalition</b>	<b>Partnership Carson City</b>	86	33.5%	(27.1-39.9)	167	66.5%	(60.1-72.9)
	<b>Partnership of Community Resources</b>	72	32.4%	(24.6-40.2)	119	67.6%	(59.8-75.4)
	<b>PACE Coalition</b>	126	33.1%	(27.9-38.2)	260	66.9%	(61.8-72.1)
	<b>Churchill Community Coalition</b>	53	31.6%	(23.8-39.5)	93	68.4%	(60.5-76.2)
	<b>Frontier Community Coalition</b>	115	33.0%	(27.7-38.4)	204	67.0%	(61.6-72.3)
	<b>Healthy Communities Coalition</b>	98	33.2%	(27.4-39.0)	180	66.8%	(61.0-72.6)
	<b>Nye Communities Coalition</b>	125	31.3%	(26.4-36.2)	269	68.7%	(63.8-73.6)
	<b>Join Together Northern Nevada</b>	470	36.6%	(33.8-39.5)	818	63.4%	(60.5-66.2)
	<b>NV Community Prevention Coalition</b>	27	27.6%	(18.6-36.7)	71	72.4%	(63.3-81.4)
	<b>PACT Coalition</b>	588	34.8%	(32.4-37.1)	1064	65.2%	(62.9-67.6)
	<b>CARE Coalition</b>	85	35.0%	(28.7-41.2)	152	65.0%	(58.8-71.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> So that they stopped doing some usual activities

**Table 29: Percentage of high school students who seriously considered attempting suicide during the 12 months before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		944	16.6%	(15.3-17.8)	4294	83.4%	(82.2-84.7)
<b>Coalition</b>	<b>Partnership Carson City</b>	41	16.6%	(11.5-21.7)	214	83.4%	(78.3-88.5)
	<b>Partnership of Community Resources</b>	38	18.2%	(11.9-24.5)	151	81.8%	(75.5-88.1)
	<b>PACE Coalition</b>	81	22.2%	(17.6-26.9)	307	77.8%	(73.1-82.4)
	<b>Churchill Community Coalition</b>	42	27.2%	(19.5-35.0)	104	72.8%	(65.0-80.5)
	<b>Frontier Community Coalition</b>	58	16.2%	(12.1-20.4)	261	83.8%	(79.6-87.9)
	<b>Healthy Communities Coalition</b>	49	16.9%	(12.2-21.5)	225	83.1%	(78.5-87.8)
	<b>Nye Communities Coalition</b>	60	14.4%	(10.7-18.1)	330	85.6%	(81.9-89.3)
	<b>Join Together Northern Nevada</b>	249	18.6%	(16.3-20.8)	1043	81.4%	(79.2-83.7)
	<b>NV Community Prevention Coalition</b>	12	12.4%	(5.6-19.2)	86	87.6%	(80.8-94.4)
	<b>PACT Coalition</b>	268	15.7%	(13.9-17.4)	1382	84.3%	(82.6-86.1)
	<b>CARE Coalition</b>	46	18.8%	(13.7-23.9)	191	81.2%	(76.1-86.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 30: Percentage of high school students who made a plan about how they would attempt suicide during the 12 months before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		799	14.4%	(13.2-15.6)	4420	85.6%	(84.4-86.8)
<b>Coalition</b>	<b>Partnership Carson City</b>	40	15.6%	(10.7-20.4)	211	84.4%	(79.6-89.3)
	<b>Partnership of Community Resources</b>	33	17.6%	(10.3-25.0)	156	82.4%	(75.0-89.7)
	<b>PACE Coalition</b>	65	17.7%	(13.6-21.8)	319	82.3%	(78.2-86.4)
	<b>Churchill Community Coalition</b>	33	21.2%	(14.1-28.2)	110	78.8%	(71.8-85.9)
	<b>Frontier Community Coalition</b>	45	12.4%	(8.7-16.1)	274	87.6%	(83.9-91.3)
	<b>Healthy Communities Coalition</b>	41	15.4%	(10.8-19.9)	231	84.6%	(80.1-89.2)
	<b>Nye Communities Coalition</b>	44	11.8%	(8.1-15.6)	349	88.2%	(84.4-91.9)
	<b>Join Together Northern Nevada</b>	214	16.6%	(14.3-18.8)	1066	83.4%	(81.2-85.7)
	<b>NV Community Prevention Coalition</b>	10	10.9%	(4.4-17.4)	88	89.1%	(82.6-95.6)
	<b>PACT Coalition</b>	234	13.6%	(11.9-15.2)	1419	86.4%	(84.8-88.1)
	<b>CARE Coalition</b>	40	16.3%	(11.6-21.1)	197	83.7%	(78.9-88.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 31: Percentage of high school students who attempted suicide during the 12 months before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		420	8.5%	(7.4-9.6)	4123	91.5%	(90.4-92.6)
<b>Coalition</b>	<b>Partnership Carson City</b>	22	10.2%	(5.8-14.6)	199	89.8%	(85.4-94.2)
	<b>Partnership of Community Resources</b>	14	7.7%	(3.2-12.3)	164	92.3%	(87.7-96.8)
	<b>PACE Coalition</b>	31	9.5%	(6.1-12.9)	301	90.5%	(87.1-93.9)
	<b>Churchill Community Coalition</b>	24	16.9%	(10.0-23.7)	104	83.1%	(76.3-90.0)
	<b>Frontier Community Coalition</b>	28	9.3%	(5.8-12.9)	241	90.7%	(87.1-94.2)
	<b>Healthy Communities Coalition</b>	28	12.0%	(7.6-16.4)	211	88.0%	(83.6-92.4)
	<b>Nye Communities Coalition</b>	25	6.8%	(4.0-9.6)	330	93.2%	(90.4-96.0)
	<b>Join Together Northern Nevada</b>	107	8.9%	(7.1-10.7)	999	91.1%	(89.3-92.9)
	<b>NV Community Prevention Coalition</b>	6	7.1%	(1.5-12.8)	83	92.9%	(87.2-98.5)
	<b>PACT Coalition</b>	114	8.1%	(6.6-9.6)	1316	91.9%	(90.4-93.4)
	<b>CARE Coalition</b>	21	9.4%	(5.3-13.5)	175	90.6%	(86.5-94.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more times during the 12 months before the survey

**Table 32: Percentage of high school students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the 12 months before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		136	2.6%	(2.0-3.2)	4380	97.4%	(96.8-98.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	7	3.4%	(0.8-6.0)	210	96.6%	(94.0-99.2)
	<b>Partnership of Community Resources</b>	6	3.2%	(0.1-6.3)	172	96.8%	(93.7-99.9)
	<b>PACE Coalition</b>	6	2.1%	(0.3-3.9)	321	97.9%	(96.1-99.7)
	<b>Churchill Community Coalition</b>	7	4.7%	(0.8-8.6)	120	95.3%	(91.4-99.2)
	<b>Frontier Community Coalition</b>	8	2.7%	(0.8-4.5)	259	97.3%	(95.5-99.2)
	<b>Healthy Communities Coalition</b>	15	6.4%	(3.1-9.7)	224	93.6%	(90.3-96.9)
	<b>Nye Communities Coalition</b>	8	2.1%	(0.6-3.6)	348	97.9%	(96.4-99.4)
	<b>Join Together Northern Nevada</b>	37	2.9%	(1.9-4.0)	1060	97.1%	(96.0-98.1)
	<b>NV Community Prevention Coalition</b>	0	0.0%	(0.0-0.0)	89	100.0%	(100.0-100.0)
	<b>PACT Coalition</b>	37	2.6%	(1.7-3.5)	1386	97.4%	(96.5-98.3)
	<b>CARE Coalition</b>	5	2.0%	(0.0-4.0)	191	98.0%	(96.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 33: Percentage of high school students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose during the 12 months before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1068	18.7%	(17.4-20.1)	4169	81.3%	(79.9-82.6)
<b>Coalition</b>	<b>Partnership Carson City</b>	58	22.0%	(16.5-27.6)	197	78.0%	(72.4-83.5)
	<b>Partnership of Community Resources</b>	49	23.3%	(16.3-30.4)	140	76.7%	(69.6-83.7)
	<b>PACE Coalition</b>	77	20.0%	(15.5-24.5)	307	80.0%	(75.5-84.5)
	<b>Churchill Community Coalition</b>	40	25.0%	(17.5-32.4)	109	75.0%	(67.6-82.5)
	<b>Frontier Community Coalition</b>	73	20.0%	(15.6-24.4)	244	80.0%	(75.6-84.4)
	<b>Healthy Communities Coalition</b>	58	20.8%	(15.7-25.9)	218	79.2%	(74.1-84.3)
	<b>Nye Communities Coalition</b>	67	17.0%	(12.9-21.1)	328	83.0%	(78.9-87.1)
	<b>Join Together Northern Nevada</b>	277	21.1%	(18.7-23.5)	1012	78.9%	(76.5-81.3)
	<b>NV Community Prevention Coalition</b>	14	14.1%	(7.1-21.1)	84	85.9%	(78.9-92.9)
	<b>PACT Coalition</b>	320	18.8%	(16.9-20.8)	1325	81.2%	(79.2-83.1)
	<b>CARE Coalition</b>	35	13.3%	(9.0-17.6)	205	86.7%	(82.4-91.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more times during the 12 months before the survey

**Table 34: Percentage of high school students who ever lived with someone who was depressed, mentally ill, or suicidal — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1611	30.3%	(28.7-32.0)	3473	69.7%	(68.0-71.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	61	26.2%	(20.1-32.3)	191	73.8%	(67.7-79.9)
	<b>Partnership of Community Resources</b>	81	40.5%	(31.6-49.4)	107	59.5%	(50.6-68.4)
	<b>PACE Coalition</b>	132	35.3%	(30.1-40.5)	249	64.7%	(59.5-69.9)
	<b>Churchill Community Coalition</b>	54	35.1%	(26.5-43.7)	93	64.9%	(56.3-73.5)
	<b>Frontier Community Coalition</b>	99	31.8%	(26.3-37.3)	212	68.2%	(62.7-73.7)
	<b>Healthy Communities Coalition</b>	100	37.9%	(31.7-44.1)	167	62.1%	(55.9-68.3)
	<b>Nye Communities Coalition</b>	110	31.4%	(26.2-36.5)	248	68.6%	(63.5-73.8)
	<b>Join Together Northern Nevada</b>	412	34.5%	(31.6-37.4)	829	65.5%	(62.6-68.4)
	<b>NV Community Prevention Coalition</b>	29	31.8%	(22.1-41.4)	65	68.2%	(58.6-77.9)
	<b>PACT Coalition</b>	467	28.5%	(26.3-30.8)	1158	71.5%	(69.2-73.7)
	<b>CARE Coalition</b>	66	30.9%	(24.5-37.3)	154	69.1%	(62.7-75.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 35: Percentage of high school students who ever got the kind of help they need when they felt sad, empty, hopeless, angry, or anxious<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		2038	55.3%	(53.2-57.4)	714	19.2%	(17.5-20.9)	883	25.5%	(23.6-27.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	99	59.7%	(51.5-67.8)	37	20.1%	(13.6-26.6)	35	20.2%	(13.6-26.9)
	<b>Partnership of Community Resources</b>	71	51.9%	(40.8-62.9)	28	22.6%	(12.8-32.4)	35	25.5%	(16.7-34.4)
	<b>PACE Coalition</b>	143	56.9%	(50.2-63.6)	51	21.3%	(15.4-27.1)	57	21.8%	(16.4-27.2)
	<b>Churchill Community Coalition</b>	51	44.4%	(34.3-54.5)	21	21.0%	(12.5-29.5)	31	34.6%	(24.4-44.7)
	<b>Frontier Community Coalition</b>	121	55.2%	(48.2-62.3)	55	25.1%	(19.0-31.1)	40	19.7%	(13.8-25.6)
	<b>Healthy Communities Coalition</b>	100	52.5%	(44.8-60.1)	31	18.2%	(12.1-24.3)	57	29.3%	(22.4-36.3)
	<b>Nye Communities Coalition</b>	135	53.2%	(46.6-59.7)	54	20.4%	(15.1-25.6)	67	26.5%	(20.7-32.2)
	<b>Join Together Northern Nevada</b>	533	56.8%	(53.3-60.3)	172	19.9%	(16.9-22.9)	204	23.3%	(20.3-26.3)
	<b>NV Community Prevention Coalition</b>	36	51.3%	(39.3-63.4)	15	20.9%	(11.1-30.7)	19	27.7%	(17.0-38.5)
	<b>PACT Coalition</b>	658	55.3%	(52.4-58.3)	212	18.0%	(15.7-20.3)	305	26.7%	(24.0-29.3)
	<b>CARE Coalition</b>	91	55.6%	(47.6-63.5)	38	23.8%	(17.0-30.5)	33	20.7%	(14.1-27.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Among those who feel sad, empty, hopeless, angry, or anxious



**Tobacco Use**

**Table 36: Percentage of high school students who ever smoked cigarettes<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1397	23.9%	(22.4-25.4)	3640	76.1%	(74.6-77.6)
<b>Coalition</b>	<b>Partnership Carson City</b>	75	33.1%	(26.3-39.8)	169	66.9%	(60.2-73.7)
	<b>Partnership of Community Resources</b>	49	31.0%	(21.8-40.1)	128	69.0%	(59.9-78.2)
	<b>PACE Coalition</b>	132	35.6%	(30.4-40.8)	239	64.4%	(59.2-69.6)
	<b>Churchill Community Coalition</b>	47	32.7%	(24.3-41.2)	91	67.3%	(58.8-75.7)
	<b>Frontier Community Coalition</b>	124	40.6%	(34.8-46.5)	183	59.4%	(53.5-65.2)
	<b>Healthy Communities Coalition</b>	111	40.8%	(34.6-47.1)	155	59.2%	(52.9-65.4)
	<b>Nye Communities Coalition</b>	108	27.2%	(22.4-32.1)	280	72.8%	(67.9-77.6)
	<b>Join Together Northern Nevada</b>	329	26.5%	(23.8-29.2)	908	73.5%	(70.8-76.2)
	<b>NV Community Prevention Coalition</b>	23	23.9%	(15.3-32.6)	75	76.1%	(67.4-84.7)
	<b>PACT Coalition</b>	345	21.5%	(19.4-23.5)	1247	78.5%	(76.5-80.6)
	<b>CARE Coalition</b>	54	23.2%	(17.6-28.9)	165	76.8%	(71.1-82.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Even one or two puffs

**Table 37: Percentage of high school students who smoked cigarettes for the first time before age 13 years<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		537	9.3%	(8.2-10.3)	4531	90.7%	(89.7-91.8)
<b>Coalition</b>	<b>Partnership Carson City</b>	34	12.6%	(8.0-17.2)	213	87.4%	(82.8-92.0)
	<b>Partnership of Community Resources</b>	18	13.1%	(5.6-20.6)	161	86.9%	(79.4-94.4)
	<b>PACE Coalition</b>	56	15.4%	(11.5-19.3)	316	84.6%	(80.7-88.5)
	<b>Churchill Community Coalition</b>	20	14.0%	(7.8-20.3)	120	86.0%	(79.7-92.2)
	<b>Frontier Community Coalition</b>	45	14.0%	(9.9-18.1)	264	86.0%	(81.9-90.1)
	<b>Healthy Communities Coalition</b>	40	13.2%	(9.1-17.3)	229	86.8%	(82.7-90.9)
	<b>Nye Communities Coalition</b>	38	10.0%	(6.6-13.4)	348	90.0%	(86.6-93.4)
	<b>Join Together Northern Nevada</b>	117	9.0%	(7.2-10.8)	1128	91.0%	(89.2-92.8)
	<b>NV Community Prevention Coalition</b>	6	5.8%	(1.2-10.4)	92	94.2%	(89.6-98.8)
	<b>PACT Coalition</b>	142	8.9%	(7.4-10.3)	1460	91.1%	(89.7-92.6)
<b>CARE Coalition</b>	21	8.9%	(5.1-12.7)	200	91.1%	(87.3-94.9)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Even one or two puffs

\* **Note: In 2017, the wording of this question changed from smoking a whole cigarette to even one or two puffs. Comparisons should not be made with previous years.**

**Table 38: Percentage of high school students who smoked cigarettes during the 30 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		428	6.4%	(5.6-7.2)	4658	93.6%	(92.8-94.4)
<b>Coalition</b>	<b>Partnership Carson City</b>	26	9.8%	(5.6-13.9)	221	90.2%	(86.1-94.4)
	<b>Partnership of Community Resources</b>	19	11.0%	(4.3-17.8)	162	89.0%	(82.2-95.7)
	<b>PACE Coalition</b>	45	12.5%	(8.9-16.1)	330	87.5%	(83.9-91.1)
	<b>Churchill Community Coalition</b>	11	8.0%	(3.1-12.9)	131	92.0%	(87.1-96.9)
	<b>Frontier Community Coalition</b>	56	17.4%	(13.0-21.7)	257	82.6%	(78.3-87.0)
	<b>Healthy Communities Coalition</b>	48	16.8%	(12.1-21.5)	221	83.2%	(78.5-87.9)
	<b>Nye Communities Coalition</b>	24	5.9%	(3.5-8.3)	360	94.1%	(91.7-96.5)
	<b>Join Together Northern Nevada</b>	95	7.2%	(5.6-8.8)	1149	92.8%	(91.2-94.4)
	<b>NV Community Prevention Coalition</b>	7	8.1%	(2.2-14.0)	89	91.9%	(86.0-97.8)
	<b>PACT Coalition</b>	86	5.4%	(4.3-6.6)	1522	94.6%	(93.4-95.7)
	<b>CARE Coalition</b>	11	4.1%	(1.6-6.7)	216	95.9%	(93.3-98.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more days during the 30 days before the survey

**Table 39: Percentage of high school students who smoked cigarettes on 20 or more days during the 30 days before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		113	1.3%	(1.0-1.7)	4973	98.7%	(98.3-99.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	6	2.6%	(0.1-5.1)	241	97.4%	(94.9-99.9)
	<b>Partnership of Community Resources</b>	5	2.0%	(0.0-4.0)	176	98.0%	(96.0-100.0)
	<b>PACE Coalition</b>	15	4.6%	(2.2-6.9)	360	95.4%	(93.1-97.8)
	<b>Churchill Community Coalition</b>	7	5.7%	(1.3-10.1)	135	94.3%	(89.9-98.7)
	<b>Frontier Community Coalition</b>	15	4.9%	(2.4-7.4)	298	95.1%	(92.6-97.6)
	<b>Healthy Communities Coalition</b>	14	5.0%	(2.3-7.6)	255	95.0%	(92.4-97.7)
	<b>Nye Communities Coalition</b>	9	2.3%	(0.8-3.8)	375	97.7%	(96.2-99.2)
	<b>Join Together Northern Nevada</b>	26	1.9%	(1.1-2.6)	1218	98.1%	(97.4-98.9)
	<b>NV Community Prevention Coalition</b>	1	1.1%	(0.0-3.3)	95	98.9%	(96.7-100.0)
	<b>PACT Coalition</b>	15	1.0%	(0.5-1.5)	1593	99.0%	(98.5-99.5)
	<b>CARE Coalition</b>	0	0.0%	(0.0-0.0)	227	100.0%	(100.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 40: Percentage of high school students who smoked more than 10 cigarettes per day during the 30 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		21	4.9%	(2.1-7.7)	415	95.1%	(92.3-97.9)
<b>Coalition</b>	<b>Partnership Carson City</b>	1	1.0%	(0.0-3.1)	26	99.0%	(96.9-100.0)
	<b>Partnership of Community Resources</b>	3	12.7%	(0.0-29.0)	16	87.3%	(71.0-100.0)
	<b>PACE Coalition</b>	1	3.7%	(0.0-10.9)	44	96.3%	(89.1-100.0)
	<b>Churchill Community Coalition</b>	1	11.7%	(0.0-33.2)	10	88.3%	(66.8-100.0)
	<b>Frontier Community Coalition</b>	1	2.5%	(0.0-7.3)	56	97.5%	(92.7-100.0)
	<b>Healthy Communities Coalition</b>	3	7.4%	(0.0-15.7)	45	92.6%	(84.3-100.0)
	<b>Nye Communities Coalition</b>	0	0.0%	(0.0-0.0)	24	100.0%	(100.0-100.0)
	<b>Join Together Northern Nevada</b>	7	7.7%	(1.0-14.4)	93	92.3%	(85.6-99.0)
	<b>NV Community Prevention Coalition</b>	0	0.0%	(0.0-0.0)	7	100.0%	(100.0-100.0)
	<b>PACT Coalition</b>	3	3.5%	(0.0-7.5)	84	96.5%	(92.5-100.0)
	<b>CARE Coalition</b>	1	12.2%	(0.0-34.3)	10	87.8%	(65.7-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Among students who currently smoked cigarettes

**Table 41: Percentage of high school students who usually obtained their own cigarettes by buying them in a store or gas station during the 30 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		41	15.3%	(9.6-20.9)	302	84.7%	(79.1-90.4)
<b>Coalition</b>	<b>Partnership Carson City</b>	2	7.0%	(0.0-17.9)	17	93.0%	(82.1-100.0)
	<b>Partnership of Community Resources</b>	0	0.0%	(0.0-0.0)	13	100.0%	(100.0-100.0)
	<b>PACE Coalition</b>	2	6.7%	(0.0-16.8)	33	93.3%	(83.2-100.0)
	<b>Churchill Community Coalition</b>	1	19.0%	(0.0-51.1)	9	81.0%	(48.9-100.0)
	<b>Frontier Community Coalition</b>	1	3.3%	(0.0-9.7)	43	96.7%	(90.3-100.0)
	<b>Healthy Communities Coalition</b>	5	9.4%	(0.6-18.2)	33	90.6%	(81.8-99.4)
	<b>Nye Communities Coalition</b>	1	5.2%	(0.0-15.3)	16	94.8%	(84.7-100.0)
	<b>Join Together Northern Nevada</b>	17	22.7%	(11.3-34.1)	68	77.3%	(65.9-88.7)
	<b>NV Community Prevention Coalition</b>	1	10.6%	(0.0-30.8)	6	89.4%	(69.2-100.0)
	<b>PACT Coalition</b>	10	16.7%	(7.1-26.2)	57	83.3%	(73.8-92.9)
	<b>CARE Coalition</b>	1	13.5%	(0.0-38.3)	7	86.5%	(61.7-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Among students who currently smoked cigarettes and who were aged <18 years

**Table 42: Percentage of high school students who used smokeless tobacco during the 30 days before the survey<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		284	4.0%	(3.4-4.7)	4972	96.0%	(95.3-96.6)
<b>Coalition</b>	<b>Partnership Carson City</b>	10	3.2%	(0.9-5.5)	249	96.8%	(94.5-99.1)
	<b>Partnership of Community Resources</b>	18	14.0%	(6.2-21.9)	173	86.0%	(78.1-93.8)
	<b>PACE Coalition</b>	35	8.8%	(5.8-11.8)	354	91.2%	(88.2-94.2)
	<b>Churchill Community Coalition</b>	17	12.1%	(6.2-18.0)	132	87.9%	(82.0-93.8)
	<b>Frontier Community Coalition</b>	33	10.9%	(7.2-14.6)	287	89.1%	(85.4-92.8)
	<b>Healthy Communities Coalition</b>	31	11.7%	(7.7-15.7)	247	88.3%	(84.3-92.3)
	<b>Nye Communities Coalition</b>	18	3.7%	(1.9-5.5)	369	96.3%	(94.5-98.1)
	<b>Join Together Northern Nevada</b>	60	5.1%	(3.6-6.5)	1228	94.9%	(93.5-96.4)
	<b>NV Community Prevention Coalition</b>	1	0.9%	(0.0-2.5)	96	99.1%	(97.5-100.0)
	<b>PACT Coalition</b>	50	3.1%	(2.2-4.1)	1612	96.9%	(95.9-97.8)
	<b>CARE Coalition</b>	11	3.8%	(1.3-6.2)	225	96.2%	(93.8-98.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Chewing tobacco, snuff, dip, snus, or dissolvable tobacco products such as: Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Malboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs

<sup>e</sup> One or more days during the 30 days before the survey

**Table 43: Percentage of high school students who smoked cigars during the 30 days before the survey<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		389	6.9%	(6.0-7.8)	4865	93.1%	(92.2-94.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	23	8.3%	(4.6-11.9)	235	91.7%	(88.1-95.4)
	<b>Partnership of Community Resources</b>	19	12.6%	(5.6-19.6)	172	87.4%	(80.4-94.4)
	<b>PACE Coalition</b>	30	7.7%	(4.9-10.6)	359	92.3%	(89.4-95.1)
	<b>Churchill Community Coalition</b>	21	13.4%	(7.5-19.3)	129	86.6%	(80.7-92.5)
	<b>Frontier Community Coalition</b>	34	11.7%	(7.8-15.6)	286	88.3%	(84.4-92.2)
	<b>Healthy Communities Coalition</b>	28	10.2%	(6.5-14.0)	251	89.8%	(86.0-93.5)
	<b>Nye Communities Coalition</b>	24	5.5%	(3.1-8.0)	364	94.5%	(92.0-96.9)
	<b>Join Together Northern Nevada</b>	95	8.2%	(6.4-10.0)	1190	91.8%	(90.0-93.6)
	<b>NV Community Prevention Coalition</b>	4	4.8%	(0.1-9.6)	94	95.2%	(90.4-99.9)
	<b>PACT Coalition</b>	90	6.0%	(4.8-7.3)	1570	94.0%	(92.7-95.2)
<b>CARE Coalition</b>	21	7.9%	(4.4-11.5)	215	92.1%	(88.5-95.6)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Smoked cigars, cigarillos, or little cigars

<sup>e</sup> One or more days during the 30 days before the survey



**Table 44: Percentage of high school students who used tobacco during the 30 days before the survey<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		747	12.0%	(10.8-13.1)	4415	88.0%	(86.9-89.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	41	15.4%	(10.4-20.4)	210	84.6%	(79.6-89.6)
	<b>Partnership of Community Resources</b>	36	22.9%	(14.3-31.4)	149	77.1%	(68.6-85.7)
	<b>PACE Coalition</b>	74	19.6%	(15.3-23.8)	310	80.4%	(76.2-84.7)
	<b>Churchill Community Coalition</b>	30	20.3%	(13.2-27.5)	117	79.7%	(72.5-86.8)
	<b>Frontier Community Coalition</b>	75	23.7%	(18.7-28.6)	242	76.3%	(71.4-81.3)
	<b>Healthy Communities Coalition</b>	72	25.7%	(20.2-31.2)	203	74.3%	(68.8-79.8)
	<b>Nye Communities Coalition</b>	51	12.2%	(8.8-15.6)	332	87.8%	(84.4-91.2)
	<b>Join Together Northern Nevada</b>	166	13.5%	(11.3-15.6)	1092	86.5%	(84.4-88.7)
	<b>NV Community Prevention Coalition</b>	7	8.2%	(2.3-14.2)	88	91.8%	(85.8-97.7)
	<b>PACT Coalition</b>	165	10.4%	(8.9-12.0)	1472	89.6%	(88.0-91.1)
<b>CARE Coalition</b>	30	11.5%	(7.3-15.7)	200	88.5%	(84.3-92.7)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Cigarette, smokeless tobacco, or cigar use

<sup>e</sup> One or more days during the 30 days before the survey

## Electronic Vapor Product Use

**Table 45: Percentage of high school students who ever used electronic vapor products<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		2280	42.6%	(40.9-44.4)	2697	57.4%	(55.6-59.1)
<b>Coalition</b>	<b>Partnership Carson City</b>	126	50.0%	(43.0-57.0)	117	50.0%	(43.0-57.0)
	<b>Partnership of Community Resources</b>	79	49.7%	(40.3-59.1)	103	50.3%	(40.9-59.7)
	<b>PACE Coalition</b>	174	48.9%	(43.3-54.5)	182	51.1%	(45.5-56.7)
	<b>Churchill Community Coalition</b>	71	48.8%	(39.7-57.9)	66	51.2%	(42.1-60.3)
	<b>Frontier Community Coalition</b>	152	48.7%	(42.7-54.8)	147	51.3%	(45.2-57.3)
	<b>Healthy Communities Coalition</b>	155	56.7%	(50.3-63.0)	112	43.3%	(37.0-49.7)
	<b>Nye Communities Coalition</b>	159	40.7%	(35.3-46.0)	217	59.3%	(54.0-64.7)
	<b>Join Together Northern Nevada</b>	586	47.8%	(44.7-50.8)	626	52.2%	(49.2-55.3)
	<b>NV Community Prevention Coalition</b>	43	43.9%	(33.8-54.0)	54	56.1%	(46.0-66.2)
	<b>PACT Coalition</b>	644	40.5%	(38.0-43.0)	945	59.5%	(57.0-62.0)
	<b>CARE Coalition</b>	91	39.9%	(33.2-46.6)	128	60.1%	(53.4-66.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo

**Table 46: Percentage of high school students who used electronic vapor products during the 30 days before the survey<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		863	15.0%	(13.7-16.2)	4029	85.0%	(83.8-86.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	44	17.1%	(11.7-22.4)	192	82.9%	(77.6-88.3)
	<b>Partnership of Community Resources</b>	38	22.9%	(14.7-31.2)	140	77.1%	(68.8-85.3)
	<b>PACE Coalition</b>	72	21.0%	(16.5-25.6)	280	79.0%	(74.4-83.5)
	<b>Churchill Community Coalition</b>	33	22.1%	(14.9-29.4)	106	77.9%	(70.6-85.1)
	<b>Frontier Community Coalition</b>	57	19.1%	(14.4-23.8)	240	80.9%	(76.2-85.6)
	<b>Healthy Communities Coalition</b>	62	22.2%	(17.0-27.4)	201	77.8%	(72.6-83.0)
	<b>Nye Communities Coalition</b>	54	14.6%	(10.7-18.6)	309	85.4%	(81.4-89.3)
	<b>Join Together Northern Nevada</b>	259	21.8%	(19.3-24.4)	931	78.2%	(75.6-80.7)
	<b>NV Community Prevention Coalition</b>	17	17.9%	(9.8-25.9)	76	82.1%	(74.1-90.2)
	<b>PACT Coalition</b>	201	12.7%	(11.0-14.4)	1360	87.3%	(85.6-89.0)
<b>CARE Coalition</b>	26	12.1%	(7.5-16.6)	194	87.9%	(83.4-92.5)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo

<sup>e</sup> One or more days during the 30 days before the survey

**Table 47: Percentage of high school students who tried electronic vapor products for the first time before age 13 years<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		382	6.6%	(5.8-7.5)	4653	93.4%	(92.5-94.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	24	7.0%	(4.0-9.9)	221	93.0%	(90.1-96.0)
	<b>Partnership of Community Resources</b>	16	10.9%	(4.1-17.7)	167	89.1%	(82.3-95.9)
	<b>PACE Coalition</b>	28	7.7%	(4.7-10.6)	332	92.3%	(89.4-95.3)
	<b>Churchill Community Coalition</b>	19	11.1%	(5.7-16.5)	124	88.9%	(83.5-94.3)
	<b>Frontier Community Coalition</b>	22	7.7%	(4.5-10.9)	281	92.3%	(89.1-95.5)
	<b>Healthy Communities Coalition</b>	19	6.6%	(3.4-9.8)	252	93.4%	(90.2-96.6)
	<b>Nye Communities Coalition</b>	12	3.0%	(1.2-4.8)	366	97.0%	(95.2-98.8)
	<b>Join Together Northern Nevada</b>	121	10.2%	(8.2-12.2)	1110	89.8%	(87.8-91.8)
	<b>NV Community Prevention Coalition</b>	9	7.5%	(2.5-12.6)	88	92.5%	(87.4-97.5)
	<b>PACT Coalition</b>	103	6.1%	(4.9-7.3)	1503	93.9%	(92.7-95.1)
	<b>CARE Coalition</b>	9	2.9%	(0.8-5.0)	209	97.1%	(95.0-99.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo

**Table 48: Percentage of high school students who usually obtained their electronic vapor products by buying them in a store or gas station during the 30 days before the survey<sup>d,e</sup> — Nevada Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		64	9.7%	(6.7-12.7)	654	90.3%	(87.3-93.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	1	6.4%	(0.0-18.3)	36	93.6%	(81.7-100.0)
	<b>Partnership of Community Resources</b>	1	1.7%	(0.0-5.0)	26	98.3%	(95.0-100.0)
	<b>PACE Coalition</b>	8	16.3%	(5.8-26.9)	52	83.7%	(73.1-94.2)
	<b>Churchill Community Coalition</b>	0	0.0%	(0.0-0.0)	29	100.0%	(100.0-100.0)
	<b>Frontier Community Coalition</b>	0	0.0%	(0.0-0.0)	39	100.0%	(100.0-100.0)
	<b>Healthy Communities Coalition</b>	6	11.8%	(1.7-22.0)	43	88.2%	(78.0-98.3)
	<b>Nye Communities Coalition</b>	3	5.9%	(0.0-13.3)	37	94.1%	(86.7-100.0)
	<b>Join Together Northern Nevada</b>	22	7.8%	(4.3-11.4)	215	92.2%	(88.6-95.7)
	<b>NV Community Prevention Coalition</b>	1	5.3%	(0.0-15.5)	15	94.7%	(84.5-100.0)
	<b>PACT Coalition</b>	17	9.4%	(4.8-14.0)	146	90.6%	(86.0-95.2)
	<b>CARE Coalition</b>	5	24.5%	(5.1-43.9)	16	75.5%	(56.1-94.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo

<sup>e</sup> Among students who currently smoked electronic vapor products and who were aged <18 years

**Alcohol Use**

**Table 49: Percentage of high school students who ever drank alcohol<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		3038	60.6%	(58.8-62.4)	1866	39.4%	(37.6-41.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	145	60.8%	(54.1-67.5)	98	39.2%	(32.5-45.9)
	<b>Partnership of Community Resources</b>	131	74.4%	(67.1-81.8)	51	25.6%	(18.2-32.9)
	<b>PACE Coalition</b>	245	66.2%	(61.0-71.3)	127	33.8%	(28.7-39.0)
	<b>Churchill Community Coalition</b>	86	60.6%	(51.3-69.9)	49	39.4%	(30.1-48.7)
	<b>Frontier Community Coalition</b>	214	69.5%	(63.9-75.1)	87	30.5%	(24.9-36.1)
	<b>Healthy Communities Coalition</b>	182	68.3%	(62.3-74.3)	82	31.7%	(25.7-37.7)
	<b>Nye Communities Coalition</b>	194	56.0%	(50.4-61.5)	159	44.0%	(38.5-49.6)
	<b>Join Together Northern Nevada</b>	715	60.2%	(57.1-63.2)	475	39.8%	(36.8-42.9)
	<b>NV Community Prevention Coalition</b>	52	54.8%	(44.6-64.9)	44	45.2%	(35.1-55.4)
	<b>PACT Coalition</b>	948	60.5%	(57.9-63.0)	607	39.5%	(37.0-42.1)
	<b>CARE Coalition</b>	126	58.1%	(51.2-65.0)	87	41.9%	(35.0-48.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Not including for religious purposes

<sup>e</sup> Had at least one drink of alcohol on at least 1 day during their life

**Table 50: Percentage of high school students who drank alcohol for the first time before age 13 years<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		916	18.2%	(16.8-19.6)	3842	81.8%	(80.4-83.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	43	15.4%	(10.6-20.1)	192	84.6%	(79.9-89.4)
	<b>Partnership of Community Resources</b>	37	24.3%	(15.3-33.4)	144	75.7%	(66.6-84.7)
	<b>PACE Coalition</b>	86	26.0%	(20.9-31.2)	271	74.0%	(68.8-79.1)
	<b>Churchill Community Coalition</b>	37	25.6%	(17.6-33.7)	94	74.4%	(66.3-82.4)
	<b>Frontier Community Coalition</b>	61	20.9%	(15.9-25.9)	237	79.1%	(74.1-84.1)
	<b>Healthy Communities Coalition</b>	55	20.8%	(15.5-26.0)	202	79.2%	(74.0-84.5)
	<b>Nye Communities Coalition</b>	53	15.4%	(11.1-19.6)	290	84.6%	(80.4-88.9)
	<b>Join Together Northern Nevada</b>	212	17.9%	(15.5-20.2)	930	82.1%	(79.8-84.5)
	<b>NV Community Prevention Coalition</b>	15	16.9%	(8.7-25.1)	74	83.1%	(74.9-91.3)
	<b>PACT Coalition</b>	280	17.9%	(15.9-19.8)	1242	82.1%	(80.2-84.1)
<b>CARE Coalition</b>	37	18.1%	(12.7-23.6)	166	81.9%	(76.4-87.3)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Other than a few sips

**Table 51: Percentage of high school students who had at least one drink of alcohol during the 30 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1323	26.5%	(24.8-28.1)	3233	73.5%	(71.9-75.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	73	31.3%	(24.6-38.1)	153	68.7%	(61.9-75.4)
	<b>Partnership of Community Resources</b>	86	47.1%	(37.4-56.7)	86	52.9%	(43.3-62.6)
	<b>PACE Coalition</b>	114	36.6%	(30.9-42.3)	222	63.4%	(57.7-69.1)
	<b>Churchill Community Coalition</b>	38	26.8%	(18.8-34.8)	87	73.2%	(65.2-81.2)
	<b>Frontier Community Coalition</b>	104	37.5%	(31.4-43.5)	173	62.5%	(56.5-68.6)
	<b>Healthy Communities Coalition</b>	83	33.9%	(27.6-40.2)	159	66.1%	(59.8-72.4)
	<b>Nye Communities Coalition</b>	80	23.8%	(18.6-28.9)	263	76.2%	(71.1-81.4)
	<b>Join Together Northern Nevada</b>	301	27.2%	(24.3-30.0)	813	72.8%	(70.0-75.7)
	<b>NV Community Prevention Coalition</b>	21	23.4%	(14.3-32.5)	68	76.6%	(67.5-85.7)
	<b>PACT Coalition</b>	369	25.1%	(22.8-27.4)	1061	74.9%	(72.6-77.2)
	<b>CARE Coalition</b>	54	26.0%	(19.8-32.2)	148	74.0%	(67.8-80.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more days during the 30 days before the survey



**Table 52: Percentage of high school students who participated in binge drinking during the 30 days before the survey<sup>e,f</sup> — Nevada, Youth Risk Behavior Survey, 2017\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		650	11.1%	(10.0-12.2)	4146	88.9%	(87.8-90.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	32	14.3%	(9.1-19.5)	200	85.7%	(80.5-90.9)
	<b>Partnership of Community Resources</b>	52	29.1%	(20.2-38.1)	119	70.9%	(61.9-79.8)
	<b>PACE Coalition</b>	69	21.7%	(17.0-26.4)	281	78.3%	(73.6-83.0)
	<b>Churchill Community Coalition</b>	23	17.2%	(10.5-24.0)	106	82.8%	(76.0-89.5)
	<b>Frontier Community Coalition</b>	67	23.1%	(18.0-28.2)	229	76.9%	(71.8-82.0)
	<b>Healthy Communities Coalition</b>	48	18.5%	(13.5-23.6)	200	81.5%	(76.4-86.5)
	<b>Nye Communities Coalition</b>	39	10.2%	(7.1-13.4)	323	89.8%	(86.6-92.9)
	<b>Join Together Northern Nevada</b>	137	12.0%	(9.9-14.2)	1042	88.0%	(85.8-90.1)
	<b>NV Community Prevention Coalition</b>	9	8.5%	(2.8-14.2)	82	91.5%	(85.8-97.2)
	<b>PACT Coalition</b>	151	9.8%	(8.3-11.3)	1375	90.2%	(88.7-91.7)
	<b>CARE Coalition</b>	23	10.0%	(6.0-14.0)	189	90.0%	(86.0-94.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Had five or more drinks of alcohol in a row for males, four or more for females within a couple of hours

<sup>e</sup> One or more days during the 30 days before the survey

\* **Note: In 2017, the quantities of alcohol for males and females changed. Comparisons should not be made with previous years.**

**Table 53: Percentage of high school students who drank 10 or more drinks in a row during the 30 days before the survey<sup>d,e</sup> — Nevada Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		184	3.1%	(2.5-3.7)	4184	96.9%	(96.3-97.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	8	3.4%	(0.9-5.8)	200	96.6%	(94.2-99.1)
	<b>Partnership of Community Resources</b>	18	13.1%	(5.2-20.9)	147	86.9%	(79.1-94.8)
	<b>PACE Coalition</b>	25	8.6%	(5.2-11.9)	297	91.4%	(88.1-94.8)
	<b>Churchill Community Coalition</b>	9	7.0%	(2.4-11.6)	113	93.0%	(88.4-97.6)
	<b>Frontier Community Coalition</b>	25	9.7%	(5.9-13.5)	248	90.3%	(86.5-94.1)
	<b>Healthy Communities Coalition</b>	16	6.6%	(3.3-10.0)	214	93.4%	(90.0-96.7)
	<b>Nye Communities Coalition</b>	8	2.3%	(0.7-4.0)	326	97.7%	(96.0-99.3)
	<b>Join Together Northern Nevada</b>	31	3.0%	(1.9-4.2)	1033	97.0%	(95.8-98.1)
	<b>NV Community Prevention Coalition</b>	3	3.2%	(0.0-6.8)	82	96.8%	(93.2-100.0)
	<b>PACT Coalition</b>	38	2.6%	(1.8-3.5)	1333	97.4%	(96.5-98.2)
	<b>CARE Coalition</b>	3	1.5%	(0.0-3.1)	191	98.5%	(96.9-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more times during the 30 days before the survey

<sup>e</sup> Among those who had a drink of alcohol in the 30 days before the survey

**Table 54: Percentage of high school students who usually obtained the alcohol they drank by someone giving it to them during the 30 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		553	42.6%	(39.0-46.1)	759	57.4%	(53.9-61.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	33	44.0%	(31.2-56.9)	40	56.0%	(43.1-68.8)
	<b>Partnership of Community Resources</b>	39	40.6%	(27.9-53.4)	46	59.4%	(46.6-72.1)
	<b>PACE Coalition</b>	51	45.9%	(35.9-55.9)	63	54.1%	(44.1-64.1)
	<b>Churchill Community Coalition</b>	17	46.2%	(29.4-63.1)	20	53.8%	(36.9-70.6)
	<b>Frontier Community Coalition</b>	41	39.2%	(29.2-49.2)	63	60.8%	(50.8-70.8)
	<b>Healthy Communities Coalition</b>	31	36.4%	(25.3-47.4)	52	63.6%	(52.6-74.7)
	<b>Nye Communities Coalition</b>	36	46.6%	(33.9-59.4)	44	53.4%	(40.6-66.1)
	<b>Join Together Northern Nevada</b>	118	40.9%	(34.7-47.0)	180	59.1%	(53.0-65.3)
	<b>NV Community Prevention Coalition</b>	10	50.9%	(28.6-73.3)	11	49.1%	(26.7-71.4)
	<b>PACT Coalition</b>	152	41.5%	(36.3-46.8)	212	58.5%	(53.2-63.7)
	<b>CARE Coalition</b>	25	50.1%	(36.2-64.0)	28	49.9%	(36.0-63.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Among students who drank alcohol during the 30 days before the survey

**Table 55: Percentage of high school students who rode in a car or other vehicle during the 30 days before the survey driven by someone who had been drinking alcohol<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		923	17.0%	(15.7-18.3)	4368	83.0%	(81.7-84.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	43	15.1%	(10.5-19.7)	216	84.9%	(80.3-89.5)
	<b>Partnership of Community Resources</b>	44	22.7%	(14.7-30.6)	148	77.3%	(69.4-85.3)
	<b>PACE Coalition</b>	76	18.8%	(14.7-22.9)	311	81.2%	(77.1-85.3)
	<b>Churchill Community Coalition</b>	32	20.8%	(13.6-28.0)	119	79.2%	(72.0-86.4)
	<b>Frontier Community Coalition</b>	59	16.3%	(12.2-20.3)	262	83.7%	(79.7-87.8)
	<b>Healthy Communities Coalition</b>	55	20.1%	(15.1-25.1)	224	79.9%	(74.9-84.9)
	<b>Nye Communities Coalition</b>	50	11.9%	(8.4-15.4)	352	88.1%	(84.6-91.6)
	<b>Join Together Northern Nevada</b>	209	15.2%	(13.2-17.3)	1085	84.8%	(82.7-86.8)
	<b>NV Community Prevention Coalition</b>	12	12.5%	(5.7-19.3)	86	87.5%	(80.7-94.3)
	<b>PACT Coalition</b>	295	17.3%	(15.4-19.2)	1370	82.7%	(80.8-84.6)
	<b>CARE Coalition</b>	48	18.6%	(13.7-23.6)	195	81.4%	(76.4-86.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more times during the 30 days before the survey

**Table 56: Percentage of high school students who drove a car or other vehicle during the 30 days before the survey when they had been drinking alcohol<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		165	5.5%	(4.3-6.6)	2579	94.5%	(93.4-95.7)
<b>Coalition</b>	<b>Partnership Carson City</b>	2	2.1%	(0.0-5.9)	131	97.9%	(94.1-100.0)
	<b>Partnership of Community Resources</b>	12	10.1%	(3.7-16.5)	101	89.9%	(83.5-96.3)
	<b>PACE Coalition</b>	24	10.5%	(6.3-14.7)	211	89.5%	(85.3-93.7)
	<b>Churchill Community Coalition</b>	4	4.3%	(0.0-8.9)	78	95.7%	(91.1-100.0)
	<b>Frontier Community Coalition</b>	19	7.3%	(4.0-10.7)	206	92.7%	(89.3-96.0)
	<b>Healthy Communities Coalition</b>	17	8.9%	(4.6-13.2)	151	91.1%	(86.8-95.4)
	<b>Nye Communities Coalition</b>	13	4.5%	(2.0-7.0)	231	95.5%	(93.0-98.0)
	<b>Join Together Northern Nevada</b>	29	4.9%	(3.0-6.8)	643	95.1%	(93.2-97.0)
	<b>NV Community Prevention Coalition</b>	3	7.0%	(0.0-14.7)	40	93.0%	(85.3-100.0)
	<b>PACT Coalition</b>	38	5.4%	(3.7-7.1)	683	94.6%	(92.9-96.3)
	<b>CARE Coalition</b>	4	3.5%	(0.1-6.9)	104	96.5%	(93.1-99.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more times during the 30 days before the survey

<sup>e</sup> Among students who drove a car or other vehicle

## Marijuana Use

**Table 57: Percentage of high school students who ever used marijuana<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1726	34.7%	(33.0-36.5)	3053	65.3%	(63.5-67.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	96	43.0%	(35.9-50.1)	134	57.0%	(49.9-64.1)
	<b>Partnership of Community Resources</b>	68	42.3%	(32.5-52.0)	106	57.7%	(48.0-67.5)
	<b>PACE Coalition</b>	121	33.8%	(28.6-39.1)	237	66.2%	(60.9-71.4)
	<b>Churchill Community Coalition</b>	56	39.1%	(30.2-48.0)	77	60.9%	(52.0-69.8)
	<b>Frontier Community Coalition</b>	118	38.4%	(32.5-44.2)	179	61.6%	(55.8-67.5)
	<b>Healthy Communities Coalition</b>	120	44.4%	(38.1-50.8)	142	55.6%	(49.2-61.9)
	<b>Nye Communities Coalition</b>	101	28.1%	(22.9-33.3)	258	71.9%	(66.7-77.1)
	<b>Join Together Northern Nevada</b>	437	38.8%	(35.7-41.9)	698	61.2%	(58.1-64.3)
	<b>NV Community Prevention Coalition</b>	33	34.5%	(24.6-44.4)	59	65.5%	(55.6-75.4)
	<b>PACT Coalition</b>	503	33.4%	(30.9-35.8)	1027	66.6%	(64.2-69.1)
	<b>CARE Coalition</b>	73	33.1%	(26.6-39.7)	136	66.9%	(60.3-73.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Used marijuana (also called “grass”, “pot”, or “weed”)

**Table 58: Percentage of high school students who tried marijuana for the first time before age 13 years<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		494	8.8%	(7.8-9.8)	4622	91.2%	(90.2-92.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	31	10.0%	(6.2-13.8)	220	90.0%	(86.2-93.8)
	<b>Partnership of Community Resources</b>	19	11.4%	(5.2-17.5)	167	88.6%	(82.5-94.8)
	<b>PACE Coalition</b>	37	9.3%	(6.3-12.4)	345	90.7%	(87.6-93.7)
	<b>Churchill Community Coalition</b>	18	10.9%	(5.7-16.1)	122	89.1%	(83.9-94.3)
	<b>Frontier Community Coalition</b>	30	9.5%	(6.0-13.1)	282	90.5%	(86.9-94.0)
	<b>Healthy Communities Coalition</b>	32	11.2%	(7.4-15.0)	241	88.8%	(85.0-92.6)
	<b>Nye Communities Coalition</b>	21	5.9%	(3.0-8.7)	362	94.1%	(91.3-97.0)
	<b>Join Together Northern Nevada</b>	152	12.5%	(10.3-14.6)	1091	87.5%	(85.4-89.7)
	<b>NV Community Prevention Coalition</b>	6	4.8%	(0.7-8.9)	91	95.2%	(91.1-99.3)
	<b>PACT Coalition</b>	134	8.3%	(6.9-9.7)	1497	91.7%	(90.3-93.1)
	<b>CARE Coalition</b>	14	6.1%	(2.9-9.2)	204	93.9%	(90.8-97.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Used marijuana (also called “grass”, “pot”, or “weed”)

**Table 59: Percentage of high school students who used marijuana during the 30 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1009	19.5%	(18.1-20.9)	3964	80.5%	(79.1-81.9)
<b>Coalition</b>	<b>Partnership Carson City</b>	54	20.2%	(14.8-25.6)	189	79.8%	(74.4-85.2)
	<b>Partnership of Community Resources</b>	49	32.5%	(22.9-42.2)	129	67.5%	(57.8-77.1)
	<b>PACE Coalition</b>	73	20.4%	(16.0-24.9)	297	79.6%	(75.1-84.0)
	<b>Churchill Community Coalition</b>	37	26.6%	(18.7-34.5)	102	73.4%	(65.5-81.3)
	<b>Frontier Community Coalition</b>	61	19.8%	(15.1-24.6)	238	80.2%	(75.4-84.9)
	<b>Healthy Communities Coalition</b>	67	24.4%	(19.0-29.8)	201	75.6%	(70.2-81.0)
	<b>Nye Communities Coalition</b>	51	13.2%	(9.4-17.0)	322	86.8%	(83.0-90.6)
	<b>Join Together Northern Nevada</b>	273	23.2%	(20.5-25.9)	933	76.8%	(74.1-79.5)
	<b>NV Community Prevention Coalition</b>	22	22.3%	(13.7-30.9)	73	77.7%	(69.1-86.3)
	<b>PACT Coalition</b>	287	18.6%	(16.5-20.6)	1300	81.4%	(79.4-83.5)
	<b>CARE Coalition</b>	35	15.6%	(10.6-20.6)	180	84.4%	(79.4-89.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Used marijuana (also called “grass”, “pot”, or “weed”) one or more times



**Table 60: Percentage of high school students who usually used marijuana by different methods during the past 30 days before the survey<sup>d,e</sup> — Nevada Youth Risk Behavior Survey, 2017**

		Smoked it in a joint, bong, pipe, or blunt			Ate it in food such as brownies, cakes, cookies, or candy			Vaporized it			Used it in some other way		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		834	83.9%	(80.9-87.0)	97	10.7%	(8.1-13.3)	22	2.1%	(0.9-3.4)	40	3.2%	(1.8-4.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	45	87.7%	(78.0-97.3)	5	10.2%	(0.9-19.6)	2	1.6%	(0.0-3.9)	1	0.5%	(0.0-1.6)
	<b>Partnership of Community Resources</b>	43	85.0%	(70.5-99.4)	4	10.7%	(0.0-24.7)	2	3.1%	(0.0-7.5)	1	1.2%	(0.0-3.7)
	<b>PACE Coalition</b>	61	83.9%	(74.8-92.9)	6	6.9%	(1.0-12.9)	2	1.3%	(0.0-3.6)	5	7.9%	(0.8-15.0)
	<b>Churchill Community Coalition</b>	29	78.6%	(64.1-93.2)	5	11.1%	(0.5-21.7)	1	0.5%	(0.0-1.5)	3	9.8%	(0.0-21.2)
	<b>Frontier Community Coalition</b>	49	89.5%	(81.6-97.4)	4	5.8%	(0.0-11.6)	1	1.2%	(0.0-3.6)	2	3.5%	(0.0-8.5)
	<b>Healthy Communities Coalition</b>	58	83.5%	(73.6-93.4)	3	5.7%	(0.0-12.0)	1	2.3%	(0.0-6.6)	5	8.5%	(1.2-15.8)
	<b>Nye Communities Coalition</b>	43	85.9%	(75.9-95.9)	3	6.2%	(0.0-13.2)	1	2.4%	(0.0-7.2)	3	5.5%	(0.0-11.6)
	<b>Join Together Northern Nevada</b>	221	82.8%	(77.6-88.0)	25	8.5%	(5.1-11.8)	7	3.9%	(0.9-6.8)	11	4.9%	(1.5-8.3)
	<b>NV Community Prevention Coalition</b>	19	86.4%	(71.8-100.0)	0	0.0%	(0.0-0.0)	1	4.0%	(0.0-11.8)	2	9.6%	(0.0-22.3)
	<b>PACT Coalition</b>	235	83.0%	(78.4-87.6)	39	13.0%	(9.0-17.1)	4	1.8%	(0.0-3.6)	6	2.2%	(0.4-3.9)
<b>CARE Coalition</b>	31	91.6%	(82.4-100.0)	3	8.4%	(0.0-17.6)	0	0.0%	(0.0-0.0)	1	0.1%	(0.0-0.2)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Used marijuana (also called “grass”, “pot”, or “weed”)

<sup>e</sup> Among those who used marijuana in the past 30 days

**Table 61: Percentage of high school students who rode in a car or other vehicle during 30 days before the survey driven by someone who had been using marijuana<sup>e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1134	20.5%	(19.1-21.9)	4119	79.5%	(78.1-80.9)
<b>Coalition</b>	<b>Partnership Carson City</b>	63	23.9%	(18.1-29.7)	194	76.1%	(70.3-81.9)
	<b>Partnership of Community Resources</b>	65	32.1%	(23.8-40.5)	127	67.9%	(59.5-76.2)
	<b>PACE Coalition</b>	81	19.3%	(15.2-23.4)	301	80.7%	(76.6-84.8)
	<b>Churchill Community Coalition</b>	36	21.5%	(14.6-28.3)	115	78.5%	(71.7-85.4)
	<b>Frontier Community Coalition</b>	63	19.0%	(14.5-23.5)	254	81.0%	(76.5-85.5)
	<b>Healthy Communities Coalition</b>	57	18.1%	(13.4-22.7)	221	81.9%	(77.3-86.6)
	<b>Nye Communities Coalition</b>	65	16.4%	(12.4-20.3)	334	83.6%	(79.7-87.6)
	<b>Join Together Northern Nevada</b>	316	24.6%	(22.0-27.2)	969	75.4%	(72.8-78.0)
	<b>NV Community Prevention Coalition</b>	14	13.6%	(6.6-20.7)	84	86.4%	(79.3-93.4)
	<b>PACT Coalition</b>	319	19.7%	(17.7-21.7)	1334	80.3%	(78.3-82.3)
	<b>CARE Coalition</b>	55	21.3%	(16.0-26.6)	186	78.7%	(73.4-84.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>e</sup> One or more times during the 30 days before the survey

**Table 62: Percentage of high school students who drove a car or other vehicle during the 30 days before the survey when they had been using marijuana<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		338	12.0%	(10.4-13.6)	2467	88.0%	(86.4-89.6)
<b>Coalition</b>	<b>Partnership Carson City</b>	16	11.0%	(5.1-17.0)	120	89.0%	(83.0-94.9)
	<b>Partnership of Community Resources</b>	18	20.7%	(8.8-32.6)	96	79.3%	(67.4-91.2)
	<b>PACE Coalition</b>	27	11.6%	(7.2-16.0)	214	88.4%	(84.0-92.8)
	<b>Churchill Community Coalition</b>	14	13.6%	(6.1-21.1)	74	86.4%	(78.9-93.9)
	<b>Frontier Community Coalition</b>	30	11.6%	(7.5-15.8)	199	88.4%	(84.2-92.5)
	<b>Healthy Communities Coalition</b>	22	12.0%	(7.1-17.0)	146	88.0%	(83.0-92.9)
	<b>Nye Communities Coalition</b>	26	9.3%	(5.7-13.0)	225	90.7%	(87.0-94.3)
	<b>Join Together Northern Nevada</b>	79	12.7%	(9.9-15.5)	607	87.3%	(84.5-90.1)
	<b>NV Community Prevention Coalition</b>	5	12.9%	(2.1-23.6)	39	87.1%	(76.4-97.9)
	<b>PACT Coalition</b>	92	12.4%	(9.9-14.8)	648	87.6%	(85.2-90.1)
	<b>CARE Coalition</b>	9	6.8%	(2.2-11.4)	99	93.2%	(88.6-97.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more times during the 30 days before the survey

<sup>e</sup> Among students who drove a car or other vehicle

## Other Drug Use

**Table 63: Percentage of high school students who ever used cocaine<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		316	5.1%	(4.3-5.8)	4893	94.9%	(94.2-95.7)
<b>Coalition</b>	<b>Partnership Carson City</b>	21	8.2%	(4.2-12.2)	238	91.8%	(87.8-95.8)
	<b>Partnership of Community Resources</b>	13	8.3%	(2.0-14.5)	178	91.7%	(85.5-98.0)
	<b>PACE Coalition</b>	27	7.1%	(4.4-9.9)	359	92.9%	(90.1-95.6)
	<b>Churchill Community Coalition</b>	12	6.8%	(2.5-11.1)	137	93.2%	(88.9-97.5)
	<b>Frontier Community Coalition</b>	21	7.3%	(4.2-10.4)	294	92.7%	(89.6-95.8)
	<b>Healthy Communities Coalition</b>	28	9.7%	(6.1-13.3)	250	90.3%	(86.7-93.9)
	<b>Nye Communities Coalition</b>	10	2.6%	(1.0-4.3)	373	97.4%	(95.7-99.0)
	<b>Join Together Northern Nevada</b>	93	7.2%	(5.6-8.8)	1183	92.8%	(91.2-94.4)
	<b>NV Community Prevention Coalition</b>	2	1.8%	(0.0-4.3)	96	98.2%	(95.7-100.0)
	<b>PACT Coalition</b>	74	4.3%	(3.3-5.3)	1571	95.7%	(94.7-96.7)
	<b>CARE Coalition</b>	15	5.1%	(2.4-7.9)	214	94.9%	(92.1-97.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Used any form of cocaine including powder, crack, or freebase

<sup>e</sup> One or more times during their life

**Table 64: Percentage of high school students who ever used inhalants<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		437	7.5%	(6.6-8.4)	4769	92.5%	(91.6-93.4)
<b>Coalition</b>	<b>Partnership Carson City</b>	21	8.0%	(4.5-11.6)	238	92.0%	(88.4-95.5)
	<b>Partnership of Community Resources</b>	16	10.4%	(3.8-17.0)	174	89.6%	(83.0-96.2)
	<b>PACE Coalition</b>	39	9.4%	(6.4-12.4)	345	90.6%	(87.6-93.6)
	<b>Churchill Community Coalition</b>	20	13.6%	(7.5-19.8)	129	86.4%	(80.2-92.5)
	<b>Frontier Community Coalition</b>	32	9.7%	(6.3-13.0)	283	90.3%	(87.0-93.7)
	<b>Healthy Communities Coalition</b>	28	10.0%	(6.3-13.7)	250	90.0%	(86.3-93.7)
	<b>Nye Communities Coalition</b>	24	7.2%	(4.0-10.3)	359	92.8%	(89.7-96.0)
	<b>Join Together Northern Nevada</b>	118	9.1%	(7.3-11.0)	1156	90.9%	(89.0-92.7)
	<b>NV Community Prevention Coalition</b>	3	3.4%	(0.0-7.2)	95	96.6%	(92.8-100.0)
	<b>PACT Coalition</b>	122	7.2%	(5.9-8.5)	1525	92.8%	(91.5-94.1)
	<b>CARE Coalition</b>	14	5.8%	(2.6-9.0)	215	94.2%	(91.0-97.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high

<sup>e</sup> One or more times during their life

**Table 65: Percentage of high school students who ever used heroin<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		168	2.6%	(2.0-3.1)	5010	97.4%	(96.9-98.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	13	5.1%	(1.9-8.3)	243	94.9%	(91.7-98.1)
	<b>Partnership of Community Resources</b>	9	6.8%	(0.6-13.1)	180	93.2%	(86.9-99.4)
	<b>PACE Coalition</b>	16	4.1%	(2.0-6.3)	366	95.9%	(93.7-98.0)
	<b>Churchill Community Coalition</b>	7	3.8%	(0.6-6.9)	142	96.2%	(93.1-99.4)
	<b>Frontier Community Coalition</b>	14	4.6%	(2.2-7.1)	301	95.4%	(92.9-97.8)
	<b>Healthy Communities Coalition</b>	12	4.6%	(1.9-7.3)	263	95.4%	(92.7-98.1)
	<b>Nye Communities Coalition</b>	8	1.9%	(0.6-3.2)	373	98.1%	(96.8-99.4)
	<b>Join Together Northern Nevada</b>	44	3.2%	(2.1-4.3)	1223	96.8%	(95.7-97.9)
	<b>NV Community Prevention Coalition</b>	0	0.0%	(0.0-0.0)	97	100.0%	(100.0-100.0)
	<b>PACT Coalition</b>	37	2.2%	(1.4-3.0)	1602	97.8%	(97.0-98.6)
<b>CARE Coalition</b>	8	2.7%	(0.7-4.7)	220	97.3%	(95.3-99.3)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Used heroin (also called “smack”, “junk”, or “China White”)

<sup>e</sup> One or more times during their life

**Table 66: Percentage of high school students who ever used methamphetamines<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		206	3.3%	(2.7-4.0)	5003	96.7%	(96.0-97.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	12	4.3%	(1.4-7.3)	247	95.7%	(92.7-98.6)
	<b>Partnership of Community Resources</b>	9	7.1%	(0.8-13.3)	181	92.9%	(86.7-99.2)
	<b>PACE Coalition</b>	16	4.0%	(1.9-6.1)	369	96.0%	(93.9-98.1)
	<b>Churchill Community Coalition</b>	10	5.8%	(1.8-9.9)	139	94.2%	(90.1-98.2)
	<b>Frontier Community Coalition</b>	17	5.3%	(2.7-7.8)	300	94.7%	(92.2-97.3)
	<b>Healthy Communities Coalition</b>	18	6.6%	(3.5-9.6)	260	93.4%	(90.4-96.5)
	<b>Nye Communities Coalition</b>	8	2.0%	(0.6-3.4)	374	98.0%	(96.6-99.4)
	<b>Join Together Northern Nevada</b>	58	4.8%	(3.3-6.2)	1219	95.2%	(93.8-96.7)
	<b>NV Community Prevention Coalition</b>	0	0.0%	(0.0-0.0)	97	100.0%	(100.0-100.0)
	<b>PACT Coalition</b>	48	2.9%	(2.0-3.8)	1598	97.1%	(96.2-98.0)
	<b>CARE Coalition</b>	10	3.1%	(1.0-5.3)	219	96.9%	(94.7-99.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Used methamphetamines (also called “speed”, “crystal”, “crank”, or “ice”)

<sup>e</sup> One or more times during their life

**Table 67: Percentage of high school students who used ecstasy<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		356	6.3%	(5.5-7.2)	4845	93.7%	(92.8-94.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	17	6.3%	(2.9-9.7)	242	93.7%	(90.3-97.1)
	<b>Partnership of Community Resources</b>	18	11.3%	(4.5-18.1)	171	88.7%	(81.9-95.5)
	<b>PACE Coalition</b>	27	6.9%	(4.2-9.5)	358	93.1%	(90.5-95.8)
	<b>Churchill Community Coalition</b>	15	9.7%	(4.6-14.9)	134	90.3%	(85.1-95.4)
	<b>Frontier Community Coalition</b>	19	6.2%	(3.4-9.1)	298	93.8%	(90.9-96.6)
	<b>Healthy Communities Coalition</b>	31	11.4%	(7.4-15.4)	247	88.6%	(84.6-92.6)
	<b>Nye Communities Coalition</b>	12	2.9%	(1.2-4.6)	369	97.1%	(95.4-98.8)
	<b>Join Together Northern Nevada</b>	104	8.3%	(6.6-10.1)	1169	91.7%	(89.9-93.4)
	<b>NV Community Prevention Coalition</b>	5	6.1%	(0.8-11.4)	92	93.9%	(88.6-99.2)
	<b>PACT Coalition</b>	97	5.9%	(4.7-7.1)	1547	94.1%	(92.9-95.3)
	<b>CARE Coalition</b>	11	3.9%	(1.5-6.3)	218	96.1%	(93.7-98.5)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Used ecstasy (also called “MDMA”)

<sup>e</sup> One or more times during their life



**Table 68: Percentage of high school students who ever used synthetic marijuana<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		433	7.7%	(6.7-8.6)	4684	92.3%	(91.4-93.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	25	8.2%	(4.6-11.7)	232	91.8%	(88.3-95.4)
	<b>Partnership of Community Resources</b>	16	9.7%	(3.2-16.1)	170	90.3%	(83.9-96.8)
	<b>PACE Coalition</b>	43	10.6%	(7.4-13.8)	340	89.4%	(86.2-92.6)
	<b>Churchill Community Coalition</b>	13	8.9%	(3.8-14.1)	136	91.1%	(85.9-96.2)
	<b>Frontier Community Coalition</b>	27	7.6%	(4.7-10.5)	282	92.4%	(89.5-95.3)
	<b>Healthy Communities Coalition</b>	34	12.7%	(8.5-16.9)	243	87.3%	(83.1-91.5)
	<b>Nye Communities Coalition</b>	23	5.4%	(3.2-7.7)	354	94.6%	(92.3-96.8)
	<b>Join Together Northern Nevada</b>	117	9.7%	(7.8-11.7)	1133	90.3%	(88.3-92.2)
	<b>NV Community Prevention Coalition</b>	5	4.7%	(0.6-8.9)	92	95.3%	(91.1-99.4)
	<b>PACT Coalition</b>	109	7.0%	(5.7-8.4)	1498	93.0%	(91.6-94.3)
	<b>CARE Coalition</b>	21	7.6%	(4.3-11.0)	204	92.4%	(89.0-95.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Used synthetic marijuana (also called “K2”, “Spice”, “fake weed”, “King Kong”, “Yucatan Fire”, “Skunk”, or “Moon Rocks”)

<sup>e</sup> One or more times during their life

**Table 69: Percentage of high school students who ever took steroids without a doctor’s prescription<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		205	3.2%	(2.6-3.8)	5013	96.8%	(96.2-97.4)
<b>Coalition</b>	<b>Partnership Carson City</b>	10	3.4%	(1.0-5.8)	249	96.6%	(94.2-99.0)
	<b>Partnership of Community Resources</b>	13	9.0%	(2.5-15.5)	176	91.0%	(84.5-97.5)
	<b>PACE Coalition</b>	22	5.4%	(3.0-7.7)	364	94.6%	(92.3-97.0)
	<b>Churchill Community Coalition</b>	12	7.1%	(2.8-11.4)	138	92.9%	(88.6-97.2)
	<b>Frontier Community Coalition</b>	16	5.0%	(2.5-7.5)	302	95.0%	(92.5-97.5)
	<b>Healthy Communities Coalition</b>	16	6.0%	(3.1-9.0)	263	94.0%	(91.0-96.9)
	<b>Nye Communities Coalition</b>	8	2.1%	(0.6-3.5)	374	97.9%	(96.5-99.4)
	<b>Join Together Northern Nevada</b>	52	3.8%	(2.7-5.0)	1228	96.2%	(95.0-97.3)
	<b>NV Community Prevention Coalition</b>	2	1.7%	(0.0-4.0)	95	98.3%	(96.0-100.0)
	<b>PACT Coalition</b>	46	2.8%	(2.0-3.7)	1605	97.2%	(96.3-98.0)
	<b>CARE Coalition</b>	8	3.0%	(0.9-5.1)	219	97.0%	(94.9-99.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Took prescription steroid pills or shots without a doctor’s prescription

<sup>e</sup> One or more times during their life

**Table 70: Percentage of high school students who ever took prescription pain medicine without a doctor’s prescription or differently than prescribed<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		789	14.8%	(13.5-16.0)	4357	85.2%	(84.0-86.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	39	15.5%	(10.5-20.5)	217	84.5%	(79.5-89.5)
	<b>Partnership of Community Resources</b>	38	21.3%	(13.5-29.1)	149	78.7%	(70.9-86.5)
	<b>PACE Coalition</b>	54	14.2%	(10.4-17.9)	328	85.8%	(82.1-89.6)
	<b>Churchill Community Coalition</b>	23	15.1%	(9.0-21.2)	124	84.9%	(78.8-91.0)
	<b>Frontier Community Coalition</b>	63	19.6%	(15.0-24.2)	248	80.4%	(75.8-85.0)
	<b>Healthy Communities Coalition</b>	54	18.7%	(13.9-23.6)	222	81.3%	(76.4-86.1)
	<b>Nye Communities Coalition</b>	46	12.3%	(8.6-15.9)	330	87.7%	(84.1-91.4)
	<b>Join Together Northern Nevada</b>	185	14.8%	(12.5-17.1)	1081	85.2%	(82.9-87.5)
	<b>NV Community Prevention Coalition</b>	17	17.7%	(9.8-25.5)	80	82.3%	(74.5-90.2)
	<b>PACT Coalition</b>	241	14.7%	(13.0-16.5)	1381	85.3%	(83.5-87.0)
	<b>CARE Coalition</b>	29	11.5%	(7.3-15.6)	197	88.5%	(84.4-92.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Took prescription pain medicine (e.g., codeine, Vicodin, OxyContin, Hydrocodone, and Percocet)

<sup>e</sup> One or more times during their life

\* **Note: In 2017, the wording for this question changed. Comparisons should not be made with previous years.**

**Table 71: Percentage of high school students who took prescription pain medicine without a doctor’s prescription or differently than prescribed during the 30 days before the survey<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		399	7.0%	(6.1-7.9)	4719	93.0%	(92.1-93.9)
<b>Coalition</b>	<b>Partnership Carson City</b>	20	6.4%	(3.4-9.4)	231	93.6%	(90.6-96.6)
	<b>Partnership of Community Resources</b>	25	14.9%	(7.7-22.2)	162	85.1%	(77.8-92.3)
	<b>PACE Coalition</b>	28	6.9%	(4.2-9.6)	352	93.1%	(90.4-95.8)
	<b>Churchill Community Coalition</b>	15	9.8%	(4.8-14.7)	130	90.2%	(85.3-95.2)
	<b>Frontier Community Coalition</b>	35	11.7%	(7.9-15.5)	273	88.3%	(84.5-92.1)
	<b>Healthy Communities Coalition</b>	24	8.3%	(4.9-11.7)	252	91.7%	(88.3-95.1)
	<b>Nye Communities Coalition</b>	23	6.7%	(3.7-9.7)	351	93.3%	(90.3-96.3)
	<b>Join Together Northern Nevada</b>	100	7.4%	(5.8-8.9)	1159	92.6%	(91.1-94.2)
	<b>NV Community Prevention Coalition</b>	10	11.2%	(4.5-17.9)	87	88.8%	(82.1-95.5)
	<b>PACT Coalition</b>	106	6.6%	(5.3-7.9)	1510	93.4%	(92.1-94.7)
	<b>CARE Coalition</b>	13	4.6%	(1.9-7.2)	212	95.4%	(92.8-98.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Took prescription pain medicine (e.g., codeine, Vicodin, OxyContin, Hydrocodone, and Percocet)

<sup>e</sup> One or more times during the 30 days before the survey

\* **Note: In 2017, the wording for this question changed. Comparisons should not be made with previous years.**

**Table 72: Percentage of high school students who ever injected any illegal drugs<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		155	2.6%	(2.0-3.1)	5034	97.4%	(96.9-98.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	13	4.7%	(1.8-7.6)	244	95.3%	(92.4-98.2)
	<b>Partnership of Community Resources</b>	9	6.9%	(0.6-13.1)	180	93.1%	(86.9-99.4)
	<b>PACE Coalition</b>	15	4.4%	(1.6-7.2)	370	95.6%	(92.8-98.4)
	<b>Churchill Community Coalition</b>	4	3.8%	(0.0-7.5)	143	96.2%	(92.5-100.0)
	<b>Frontier Community Coalition</b>	10	3.1%	(1.1-5.0)	306	96.9%	(95.0-98.9)
	<b>Healthy Communities Coalition</b>	14	5.2%	(2.4-8.0)	264	94.8%	(92.0-97.6)
	<b>Nye Communities Coalition</b>	8	2.2%	(0.7-3.6)	371	97.8%	(96.4-99.3)
	<b>Join Together Northern Nevada</b>	39	3.3%	(2.1-4.5)	1235	96.7%	(95.5-97.9)
	<b>NV Community Prevention Coalition</b>	1	0.9%	(0.0-2.8)	96	99.1%	(97.2-100.0)
	<b>PACT Coalition</b>	34	2.1%	(1.4-2.8)	1607	97.9%	(97.2-98.6)
	<b>CARE Coalition</b>	8	2.8%	(0.9-4.8)	218	97.2%	(95.2-99.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Used a needle to inject any illegal drug into their body

<sup>e</sup> One or more times during their life

**Table 73: Percentage of high school students who were offered, sold, or given an illegal drug by someone on school property during the 12 months before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1402	28.4%	(26.8-30.0)	3755	71.6%	(70.0-73.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	68	26.1%	(20.2-32.1)	185	73.9%	(67.9-79.8)
	<b>Partnership of Community Resources</b>	53	30.2%	(21.5-39.0)	136	69.8%	(61.0-78.5)
	<b>PACE Coalition</b>	97	24.8%	(20.2-29.5)	287	75.2%	(70.5-79.8)
	<b>Churchill Community Coalition</b>	34	24.9%	(17.0-32.9)	109	75.1%	(67.1-83.0)
	<b>Frontier Community Coalition</b>	89	27.4%	(22.2-32.5)	224	72.6%	(67.5-77.8)
	<b>Healthy Communities Coalition</b>	57	20.2%	(15.2-25.2)	215	79.8%	(74.8-84.8)
	<b>Nye Communities Coalition</b>	78	22.3%	(17.6-27.0)	301	77.7%	(73.0-82.4)
	<b>Join Together Northern Nevada</b>	357	28.3%	(25.6-31.0)	907	71.7%	(69.0-74.4)
	<b>NV Community Prevention Coalition</b>	20	20.6%	(12.3-28.8)	76	79.4%	(71.2-87.7)
	<b>PACT Coalition</b>	477	29.1%	(26.9-31.4)	1163	70.9%	(68.6-73.1)
	<b>CARE Coalition</b>	72	31.5%	(25.3-37.8)	152	68.5%	(62.2-74.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 74: Percentage of high school students who attended high school under the influence of alcohol or other illegal drugs during the 12 months before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		919	16.6%	(15.3-17.9)	4290	83.4%	(82.1-84.7)
<b>Coalition</b>	<b>Partnership Carson City</b>	46	16.8%	(11.9-21.8)	213	83.2%	(78.2-88.1)
	<b>Partnership of Community Resources</b>	48	31.0%	(21.7-40.3)	141	69.0%	(59.7-78.3)
	<b>PACE Coalition</b>	63	15.7%	(11.9-19.5)	325	84.3%	(80.5-88.1)
	<b>Churchill Community Coalition</b>	28	17.6%	(11.2-24.1)	120	82.4%	(75.9-88.8)
	<b>Frontier Community Coalition</b>	57	16.5%	(12.3-20.7)	259	83.5%	(79.3-87.7)
	<b>Healthy Communities Coalition</b>	64	21.5%	(16.5-26.5)	214	78.5%	(73.5-83.5)
	<b>Nye Communities Coalition</b>	50	13.0%	(9.2-16.7)	330	87.0%	(83.3-90.8)
	<b>Join Together Northern Nevada</b>	256	19.3%	(17.0-21.7)	1026	80.7%	(78.3-83.0)
	<b>NV Community Prevention Coalition</b>	11	12.4%	(5.4-19.4)	84	87.6%	(80.6-94.6)
	<b>PACT Coalition</b>	248	15.3%	(13.5-17.2)	1398	84.7%	(82.8-86.5)
	<b>CARE Coalition</b>	48	20.1%	(14.8-25.4)	180	79.9%	(74.6-85.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more times during the 12 months before the survey

**Table 75: Percentage of high school students who ever lived with someone who was a problem drinker, alcoholic, or abused street or prescription drugs — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1696	32.3%	(30.6-33.9)	3393	67.7%	(66.1-69.4)
<b>Coalition</b>	<b>Partnership Carson City</b>	83	31.9%	(25.5-38.2)	172	68.1%	(61.8-74.5)
	<b>Partnership of Community Resources</b>	66	34.0%	(25.5-42.6)	123	66.0%	(57.4-74.5)
	<b>PACE Coalition</b>	134	35.2%	(30.1-40.4)	245	64.8%	(59.6-69.9)
	<b>Churchill Community Coalition</b>	47	29.5%	(21.7-37.3)	98	70.5%	(62.7-78.3)
	<b>Frontier Community Coalition</b>	116	37.2%	(31.5-42.9)	197	62.8%	(57.1-68.5)
	<b>Healthy Communities Coalition</b>	108	39.4%	(33.2-45.5)	161	60.6%	(54.5-66.8)
	<b>Nye Communities Coalition</b>	97	26.9%	(21.9-31.8)	260	73.1%	(68.2-78.1)
	<b>Join Together Northern Nevada</b>	433	35.2%	(32.3-38.1)	808	64.8%	(61.9-67.7)
	<b>NV Community Prevention Coalition</b>	28	30.2%	(20.7-39.7)	67	69.8%	(60.3-79.3)
	<b>PACT Coalition</b>	521	31.9%	(29.6-34.3)	1106	68.1%	(65.7-70.4)
	<b>CARE Coalition</b>	63	28.0%	(21.9-34.1)	156	72.0%	(65.9-78.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval



## Sexual Behaviors

**Table 76: Percentage of high school students who ever had sexual intercourse — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1788	36.8%	(35.0-38.6)	2831	63.2%	(61.4-65.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	88	43.5%	(36.2-50.8)	133	56.5%	(49.2-63.8)
	<b>Partnership of Community Resources</b>	79	51.7%	(42.0-61.3)	92	48.3%	(38.7-58.0)
	<b>PACE Coalition</b>	148	43.4%	(37.8-49.1)	190	56.6%	(50.9-62.2)
	<b>Churchill Community Coalition</b>	65	51.9%	(42.6-61.2)	66	48.1%	(38.8-57.4)
	<b>Frontier Community Coalition</b>	139	47.3%	(41.1-53.5)	144	52.7%	(46.5-58.9)
	<b>Healthy Communities Coalition</b>	125	50.4%	(43.7-57.1)	117	49.6%	(42.9-56.3)
	<b>Nye Communities Coalition</b>	138	40.6%	(34.9-46.2)	204	59.4%	(53.8-65.1)
	<b>Join Together Northern Nevada</b>	384	35.9%	(32.8-39.0)	728	64.1%	(61.0-67.2)
	<b>NV Community Prevention Coalition</b>	26	27.7%	(18.4-37.1)	66	72.3%	(62.9-81.6)
	<b>PACT Coalition</b>	511	34.9%	(32.4-37.4)	990	65.1%	(62.6-67.6)
	<b>CARE Coalition</b>	85	45.2%	(37.8-52.6)	101	54.8%	(47.4-62.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 77: Percentage of high school students who had sexual intercourse for the first time before age 13 years — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		186	4.1%	(3.3-4.8)	4441	95.9%	(95.2-96.7)
<b>Coalition</b>	<b>Partnership Carson City</b>	12	5.2%	(2.1-8.2)	209	94.8%	(91.8-97.9)
	<b>Partnership of Community Resources</b>	7	4.4%	(0.8-8.1)	165	95.6%	(91.9-99.2)
	<b>PACE Coalition</b>	19	6.0%	(3.2-8.8)	321	94.0%	(91.2-96.8)
	<b>Churchill Community Coalition</b>	3	1.9%	(0.0-4.1)	127	98.1%	(95.9-100.0)
	<b>Frontier Community Coalition</b>	19	7.0%	(3.8-10.1)	264	93.0%	(89.9-96.2)
	<b>Healthy Communities Coalition</b>	14	4.4%	(1.9-6.9)	229	95.6%	(93.1-98.1)
	<b>Nye Communities Coalition</b>	8	2.5%	(0.8-4.2)	333	97.5%	(95.8-99.2)
	<b>Join Together Northern Nevada</b>	40	4.3%	(2.7-5.9)	1077	95.7%	(94.1-97.3)
	<b>NV Community Prevention Coalition</b>	6	6.2%	(1.3-11.1)	85	93.8%	(88.9-98.7)
	<b>PACT Coalition</b>	54	4.0%	(2.9-5.0)	1450	96.0%	(95.0-97.1)
	<b>CARE Coalition</b>	4	2.5%	(0.0-5.0)	181	97.5%	(95.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 78: Percentage of high school students who had sexual intercourse with four or more persons during their life — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		461	9.5%	(8.4-10.6)	4131	90.5%	(89.4-91.6)
<b>Coalition</b>	<b>Partnership Carson City</b>	16	9.4%	(4.6-14.2)	205	90.6%	(85.8-95.4)
	<b>Partnership of Community Resources</b>	24	14.8%	(7.3-22.4)	148	85.2%	(77.6-92.7)
	<b>PACE Coalition</b>	40	13.4%	(9.4-17.4)	295	86.6%	(82.6-90.6)
	<b>Churchill Community Coalition</b>	26	21.3%	(12.9-29.7)	104	78.7%	(70.3-87.1)
	<b>Frontier Community Coalition</b>	41	15.4%	(10.9-20.0)	237	84.6%	(80.0-89.1)
	<b>Healthy Communities Coalition</b>	52	20.0%	(14.9-25.2)	189	80.0%	(74.8-85.1)
	<b>Nye Communities Coalition</b>	21	6.8%	(3.5-10.0)	316	93.2%	(90.0-96.5)
	<b>Join Together Northern Nevada</b>	91	8.2%	(6.5-10.0)	1021	91.8%	(90.0-93.5)
	<b>NV Community Prevention Coalition</b>	4	4.7%	(0.2-9.3)	86	95.3%	(90.7-99.8)
	<b>PACT Coalition</b>	130	9.4%	(7.8-10.9)	1363	90.6%	(89.1-92.2)
	<b>CARE Coalition</b>	16	9.3%	(4.7-14.0)	167	90.7%	(86.0-95.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 79: Percentage of high school students who had sexual intercourse with at least one person during the 3 months before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1255	25.8%	(24.2-27.5)	3358	74.2%	(72.5-75.8)
<b>Coalition</b>	<b>Partnership Carson City</b>	66	33.1%	(26.1-40.1)	156	66.9%	(59.9-73.9)
	<b>Partnership of Community Resources</b>	64	44.1%	(34.2-54.0)	107	55.9%	(46.0-65.8)
	<b>PACE Coalition</b>	103	30.4%	(25.2-35.6)	235	69.6%	(64.4-74.8)
	<b>Churchill Community Coalition</b>	49	37.0%	(28.1-45.9)	82	63.0%	(54.1-71.9)
	<b>Frontier Community Coalition</b>	102	35.6%	(29.7-41.5)	180	64.4%	(58.5-70.3)
	<b>Healthy Communities Coalition</b>	84	32.2%	(26.0-38.4)	157	67.8%	(61.6-74.0)
	<b>Nye Communities Coalition</b>	96	29.6%	(24.2-34.9)	243	70.4%	(65.1-75.8)
	<b>Join Together Northern Nevada</b>	260	24.7%	(21.9-27.5)	854	75.3%	(72.5-78.1)
	<b>NV Community Prevention Coalition</b>	20	22.0%	(13.2-30.8)	71	78.0%	(69.2-86.8)
	<b>PACT Coalition</b>	358	24.6%	(22.3-26.9)	1142	75.4%	(73.1-77.7)
	<b>CARE Coalition</b>	53	28.7%	(22.0-35.5)	131	71.3%	(64.5-78.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 80: Percentage of high school students who drank alcohol or used drugs before last sexual intercourse<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		235	17.3%	(14.5-20.1)	1007	82.7%	(79.9-85.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	11	15.4%	(5.7-25.0)	55	84.6%	(75.0-94.3)
	<b>Partnership of Community Resources</b>	17	26.1%	(11.2-41.0)	47	73.9%	(59.0-88.8)
	<b>PACE Coalition</b>	20	20.2%	(11.8-28.6)	80	79.8%	(71.4-88.2)
	<b>Churchill Community Coalition</b>	10	21.5%	(9.3-33.7)	38	78.5%	(66.3-90.7)
	<b>Frontier Community Coalition</b>	21	19.0%	(11.4-26.7)	80	81.0%	(73.3-88.6)
	<b>Healthy Communities Coalition</b>	22	27.2%	(17.1-37.3)	61	72.8%	(62.7-82.9)
	<b>Nye Communities Coalition</b>	11	10.0%	(4.2-15.9)	85	90.0%	(84.1-95.8)
	<b>Join Together Northern Nevada</b>	57	20.9%	(15.5-26.3)	200	79.1%	(73.7-84.5)
	<b>NV Community Prevention Coalition</b>	1	5.4%	(0.0-15.7)	19	94.6%	(84.3-100.0)
	<b>PACT Coalition</b>	57	16.6%	(12.6-20.7)	298	83.4%	(79.3-87.4)
<b>CARE Coalition</b>	8	15.0%	(5.1-25.0)	44	85.0%	(75.0-94.9)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Among students who were sexually active in the past 3 months

**Table 81: Percentage of high school students who used a condom during last sexual intercourse<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		673	55.7%	(52.0-59.4)	547	44.3%	(40.6-48.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	39	51.3%	(37.9-64.7)	27	48.7%	(35.3-62.1)
	<b>Partnership of Community Resources</b>	34	53.6%	(37.1-70.0)	30	46.4%	(30.0-62.9)
	<b>PACE Coalition</b>	54	50.0%	(39.7-60.4)	48	50.0%	(39.6-60.3)
	<b>Churchill Community Coalition</b>	29	60.4%	(45.9-74.9)	19	39.6%	(25.1-54.1)
	<b>Frontier Community Coalition</b>	53	56.8%	(46.7-67.0)	45	43.2%	(33.0-53.3)
	<b>Healthy Communities Coalition</b>	45	57.5%	(46.0-69.0)	36	42.5%	(31.0-54.0)
	<b>Nye Communities Coalition</b>	53	57.9%	(46.7-69.0)	40	42.1%	(31.0-53.3)
	<b>Join Together Northern Nevada</b>	136	52.9%	(46.1-59.6)	115	47.1%	(40.4-53.9)
	<b>NV Community Prevention Coalition</b>	12	60.5%	(38.4-82.7)	8	39.5%	(17.3-61.6)
	<b>PACT Coalition</b>	188	55.7%	(50.3-61.2)	156	44.3%	(38.8-49.7)
<b>CARE Coalition</b>	30	60.0%	(46.3-73.6)	23	40.0%	(26.4-53.7)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Among students who were sexually active in the past 3 months

**Table 82: Percentage of high school students who used birth control pills before last sexual intercourse<sup>d,e</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		227	16.7%	(14.0-19.3)	989	83.3%	(80.7-86.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	14	24.6%	(12.7-36.4)	52	75.4%	(63.6-87.3)
	<b>Partnership of Community Resources</b>	17	30.0%	(14.4-45.6)	47	70.0%	(54.4-85.6)
	<b>PACE Coalition</b>	18	19.9%	(11.1-28.7)	82	80.1%	(71.3-88.9)
	<b>Churchill Community Coalition</b>	13	24.9%	(12.6-37.3)	36	75.1%	(62.7-87.4)
	<b>Frontier Community Coalition</b>	15	14.9%	(7.6-22.1)	83	85.1%	(77.9-92.4)
	<b>Healthy Communities Coalition</b>	15	20.1%	(10.5-29.8)	64	79.9%	(70.2-89.5)
	<b>Nye Communities Coalition</b>	17	18.1%	(9.9-26.2)	74	81.9%	(73.8-90.1)
	<b>Join Together Northern Nevada</b>	62	26.4%	(20.5-32.2)	190	73.6%	(67.8-79.5)
	<b>NV Community Prevention Coalition</b>	2	10.7%	(0.0-24.9)	18	89.3%	(75.1-100.0)
	<b>PACT Coalition</b>	47	13.7%	(9.9-17.4)	297	86.3%	(82.6-90.1)
<b>CARE Coalition</b>	7	14.5%	(4.2-24.7)	46	85.5%	(75.3-95.8)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> To prevent pregnancy

<sup>e</sup> Among students who were sexually active in the past 3 months

**Table 83: Percentage of high school students who used Depo-Provera,<sup>d</sup> Nuva Ring,<sup>e</sup> Ortho Evra,<sup>f</sup> Implanon,<sup>g</sup> or any IUD before last sexual intercourse<sup>h,i</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		91	5.8%	(4.1-7.5)	1125	94.2%	(92.5-95.9)
<b>Coalition</b>	<b>Partnership Carson City</b>	11	21.0%	(9.1-33.0)	55	79.0%	(67.0-90.9)
	<b>Partnership of Community Resources</b>	10	8.7%	(2.9-14.5)	54	91.3%	(85.5-97.1)
	<b>PACE Coalition</b>	7	5.6%	(1.3-9.9)	93	94.4%	(90.1-98.7)
	<b>Churchill Community Coalition</b>	7	15.0%	(4.5-25.5)	42	85.0%	(74.5-95.5)
	<b>Frontier Community Coalition</b>	6	5.6%	(1.1-10.1)	92	94.4%	(89.9-98.9)
	<b>Healthy Communities Coalition</b>	11	11.8%	(4.4-19.2)	68	88.2%	(80.8-95.6)
	<b>Nye Communities Coalition</b>	5	4.3%	(0.3-8.2)	86	95.7%	(91.8-99.7)
	<b>Join Together Northern Nevada</b>	16	7.7%	(3.4-12.0)	236	92.3%	(88.0-96.6)
	<b>NV Community Prevention Coalition</b>	2	10.7%	(0.0-24.9)	18	89.3%	(75.1-100.0)
	<b>PACT Coalition</b>	15	4.7%	(2.3-7.1)	329	95.3%	(92.9-97.7)
	<b>CARE Coalition</b>	1	1.7%	(0.0-4.9)	52	98.3%	(95.1-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Or any injectable birth control

<sup>e</sup> Or any birth control ring

<sup>f</sup> Or any patch

<sup>g</sup> Or any implant

<sup>h</sup> Among students who were sexually active in the past 3 months

<sup>i</sup> To prevent pregnancy



**Table 84: Percentage of high school students who used birth control pills, Depo-Provera,<sup>d</sup> Nuva Ring,<sup>e</sup> Implanon,<sup>f</sup> or any IUD before last sexual intercourse<sup>g,h</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		318	22.5%	(19.5-25.5)	898	77.5%	(74.5-80.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	25	45.6%	(32.1-59.0)	41	54.4%	(41.0-67.9)
	<b>Partnership of Community Resources</b>	27	38.7%	(22.9-54.5)	37	61.3%	(45.5-77.1)
	<b>PACE Coalition</b>	25	25.5%	(16.1-34.8)	75	74.5%	(65.2-83.9)
	<b>Churchill Community Coalition</b>	20	39.9%	(25.6-54.3)	29	60.1%	(45.7-74.4)
	<b>Frontier Community Coalition</b>	21	20.5%	(12.4-28.7)	77	79.5%	(71.3-87.6)
	<b>Healthy Communities Coalition</b>	26	31.9%	(20.9-42.9)	53	68.1%	(57.1-79.1)
	<b>Nye Communities Coalition</b>	22	22.3%	(13.5-31.2)	69	77.7%	(68.8-86.5)
	<b>Join Together Northern Nevada</b>	78	34.0%	(27.6-40.5)	174	66.0%	(59.5-72.4)
	<b>NV Community Prevention Coalition</b>	4	21.5%	(2.7-40.3)	16	78.5%	(59.7-97.3)
	<b>PACT Coalition</b>	62	18.4%	(14.1-22.6)	282	81.6%	(77.4-85.9)
	<b>CARE Coalition</b>	8	16.1%	(5.6-26.7)	45	83.9%	(73.3-94.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Or any injectable birth control

<sup>e</sup> Or any birth control ring

<sup>f</sup> Or any implant

<sup>g</sup> Among students who were sexually active in the past 3 months

<sup>h</sup> To prevent pregnancy

**Table 85: Percentage of high school students who used both a condom and birth control pills, Depo-Provera,<sup>d</sup> Nuva Ring,<sup>e</sup> Implanon,<sup>f</sup> or any IUD before last sexual intercourse<sup>g,h</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		103	7.3%	(5.3-9.2)	1102	92.7%	(90.8-94.7)
<b>Coalition</b>	<b>Partnership Carson City</b>	9	14.8%	(5.1-24.5)	57	85.2%	(75.5-94.9)
	<b>Partnership of Community Resources</b>	6	9.1%	(1.0-17.2)	58	90.9%	(82.8-99.0)
	<b>PACE Coalition</b>	10	8.1%	(2.5-13.8)	90	91.9%	(86.2-97.5)
	<b>Churchill Community Coalition</b>	8	16.7%	(5.9-27.6)	40	83.3%	(72.4-94.1)
	<b>Frontier Community Coalition</b>	6	6.1%	(1.3-10.8)	90	93.9%	(89.2-98.7)
	<b>Healthy Communities Coalition</b>	8	10.5%	(3.4-17.7)	70	89.5%	(82.3-96.6)
	<b>Nye Communities Coalition</b>	10	10.3%	(3.9-16.7)	81	89.7%	(83.3-96.1)
	<b>Join Together Northern Nevada</b>	26	11.9%	(7.5-16.3)	222	88.1%	(83.7-92.5)
	<b>NV Community Prevention Coalition</b>	2	11.7%	(0.0-26.9)	18	88.3%	(73.1-100.0)
	<b>PACT Coalition</b>	16	5.4%	(2.8-8.1)	325	94.6%	(91.9-97.2)
	<b>CARE Coalition</b>	2	5.5%	(0.0-13.0)	51	94.5%	(87.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Or any injectable birth control

<sup>e</sup> Or any birth control ring

<sup>f</sup> Or any implant

<sup>g</sup> Among students who were sexually active in the past 3 months

<sup>h</sup> To prevent pregnancy

**Table 86: Percentage of high school students who did not use any method to prevent pregnancy during last sexual intercourse<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		201	16.8%	(14.0-19.6)	1015	83.2%	(80.4-86.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	7	10.1%	(2.4-17.8)	59	89.9%	(82.2-97.6)
	<b>Partnership of Community Resources</b>	3	5.5%	(0.0-12.3)	61	94.5%	(87.7-100.0)
	<b>PACE Coalition</b>	19	20.2%	(11.5-28.9)	81	79.8%	(71.1-88.5)
	<b>Churchill Community Coalition</b>	3	6.6%	(0.0-14.1)	46	93.4%	(85.9-100.0)
	<b>Frontier Community Coalition</b>	21	19.7%	(11.8-27.6)	77	80.3%	(72.4-88.2)
	<b>Healthy Communities Coalition</b>	12	14.4%	(6.5-22.3)	67	85.6%	(77.7-93.5)
	<b>Nye Communities Coalition</b>	19	18.3%	(10.4-26.3)	72	81.7%	(73.7-89.6)
	<b>Join Together Northern Nevada</b>	44	16.7%	(11.5-21.8)	208	83.3%	(78.2-88.5)
	<b>NV Community Prevention Coalition</b>	3	12.0%	(0.0-25.1)	17	88.0%	(74.9-100.0)
	<b>PACT Coalition</b>	65	19.0%	(14.7-23.4)	279	81.0%	(76.6-85.3)
<b>CARE Coalition</b>	5	8.7%	(1.3-16.1)	48	91.3%	(83.9-98.7)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Among students who were sexually active in the past 3 months

**Table 87: Percentage of high school students who have ever been pregnant or gotten someone pregnant<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		113	2.2%	(1.7-2.7)	4974	97.8%	(97.3-98.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	8	3.5%	(0.9-6.1)	244	96.5%	(93.9-99.1)
	<b>Partnership of Community Resources</b>	6	3.4%	(0.3-6.4)	183	96.6%	(93.6-99.7)
	<b>PACE Coalition</b>	13	3.6%	(1.5-5.6)	361	96.4%	(94.4-98.5)
	<b>Churchill Community Coalition</b>	4	2.8%	(0.0-5.6)	141	97.2%	(94.4-100.0)
	<b>Frontier Community Coalition</b>	5	1.8%	(0.2-3.3)	304	98.2%	(96.7-99.8)
	<b>Healthy Communities Coalition</b>	7	2.4%	(0.6-4.2)	262	97.6%	(95.8-99.4)
	<b>Nye Communities Coalition</b>	5	1.4%	(0.2-2.6)	361	98.6%	(97.4-99.8)
	<b>Join Together Northern Nevada</b>	32	3.2%	(1.9-4.5)	1220	96.8%	(95.5-98.1)
	<b>NV Community Prevention Coalition</b>	0	0.0%	(0.0-0.0)	97	100.0%	(100.0-100.0)
	<b>PACT Coalition</b>	29	2.0%	(1.3-2.7)	1589	98.0%	(97.3-98.7)
	<b>CARE Coalition</b>	4	2.0%	(0.0-4.0)	212	98.0%	(96.0-100.0)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> One or more times during their life

**Table 88: Percentage of high school students did not have sexual contact, who had sexual contact with the opposite sex, and who had sexual contact with the same or both sexes — Nevada, Youth Risk Behavior Survey, 2017**

		Never Had Sexual Contact			Sexual Contact with the Opposite Sex			Sexual Contact with the Same Sex			Sexual Contact with Both Sexes		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		2357	49.8%	(48.0-51.6)	2121	41.3%	(39.5-43.1)	152	2.8%	(2.2-3.4)	270	6.1%	(5.2-7.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	104	40.5%	(33.7-47.2)	109	46.6%	(39.6-53.5)	13	5.8%	(2.5-9.1)	16	7.2%	(3.2-11.2)
	<b>Partnership of Community Resources</b>	73	33.5%	(25.5-41.6)	98	62.6%	(54.3-71.0)	2	0.7%	(0.0-1.7)	7	3.1%	(0.7-5.5)
	<b>PACE Coalition</b>	160	43.7%	(38.2-49.2)	170	46.0%	(40.5-51.5)	12	3.0%	(1.3-4.7)	24	7.3%	(4.3-10.3)
	<b>Churchill Community Coalition</b>	60	41.0%	(32.3-49.7)	63	46.7%	(37.7-55.7)	11	7.4%	(2.7-12.1)	9	4.9%	(1.5-8.3)
	<b>Frontier Community Coalition</b>	115	39.3%	(33.4-45.3)	155	53.4%	(47.4-59.5)	9	2.7%	(0.9-4.5)	16	4.5%	(2.3-6.8)
	<b>Healthy Communities Coalition</b>	96	38.5%	(32.2-44.8)	138	51.4%	(45.0-57.9)	12	4.3%	(1.8-6.8)	14	5.8%	(2.7-8.9)
	<b>Nye Communities Coalition</b>	172	48.2%	(42.6-53.8)	160	46.1%	(40.5-51.8)	8	2.3%	(0.7-4.0)	11	3.3%	(1.4-5.3)
	<b>Join Together Northern Nevada</b>	601	49.5%	(46.4-52.6)	500	42.1%	(39.1-45.2)	34	2.9%	(1.9-4.0)	58	5.5%	(3.9-7.0)
	<b>NV Community Prevention Coalition</b>	58	60.9%	(50.9-70.9)	34	34.2%	(24.6-43.9)	0	0.0%	(0.0-0.0)	4	4.8%	(0.1-9.6)
	<b>PACT Coalition</b>	836	52.0%	(49.4-54.5)	593	38.9%	(36.4-41.4)	44	2.8%	(2.0-3.7)	98	6.3%	(5.1-7.6)
	<b>CARE Coalition</b>	82	40.7%	(33.7-47.7)	101	49.5%	(42.4-56.6)	7	3.1%	(0.8-5.4)	13	6.7%	(3.0-10.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 89: Percentage of high school students who were heterosexual (straight), gay or lesbian, bisexual, or not sure — Nevada, Youth Risk Behavior Survey, 2017**

		Heterosexual (straight)			Gay or lesbian			Bisexual			Not sure		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		4359	83.7%	(82.4-85.1)	165	3.0%	(2.4-3.7)	461	9.6%	(8.5-10.7)	186	3.6%	(3.0-4.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	211	81.8%	(76.6-87.0)	19	7.3%	(3.6-11.0)	19	6.9%	(3.8-10.1)	9	3.9%	(1.2-6.7)
	<b>Partnership of Community Resources</b>	168	91.1%	(87.1-95.1)	3	1.2%	(0.0-2.6)	13	5.3%	(2.2-8.3)	7	2.4%	(0.2-4.6)
	<b>PACE Coalition</b>	322	83.6%	(79.7-87.6)	12	3.1%	(1.3-5.0)	38	9.5%	(6.4-12.5)	12	3.8%	(1.6-6.0)
	<b>Churchill Community Coalition</b>	119	81.6%	(75.1-88.0)	7	4.0%	(0.6-7.4)	15	9.8%	(4.8-14.8)	9	4.6%	(1.4-7.8)
	<b>Frontier Community Coalition</b>	285	92.0%	(89.0-94.9)	5	1.5%	(0.1-2.9)	18	4.2%	(2.2-6.2)	7	2.3%	(0.6-4.0)
	<b>Healthy Communities Coalition</b>	231	84.9%	(80.4-89.4)	9	2.6%	(0.7-4.5)	24	9.0%	(5.4-12.6)	9	3.4%	(1.0-5.8)
	<b>Nye Communities Coalition</b>	329	88.8%	(85.3-92.2)	7	1.7%	(0.4-3.1)	22	5.8%	(3.4-8.3)	12	3.7%	(1.4-5.9)
	<b>Join Together Northern Nevada</b>	1058	83.4%	(81.1-85.8)	42	3.1%	(2.1-4.0)	119	9.6%	(7.7-11.5)	45	3.9%	(2.5-5.2)
	<b>NV Community Prevention Coalition</b>	89	91.3%	(85.4-97.2)	1	1.1%	(0.0-3.3)	5	5.6%	(0.7-10.6)	2	1.9%	(0.0-4.6)
	<b>PACT Coalition</b>	1351	82.7%	(80.8-84.6)	53	3.2%	(2.3-4.1)	167	10.2%	(8.7-11.7)	69	3.9%	(3.0-4.9)
<b>CARE Coalition</b>	196	85.8%	(81.0-90.5)	7	2.4%	(0.5-4.2)	21	9.8%	(5.6-14.0)	5	2.1%	(0.3-3.9)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 90: Percentage of high school students who have ever been tested for HIV<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		551	9.8%	(8.8-10.9)	4546	90.2%	(89.1-91.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	41	18.5%	(12.9-24.1)	212	81.5%	(75.9-87.1)
	<b>Partnership of Community Resources</b>	28	14.6%	(8.2-20.9)	161	85.4%	(79.1-91.8)
	<b>PACE Coalition</b>	55	14.2%	(10.4-17.9)	324	85.8%	(82.1-89.6)
	<b>Churchill Community Coalition</b>	16	9.2%	(4.7-13.7)	133	90.8%	(86.3-95.3)
	<b>Frontier Community Coalition</b>	28	8.9%	(5.5-12.2)	283	91.1%	(87.8-94.5)
	<b>Healthy Communities Coalition</b>	39	14.4%	(10.0-18.9)	229	85.6%	(81.1-90.0)
	<b>Nye Communities Coalition</b>	32	8.7%	(5.7-11.7)	327	91.3%	(88.3-94.3)
	<b>Join Together Northern Nevada</b>	133	10.2%	(8.4-12.0)	1107	89.8%	(88.0-91.6)
	<b>NV Community Prevention Coalition</b>	4	3.8%	(0.1-7.4)	92	96.2%	(92.6-99.9)
	<b>PACT Coalition</b>	145	9.1%	(7.6-10.6)	1487	90.9%	(89.4-92.4)
	<b>CARE Coalition</b>	30	12.6%	(8.1-17.1)	191	87.4%	(82.9-91.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Not counting tests done when donating blood

**Diet**

**Table 91: Percentage of high school students who did not eat fruit or drink 100% fruit juices during the 7 days before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		335	6.6%	(5.7-7.5)	4810	93.4%	(92.5-94.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	15	7.1%	(3.4-10.8)	243	92.9%	(89.2-96.6)
	<b>Partnership of Community Resources</b>	11	6.7%	(2.2-11.2)	177	93.3%	(88.8-97.8)
	<b>PACE Coalition</b>	29	8.3%	(5.2-11.3)	356	91.7%	(88.7-94.8)
	<b>Churchill Community Coalition</b>	9	6.1%	(1.9-10.3)	141	93.9%	(89.7-98.1)
	<b>Frontier Community Coalition</b>	34	11.6%	(7.7-15.4)	282	88.4%	(84.6-92.3)
	<b>Healthy Communities Coalition</b>	20	7.4%	(4.1-10.6)	253	92.6%	(89.4-95.9)
	<b>Nye Communities Coalition</b>	27	7.1%	(4.4-9.8)	344	92.9%	(90.2-95.6)
	<b>Join Together Northern Nevada</b>	59	4.6%	(3.4-5.8)	1188	95.4%	(94.2-96.6)
	<b>NV Community Prevention Coalition</b>	7	7.0%	(1.9-12.1)	88	93.0%	(87.9-98.1)
	<b>PACT Coalition</b>	110	7.0%	(5.7-8.3)	1525	93.0%	(91.7-94.3)
	<b>CARE Coalition</b>	14	6.1%	(2.9-9.2)	213	93.9%	(90.8-97.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval



**Table 92: Percentage of high school students who ate fruit or drank 100% fruit juices one or more times/day during the 7 days before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		2885	54.4%	(52.7-56.2)	2260	45.6%	(43.8-47.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	148	56.1%	(49.4-62.8)	110	43.9%	(37.2-50.6)
	<b>Partnership of Community Resources</b>	112	57.8%	(48.7-66.9)	76	42.2%	(33.1-51.3)
	<b>PACE Coalition</b>	229	60.1%	(54.8-65.3)	156	39.9%	(34.7-45.2)
	<b>Churchill Community Coalition</b>	88	59.5%	(51.1-68.0)	62	40.5%	(32.0-48.9)
	<b>Frontier Community Coalition</b>	168	51.8%	(45.9-57.6)	148	48.2%	(42.4-54.1)
	<b>Healthy Communities Coalition</b>	141	52.8%	(46.6-59.1)	132	47.2%	(40.9-53.4)
	<b>Nye Communities Coalition</b>	196	54.3%	(48.9-59.6)	175	45.7%	(40.4-51.1)
	<b>Join Together Northern Nevada</b>	764	60.7%	(57.7-63.6)	483	39.3%	(36.4-42.3)
	<b>NV Community Prevention Coalition</b>	49	52.3%	(42.0-62.6)	46	47.7%	(37.4-58.0)
	<b>PACT Coalition</b>	858	52.2%	(49.7-54.7)	777	47.8%	(45.3-50.3)
	<b>CARE Coalition</b>	132	58.4%	(51.8-65.0)	95	41.6%	(35.0-48.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 93: Percentage of high school students who ate fruit or drank 100% fruit juices two or more times/day during the 7 days before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1397	26.4%	(24.8-27.9)	3748	73.6%	(72.1-75.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	74	26.3%	(20.6-32.1)	184	73.7%	(67.9-79.4)
	<b>Partnership of Community Resources</b>	59	26.8%	(19.6-34.0)	129	73.2%	(66.0-80.4)
	<b>PACE Coalition</b>	117	29.5%	(24.6-34.3)	268	70.5%	(65.7-75.4)
	<b>Churchill Community Coalition</b>	46	28.6%	(21.0-36.3)	104	71.4%	(63.7-79.0)
	<b>Frontier Community Coalition</b>	66	19.7%	(15.1-24.2)	250	80.3%	(75.8-84.9)
	<b>Healthy Communities Coalition</b>	64	23.2%	(17.9-28.6)	209	76.8%	(71.4-82.1)
	<b>Nye Communities Coalition</b>	78	22.7%	(17.9-27.5)	293	77.3%	(72.5-82.1)
	<b>Join Together Northern Nevada</b>	396	31.6%	(28.7-34.4)	851	68.4%	(65.6-71.3)
	<b>NV Community Prevention Coalition</b>	16	17.1%	(9.4-24.8)	79	82.9%	(75.2-90.6)
	<b>PACT Coalition</b>	420	25.8%	(23.6-28.0)	1215	74.2%	(72.0-76.4)
	<b>CARE Coalition</b>	61	26.7%	(20.7-32.6)	166	73.3%	(67.4-79.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 94: Percentage of high school students who ate fruit or drank 100% fruit juices three or more times/day during the 7 days before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		862	16.4%	(15.1-17.7)	4283	83.6%	(82.3-84.9)
<b>Coalition</b>	<b>Partnership Carson City</b>	47	15.8%	(11.1-20.4)	211	84.2%	(79.6-88.9)
	<b>Partnership of Community Resources</b>	32	14.0%	(8.7-19.4)	156	86.0%	(80.6-91.3)
	<b>PACE Coalition</b>	67	17.6%	(13.5-21.6)	318	82.4%	(78.4-86.5)
	<b>Churchill Community Coalition</b>	31	19.0%	(12.4-25.7)	119	81.0%	(74.3-87.6)
	<b>Frontier Community Coalition</b>	48	14.1%	(10.2-18.1)	268	85.9%	(81.9-89.8)
	<b>Healthy Communities Coalition</b>	41	14.4%	(10.0-18.8)	232	85.6%	(81.2-90.0)
	<b>Nye Communities Coalition</b>	46	14.0%	(9.8-18.2)	325	86.0%	(81.8-90.2)
	<b>Join Together Northern Nevada</b>	231	17.7%	(15.4-19.9)	1016	82.3%	(80.1-84.6)
	<b>NV Community Prevention Coalition</b>	10	10.1%	(4.1-16.2)	85	89.9%	(83.8-95.9)
	<b>PACT Coalition</b>	272	16.6%	(14.7-18.5)	1363	83.4%	(81.5-85.3)
	<b>CARE Coalition</b>	37	16.1%	(11.1-21.1)	190	83.9%	(78.9-88.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 95: Percentage of high school students who did not eat vegetables during the 7 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		598	12.2%	(11.1-13.4)	4402	87.8%	(86.6-88.9)
<b>Coalition</b>	<b>Partnership Carson City</b>	36	14.5%	(9.7-19.4)	213	85.5%	(80.6-90.3)
	<b>Partnership of Community Resources</b>	10	5.0%	(1.7-8.4)	173	95.0%	(91.6-98.3)
	<b>PACE Coalition</b>	44	11.9%	(8.2-15.6)	328	88.1%	(84.4-91.8)
	<b>Churchill Community Coalition</b>	14	9.5%	(4.4-14.6)	129	90.5%	(85.4-95.6)
	<b>Frontier Community Coalition</b>	34	11.2%	(7.5-15.0)	274	88.8%	(85.0-92.5)
	<b>Healthy Communities Coalition</b>	26	9.7%	(5.9-13.4)	242	90.3%	(86.6-94.1)
	<b>Nye Communities Coalition</b>	37	10.1%	(6.8-13.3)	315	89.9%	(86.7-93.2)
	<b>Join Together Northern Nevada</b>	155	12.6%	(10.5-14.7)	1066	87.4%	(85.3-89.5)
	<b>NV Community Prevention Coalition</b>	10	9.8%	(3.9-15.6)	84	90.2%	(84.4-96.1)
	<b>PACT Coalition</b>	196	12.1%	(10.5-13.8)	1391	87.9%	(86.2-89.5)
	<b>CARE Coalition</b>	36	15.6%	(10.8-20.4)	187	84.4%	(79.6-89.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

\* **Note: In 2017, the wording for this question changed. Comparisons should not be made with previous years.**

**Table 96: Percentage of high school students who ate vegetables one or more times/day during the 7 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		595	10.6%	(9.5-11.6)	4582	89.4%	(88.4-90.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	30	11.0%	(6.9-15.0)	229	89.0%	(85.0-93.1)
	<b>Partnership of Community Resources</b>	28	12.4%	(7.3-17.6)	163	87.6%	(82.4-92.7)
	<b>PACE Coalition</b>	47	12.9%	(9.3-16.5)	338	87.1%	(83.5-90.7)
	<b>Churchill Community Coalition</b>	17	12.2%	(5.3-19.0)	132	87.8%	(81.0-94.7)
	<b>Frontier Community Coalition</b>	36	13.0%	(8.8-17.2)	280	87.0%	(82.8-91.2)
	<b>Healthy Communities Coalition</b>	43	16.5%	(11.8-21.3)	230	83.5%	(78.7-88.2)
	<b>Nye Communities Coalition</b>	38	9.7%	(6.7-12.8)	334	90.3%	(87.2-93.3)
	<b>Join Together Northern Nevada</b>	170	14.3%	(12.0-16.5)	1097	85.7%	(83.5-88.0)
	<b>NV Community Prevention Coalition</b>	9	10.2%	(3.7-16.7)	87	89.8%	(83.3-96.3)
	<b>PACT Coalition</b>	154	9.4%	(7.9-10.8)	1487	90.6%	(89.2-92.1)
	<b>CARE Coalition</b>	23	9.9%	(5.9-13.9)	205	90.1%	(86.1-94.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

\* **Note: In 2017, the wording for this question changed. Comparisons should not be made with previous years.vegetables**

**Table 97: Percentage of high school students who ate vegetables two or more times/day during the 7 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		423	7.8%	(6.8-8.7)	4754	92.2%	(91.3-93.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	17	6.8%	(3.4-10.2)	242	93.2%	(89.8-96.6)
	<b>Partnership of Community Resources</b>	23	11.4%	(6.4-16.5)	168	88.6%	(83.5-93.6)
	<b>PACE Coalition</b>	38	9.3%	(6.3-12.3)	347	90.7%	(87.7-93.7)
	<b>Churchill Community Coalition</b>	13	9.0%	(4.0-14.0)	136	91.0%	(86.0-96.0)
	<b>Frontier Community Coalition</b>	21	6.5%	(3.7-9.4)	295	93.5%	(90.6-96.3)
	<b>Healthy Communities Coalition</b>	20	7.3%	(3.9-10.6)	253	92.7%	(89.4-96.1)
	<b>Nye Communities Coalition</b>	31	9.0%	(5.6-12.5)	341	91.0%	(87.5-94.4)
	<b>Join Together Northern Nevada</b>	124	10.2%	(8.4-12.0)	1143	89.8%	(88.0-91.6)
	<b>NV Community Prevention Coalition</b>	6	7.5%	(1.7-13.3)	90	92.5%	(86.7-98.3)
	<b>PACT Coalition</b>	111	7.0%	(5.7-8.2)	1530	93.0%	(91.8-94.3)
	<b>CARE Coalition</b>	19	8.5%	(4.8-12.2)	209	91.5%	(87.8-95.2)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

\* **Note: In 2017, the wording for this question changed. Comparisons should not be made with previous years.**

**Table 98: Percentage of high school students who ate vegetables three or more times/day during the 7 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		392	6.9%	(6.0-7.8)	4785	93.1%	(92.2-94.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	22	7.0%	(3.7-10.2)	237	93.0%	(89.8-96.3)
	<b>Partnership of Community Resources</b>	19	8.2%	(4.1-12.4)	172	91.8%	(87.6-95.9)
	<b>PACE Coalition</b>	32	9.4%	(6.2-12.6)	353	90.6%	(87.4-93.8)
	<b>Churchill Community Coalition</b>	16	9.8%	(4.9-14.8)	133	90.2%	(85.2-95.1)
	<b>Frontier Community Coalition</b>	23	6.8%	(4.0-9.7)	293	93.2%	(90.3-96.0)
	<b>Healthy Communities Coalition</b>	15	5.4%	(2.6-8.3)	258	94.6%	(91.7-97.4)
	<b>Nye Communities Coalition</b>	28	7.5%	(4.7-10.4)	344	92.5%	(89.6-95.3)
	<b>Join Together Northern Nevada</b>	107	7.8%	(6.3-9.3)	1160	92.2%	(90.7-93.7)
	<b>NV Community Prevention Coalition</b>	4	4.0%	(0.1-7.9)	92	96.0%	(92.1-99.9)
	<b>PACT Coalition</b>	116	7.2%	(5.9-8.4)	1525	92.8%	(91.6-94.1)
	<b>CARE Coalition</b>	10	4.0%	(1.6-6.5)	218	96.0%	(93.5-98.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Green salad, potatoes (excluding french fries, fried potatoes, or potato chips), carrots, or other vegetables

\* **Note: In 2017, the wording for this question changed. Comparisons should not be made with previous years.**

**Table 99: Percentage of high school students who did not drink milk during the 7 days before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1284	26.3%	(24.7-27.9)	3857	73.7%	(72.1-75.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	57	25.5%	(19.4-31.7)	201	74.5%	(68.3-80.6)
	<b>Partnership of Community Resources</b>	56	25.5%	(18.4-32.6)	133	74.5%	(67.4-81.6)
	<b>PACE Coalition</b>	92	25.0%	(20.3-29.7)	287	75.0%	(70.3-79.7)
	<b>Churchill Community Coalition</b>	31	18.7%	(12.3-25.2)	119	81.3%	(74.8-87.7)
	<b>Frontier Community Coalition</b>	82	25.0%	(20.0-30.0)	234	75.0%	(70.0-80.0)
	<b>Healthy Communities Coalition</b>	63	23.0%	(17.7-28.3)	209	77.0%	(71.7-82.3)
	<b>Nye Communities Coalition</b>	88	24.5%	(19.7-29.2)	280	75.5%	(70.8-80.3)
	<b>Join Together Northern Nevada</b>	306	25.6%	(22.9-28.3)	953	74.4%	(71.7-77.1)
	<b>NV Community Prevention Coalition</b>	17	17.4%	(9.8-25.0)	79	82.6%	(75.0-90.2)
	<b>PACT Coalition</b>	442	27.8%	(25.5-30.0)	1188	72.2%	(70.0-74.5)
<b>CARE Coalition</b>	50	22.9%	(17.1-28.7)	174	77.1%	(71.3-82.9)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval



**Table 100: Percentage of high school students who drank one or more glasses/day of milk during the 7 days before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1473	26.9%	(25.3-28.5)	3668	73.1%	(71.5-74.7)
<b>Coalition</b>	<b>Partnership Carson City</b>	72	26.9%	(21.0-32.8)	186	73.1%	(67.2-79.0)
	<b>Partnership of Community Resources</b>	51	29.2%	(20.4-38.1)	138	70.8%	(61.9-79.6)
	<b>PACE Coalition</b>	130	35.6%	(30.3-40.9)	249	64.4%	(59.1-69.7)
	<b>Churchill Community Coalition</b>	52	38.5%	(29.7-47.3)	98	61.5%	(52.7-70.3)
	<b>Frontier Community Coalition</b>	105	34.6%	(29.0-40.2)	211	65.4%	(59.8-71.0)
	<b>Healthy Communities Coalition</b>	90	33.7%	(27.7-39.7)	182	66.3%	(60.3-72.3)
	<b>Nye Communities Coalition</b>	103	29.2%	(24.1-34.2)	265	70.8%	(65.8-75.9)
	<b>Join Together Northern Nevada</b>	361	28.0%	(25.3-30.7)	898	72.0%	(69.3-74.7)
	<b>NV Community Prevention Coalition</b>	32	34.4%	(24.6-44.3)	64	65.6%	(55.7-75.4)
	<b>PACT Coalition</b>	416	25.3%	(23.1-27.5)	1214	74.7%	(72.5-76.9)
	<b>CARE Coalition</b>	61	26.7%	(20.7-32.7)	163	73.3%	(67.3-79.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 101: Percentage of high school students who drank two or more glasses/day of milk during the 7 days before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		850	15.0%	(13.7-16.2)	4291	85.0%	(83.8-86.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	42	14.8%	(10.3-19.3)	216	85.2%	(80.7-89.7)
	<b>Partnership of Community Resources</b>	23	14.6%	(7.5-21.8)	166	85.4%	(78.2-92.5)
	<b>PACE Coalition</b>	91	25.2%	(20.4-29.9)	288	74.8%	(70.1-79.6)
	<b>Churchill Community Coalition</b>	31	22.9%	(14.9-30.9)	119	77.1%	(69.1-85.1)
	<b>Frontier Community Coalition</b>	63	19.9%	(15.3-24.6)	253	80.1%	(75.4-84.7)
	<b>Healthy Communities Coalition</b>	54	19.9%	(14.8-24.9)	218	80.1%	(75.1-85.2)
	<b>Nye Communities Coalition</b>	66	18.5%	(14.2-22.8)	302	81.5%	(77.2-85.8)
	<b>Join Together Northern Nevada</b>	197	15.0%	(12.9-17.0)	1062	85.0%	(83.0-87.1)
	<b>NV Community Prevention Coalition</b>	20	20.8%	(12.4-29.2)	76	79.2%	(70.8-87.6)
	<b>PACT Coalition</b>	229	13.8%	(12.1-15.5)	1401	86.2%	(84.5-87.9)
	<b>CARE Coalition</b>	34	15.3%	(10.4-20.2)	190	84.7%	(79.8-89.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 102: Percentage of high school students who drank three or more glasses/day of milk during the 7 days before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		376	6.5%	(5.6-7.3)	4765	93.5%	(92.7-94.4)
<b>Coalition</b>	<b>Partnership Carson City</b>	21	7.6%	(4.2-11.0)	237	92.4%	(89.0-95.8)
	<b>Partnership of Community Resources</b>	11	6.5%	(2.3-10.6)	178	93.5%	(89.4-97.7)
	<b>PACE Coalition</b>	45	13.3%	(9.5-17.1)	334	86.7%	(82.9-90.5)
	<b>Churchill Community Coalition</b>	15	10.0%	(4.8-15.2)	135	90.0%	(84.8-95.2)
	<b>Frontier Community Coalition</b>	29	8.4%	(5.3-11.5)	287	91.6%	(88.5-94.7)
	<b>Healthy Communities Coalition</b>	19	7.0%	(3.7-10.3)	253	93.0%	(89.7-96.3)
	<b>Nye Communities Coalition</b>	32	10.0%	(6.5-13.5)	336	90.0%	(86.5-93.5)
	<b>Join Together Northern Nevada</b>	84	6.3%	(4.9-7.7)	1175	93.7%	(92.3-95.1)
	<b>NV Community Prevention Coalition</b>	11	11.1%	(4.6-17.6)	85	88.9%	(82.4-95.4)
	<b>PACT Coalition</b>	98	5.9%	(4.8-7.1)	1532	94.1%	(92.9-95.2)
	<b>CARE Coalition</b>	11	5.3%	(2.2-8.5)	213	94.7%	(91.5-97.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 103: Percentage of high school students who did not drink soda or pop during the 7 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1533	30.4%	(28.8-32.1)	3642	69.6%	(67.9-71.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	76	29.9%	(23.8-36.1)	183	70.1%	(63.9-76.2)
	<b>Partnership of Community Resources</b>	73	33.9%	(25.5-42.2)	118	66.1%	(57.8-74.5)
	<b>PACE Coalition</b>	113	28.7%	(23.8-33.7)	270	71.3%	(66.3-76.2)
	<b>Churchill Community Coalition</b>	37	26.0%	(17.9-34.1)	114	74.0%	(65.9-82.1)
	<b>Frontier Community Coalition</b>	69	21.2%	(16.5-25.9)	246	78.8%	(74.1-83.5)
	<b>Healthy Communities Coalition</b>	62	21.1%	(16.0-26.1)	211	78.9%	(73.9-84.0)
	<b>Nye Communities Coalition</b>	126	34.4%	(29.2-39.5)	245	65.6%	(60.5-70.8)
	<b>Join Together Northern Nevada</b>	377	30.8%	(28.0-33.6)	891	69.2%	(66.4-72.0)
	<b>NV Community Prevention Coalition</b>	27	28.5%	(19.3-37.8)	69	71.5%	(62.2-80.7)
	<b>PACT Coalition</b>	501	31.0%	(28.6-33.3)	1143	69.0%	(66.7-71.4)
<b>CARE Coalition</b>	72	30.0%	(23.9-36.1)	152	70.0%	(63.9-76.1)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> A can, bottle, or glass of soda or pop, not counting diet soda or diet pop

**Table 104: Percentage of high school students who drank soda or pop one or more times/day during the 7 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		816	14.5%	(13.3-15.8)	4354	85.5%	(84.2-86.7)
<b>Coalition</b>	<b>Partnership Carson City</b>	37	12.7%	(8.5-16.9)	222	87.3%	(83.1-91.5)
	<b>Partnership of Community Resources</b>	31	17.6%	(10.3-25.0)	160	82.4%	(75.0-89.7)
	<b>PACE Coalition</b>	74	19.8%	(15.5-24.0)	309	80.2%	(76.0-84.5)
	<b>Churchill Community Coalition</b>	29	17.8%	(11.3-24.3)	121	82.2%	(75.7-88.7)
	<b>Frontier Community Coalition</b>	72	22.8%	(17.9-27.7)	243	77.2%	(72.3-82.1)
	<b>Healthy Communities Coalition</b>	54	20.8%	(15.6-25.9)	219	79.2%	(74.1-84.4)
	<b>Nye Communities Coalition</b>	74	18.4%	(14.4-22.4)	297	81.6%	(77.6-85.6)
	<b>Join Together Northern Nevada</b>	170	12.8%	(10.8-14.7)	1097	87.2%	(85.3-89.2)
	<b>NV Community Prevention Coalition</b>	14	14.9%	(7.5-22.2)	82	85.1%	(77.8-92.5)
	<b>PACT Coalition</b>	226	13.9%	(12.2-15.7)	1415	86.1%	(84.3-87.8)
	<b>CARE Coalition</b>	35	16.6%	(11.3-21.8)	189	83.4%	(78.2-88.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> A can, bottle, or glass of soda or pop, not counting diet soda or diet pop

**Table 105: Percentage of high school students who drank soda or pop two or more times/day during the 7 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		485	9.1%	(8.0-10.1)	4685	90.9%	(89.9-92.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	21	6.7%	(3.6-9.7)	238	93.3%	(90.3-96.4)
	<b>Partnership of Community Resources</b>	16	10.2%	(3.5-16.8)	175	89.8%	(83.2-96.5)
	<b>PACE Coalition</b>	41	11.6%	(8.1-15.1)	342	88.4%	(84.9-91.9)
	<b>Churchill Community Coalition</b>	18	10.7%	(5.5-15.9)	132	89.3%	(84.1-94.5)
	<b>Frontier Community Coalition</b>	41	13.6%	(9.5-17.6)	274	86.4%	(82.4-90.5)
	<b>Healthy Communities Coalition</b>	27	10.0%	(6.2-13.8)	246	90.0%	(86.2-93.8)
	<b>Nye Communities Coalition</b>	42	10.4%	(7.2-13.5)	329	89.6%	(86.5-92.8)
	<b>Join Together Northern Nevada</b>	105	8.1%	(6.4-9.7)	1162	91.9%	(90.3-93.6)
	<b>NV Community Prevention Coalition</b>	10	11.0%	(4.4-17.6)	86	89.0%	(82.4-95.6)
	<b>PACT Coalition</b>	140	8.8%	(7.3-10.2)	1501	91.2%	(89.8-92.7)
	<b>CARE Coalition</b>	24	11.0%	(6.6-15.3)	200	89.0%	(84.7-93.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> A can, bottle, or glass of soda or pop, not counting diet soda or diet pop

**Table 106: Percentage of high school students who drank soda or pop three or more times/day during the 7 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		276	5.3%	(4.5-6.1)	4894	94.7%	(93.9-95.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	13	3.8%	(1.5-6.1)	246	96.2%	(93.9-98.5)
	<b>Partnership of Community Resources</b>	13	6.4%	(2.3-10.5)	178	93.6%	(89.5-97.7)
	<b>PACE Coalition</b>	25	7.1%	(4.3-9.9)	358	92.9%	(90.1-95.7)
	<b>Churchill Community Coalition</b>	11	6.0%	(2.0-10.0)	139	94.0%	(90.0-98.0)
	<b>Frontier Community Coalition</b>	21	6.4%	(3.6-9.2)	294	93.6%	(90.8-96.4)
	<b>Healthy Communities Coalition</b>	11	4.2%	(1.7-6.8)	262	95.8%	(93.2-98.3)
	<b>Nye Communities Coalition</b>	21	5.3%	(3.0-7.6)	350	94.7%	(92.4-97.0)
	<b>Join Together Northern Nevada</b>	53	4.2%	(2.9-5.5)	1214	95.8%	(94.5-97.1)
	<b>NV Community Prevention Coalition</b>	6	6.3%	(1.4-11.2)	90	93.7%	(88.8-98.6)
	<b>PACT Coalition</b>	86	5.2%	(4.1-6.4)	1555	94.8%	(93.6-95.9)
	<b>CARE Coalition</b>	16	6.8%	(3.4-10.2)	208	93.2%	(89.8-96.6)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> A can, bottle, or glass of soda or pop, not counting diet soda or diet pop

**Table 107: Percentage of high school students who did not eat breakfast during the 7 days before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		874	16.5%	(15.2-17.8)	4299	83.5%	(82.2-84.8)
<b>Coalition</b>	<b>Partnership Carson City</b>	43	16.3%	(11.3-21.4)	216	83.7%	(78.6-88.7)
	<b>Partnership of Community Resources</b>	33	16.4%	(10.3-22.4)	158	83.6%	(77.6-89.7)
	<b>PACE Coalition</b>	78	19.6%	(15.4-23.8)	307	80.4%	(76.2-84.6)
	<b>Churchill Community Coalition</b>	25	17.7%	(10.9-24.5)	125	82.3%	(75.5-89.1)
	<b>Frontier Community Coalition</b>	56	18.1%	(13.5-22.6)	260	81.9%	(77.4-86.5)
	<b>Healthy Communities Coalition</b>	54	20.6%	(15.5-25.7)	219	79.4%	(74.3-84.5)
	<b>Nye Communities Coalition</b>	45	11.6%	(8.3-15.0)	324	88.4%	(85.0-91.7)
	<b>Join Together Northern Nevada</b>	235	18.5%	(16.1-20.8)	1032	81.5%	(79.2-83.9)
	<b>NV Community Prevention Coalition</b>	18	18.9%	(10.9-26.9)	78	81.1%	(73.1-89.1)
	<b>PACT Coalition</b>	252	15.8%	(13.9-17.6)	1392	84.2%	(82.4-86.1)
	<b>CARE Coalition</b>	35	15.9%	(10.9-20.9)	188	84.1%	(79.1-89.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval



**Table 108: Percentage of high school students who ate breakfast all 7 days before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1672	32.7%	(31.0-34.4)	3501	67.3%	(65.6-69.0)
<b>Coalition</b>	<b>Partnership Carson City</b>	85	32.4%	(26.1-38.7)	174	67.6%	(61.3-73.9)
	<b>Partnership of Community Resources</b>	72	39.7%	(30.6-48.8)	119	60.3%	(51.2-69.4)
	<b>PACE Coalition</b>	112	28.8%	(23.9-33.7)	273	71.2%	(66.3-76.1)
	<b>Churchill Community Coalition</b>	40	27.6%	(19.9-35.3)	110	72.4%	(64.7-80.1)
	<b>Frontier Community Coalition</b>	102	32.6%	(27.1-38.1)	214	67.4%	(61.9-72.9)
	<b>Healthy Communities Coalition</b>	83	32.9%	(26.9-38.9)	190	67.1%	(61.1-73.1)
	<b>Nye Communities Coalition</b>	123	36.0%	(30.6-41.3)	246	64.0%	(58.7-69.4)
	<b>Join Together Northern Nevada</b>	403	32.6%	(29.7-35.4)	864	67.4%	(64.6-70.3)
	<b>NV Community Prevention Coalition</b>	31	31.9%	(22.4-41.3)	65	68.1%	(58.7-77.6)
	<b>PACT Coalition</b>	548	32.8%	(30.5-35.1)	1096	67.2%	(64.9-69.5)
	<b>CARE Coalition</b>	73	32.5%	(26.1-38.8)	150	67.5%	(61.2-73.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 109: Percentage of high school students who go hungry because there is not enough food in the house during the 30 days before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Never/Rarely			Sometimes			Most of the time/Always		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		4444	86.4%	(85.2-87.6)	490	9.8%	(8.7-10.8)	199	3.8%	(3.1-4.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	222	86.0%	(81.3-90.8)	26	10.1%	(5.9-14.3)	11	3.8%	(1.5-6.2)
	<b>Partnership of Community Resources</b>	164	87.4%	(81.3-93.4)	16	8.5%	(3.0-13.9)	9	4.1%	(1.1-7.2)
	<b>PACE Coalition</b>	346	90.8%	(87.6-93.9)	28	7.1%	(4.4-9.8)	7	2.1%	(0.4-3.8)
	<b>Churchill Community Coalition</b>	130	87.6%	(81.7-93.4)	10	7.6%	(2.7-12.6)	8	4.8%	(1.4-8.2)
	<b>Frontier Community Coalition</b>	285	91.7%	(88.5-94.8)	24	7.2%	(4.2-10.2)	4	1.1%	(0.0-2.2)
	<b>Healthy Communities Coalition</b>	237	87.0%	(82.8-91.2)	18	6.7%	(3.6-9.8)	18	6.3%	(3.3-9.3)
	<b>Nye Communities Coalition</b>	327	89.7%	(86.5-92.9)	26	6.9%	(4.2-9.6)	12	3.4%	(1.5-5.3)
	<b>Join Together Northern Nevada</b>	1054	84.9%	(82.8-87.0)	142	10.9%	(9.1-12.7)	54	4.2%	(3.1-5.4)
	<b>NV Community Prevention Coalition</b>	90	94.1%	(89.6-98.7)	4	4.0%	(0.1-7.8)	2	1.9%	(0.0-4.5)
	<b>PACT Coalition</b>	1410	86.6%	(84.9-88.3)	163	9.6%	(8.1-11.1)	64	3.8%	(2.8-4.7)
<b>CARE Coalition</b>	179	81.6%	(76.4-86.8)	33	14.1%	(9.4-18.8)	10	4.3%	(1.7-6.9)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 110: Percentage of high school students who visited a dentist during the 12 months before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		3701	71.7%	(70.1-73.4)	1408	28.3%	(26.6-29.9)
<b>Coalition</b>	<b>Partnership Carson City</b>	202	79.2%	(73.8-84.6)	56	20.8%	(15.4-26.2)
	<b>Partnership of Community Resources</b>	152	81.2%	(74.2-88.1)	38	18.8%	(11.9-25.8)
	<b>PACE Coalition</b>	259	70.2%	(65.4-75.1)	120	29.8%	(24.9-34.6)
	<b>Churchill Community Coalition</b>	102	69.2%	(61.2-77.1)	46	30.8%	(22.9-38.8)
	<b>Frontier Community Coalition</b>	227	74.3%	(69.3-79.2)	87	25.7%	(20.8-30.7)
	<b>Healthy Communities Coalition</b>	194	71.6%	(65.8-77.3)	75	28.4%	(22.7-34.2)
	<b>Nye Communities Coalition</b>	243	67.7%	(62.5-72.8)	116	32.3%	(27.2-37.5)
	<b>Join Together Northern Nevada</b>	952	75.4%	(72.7-78.1)	296	24.6%	(21.9-27.3)
	<b>NV Community Prevention Coalition</b>	68	71.2%	(61.8-80.5)	27	28.8%	(19.5-38.2)
	<b>PACT Coalition</b>	1154	71.1%	(68.8-73.4)	476	28.9%	(26.6-31.2)
<b>CARE Coalition</b>	148	67.9%	(61.4-74.4)	71	32.1%	(25.6-38.6)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Visited a dentist office for a check-up, exam, teeth cleaning, or other dental work

## Physical Activity

**Table 111: Percentage of high school students who did not participate in at least 60 minutes of physical activity on any day during the 7 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		700	14.8%	(13.5-16.1)	4386	85.2%	(83.9-86.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	28	10.9%	(6.7-15.1)	228	89.1%	(84.9-93.3)
	<b>Partnership of Community Resources</b>	13	4.3%	(1.9-6.8)	175	95.7%	(93.2-98.1)
	<b>PACE Coalition</b>	42	11.3%	(7.9-14.7)	333	88.7%	(85.3-92.1)
	<b>Churchill Community Coalition</b>	32	20.9%	(13.9-27.8)	117	79.1%	(72.2-86.1)
	<b>Frontier Community Coalition</b>	32	10.2%	(6.6-13.8)	278	89.8%	(86.2-93.4)
	<b>Healthy Communities Coalition</b>	34	13.3%	(8.9-17.8)	233	86.7%	(82.2-91.1)
	<b>Nye Communities Coalition</b>	41	10.8%	(7.5-14.0)	326	89.2%	(86.0-92.5)
	<b>Join Together Northern Nevada</b>	187	16.1%	(13.7-18.4)	1053	83.9%	(81.6-86.3)
	<b>NV Community Prevention Coalition</b>	6	5.5%	(1.2-9.8)	87	94.5%	(90.2-98.8)
	<b>PACT Coalition</b>	250	15.5%	(13.6-17.3)	1372	84.5%	(82.7-86.4)
	<b>CARE Coalition</b>	35	16.3%	(11.2-21.5)	184	83.7%	(78.5-88.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> No participation in any kind of physical activity that increased their heart rate and made them breathe hard some of the time

**Table 112: Percentage of high school students who were physically active at least 60 minutes/day on 5 or more days during the 7 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		2379	43.9%	(42.2-45.7)	2707	56.1%	(54.3-57.8)
<b>Coalition</b>	<b>Partnership Carson City</b>	111	43.6%	(37.0-50.3)	145	56.4%	(49.7-63.0)
	<b>Partnership of Community Resources</b>	76	44.2%	(35.0-53.5)	112	55.8%	(46.5-65.0)
	<b>PACE Coalition</b>	200	53.6%	(48.2-59.0)	175	46.4%	(41.0-51.8)
	<b>Churchill Community Coalition</b>	75	51.7%	(43.0-60.5)	74	48.3%	(39.5-57.0)
	<b>Frontier Community Coalition</b>	179	58.3%	(52.5-64.1)	131	41.7%	(35.9-47.5)
	<b>Healthy Communities Coalition</b>	143	53.8%	(47.4-60.1)	124	46.2%	(39.9-52.6)
	<b>Nye Communities Coalition</b>	230	64.7%	(59.6-69.8)	137	35.3%	(30.2-40.4)
	<b>Join Together Northern Nevada</b>	547	43.0%	(40.0-46.0)	693	57.0%	(54.0-60.0)
	<b>NV Community Prevention Coalition</b>	56	60.2%	(50.0-70.4)	37	39.8%	(29.6-50.0)
	<b>PACT Coalition</b>	666	41.8%	(39.3-44.2)	956	58.2%	(55.8-60.7)
	<b>CARE Coalition</b>	96	43.4%	(36.6-50.2)	123	56.6%	(49.8-63.4)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Were physically active doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time

**Table 113: Percentage of high school students who were physically active at least 60 minutes/day on all 7 days before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1263	23.0%	(21.5-24.5)	3823	77.0%	(75.5-78.5)
<b>Coalition</b>	<b>Partnership Carson City</b>	63	24.8%	(19.1-30.6)	193	75.2%	(69.4-80.9)
	<b>Partnership of Community Resources</b>	34	22.1%	(13.4-30.9)	154	77.9%	(69.1-86.6)
	<b>PACE Coalition</b>	115	31.5%	(26.4-36.6)	260	68.5%	(63.4-73.6)
	<b>Churchill Community Coalition</b>	41	30.2%	(21.7-38.8)	108	69.8%	(61.2-78.3)
	<b>Frontier Community Coalition</b>	99	31.9%	(26.4-37.5)	211	68.1%	(62.5-73.6)
	<b>Healthy Communities Coalition</b>	74	26.9%	(21.3-32.5)	193	73.1%	(67.5-78.7)
	<b>Nye Communities Coalition</b>	125	35.9%	(30.6-41.3)	242	64.1%	(58.7-69.4)
	<b>Join Together Northern Nevada</b>	296	23.3%	(20.8-25.8)	944	76.7%	(74.2-79.2)
	<b>NV Community Prevention Coalition</b>	24	27.1%	(17.7-36.4)	69	72.9%	(63.6-82.3)
	<b>PACT Coalition</b>	341	21.6%	(19.5-23.7)	1281	78.4%	(76.3-80.5)
	<b>CARE Coalition</b>	51	22.6%	(16.9-28.4)	168	77.4%	(71.6-83.1)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Any kind of physical activity that increased their heart rate and made them breathe hard some of the time

**Table 114: Percentage of high school students who played video or computer games, watched TV, or used a computer for 3 or more hours per day<sup>d,e,f</sup> — Nevada, Youth Risk Behavior Survey, 2017\***

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		2587	54.9%	(53.1-56.6)	2533	45.1%	(43.4-46.9)
<b>Coalition</b>	<b>Partnership Carson City</b>	116	46.7%	(40.0-53.5)	142	53.3%	(46.5-60.0)
	<b>Partnership of Community Resources</b>	90	47.3%	(38.2-56.4)	100	52.7%	(43.6-61.8)
	<b>PACE Coalition</b>	153	38.5%	(33.2-43.7)	230	61.5%	(56.3-66.8)
	<b>Churchill Community Coalition</b>	82	52.1%	(43.4-60.9)	68	47.9%	(39.1-56.6)
	<b>Frontier Community Coalition</b>	137	43.8%	(37.9-49.6)	175	56.2%	(50.4-62.1)
	<b>Healthy Communities Coalition</b>	129	49.7%	(43.3-56.0)	140	50.3%	(44.0-56.7)
	<b>Nye Communities Coalition</b>	173	47.5%	(42.1-53.0)	190	52.5%	(47.0-57.9)
	<b>Join Together Northern Nevada</b>	587	46.7%	(43.7-49.8)	664	53.3%	(50.2-56.3)
	<b>NV Community Prevention Coalition</b>	47	50.4%	(40.1-60.7)	48	49.6%	(39.3-59.9)
	<b>PACT Coalition</b>	961	59.0%	(56.6-61.5)	670	41.0%	(38.5-43.4)
	<b>CARE Coalition</b>	112	52.9%	(46.1-59.8)	106	47.1%	(40.2-53.9)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> On an average school day

<sup>e</sup> For something that was not school work

<sup>f</sup> Including Xbox, PlayStation, iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media

**\* Note: In 2017, this question was changed to incorporate all types of screen time. Comparisons should not be made with previous years.**

**Table 115: Percentage of high school students who attended physical education (PE) classes on one or more days in an average school week — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		2849	54.0%	(52.3-55.8)	2253	46.0%	(44.2-47.7)
<b>Coalition</b>	<b>Partnership Carson City</b>	169	58.2%	(51.4-65.1)	87	41.8%	(34.9-48.6)
	<b>Partnership of Community Resources</b>	108	63.6%	(55.4-71.8)	81	36.4%	(28.2-44.6)
	<b>PACE Coalition</b>	200	54.4%	(49.0-59.7)	181	45.6%	(40.3-51.0)
	<b>Churchill Community Coalition</b>	81	50.1%	(41.4-58.9)	68	49.9%	(41.1-58.6)
	<b>Frontier Community Coalition</b>	189	60.6%	(54.8-66.4)	120	39.4%	(33.6-45.2)
	<b>Healthy Communities Coalition</b>	127	45.5%	(39.2-51.8)	144	54.5%	(48.2-60.8)
	<b>Nye Communities Coalition</b>	183	50.0%	(44.5-55.5)	177	50.0%	(44.5-55.5)
	<b>Join Together Northern Nevada</b>	734	55.3%	(52.3-58.3)	515	44.7%	(41.7-47.7)
	<b>NV Community Prevention Coalition</b>	78	79.9%	(71.5-88.3)	18	20.1%	(11.7-28.5)
	<b>PACT Coalition</b>	866	52.5%	(50.0-55.1)	758	47.5%	(44.9-50.0)
<b>CARE Coalition</b>	114	51.2%	(44.3-58.1)	104	48.8%	(41.9-55.7)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval



**Table 116: Percentage of high school students who attended physical education (PE) classes daily<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1191	23.6%	(22.1-25.1)	3911	76.4%	(74.9-77.9)
<b>Coalition</b>	<b>Partnership Carson City</b>	31	11.1%	(7.0-15.2)	225	88.9%	(84.8-93.0)
	<b>Partnership of Community Resources</b>	14	9.7%	(4.3-15.0)	175	90.3%	(85.0-95.7)
	<b>PACE Coalition</b>	43	11.0%	(7.6-14.4)	338	89.0%	(85.6-92.4)
	<b>Churchill Community Coalition</b>	23	13.0%	(7.5-18.4)	126	87.0%	(81.6-92.5)
	<b>Frontier Community Coalition</b>	111	32.9%	(27.5-38.4)	198	67.1%	(61.6-72.5)
	<b>Healthy Communities Coalition</b>	108	38.6%	(32.4-44.7)	163	61.4%	(55.3-67.6)
	<b>Nye Communities Coalition</b>	97	27.4%	(22.5-32.4)	263	72.6%	(67.6-77.5)
	<b>Join Together Northern Nevada</b>	267	19.6%	(17.3-21.9)	982	80.4%	(78.1-82.7)
	<b>NV Community Prevention Coalition</b>	55	55.6%	(45.4-65.8)	41	44.4%	(34.2-54.6)
	<b>PACT Coalition</b>	363	21.7%	(19.7-23.7)	1261	78.3%	(76.3-80.3)
<b>CARE Coalition</b>	79	35.7%	(29.1-42.3)	139	64.3%	(57.7-70.9)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> 5 days in an average week when they were in school

**Table 117: Percentage of high school students who played on at least one sports team run by their school or community groups during the 12 months before the survey — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		2662	48.7%	(46.9-50.5)	2414	51.3%	(49.5-53.1)
<b>Coalition</b>	<b>Partnership Carson City</b>	144	55.2%	(48.4-61.9)	112	44.8%	(38.1-51.6)
	<b>Partnership of Community Resources</b>	119	58.4%	(49.1-67.6)	71	41.6%	(32.4-50.9)
	<b>PACE Coalition</b>	246	62.7%	(57.4-68.0)	135	37.3%	(32.0-42.6)
	<b>Churchill Community Coalition</b>	70	53.1%	(44.2-61.9)	75	46.9%	(38.1-55.8)
	<b>Frontier Community Coalition</b>	184	59.3%	(53.4-65.2)	121	40.7%	(34.8-46.6)
	<b>Healthy Communities Coalition</b>	154	56.4%	(50.0-62.7)	112	43.6%	(37.3-50.0)
	<b>Nye Communities Coalition</b>	246	69.3%	(64.2-74.4)	111	30.7%	(25.6-35.8)
	<b>Join Together Northern Nevada</b>	590	46.6%	(43.6-49.7)	651	53.4%	(50.3-56.4)
	<b>NV Community Prevention Coalition</b>	74	79.8%	(71.7-87.8)	20	20.2%	(12.2-28.3)
	<b>PACT Coalition</b>	724	45.4%	(42.8-47.9)	899	54.6%	(52.1-57.2)
	<b>CARE Coalition</b>	111	50.2%	(43.3-57.1)	107	49.8%	(42.9-56.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Table 118: Percentage of high school students who have had a concussion from playing in a sport or being physically active during the 12 months before the survey<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		822	15.0%	(13.8-16.3)	4313	85.0%	(83.7-86.2)
<b>Coalition</b>	<b>Partnership Carson City</b>	46	16.4%	(11.5-21.4)	210	83.6%	(78.6-88.5)
	<b>Partnership of Community Resources</b>	29	18.4%	(9.9-26.9)	160	81.6%	(73.1-90.1)
	<b>PACE Coalition</b>	64	16.9%	(12.8-20.9)	321	83.1%	(79.1-87.2)
	<b>Churchill Community Coalition</b>	33	20.5%	(13.7-27.4)	116	79.5%	(72.6-86.3)
	<b>Frontier Community Coalition</b>	42	13.2%	(9.3-17.2)	271	86.8%	(82.8-90.7)
	<b>Healthy Communities Coalition</b>	49	19.0%	(13.9-24.1)	222	81.0%	(75.9-86.1)
	<b>Nye Communities Coalition</b>	53	14.4%	(10.7-18.1)	309	85.6%	(81.9-89.3)
	<b>Join Together Northern Nevada</b>	232	18.4%	(16.1-20.8)	1025	81.6%	(79.2-83.9)
	<b>NV Community Prevention Coalition</b>	15	17.7%	(9.5-26.0)	79	82.3%	(74.0-90.5)
	<b>PACT Coalition</b>	230	14.1%	(12.3-15.8)	1409	85.9%	(84.2-87.7)
	<b>CARE Coalition</b>	29	12.3%	(7.7-17.0)	191	87.7%	(83.0-92.3)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> A blow or jolt to the head causing problems such as dizziness, being dazed or confused, difficulty remembering or concentrating, vomiting, blurred vision, or being knocked out

**Table 119: Percentage of high school students who had 8 or more hours of sleep on an average school night — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		1300	23.1%	(21.7-24.6)	3815	76.9%	(75.4-78.3)
<b>Coalition</b>	<b>Partnership Carson City</b>	61	22.3%	(16.7-27.8)	198	77.7%	(72.2-83.3)
	<b>Partnership of Community Resources</b>	45	29.3%	(20.4-38.1)	145	70.7%	(61.9-79.6)
	<b>PACE Coalition</b>	115	29.2%	(24.4-34.1)	267	70.8%	(65.9-75.6)
	<b>Churchill Community Coalition</b>	37	26.8%	(18.5-35.0)	112	73.2%	(65.0-81.5)
	<b>Frontier Community Coalition</b>	102	33.3%	(27.7-38.9)	209	66.7%	(61.1-72.3)
	<b>Healthy Communities Coalition</b>	87	33.7%	(27.6-39.7)	180	66.3%	(60.3-72.4)
	<b>Nye Communities Coalition</b>	92	26.4%	(21.6-31.3)	266	73.6%	(68.7-78.4)
	<b>Join Together Northern Nevada</b>	331	25.5%	(22.8-28.1)	925	74.5%	(71.9-77.2)
	<b>NV Community Prevention Coalition</b>	26	26.9%	(17.8-35.9)	67	73.1%	(64.1-82.2)
	<b>PACT Coalition</b>	357	21.7%	(19.6-23.8)	1277	78.3%	(76.2-80.4)
<b>CARE Coalition</b>	47	20.4%	(15.0-25.8)	169	79.6%	(74.2-85.0)	

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

**Weight**

**Table 120: Percentage of high school students who were obese<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		723	13.4%	(12.2-14.5)	4613	86.6%	(85.5-87.8)
<b>Coalition</b>	<b>Partnership Carson City</b>	41	16.6%	(11.5-21.8)	218	83.4%	(78.2-88.5)
	<b>Partnership of Community Resources</b>	19	11.8%	(5.5-18.0)	173	88.2%	(82.0-94.5)
	<b>PACE Coalition</b>	40	10.1%	(7.0-13.3)	349	89.9%	(86.7-93.0)
	<b>Churchill Community Coalition</b>	20	12.5%	(6.9-18.1)	132	87.5%	(81.9-93.1)
	<b>Frontier Community Coalition</b>	57	16.1%	(12.0-20.2)	264	83.9%	(79.8-88.0)
	<b>Healthy Communities Coalition</b>	44	15.2%	(10.8-19.6)	237	84.8%	(80.4-89.2)
	<b>Nye Communities Coalition</b>	57	14.1%	(10.4-17.8)	356	85.9%	(82.2-89.6)
	<b>Join Together Northern Nevada</b>	159	11.8%	(9.9-13.7)	1151	88.2%	(86.3-90.1)
	<b>NV Community Prevention Coalition</b>	12	12.2%	(5.5-18.9)	86	87.8%	(81.1-94.5)
	<b>PACT Coalition</b>	239	13.7%	(12.1-15.4)	1430	86.3%	(84.6-87.9)
	<b>CARE Coalition</b>	35	13.6%	(9.3-18.0)	217	86.4%	(82.0-90.7)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Students who were ≥95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts

**Table 121: Percentage of high school students who were overweight<sup>d</sup> — Nevada, Youth Risk Behavior Survey, 2017**

		Yes			No		
		N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)	N <sup>a</sup>	% <sup>b</sup>	C.I. <sup>c</sup> (95%)
<b>State Total</b>		835	15.5%	(14.3-16.8)	4501	84.5%	(83.2-85.7)
<b>Coalition</b>	<b>Partnership Carson City</b>	47	18.5%	(13.2-23.7)	212	81.5%	(76.3-86.8)
	<b>Partnership of Community Resources</b>	19	6.4%	(3.3-9.6)	173	93.6%	(90.4-96.7)
	<b>PACE Coalition</b>	68	18.4%	(14.0-22.8)	321	81.6%	(77.2-86.0)
	<b>Churchill Community Coalition</b>	31	19.4%	(12.9-26.0)	121	80.6%	(74.0-87.1)
	<b>Frontier Community Coalition</b>	45	15.2%	(10.9-19.5)	276	84.8%	(80.5-89.1)
	<b>Healthy Communities Coalition</b>	42	15.0%	(10.6-19.5)	239	85.0%	(80.5-89.4)
	<b>Nye Communities Coalition</b>	62	14.4%	(10.9-17.9)	351	85.6%	(82.1-89.1)
	<b>Join Together Northern Nevada</b>	203	16.3%	(13.9-18.6)	1107	83.7%	(81.4-86.1)
	<b>NV Community Prevention Coalition</b>	24	23.2%	(14.7-31.6)	74	76.8%	(68.4-85.3)
	<b>PACT Coalition</b>	248	14.5%	(12.8-16.3)	1421	85.5%	(83.7-87.2)
	<b>CARE Coalition</b>	46	18.2%	(13.2-23.2)	206	81.8%	(76.8-86.8)

<sup>a</sup> The sample size in the total and subgroups may differ due to missing data

<sup>b</sup> Weighted row percent

<sup>c</sup> 95% confidence interval

<sup>d</sup> Students who were ≥85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts