



HONEYCOMB

SHADES

Effective February 4, 2019 (Revised 4/1/19)

design simplified™

TABLE OF CONTENTS

Product Overview

• What's New for 2019	2
• Features & Benefits	2
• Pattern Information	3
• Fabric and Rail Color Charts	4-8

Pricing for Standard Rectangular, Options, RemoteLift 2.0, Simplicity Surcharges

• Price Groups 1-12 Honeycomb Fabrics	9-20
• Price Group 13 – 2" Hybrid Pleat – Semi-Opaque	21
• Price Group 14 – 2" Hybrid Pleat – Blackout	22
• Motorization Surcharges and Options.	23

Product Configuration Specifications

• Standard Cordlock	24
• Two-on-One Headrail	25
• Top-Down or Top-Down/Bottom-Up	26
• Two-Fabric Combination	27
• Cut-Outs	27
• Cordless Lift	28
• Cordless Lift & Lock	29
• Continuous Cord Loop	30-31

Versatile Innovations™

TriLight Shades®

• Features & Benefits	32
• Selecting a TriLight Shade	32
• Sheer Pleated Color Chart	33
• Pricing Groups and Options	34
• Configuration Specifications	35-37
• Stacking Information	35-37

Product Configuration Specifications

• RemoteLift™ 2.0 Motorization	38-42
• Simplicity and PowerWand™	43-48
• Vertical Application	49-52
• Classic Skylight & Skylight with Simplicity Motorization	53-56
• Arches	57-58
• Specialty Shapes	59-60
• Size Standards Summary	61-64
• Product Components Diagrams.	65-76

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width (or Vertical Applications over 96" in height) are considered oversize. Therefore, a net shipping charge of \$40 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

WHAT'S NEW FOR 2019

- New Simplicity Rechargeable motorization Top-Down/Bottom-Up – provides the flexibility of Top-Down/Bottom-Up with the ease of motorization.
- New Skylight with Simplicity motorization, now available with Rechargeable Battery. Rechargeable motorization offers expanded flexibility in this popular system, pair with a Solar Panel for true simplicity.
- Option of a single handle on Cordless Shades greater than 42" wide. A great option for windows needing the extension pole for access. Standardize the look across different widths.
- Continuous Cordloop Trilight now features the deluxe middle rail. Allows middle rail adjustability and a standard look across Trilight lifting systems.

FEATURES & BENEFITS



- Their distinctive cellular construction helps insulate homes and reduce heating and cooling bills.
- Their superior sound absorption helps make surroundings quieter and more comfortable.
- 100% stain-resistant polyester fabric is wrinkle-resistant and easy to clean and maintain – most fabric styles are completely washable.
- Color choices include over 200 options from neutrals and bold colors to exclusive prints and solids.
- Multiple cell size choices, including 2" Hybrid Pleat, cover small- to large-scale windows, plus sliding glass doors.
- Fabric opacities range from sheer and semi-sheer to blackout, offering privacy and light control versatility. FR fabrics are also available.
- The neutral white backing on most fabric styles provides a consistent appearance to the outside of the home.
- Offered with a wide selection of control options, including top-down/bottom-up, continuous loop, cordless lift, vertical application and motorized control, to fit any need.
- Cordless lift, cordless lift & lock, continuous cord loop, RemoteLift 2.0 shades, and Simplicity shades are available with Fabric Covered rails for a surcharge.
- Optional color-coordinated rails are available at no additional cost.
- Features Versatile Innovations™ TriLight Shades® for enhanced versatility.
- Limited lifetime warranty ensures your customers' satisfaction.

PATTERN INFORMATION

MOST PATTERNS ARE MADE FROM UNIQUE, DURABLE, POLYESTER FABRICS THAT REPEL DIRT, RESIST STAINS AND CLEAN EASILY.

Pattern Name		# of Cells	Price Group (Standard)	Winter R-Values	Summer Solar Heat Gain Coefficient	Care Code	Light Control	Hardware Restrictions	Hardware Options
3/8" Marcella	H44	Single	2	4.92	0.41	1, 2 & 3	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical Application, TriLight	• Standard Cordlock • Continuous Cord Loop System • Continuous Cord Loop Top-Down/ Bottom-Up • Cordless Lift System • Cordless Lift & Lock • Two-Fabric Combination • Top-Down • Top-Down/ Bottom-Up • Two-On-One Headrail • Vertical Application • Classic Skylight • Arches • Angles • Specialty Shapes • Battery Operated Motorization • TriLight
3/8" Opulence	H40	Single	3	4.45	0.35	1, 2 & 3	C	Cordless Lift & Lock, Two-Fabric Combo, Vertical Application, TriLight	
3/8" Opulence Blackout	H41	Single	10	5.89	0.21	1, 2 & 3	E	Cordless, Cordless Lift & Lock, Two-Fabric Combo, Vertical App, TriLight	
3/4" Cardiff	H91	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Glimmer	HS3	Single	6	5.00	0.41	1, 2 & 3	C	—	
3/4" Linen	H27	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Marcella	H45	Single	4	5.00	0.41	1, 2 & 3	C	—	
3/4" Marcella Blackout	H46	Single	9	5.88	0.20	1, 2 & 3	E	—	
3/4" Melodic	HX6	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Mirada	H92	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Opulence	H28	Single	6	4.49	0.36	1, 2 & 3	C	—	
3/4" Opulence Blackout	H29	Single	11	4.87	0.25	1, 2 & 3	E	—	
3/4" Peaceful	H96	Single	12	4.49	0.36	1, 2 & 3	C	Arches	
3/4" Radiance	HF6	Single	1	4.49	0.36	1, 2 & 3	C	—	
3/4" Radiance Blackout	HF7	Single	7	5.88	0.20	1, 2 & 3	E	—	
3/4" Serene FR*	H62	Single	6	5.16	0.36	1, 2 & 3	C	—	
3/4" Serene FR Blackout*	H60	Single	11	5.74	0.25	1, 2 & 3	E	—	
3/4" Tiffany Sheer	H25	Single	11	3.72	0.22	1, 2 & 3	A	TriLight	
3/4" Tranquility Semi-Sheer	H24	Single	11	4.07	0.41	1, 2 & 3	B	TriLight, Vertical Application	
1/2" Marcella Double Cell	H47	Double	5	5.26	0.30	1, 2 & 3	C	Cordless Two-Fabric Combo, Vertical App	
1/2" Opulence Double Cell	H39	Double	8	4.78	0.30	1, 2 & 3	C	Cordless Two-Fabric Combo, Vertical App	
3/8" Tricella Triple Cell	H58	Triple	11	5.78	0.20	1, 2 & 3	C	Cordless, Cordless Lift & Lock, Cordless TDBU, Cordless Two-Fabric Combo, Vertical App, Skylight, Top-Down Arch, Motorization, TriLight	
2" Hybrid Pleat – Semi-Opaque	HPF	Single	13	4.53	N/A	1, 2 & 3	C	Standard Cordlock, Two-Fabric Combo, Skylight, Arches, Angles, Specialty Shapes, PowerWand	
2" Hybrid Pleat – Blackout	HPR	Singe	14	4.78	N/A	1, 2 & 3	E	Standard Cordlock, Two-Fabric Combo, Skylight, Arches, Angles, Specialty Shapes, PowerWand	

* Flame Resistant – Passes Flame Test NFPA 701

Winter R-Values

R-Value measures resistance to heat loss. The higher the R-Value, the more insulation the product provides. In winter, higher insulation means less heat loss and a warmer room. (Double glaze window.)

Summer Solar Heat Gain Coefficient

Coefficient measures the products ability to reduce heat gain from the sun. The lower the number, the less solar energy it transmits. In summer, less heat transmitted means a cooler room. (Double glaze window.)

Care Method 1

Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for all Honeycomb Shade surfaces which are lightly soiled.

Care Method 2

Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for all Honeycomb Shade surfaces which need spot cleaning.

Care Method 3

Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for all Honeycomb Shade surfaces which are heavily soiled.



A. Glare Reducing

Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



B. Filtering

Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



C. Shading

Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category.



D. Blocking

Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout slats and vanes).



E. Blackout

Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

FABRIC AND RAIL COLOR CHART

3/8" Single Cell Fabrics (Semi-Opaque & Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Semi-Opaque (Price Group 2)				
H44	807	Almond Glaze	630	N/A
H44	808	Brown Sugar	083	
H44	804	Crepe Souffle	882	
H44	803	Jasmine Wisp	674	
H44	802	Mountain Mist	862	
H44	801	Sugar Cane	661	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Blackout (Price Group 10)				
H41	628	Cloud Puff	661	N/A
H41	703	Doe	862	
H41	702	Soft White	785	
H41	632	Tranquil Tea	954	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Semi-Opaque (Price Group 3)				
H40	606	Biscuit	882	N/A
H40	636	Chocolate Bliss	083	
H40	608	Cocoa	810	
H40	603	Doe	862	
H40	604	Fallen Snow	882	
H40	612	Gentle White	661	
H40	615	Sagebrush	621	
H40	629	Soft Linen	862	
H40	601	Soft White	661	
H40	617	Sunbeam	862	
H40	632	Tranquil Tea	954	
H40	637	Warm Cocoa	361	

CODE KEY: HEADRAIL	
STD = Standard Cordlock (Cordless Lift, Continuous Cord Loop, Simplicity and RemoteLift shades with coordinated rail.)	
VA = Vertical Application shades	

Hardware Colors			
		STD	VA
018	Satin Silver	X	N/A
048	Black	X	X
082	Camel	N/A	X
083	Cocoa	X	X
127	Cameo	X	N/A
135	Whisper Heather	X	N/A
276	Silverado	N/A	X
320	Rich Cream	X	N/A
361	Tender Taupe	X	N/A
405	Gray Flannel	X	N/A
450	Skyline	X	N/A
621	Putty	X	N/A
630	Gold Leaf	X	N/A
661	White Tiara	X	X
674	Bamboo Stalk	X	N/A

		STD	VA
685	Blue Sky	X	N/A
765	Silver Maple	X	N/A
785	Aspen White	X	X
810	Mushroom	X	X
841	Dark Blonde	N/A	X
849	Mocha	X	N/A
862	Gardenia White	X	X
882	Honey Bisque	X	X
885	Flex White	X	N/A
952	Pristine Beach	X	N/A
954	Tranquil Tea	X	N/A
956	Renaissance Clay	X	N/A
958	Velvet Fern	X	N/A
960	Terra Cotta Urn	X	N/A

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Semi-Opaque, Semi-Sheer & Sheer)

		FABRIC	HARDWARE	
Code	Color #	Color Name	STD	VA
CARDIFF Semi-Opaque (Price Group 6)				
H91	3002	Distant Range	320	862
H91	3003	Haystack	954	661
H91	3006	Riverfront	810	810
H91	3005	Skipping Stones	765	276
H91	3001	Star Gazing	785	785
H91	3004	Winter Forest	083	083
GLIMMER Semi-Opaque (Price Group 6)				
HS3	854	Copper Blaze	960	083
HS3	668	Copper Radiance	954	083
HS3	911	Copper Sage	958	785
HS3	989	Gold Brilliance	882	882
HS3	468	Gold Leaf	630	862
HS3	955	Gold Shimmer	862	862
HS3	682	Silver Birch	862	862
HS3	829	Silver River	765	661
HS3	686	Silver Truffle	810	810
LINEN Semi-Opaque (Price Group 6)				
H27	454	Dried Sage	621	862
H27	451	French Vanilla	882	882
H27	452	Harvest	630	841
H27	453	Khaki	630	841
MARCELLA Semi-Opaque (Price Group 4)				
H45	807	Almond Glaze	630	862
H45	808	Brown Sugar	083	083
H45	804	Crepe Souffle	882	882
H45	805	Fresh Toffee	952	082
H45	822	Grey Linen	765	276
H45	803	Jasmine Wisp	674	862
H45	8701	Mocha Brownie	810	810
H45	802	Mountain Mist	862	862
H45	821	Pearly Beige	862	862
H45	8703	Serious Gray	405	276
H45	8700	Spanish Olive	621	862
H45	801	Sugar Cane	661	661
MELODIC Semi-Opaque (Price Group 6)				
HX6	1053	Ballet	862	862
HX6	1051	Bravado	661	661
HX6	1089	Charango	862	862
HX6	1018	Ginger	320	862
HX6	1465	Jade	135	785
HX6	1469	Jave	849	810
HX6	1084	Meseno	810	810
HX6	1016	Padoanna	450	661
HX6	1055	Timbre	810	810
MIRADA Semi-Opaque (Price Group 6)				
H92	3021	Bungalow Brown	361	810
H92	3022	Lazy Day	785	785
H92	3025	Marina Gray	765	276
H92	3024	North Star	661	661
H92	3023	Relaxing Rain	405	276
H92	3026	Sonora Dunes	862	862

****IMPORTANT NOTE:****

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

CODE KEY: HEADRAIL	
STD	Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)
VA	Vertical Application shades

		FABRIC	HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Semi-Opaque (Price Group 6)				
H28	651	Accent Grey	765	276
H28	606	Biscuit	882	882
H28	636	Chocolate Bliss	083	083
H28	608	Cocoa	810	810
H28	622	Country Road	621	862
H28	603	Doe	862	862
H28	604	Fallen Snow	882	882
H28	635	Fudge Truffle	954	082
H28	621	Gentle White	661	661
H28	653	Golden Sage	630	841
H28	652	Grey Stone	765	276
H28	5021	Nantucket Gray	405	276
H28	5022	Newport Gray	405	276
H28	631	Pristine Beach	954	082
H28	5020	Regal Taupe	810	810
H28	634	Renaissance Clay	956	862
H28	615	Sagebrush	621	785
H28	629	Soft Linen	862	862
H28	601	Soft White	661	661
H28	617	Sunbeam	862	862
H28	607	Taupe	127	862
H28	632	Tranquil Tea	954	082
H28	637	Warm Cocoa	361	810
H28	618	White Azalea	661	661
PEACEFUL Semi-Opaque (Price Group 12)				
H96	2222	Barely Beige	862	862
H96	2228	Blue Skies	450	661
H96	2225	Canyon Walls	954	082
H96	2229	Casting Pond	450	661
H96	2224	Country Crossing	882	882
H96	2223	Desert Dunes	862	862
H96	2221	Drop of Sun	785	785
H96	2226	Fair Oaks	810	810
H96	2227	Fallen Leaves	862	862
H96	2230	Mountain Meadow	135	785
H96	2220	Zephyr	661	661
RADIANCE Semi-Opaque (Price Group 1)				
HF6	445	Aged Brass	621	785
HF6	444	Aged Leather	083	083
HF6	439	Golden	630	862
HF6	458	Pewter	765	661
HF6	416	Primrose	882	882
HF6	448	Rosemary	958	785
HF6	454	Twilight	450	661
HF6	400	Vintage Lace	785	785

		FABRIC	HARDWARE	
Code	Color #	Color Name	STD	VA
SERENE FR Semi-Opaque (Price Group 6)				
H62	263	Blanched Almond	862	862
H62	261	Lemon Chiffon	785	785
H62	262	Pearl Shell	882	882
H62	260	Snow White	661	661

		FABRIC	HARDWARE	
Code	Color #	Color Name	STD	VA
TIFFANY Sheer (Price Group 11)				
H25	102	Almond Veil	882	882
H25	103	Soft Sand	862	862
H25	100	White Veil	661	661
TRANQUILITY Semi-Sheer (Price Group 11)				
H24	273	Desert Sand	882	N/A
H24	272	Pale Rose	320	
H24	274	Soft Buttercup	674	
H24	271	White Linen	661	

FABRIC AND RAIL COLOR CHART

3/4" Single Cell Fabrics (Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Blackout (Price Group 9)				
H46	807	Almond Glaze	630	862
H46	808	Brown Sugar	954	083
H46	804	Crepe Souffle	882	882
H46	822	Grey Linen	765	276
H46	803	Jasmine Wisp	674	862
H46	802	Mountain Mist	862	862
H46	821	Pearly Beige	862	862
H46	801	Sugar Cane	661	661
OPULENCE Blackout (Price Group 11)				
H29	606	Biscuit	882	882
H29	628	Cloud Puff	661	661
H29	652	Deep Slate	450	661
H29	603	Doe	862	862
H29	690	Grey Stone	765	862
H29	5021	Nantucket Gray	405	276
H29	601	Soft White	785	785
H29	617	Sunbeam	862	862
H29	607	Taupe	127	862
H29	632	Tranquil Tea	954	082
H29	637	Warm Cocoa	849	810
H29	618	White Azalea	885	661

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
RADIANCE Blackout (Price Group 7)				
HF7	445	Aged Brass	621	785
HF7	444	Aged Leather	083	083
HF7	439	Golden	630	862
HF7	458	Pewter	765	661
HF7	416	Primrose	882	882
HF7	448	Rosemary	958	785
HF7	454	Twilight	450	661
HF7	400	Vintage Lace	785	785
SERENE FR Blackout (Price Group 11)				
H60	163	Blanched Almond	862	785
H60	160	Cool White	661	661
H60	161	Lemon Chiffon	785	785
H60	162	Pearl Shell	882	882

****IMPORTANT NOTE:****

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

CODE KEY: HEADRAIL

STD = Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

1/2" Double Cell & 3/8" Triple Cell Fabrics

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
MARCELLA Double Cell (Price Group 5)				
H47	807	Almond Glaze	630	N/A
H47	808	Brown Sugar	083	
H47	804	Crepe Souffle	882	
H47	822	Grey Linen	765	
H47	803	Jasmine Wisp	674	
H47	802	Mountain Mist	862	
H47	821	Pearly Beige	862	
H47	801	Sugar Cane	661	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
OPULENCE Double Cell (Price Group 8)				
H39	651	Accent Grey	765	N/A
H39	606	Biscuit	882	
H39	636	Chocolate Bliss	083	
H39	608	Cocoa	810	
H39	603	Doe	862	
H39	604	Fallen Snow	882	
H39	635	Fudge Truffle	954	
H39	652	Grey Stone	765	
H39	615	Sagebrush	621	
H39	629	Soft Linen	862	
H39	601	Soft White	661	
H39	617	Sunbeam	862	
H39	632	Tranquil Tea	954	
H39	637	Warm Cocoa	361	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
TRICELLA Triple Cell (Price Group 11)				
H58	100	Cotton Bloom	661	N/A
H58	108	Dreamy Sunset	952	
H58	110	Foxy Gray	765	
H58	106	Malibu Coast	630	
H58	104	Sand Castle	862	
H58	102	Sun Glow	862	

CODE KEY: HEADRAIL

STD = Standard Cordlock (Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.)

VA = Vertical Application shades

FABRIC AND RAIL COLOR CHART

2" Hybrid Pleat (Semi-Opaque & Blackout)

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Semi-Opaque (Price Group 13)				
<i>Coordinates with Opulence colors of the same name</i>				
HPF	851	Accent Gray	765	276
HPF	808	Cocoa	810	810
HPF	803	Doe	862	862
HPF	852	Grey Stone	765	276
HPF	801	Soft White	661	661
HPF	817	Sunbeam	862	862

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Blackout (Price Group 14)				
<i>Coordinates with Opulence colors of the same name</i>				
HPR	828	Cloud Puff	661	661
HPR	812	Deep Slate	450	661
HPR	803	Doe	862	862
HPR	807	Taupe	127	862
HPR	832	Tranquil Tea	954	082
HPR	837	Warm Cocoa	361	810

CODE KEY: HEADRAIL	
OPTION	= Cordless Lift, Cordless Lift & Lock, Continuous Cord Loop, TriLight, Simplicity and RemoteLift shades with coordinated rail.
VA	= Vertical Application shades

GROUP 1 (Standard Rectangular)

• 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$126	143	161	181	200	217	236	253	272	311	350	392	431
42"	136	153	176	200	217	237	258	280	299	344	387	432	477
48"	146	168	189	213	236	258	281	305	328	375	426	472	524
54"	152	177	203	230	253	278	304	330	355	407	461	515	568
60"	163	187	217	243	270	298	323	354	384	440	497	557	613
66"	174	200	231	259	289	319	348	379	408	472	535	595	660
72"	181	210	243	276	309	340	371	405	436	504	570	637	707
78"	189	221	256	288	327	359	395	429	466	533	607	679	752
84"	198	232	269	305	342	375	412	449	486	561	639	712	793
90"	205	242	281	319	359	398	435	476	515	595	675	756	838
96"	213	252	294	334	375	413	458	497	537	621	708	793	879
108"	232	273	318	362	410	451	498	545	592	683	774	867	964
120"	246	295	347	395	446	492	544	594	642	740	845	947	1040

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Cordless Lift & Lock**
- **Cordless Lift & Lock Two-On-One Headrail** – price as 2 separate shades and add together
- **Cordless Lift & Lock Three-On-One Headrail** – price as 3 separate shades and add together
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 27 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$76
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$76
 - **Two-On-One Headrail*** price as 2 separate shades and add \$152 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$228 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$152
- **Cordless Lift & Lock**
 - **Top-Down/Bottom-Up***add \$76
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **Cordless Extension Pole #40-0036-000**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 32-37
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

GROUP 2 (Standard Rectangular)

• 3/8" Marcella (H44)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$126	143	161	181	200	217	236	253	272	311	350	392	431	472	507
42"	136	153	176	200	217	237	258	280	299	344	387	432	477	523	564
48"	146	168	189	213	236	258	281	305	328	375	426	472	524	570	619
54"	152	177	203	230	253	278	304	330	355	407	461	515	568	624	676
60"	163	187	217	243	270	298	323	354	384	440	497	557	613	673	728
66"	174	200	231	259	289	319	348	379	408	472	535	595	660	723	786
72"	181	210	243	276	309	340	371	405	436	504	570	637	707	771	840
78"	189	221	256	288	327	359	395	429	466	533	607	679	752	823	895
84"	198	232	269	305	342	375	412	449	486	561	639	712	793	867	945
90"	205	242	281	319	359	398	435	476	515	595	675	756	838	919	998
96"	213	252	294	334	375	413	458	497	537	621	708	793	879	962	
108"	232	273	318	362	410	451	498	545	592	683	774	867	964		
120"	246	295	347	395	446	492	544	594	642	740	845	947			
132"	264	316	369	424	479	531	588	640	693	802	915				
144"	280	336	397	451	514	569	628	685	741	862					

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 27 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$22
 - **Top-Down & Top-Down/Bottom-Up**add \$76
 - **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$130
 - **Cordless Lift System***add \$76
 - **Two-On-One Headrail*** price as 2 separate shades and add \$152 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$228 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$152
 - **Cordless Extension Pole #40-0036-000**\$37
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

GROUP 3 (Standard Rectangular)

• 3/8" Opulence (H40)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$134	151	171	192	213	230	250	269	288	330	371	415	457	501	539
42"	142	163	187	211	230	252	276	295	317	363	410	458	506	553	597
48"	153	176	200	224	250	276	297	322	347	398	450	502	555	608	658
54"	162	187	216	243	269	294	321	349	376	433	488	545	605	661	718
60"	172	198	230	256	285	316	345	374	405	467	527	591	652	715	773
66"	185	213	245	277	308	340	369	401	433	501	569	631	701	767	835
72"	192	221	256	292	328	360	395	429	463	536	608	678	751	822	892
78"	200	233	272	307	346	380	420	455	494	568	645	722	798	875	951
84"	208	246	284	322	362	398	438	478	516	594	679	758	842	921	1005
90"	218	256	298	340	380	422	462	505	546	630	717	801	889	977	1062
96"	224	267	311	356	398	439	484	527	572	660	752	841	932	1021	
108"	246	289	337	386	434	480	530	577	627	725	824	921	1023		
120"	260	312	367	420	474	523	576	629	682	787	896	1006			
132"	279	334	392	449	510	566	622	680	735	853	971				
144"	295	358	421	480	544	607	666	728	790	917					

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 27 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$76
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$76
 - **Two-On-One Headrail*** price as 2 separate shades and add \$152 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$228 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$152
- **Cordless Extension Pole #40-0036-000**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

GROUP 4 (Standard Rectangular)

•3/4" Marcella (H45)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$134	149	171	189	208	225	243	265	282	321	363	402	442	481	520	621
42"	143	163	185	208	230	252	272	295	317	361	406	450	498	544	590	698
48"	150	175	200	224	246	269	294	317	344	392	441	490	541	593	640	764
54"	158	182	210	237	265	288	316	341	368	419	476	529	589	637	693	827
60"	172	198	228	254	283	312	340	370	399	459	517	576	639	696	757	901
66"	181	211	242	273	306	338	369	400	433	497	563	627	693	758	822	983
72"	193	219	254	288	322	355	389	424	459	526	596	668	734	804	870	1045
78"	203	237	275	311	349	384	420	459	497	569	647	723	800	877	951	1138
84"	213	249	288	329	369	406	446	485	526	604	685	766	851	928	1009	1211
90"	221	263	305	347	392	431	472	515	558	643	727	814	901	987	1073	1287
96"	231	273	317	362	408	449	496	540	588	676	769	857	951	1042	1130	1305
108"	249	295	347	395	446	492	540	593	642	738	839	940	1042	1138	1240	1488
120"	273	322	380	435	491	545	598	654	709	817	929	1042	1153	1261	1374	1649
132"	294	354	412	475	536	595	654	715	774	897	1020	1143	1269	1385	1512	
144"	310	375	441	507	570	636	698	765	832	962	1092	1222	1357	1487	1614	
156"	330	401	476	544	618	686										
168"	351	428	507	582	660											
174"	369	451	537	619	698											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Cordless Lift & Lock**
- **Cordless Lift & Lock Two-On-One Headrail** – price as 2 separate shades and add together
- **Cordless Lift & Lock Three-On-One Headrail** – price as 3 separate shades and add together
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 27 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$22
 - **Top-Down & Top-Down/Bottom-Up**add \$76
 - **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$130
 - **Cordless Lift System***add \$76
 - **Two-On-One Headrail*** price as 2 separate shades and add \$152 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$228 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$152
 - **Cordless Lift & Lock**
 - **Top-Down/Bottom-Up***add \$76
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **Cordless Extension Pole #40-0036-000**\$37
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 32-37
 - **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

GROUP 5 (Standard Rectangular)

• 1/2" MARCELLA (H47)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$140	156	178	201	221	238	258	280	299	342	386	427	471	511	552
42"	151	173	194	221	242	266	286	312	335	382	432	478	528	575	626
48"	159	186	211	237	263	284	311	336	363	413	468	520	574	628	676
54"	168	193	224	252	280	307	334	361	389	445	505	562	621	674	733
60"	181	208	241	270	301	331	360	393	424	485	549	611	675	736	800
66"	192	225	256	288	322	357	392	426	459	527	596	663	733	801	874
72"	203	233	270	307	344	376	412	448	485	557	633	707	779	852	922
78"	215	252	290	330	370	406	446	485	527	604	686	765	849	929	1008
84"	226	265	307	348	392	432	474	515	557	641	727	814	901	983	1071
90"	234	277	321	368	413	455	500	546	592	682	770	861	957	1047	1137
96"	244	288	336	385	434	477	526	572	620	717	815	909	1008	1102	1196
108"	265	312	368	418	474	524	572	628	680	784	889	995	1102	1207	1316
120"	288	344	402	461	520	576	636	694	753	867	984	1102	1222	1339	1456
132"	311	373	438	504	568	631	695	759	822	952	1083	1212	1344	1469	1602
144"	329	398	468	536	605	673	739	813	882	1019	1156	1297	1438	1577	1712

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Cordless Lift & Lock**
- **Cordless Lift & Lock Two-On-One Headrail** – price as 2 separate shades and add together
- **Cordless Lift & Lock Three-On-One Headrail** – price as 3 separate shades and add together
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 27 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$76
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$76
 - **Two-On-One Headrail*** price as 2 separate shades and add \$152 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$228 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$152
- **Cordless Lift & Lock**
 - **Top-Down/Bottom-Up***add \$76
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **Cordless Extension Pole #40-0036-000**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 32-37
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

- 3/4" CARDIFF (H91)
- 3/4" MELODIC (HX6)
- 3/4" SERENE FR (H62)
- 3/4" GLIMMER (HS3)
- 3/4" MIRADA (H92)
- 3/4" LINEN (H27)
- 3/4" OPULENCE (H28)

GROUP 6 (Standard Rectangular)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$153	174	199	221	244	264	285	310	331	377	428	473	520	566	610	731
42"	168	190	215	244	269	294	318	346	371	424	477	530	587	639	693	821
48"	176	204	233	263	289	315	345	372	402	460	517	575	637	696	752	899
54"	186	214	245	278	310	340	370	400	432	492	559	621	689	750	814	973
60"	201	231	267	298	333	366	399	435	470	537	608	678	751	817	887	1059
66"	213	246	283	319	359	397	433	471	507	583	660	735	814	889	967	1154
72"	226	257	298	340	379	416	458	497	537	617	700	783	863	945	1022	1227
78"	238	278	321	364	410	449	494	537	583	671	762	849	940	1030	1117	1339
84"	247	292	340	386	433	477	525	569	617	710	805	901	999	1090	1185	1424
90"	258	307	357	406	459	505	555	605	654	757	854	957	1059	1160	1260	1514
96"	271	319	372	427	479	529	582	636	687	795	903	1009	1117	1221	1329	1532
108"	292	346	406	464	525	579	636	696	756	869	985	1104	1221	1339	1460	1751
120"	319	379	446	511	576	640	702	767	834	961	1091	1221	1356	1485	1614	1940
132"	345	413	485	558	632	698	769	841	912	1055	1201	1344	1491	1631	1775	
144"	363	440	517	595	672	746	821	900	978	1130	1284	1438	1596	1749	1898	
156"	387	472	559	639	727	808										
168"	412	502	596	684	776											
174"	434	531	633	728	821											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Cordless Lift & Lock**
- **Cordless Lift & Lock Two-On-One Headrail** – price as 2 separate shades and add together
- **Cordless Lift & Lock Three-On-One Headrail** – price as 3 separate shades and add together
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 27 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$76
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$76
 - **Two-On-One Headrail*** price as 2 separate shades and add \$152 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$228 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$152
- **Cordless Lift & Lock**
 - **Top-Down/Bottom-Up***add \$76
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **Cordless Extension Pole #40-0036-000**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 32-37
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

GROUP 7 (Standard Rectangular)

• 3/4" RADIANCE BLACKOUT (HF7)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$165	185	211	236	259	280	305	329	351	401	451	501	554
42"	177	202	228	259	284	312	338	366	395	448	507	563	620
48"	188	217	246	278	309	334	364	397	428	488	549	610	675
54"	198	227	263	295	329	360	394	426	458	524	593	658	731
60"	214	244	283	316	354	388	424	462	497	569	645	721	795
66"	226	264	303	340	380	420	459	498	537	618	700	782	862
72"	239	273	316	360	402	442	485	527	569	654	741	830	918
78"	253	295	342	387	435	477	525	569	618	711	809	900	997
84"	265	311	360	408	459	507	557	605	654	754	854	957	1060
90"	275	327	379	432	486	535	589	643	695	800	906	1014	1124
96"	286	340	397	450	510	562	617	674	730	842	959	1071	1183
108"	311	366	432	491	557	614	674	737	799	922	1046	1173	1296
120"	340	402	474	541	611	678	746	815	883	1019	1156	1296	1438

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Cordless Lift & Lock**
- **Cordless Lift & Lock Two-On-One Headrail** – price as 2 separate shades and add together
- **Cordless Lift & Lock Three-On-One Headrail** – price as 3 separate shades and add together
- **Control Positions** – left or right side of the shade (Exception: for Two-On-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 27 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$22
 - **Top-Down & Top-Down/Bottom-Up**add \$76
 - **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$130
 - **Cordless Lift System***add \$76
 - **Two-On-One Headrail*** price as 2 separate shades and add \$152 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$228 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$152
 - **Cordless Lift & Lock**
 - **Top-Down/Bottom-Up***add \$76
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **Cordless Extension Pole #40-0036-000**\$37
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 32-37
 - **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

GROUP 8 (Standard Rectangular)

• 1/2" OPULENCE (H39)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"
HEIGHT TO:															
36"	\$165	185	211	236	259	280	305	329	351	401	451	501	554	602	647
42"	177	202	228	259	284	312	338	366	395	448	507	563	620	676	734
48"	188	217	246	278	309	334	364	397	428	488	549	610	675	737	796
54"	198	227	263	295	329	360	394	426	458	524	593	658	731	793	862
60"	214	244	283	316	354	388	424	462	497	569	645	721	795	867	941
66"	226	264	303	340	380	420	459	498	537	618	700	782	862	942	1024
72"	239	273	316	360	402	442	485	527	569	654	741	830	918	1003	1086
78"	253	295	342	387	435	477	525	569	618	711	809	900	997	1091	1183
84"	265	311	360	408	459	507	557	605	654	754	854	957	1060	1155	1257
90"	275	327	379	432	486	535	589	643	695	800	906	1014	1124	1230	1337
96"	286	340	397	450	510	562	617	674	730	842	959	1071	1183	1296	1408
108"	311	366	432	491	557	614	674	737	799	922	1046	1173	1296	1419	1546
120"	340	402	474	541	611	678	746	815	883	1019	1156	1296	1438	1573	1712
132"	364	440	515	592	671	739	816	891	967	1118	1272	1426	1581	1727	1883
144"	386	468	549	632	712	792	871	956	1038	1200	1361	1525	1692	1854	2015

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Cordless Lift & Lock**
- **Cordless Lift & Lock Two-On-One Headrail** – price as 2 separate shades and add together
- **Cordless Lift & Lock Three-On-One Headrail** – price as 3 separate shades and add together
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 27 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$22
 - **Top-Down & Top-Down/Bottom-Up**add \$76
 - **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$130
 - **Cordless Lift System***add \$76
 - **Two-On-One Headrail*** price as 2 separate shades and add \$152 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$228 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$152
 - **Cordless Lift & Lock**
 - **Top-Down/Bottom-Up***add \$76
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **Cordless Extension Pole #40-0036-000**\$37
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 32-37
 - **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

GROUP 9 (Standard Rectangular)

• 3/4" MARCELLA BLACKOUT (H46)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$169	189	214	237	263	285	310	334	359	408	464	515	568	619	670	802
42"	181	204	232	259	286	317	341	369	398	458	515	572	635	693	752	899
48"	198	225	257	288	318	350	380	413	446	512	580	647	720	783	851	1020
54"	210	238	275	311	346	379	412	449	485	559	633	708	783	855	930	1115
60"	230	254	294	334	369	407	442	485	526	604	685	765	848	930	1008	1213
66"	238	270	312	354	397	436	476	520	563	647	736	826	915	998	1088	1307
72"	254	289	336	382	428	472	515	565	608	704	802	896	994	1090	1183	1428
78"	267	305	354	402	451	501	548	600	647	751	853	956	1060	1160	1264	1524
84"	278	319	372	428	477	528	576	635	685	796	902	1012	1124	1233	1343	1621
90"	294	340	398	450	507	564	617	676	734	851	966	1086	1205	1320	1440	1737
96"	305	354	413	473	532	592	647	711	770	892	1019	1143	1270	1397	1519	1835
108"	329	385	451	518	588	650	712	783	849	984	1123	1260	1402	1541	1680	2025
120"	354	418	490	563	653	707	779	854	927	1075	1225	1378	1532	1687	1858	2249
132"	382	451	533	614	712	771	852	933	1014	1178	1345	1513	1682	1851	2046	
144"	405	485	569	656	771	834	919	1006	1092	1269	1448	1631	1801	1985	2187	
156"	438	524	617	712	837	901										
168"	467	559	658	764	895											
174"	492	591	698	808	947											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Cordless Lift & Lock**
- **Cordless Lift & Lock Two-On-One Headrail** – price as 2 separate shades and add together
- **Cordless Lift & Lock Three-On-One Headrail** – price as 3 separate shades and add together
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 27 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$76
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$76
 - **Two-On-One Headrail*** price as 2 separate shades and add \$152 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$228 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$152
- **Cordless Lift & Lock**
 - **Top-Down/Bottom-Up***add \$76
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **Cordless Extension Pole #40-0036-000**\$37
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 32-37
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

GROUP 10 (Standard Rectangular)

• 3/8" OPULENCE BLACKOUT (H41)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"									
HEIGHT TO:																								
36"	\$190	213	239	267	295	322	348	377	403	461	525	582	644	700	757									
42"	204	230	262	294	325	357	385	416	449	514	582	648	714	783	849									
48"	223	254	291	327	359	395	428	467	504	579	656	733	812	884	961									
54"	236	269	309	350	389	427	466	509	546	630	713	800	884	968	1050									
60"	258	286	332	377	418	460	501	548	593	683	774	865	957	1050	1138									
66"	269	304	351	398	448	492	538	587	635	733	834	933	1034	1129	1230									
72"	286	328	380	429	481	533	582	637	687	797	907	1013	1125	1232	1341									
78"	302	343	398	454	511	566	618	676	733	847	965	1079	1200	1312	1428									
84"	314	361	421	481	539	595	652	714	774	899	1020	1143	1270	1393	1518									
90"	332	384	449	510	574	636	698	765	828	961	1092	1227	1361	1493	1629									
96"	343	398	467	535	603	668	733	804	871	1009	1151	1292	1435	1578	1719									
108"	371	433	511	585	661	735	806	884	959	1111	1269	1425	1583	1740	1898									
120"	397	472	553	635	737	799	880	967	1047	1215	1385	1558	1735	1906	2102									
132"	429	511	604	695	806	874	964	1055	1147	1331	1520	1708	1903	2092	2311									
144"	458	546	645	741	874	941	1039	1135	1234	1434	1638	1843	2037	2246	2474									
156"	494	590	698	805	943	1018																		
168"	527	630	744	864	1011																			
174"	556	667	788	912	1071																			

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 27 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$22
 - **Top-Down & Top-Down/Bottom-Up**add \$76
 - **Continuous Cord Loop***add \$55
 - Top-Down/Bottom-Up*add \$130
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 32-37
 - **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

GROUP 11

- 3/8" TRICELLA (H58)
- 3/4" TIFFANY (H25)
- 3/4" TRANQUILITY (H24)
- 3/4" OPULENCE BLACKOUT (H29)
- 3/4" SERENE FR BLACKOUT (H60)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$198	221	249	278	307	335	362	393	420	479	545	605	670	728	787	943
42"	213	239	272	306	338	371	400	433	467	535	605	674	743	814	882	1056
48"	231	264	303	340	373	411	446	486	525	602	682	762	844	920	999	1200
54"	245	280	321	364	405	445	485	529	568	655	741	832	920	1007	1092	1311
60"	269	298	345	393	434	478	520	569	617	710	805	900	995	1092	1183	1427
66"	280	316	366	414	466	512	559	610	660	762	867	970	1075	1175	1279	1538
72"	298	341	395	447	501	555	605	663	714	828	943	1053	1170	1281	1394	1679
78"	314	357	414	473	531	589	643	704	762	880	1004	1123	1247	1364	1486	1792
84"	327	375	438	501	561	619	678	743	805	934	1061	1189	1321	1448	1579	1904
90"	345	399	467	530	596	661	726	796	862	999	1136	1276	1415	1553	1694	2046
96"	357	414	486	556	627	695	762	837	906	1049	1196	1344	1492	1641	1787	2158
108"	386	450	531	609	687	764	839	920	997	1155	1320	1482	1646	1810	1974	2383
120"	413	490	575	660	766	830	915	1006	1089	1264	1440	1621	1804	1982	2187	2644
132"	447	531	628	723	839	908	1003	1097	1192	1384	1581	1776	1979	2176	2403	
144"	476	568	671	771	908	979	1081	1180	1284	1491	1703	1917	2118	2336	2572	
156"	514	614	726	838	981	1059										
168"	548	655	773	899	1051											
174"	579	694	819	948	1114											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS. CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR 3/4" SHEER, SEMI-SHEER AND TRIPLE CELL FABRIC SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Cordless Lift & Lock** (not available on 3/8" Tricella)
- **Cordless Lift & Lock Two-On-One Headrail** – price as 2 separate shades and add together (not available on 3/8" Tricella)
- **Cordless Lift & Lock Three-On-One Headrail** – price as 3 separate shades and add together (not available on 3/8" Tricella)
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 27 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$22
 - **Top-Down & Top-Down/Bottom-Up**add \$76
 - **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$130
 - **Cordless Lift System***add \$76
 - **Two-On-One Headrail*** price as 2 separate shades and add \$152 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$228 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$152
 - **Cordless Lift & Lock**
 - **Top-Down/Bottom-Up***add \$76
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **Cordless Extension Pole #40-0036-000**\$37
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 32-37
 - **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

GROUP 12 (Standard Rectangular)

• 3/4" PEACEFUL (H96)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	174"
HEIGHT TO:																
36"	\$236	265	297	332	367	400	433	470	502	572	652	724	801	871	941	1128
42"	254	285	327	366	405	444	478	517	559	640	724	806	889	974	1055	1263
48"	277	315	362	406	447	491	533	581	628	720	815	910	1010	1100	1194	1435
54"	293	335	384	435	484	532	580	632	680	784	887	995	1100	1204	1306	1569
60"	321	357	413	470	518	571	622	681	737	849	962	1076	1190	1306	1415	1708
66"	335	377	438	496	558	613	669	730	789	910	1037	1160	1286	1406	1529	1839
72"	357	407	473	535	598	665	724	793	854	991	1128	1260	1400	1531	1667	2007
78"	374	426	496	565	636	704	769	841	910	1052	1201	1343	1492	1632	1777	2143
84"	390	449	525	598	671	740	811	889	962	1117	1269	1422	1580	1731	1889	2278
90"	413	477	559	633	713	791	869	952	1031	1194	1358	1526	1693	1857	2025	2447
96"	426	496	581	666	750	830	910	1001	1083	1255	1432	1607	1785	1962	2137	2582
108"	461	538	636	728	822	914	1004	1100	1192	1382	1579	1773	1969	2165	2361	2850
120"	494	587	687	789	917	993	1095	1203	1303	1512	1722	1939	2158	2370	2616	3162
132"	535	636	751	865	1004	1087	1200	1312	1426	1656	1891	2124	2366	2602	2875	
144"	569	680	802	922	1087	1170	1293	1411	1537	1783	2037	2292	2533	2793	3076	
156"	615	734	869	1003	1174	1267										
168"	655	784	925	1074	1258											
174"	693	829	980	1134	1332											

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS.
 CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR FABRIC SIZES WITHIN THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Cordless Lift & Lock**
- **Cordless Lift & Lock Two-On-One Headrail** – price as 2 separate shades and add together
- **Cordless Lift & Lock Three-On-One Headrail** – price as 3 separate shades and add together
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 27 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$76
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$76
 - **Two-On-One Headrail*** price as 2 separate shades and add \$152 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$228 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$152
- **Cordless Lift & Lock**
 - **Top-Down/Bottom-Up***add \$76
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **Cordless Extension Pole #40-0036-000**\$37
- **TriLight Shades** – see pages 32-37
- **Angle Cut**add \$122

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

GROUP 13 – 2" HYBRID (Standard Rectangular)

NOTE: A control option must be selected.

• 2" Hybrid Pleat – Semi-Opaque (HPF)

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$161	167	184	191	199	223	236	253	266	320	337	358	375	389	408	487	569
36"	167	171	190	199	210	232	250	268	285	341	360	382	399	418	437	520	607
42"	171	186	198	206	219	243	262	282	299	361	382	406	423	444	464	555	647
48"	176	191	204	216	229	255	291	298	317	380	405	428	449	471	491	591	685
54"	179	199	211	224	237	265	298	309	332	401	424	452	474	499	520	620	722
61"	184	205	221	236	249	279	317	329	346	423	447	480	505	532	554	657	764
66"	199	219	238	253	265	290	319	338	363	444	466	500	524	554	579	689	801
73"	200	227	244	260	272	302	325	357	382	464	491	528	556	588	609	725	
78"	232	263	282	303	324	353	383	419	449	480	511	544	575	608	636	758	
84"	238	269	291	310	332	364	399	437	466	500	533	569	600	634	667		
90"	244	279	299	324	343	379	411	451	486	519	555	594	627	662	694		
96"	250	286	308	332	356	389	426	467	503	540	576	616	650	687			
108"	271	315	342	370	399	441	486	533	576	618	663	710					
120"	292	342	377	409	442	491	542	597	648	698	749						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Cordless Lift & Lock**
- **Cordless Lift & Lock Two-On-One Headrail** – price as 2 separate shades and add together
- **Cordless Lift & Lock Three-On-One Headrail** – price as 3 separate shades and add together
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$76
 - **Two-On-One Headrail*** price as 2 separate shades and add \$152 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$228 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$152
- **Cordless Lift & Lock**
 - **Top-Down/Bottom-Up***add \$76
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **Cordless Extension Pole #40-0036-000**\$37
- **TriLight Shades** – see pages 32-37

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

Note: 2" Hybrid Pleat is Not Available with PowerWand Motorization

GROUP 14 – 2" HYBRID (Standard Rectangular)
 NOTE: A control option
 must be selected.

• 2" Hybrid Pleat – Blackout (HPR)

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$203	217	230	239	251	279	294	320	336	401	424	449	472	492	511	611	714
36"	208	226	238	250	264	292	311	337	357	428	451	478	501	525	548	656	766
42"	214	233	246	263	275	306	327	356	379	453	477	510	532	559	583	700	813
48"	218	239	259	270	285	320	343	375	397	477	505	538	564	594	619	741	862
54"	226	249	268	281	301	333	360	389	418	503	532	569	596	628	656	783	908
61"	230	260	277	294	309	349	379	411	433	532	563	604	634	668	694	828	959
66"	249	275	302	318	332	362	389	427	457	554	591	628	661	695	728	868	1007
73"	255	282	307	327	342	379	408	447	477	583	617	665	698	738	767	914	
78"	292	330	356	381	408	444	481	528	564	604	641	687	725	763	802	952	
84"	311	357	386	418	446	492	536	591	634	679	725	776	818	865	910		
90"	343	392	425	458	492	539	593	647	696	745	800	850	902	952	1001		
96"	367	429	473	514	554	618	682	753	813	879	943	1011	1074	1138			
108"	425	512	564	619	678	759	844	935	1017	1099	1188	1274					
120"	468	572	637	707	777	879	982	1091	1191	1290	1398						

NOTE: SEE "PRODUCT CONFIGURATION SPECIFICATION" CHARTS ON PAGES 24-31 FOR ANY FABRIC AND SIZE RESTRICTIONS.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Cordless Lift & Lock**
- **Cordless Lift & Lock Two-On-One Headrail** – price as 2 separate shades and add together
- **Cordless Lift & Lock Three-On-One Headrail** – price as 3 separate shades and add together
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$22
- **Top-Down & Top-Down/Bottom-Up**add \$76
- **Continuous Cord Loop***add \$55
 - **Top-Down/Bottom-Up***add \$130
- **Cordless Lift System***add \$76
 - **Two-On-One Headrail*** price as 2 separate shades and add \$152 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$228 (not available in Top-Down/Bottom-Up or Two-Fabric Combination)
 - **Top-Down/Bottom-Up***add \$152
- **Cordless Lift & Lock**
 - **Top-Down/Bottom-Up***add \$76
 - **Premium Headrail Upgrade***add \$15 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **Cordless Extension Pole #40-0036-000**\$37
- **TriLight Shades** – see pages 32-37

 *NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND
 MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 23 for motorization surcharges

Note: 2" Hybrid Pleat is Not Available with PowerWand Motorization

SIMPLICITY SURCHARGE AND OPTIONS
EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE HONEYCOMB SHADE GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- **Standard Simplicity Motorization** (Battery wand included in the price)add \$262 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - DC Power Supply (Part #CS5151)add \$36 each
- **Simplicity Rechargeable Motorization**add \$262 per shade
 - 2-on-1 Headrailprice as 2 separate shades
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - Solar Panel (Part #CS52096)add \$159 each
 - Plug-In Charger (Part #CS5199)add \$33 each
- **Simplicity Rechargeable Top-Down/Bottom-Up**add \$262 per shade + TD/BU Surcharge \$76 per shade
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - Solar Panel (Part #CS52096)add \$159 each
 - Plug-In Charger (Part #CS5199)add \$33 each
- **PowerWand™**add \$120 per shade
 - PowerWand™ Options (must be specified): **No Charge**
 - 1) Control Side (Left or Right)
 - 2) Wand Color (Black or White)
 - 3) Wand Length:
 - 1 foot (12")
 - 2 feet (24")
 - 3 feet (36")
 - 4 feet (48")
 - 5 feet (60")
 - Plug-In Charger (Part #CS5199)add \$33 each

Note: 2" Hybrid Pleat is Not Available with PowerWand™ Motorization
REMOTELIFT 2.0 SURCHARGE AND OPTIONS


- **RemoteLift 2.0**add \$302
- **Remote Control #2984495100**add \$57
- **Wireless Wall Switch #2986350100**add \$78
- **RemoteLift Top-Down***add \$47
- **Satellite Battery Pack #KIT2520** – select with wire length below:
 - Satellite Battery Pack (15" Wire) #2989899000add \$67
 - Satellite Battery Pack (4' Wire) #2989900000add \$72
 - Satellite Battery Pack (10' Wire) #2989901000add \$84
 - Satellite Battery Pack (20' Wire) #2989902000add \$93
- **18V DC Power Supply #7806000000** – select with wire length below:
 - DC Power Supply (15" Wire) #2989899000add \$97
 - DC Power Supply (4' Wire) #2989900000add \$99
 - DC Power Supply (10' Wire) #2989901000add \$103
 - DC Power Supply (20' Wire) #2989902000add \$107
- **Daisy Chain cable option requires DC Power Supply**
Daisy Chain Adapter (Select with wire length below) #2989875000
 - (with 15" cable) #2989899000add \$48
 - (with 4' cable) #2989900000add \$55
 - (with 10' cable) #2989901000add \$59
 - (with 20' cable) #2989902000add \$64
- **Momenta** (must be submitted as part order)
 - **Momenta App Bridge Kit #2920072100**add \$128 NET Cost
 - **Momenta Extender Kit #2920075100**add \$47 NET Cost

 REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE
 VERIFY SIZE RESTRICTIONS ON PAGE 40 PRIOR TO ORDERING.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK



- Features snap-in bracket
- Headrail Color – color coordinated with fabric
- End mount brackets also available
- Standard cord length is 40% of the height of the shade unless otherwise specified

2" Hybrid Pleat is not available with standard cordlock.

STANDARD RECTANGULAR – SIZE STANDARDS							
	Honeycomb						
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (net)*	8"	8"	8"	8"	8"	8"	8"
Max. Width	60"	60"	60"	60"	60"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"
Max. Height*	144"	144"	144"	174"	174"	144"	120"
Max. Area (sq. ft.)	60	40	60	60	40	40	40

* For shades under 12" widths, the maximum height is 80"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 3/16"
End (EB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
2 on 1 Headrail	
Gap between panels	– 1/4"

NOTE: Measurements may vary $\pm 1/8"$

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

MOUNTING REQUIREMENTS


Use a metal tape measure for all measurements.

Inside (IB) Mount		3/8" Single Cell
Minimum mounting depth:		
Standard installation bracket		1"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		1-1/2"
Swivel bracket		1-1/8"
End mount bracket		1-1/8"
Outside (OB) Mount		3/8" Single Cell
Minimum flat vertical surface		5/8"
Inside (IB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum mounting depth:		
Standard installation bracket		1-1/4"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		2-1/4"
Swivel bracket		2"
End mount bracket		2"
Outside (OB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum flat vertical surface		1"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK – 2-ON-1 HEADRAIL (PRICE AS 2 SEPARATE SHADES)



Cover patio doors and other large expanses by placing two independently operated shades side-by-side on the same headrail. Note: there will be a 1/4" minimum to a 1/2" maximum light gap between the two shades.

Finished Dimensions & Mounting Requirements:

see "Standard Rectangle" or "Continuous Cord" section.

NOTE: Measurements may vary $\pm 1/8$ "

STANDARD TWO-ON-ONE – SIZE STANDARDS							
	Honeycomb						
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (per panel)	8"	8"	8"	8"	8"	8"	8"
Min. Width (overall)	16"	16"	16"	16"	16"	16"	16"
Max. Width (per panel)	60"	60"	60"	60"	60"	60"	60"
Max. Width (overall)	120"	120"	120"	120"	120"	120"	120"
Max. Width (end mount)	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"
Max. Height	144"	144"	144"	174"	174"	144"	120"
Max. Area (sq. ft.)	60	40	60	60	40	40	60


Controls must be on opposite ends of the headrail. Standard cord length is 40% of the height of the shade unless otherwise specified.

RECTANGULAR CONFIGURATION SPECIFICATIONS


NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK – TOP-DOWN OR TOP-DOWN/BOTTOM-UP

(2-cell fabric insert)



(2-cell fabric insert)



Conveniently open shades from the top down or from both top and bottom.

Top-Down/Bottom-Up features one Break-Away tassel per cordlock.

Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.

NOTE: Measurements may vary $\pm 1/8"$

NOTES:

- The standard control positions for TD/BU are:
RIGHT operates the center moving rail and LEFT operates the bottomrail. REVERSE CONTROLS also are available (operate opposite as described above). Specify REVERSE CONTROLS when ordering.
- Standard cord length is 40% of the height of the shade unless otherwise specified.
- On top-down/bottom-up shades a fabric insert is standard. This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

TOP-DOWN – SIZE STANDARDS

	Honeycomb						
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (net)*	10"	10"	10"	10"	10"	10"	10"
Max. Width	60"	60"	60"	60"	60"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"
Max. Height*	144"	144"	144"	174"	174"	144"	120"
Max. Area (sq. ft.)	60	40	60	60	40	40	60

* For shades under 12" widths, the maximum height is 80"

TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Honeycomb						
	All 3/4" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (net)*	10"	10"	10"	10"	10"	10"	10"
Max. Width	72"	72"	72"	72"	72"	72"	72"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"	6"
Max. Height*	108"	108"	108"	108"	108"	108"	108"
Max. Area (sq. ft.)	48	40	48	48	40	40	48


* For shades under 12" widths, the maximum height is 80"

Cut-outs are not available on Top-Down or Top-Down/Bottom-Up shades.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD CORDLOCK – TWO-FABRIC COMBINATION (PRICE AS 2 SEPARATE SHADES)



Headrail, Middle Rail, and Bottomrail will coordinate with the bottom fabric unless otherwise specified.

Combines two fabrics in the same shade for function, beauty and total versatility. Consider a sheer shade to filter light, combined with a blackout shade for maximum darkness. Easily adjust shade to cover the window with one fabric or with some of each fabric. Standard cord length is 40% of the height of the shade unless otherwise specified.

Shade features one Break-Away tassel per cordlock.

Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.

NOTE: Measurements may vary $\pm 1/8"$


TWO-FABRIC COMBO – SIZE STANDARDS

	Honeycomb					
	All 3/4" Semi-Opaque Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics
Min. Width (net)*	10"	10"	10"	10"	10"	10"
Max. Width	72"	72"	72"	72"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"	36"	36"
Min. Height	6"	6"	6"	6"	6"	6"
Max. Height*	96"	96"	96"	96"	90"	90"
Max. Area (sq. ft.)	48	48	48	40	40	40

* For shades under 12" widths, the maximum height is 80"

Not available with 3/8" single cell fabrics, SoftStyle or 2" Hybrid Pleat fabrics.

CUT-OUTS



The portion of the shade above the cut-out will not stack tightly when the shade is raised.

Available on standard cordlock, continuous cord loop and RemoteLift bottom-up shades only.

Not available on 2" Hybrid Pleat shades.


CUT-OUTS - SIZE STANDARDS

Min. Cut-out Width	1/8"
Max. Cut-out Width	3"
Min. Shade Width	12"
Max. Shade Width	120"
Min. Shade Height	12"
Max. Shade Height	120"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM



Cordless Lift System easily lifts and lowers from color-coordinated bottomrail. No lift cord is necessary.



- All Cordless shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. Must be specified when order is placed.
- Cordless honeycomb shades come with a color-coordinated textured handle pre-inserted, a clear textured handle or clear plastic insert are optional.
Shades over 42" in width will have 2 handles. Single handle available, must be selected during order entry.
- Cut-outs are not available on Cordless Lift shades.
- Top Down Bottom Up shades are now available with white striker plates and magnet caps when shades are ordered with fabric-wrapped rails. Zinc striker plates and magnets comes standard on shades ordered with color-coordinated rails.
Striker plate & magnet placement:
Shades under 42" Wide – one magnet on each end of the shade
Shades 42" - 78" wide – one magnet on each end of the shade and one offset 3" from the center cord
Shades 78" - 96" wide – one magnet on each end of the shade and one in the center of the shade.
Shades over 96" wide – one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min. Width (net)	16"	16"
Max. Width	120"	120"
Max. Width – End Mount	48"	42"
Min. Height	12"	12"
Max. Height	84"	84"
Max Area (sq. ft.)	70	60

* Cordless Lift not available with any 3/8" blackout or triple cell fabrics

CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min. Width (net)	16"	16"
Max. Width	120"	120"
Max. Width – End Mount	48"	42"
Min. Height	12"	12"
Max. Height	84"	84"
Max Area (sq. ft.)	70	60

* Cordless Lift Top-Down/Bottom-Up is not available with any 3/8" blackout or triple cell fabrics

CORDLESS LIFT TWO-FABRIC COMBO – SIZE STANDARDS	
	All Honeycomb Fabrics *
Min. Width (net)	16"
Max. Width	84"
Max. Width – End Mount	36"
Min. Height	12"
Max. Height	84"
Max Area (sq. ft.)	42

* Cordless Lift Two-Fabric Combination is not available with any 3/8", 3/8" blackout, 1/2" double cell, triple cell, or 2" Hybrid Pleat fabrics

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS TWO-ON-ONE – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min Width (per panel)	16"	16"
Min Width (overall)	32"	32"
Max Width (per panel)	120"	100"
Max Width (overall)	174"	120"
Min Height	12"	12"
Max Height	84"	84"
Max Area (per panel) (Sq/Ft)	70	60

* Two-On-One Headrail is not available in Top-Down/Bottom-Up, Two-Fabric Combo, 3/8" blackout or triple cell fabrics

Note: End mount not available.

CORDLESS THREE-ON-ONE – SIZE STANDARDS		
	Honeycomb	2" Hybrid Pleat
	All Honeycomb Fabrics *	All Fabrics
Min Width (per panel)	16"	16"
Min Width (overall)	48"	48"
Max Width (per panel)	120"	120"
Max Width (overall)	174"	174"
Min Height	12"	12"
Max Height	84"	84"
Max Area (per panel) (Sq/Ft)	70	60

* Three-On-One Headrail is not available in Top-Down/Bottom-Up, Two-Fabric Combo, 3/8" blackout or triple cell fabrics

Note: End mount not available.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	–1/4"	–1/4"

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.


	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT & LOCK



Press a button on the bottomrail to lift and lower the shade. Release the button to securely lock the shade into place.

No exposed cords on bottom up shades. Lift cords on Top-Down/Bottom-Up are on the far sides of the shade. Child-safe option.

All Cordless Lift & Lock shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. Must be specified when order is placed.

CORDLESS LIFT & LOCK – SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	All Fabrics
Min. Width (net)	9-1/2"	9-1/2"	9-1/2"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	48"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

* Cordless Lift & Lock is not available with any 3/8" or triple cell fabrics

CORDLESS LIFT & LOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS			
	Honeycomb		2" Hybrid Pleat
	All Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	All Fabrics
Min. Width (net)	16"	16"	16"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

* Cordless Lift & Lock is not available with any 3/8" or triple cell fabrics

Top-Down/bottom-Up Lift & Lock shades under 42" will have one magnet in the middle.

Shades over 42" will have one magnet in the middle, and one approximately 3" from each end to provide better closure between the middle rail and top rail.

Cordless Lift & Lock shades can be ordered with the Premium headrail **for a surcharge**. Premium headrail option is not available with Top-Down/Bottom-Up or TriLight.

CORDLESS LIFT & LOCK TWO-ON-ONE & THREE-ON-ONE – SIZE STANDARDS

	All Sheer, Semi-Sheer & Semi-Opaque Honeycomb Fabrics*	All Blackout Honeycomb Fabrics*	2" Hybrid Pleat
Two-on-One			
Min. Width (net - per panel)	9.5"	9.5"	9.5"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Three-on-One			
Min. Width (net - per panel)	9.5"	9.5"	9.5"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (per panel) (sq. ft.)	49	49	49

* Cordless Lift & Lock not available with any 3/8" or triple cell fabrics.

Note: End mount not available with 2-on-1 or 3-on-1

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit (includes end caps)	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit (includes end caps)	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit (includes end caps)	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Standard Headrail		
Inside (IB) Mount		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (EB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"


Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
with Premium Rail option		
Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM



Continuous cord loop easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

- All continuous cord loop shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. **Must be specified** when order is placed.
- On top-down/bottom-up Honeycomb shades, a fabric insert is standard (does not apply to Hybrid Pleat). This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

CONTINUOUS CORD LOOP – SIZE STANDARDS

	Honeycomb							2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	All Fabrics
Min. Width (net)*	18"	18"	18"	18"	18"	18"	18"	18"
Max. Width	144"	144"	174"	174"	144"	144"	142"	120"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	48"	42"
Min. Height	6"	6"	6"	6"	6"	6"	6"	12"
Max. Height*	96"	96"	144"	144"	144"	144"	120"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	80	60

* Radiance Semi-Opaque & Blackout => Max Width 120"

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

	Honeycomb							2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	2" Hybrid Pleat
Min. Width (per panel)	18"	18"	18"	18"	18"	18"	18"	18"
Min. Width (overall)	36"	36"	36"	36"	36"	36"	36"	36"
Max. Width (per panel)	144"	144"	144"	144"	144"	144"	142"	102"
Max. Width (overall)	174"	174"	174"	174"	174"	174"	174"	120"
Min. Height	6"	6"	6"	6"	6"	6"	6"	12"
Max. Height	96"	96"	144"	144"	144"	144"	120"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	80	60

Note: End mount not available.

* Radiance Semi-Opaque & Blackout => Max Width 120"

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Honeycomb							2" Hybrid Pleat
	All 3/8" Semi-Opaque Fabrics	All 3/8" Blackout Fabrics	All 3/4" Sheer and Semi-Sheer Fabrics	All 3/4" Semi-Opaque Fabrics*	All 3/4" Blackout Fabrics*	All 1/2" Double Cell Fabrics	All 3/8" Triple Cell Fabrics	2" Hybrid Pleat
Min. Width (net)*	24"	24"	24"	24"	24"	24"	24"	24"
Max. Width	144"	144"	144"	144"	144"	144"	142"	120"
Max. Width – End Mount	48"	48"	48"	48"	48"	48"	48"	42"
Min. Height	8"	8"	8"	8"	8"	8"	8"	12"
Max. Height*	96"	96"	144"	144"	144"	144"	120"	120"
Max. Area (sq. ft.)	90	80	150	150	100	80	80	60

* Radiance Semi-Opaque & Blackout => Max Width 120"

Right control operates the center moving rail; left control operates the bottomrail.
Reverse controls are available.

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CONTINUOUS CORD LOOP SYSTEM

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Honeycomb 2" Hybrid
Pleat*

Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 5/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"

*An extra 1/4" deduction will be taken from the fabric with the Top-Down/
Bottom-Up option for Hybrid Pleat

NOTE: Measurements may vary $\pm 1/8"$

FINISHED DIMENSIONS – 2 ON 1

Adjustments are taken from ordered dimensions.

Honeycomb 2" Hybrid
Pleat

Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width (includes gap deduction)	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"
2 on 1 Headrail		
Gap between panels	- 1/4"	- 1/4"

CORD LOOP DROP

SHADE HEIGHT	CORD LOOP DROP
up to 18"	18" loop
18" to 42"	24" loop
42-1/8" - 54"	36" loop
54-1/8" - 72"	48" loop
72-1/8" - 90"	60" loop
90-1/8" - 110"	72" loop
110-1/8" - 130"	96" loop
130-1/8" - 144"	120" loop

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Honeycomb 2" Hybrid
Pleat

Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

FEATURES & BENEFITS



- The beautiful combination of a sheer pleated shade on top and honeycomb or 2" Hybrid Pleat shade on the bottom provides maximum versatility in a single window covering.
- Wide array of color options from whites, neutrals, and muted tones to bold colors and exclusive prints.
- Four sheer pleated styles in multiple colors to meet most decorating tastes.
- Semi-opaque and blackout fabrics are available in multiple sizes, providing a choice for every window size and desired light and privacy control.
- Honeycomb fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- The continuous cord loop option lifts any shade – even large or hard-to-reach – and positions it exactly where you want without any dangling cords.
- The Cordless and Cordless Lift & Lock option provide safe, simple operation by raising and lowering the shade using handles instead of cords. Ideal in homes with children and pets.

SELECTING A TRILIGHT SHADE

1. Choose a fabric, cell size and color for the bottom shade. Note: TriLight Shades are not available with 3/8" single cell, 3/4" sheer/semi-sheer or triple cell fabrics.
2. Choose a sheer pleated fabric for the top shade. See Sheer Pleated Color Chart.
3. Refer to the honeycomb and 2" Hybrid Pleat price grids on pages 9-22 to determine your bottom shade price.
4. Refer to the sheer pleated grids on page 34 to find your top shade price. Add the bottom shade, sheer pleated and control option prices together to determine your final price.
 - TriLight Shades are available as standard rectangle only.
 - Continuous cord loop system – right operates the middle rail; left operates the bottom rail. Reverse controls are available; grouped controls are NOT available.

SHEER PLEATED COLOR CHART

Sheer Pleated Price Group A		
Style Name	Color #	Color Name
Nova Sheer	P33-824	Blush
Nova Sheer	P33-820	Bridal White
Nova Sheer	P33-823	Crème
Nova Sheer	P33-821	Glacier White
Nova Sheer	P33-822	Light Lemon
Nova Sheer	P33-825	Tea

Sheer Pleated Price Group B		
Style Name	Color #	Color Name
Carousel Sheer	P32-804	Blush
Carousel Sheer	P32-800	Bridal White
Carousel Sheer	P32-803	Crème
Carousel Sheer	P32-801	Glacier White
Carousel Sheer	P32-802	Light Lemon

Sheer Pleated Price Group A		
Style Name	Color #	Color Name
Willa Sheer	P05-506	Bisque
Willa Sheer	P05-508	Chocolate
Willa Sheer	P05-504	Crystal
Willa Sheer	P05-502	Heirloom
Willa Sheer	P05-501	Ice
Willa Sheer	P05-507	Latte
Willa Sheer	P05-505	Light Taupe
Willa Sheer	P05-500	Snow White
Willa Sheer	P05-503	Soft Ivory
Willa Sheer	P05-509	Twilight

Sheer Pleated Price Group B		
Style Name	Color #	Color Name
Lyssa Sheer	P04-405	Blush
Lyssa Sheer	P04-400	Bridal White
Lyssa Sheer	P04-402	Crème
Lyssa Sheer	P04-401	Glacier White
Lyssa Sheer	P04-403	Light Lemon
Lyssa Sheer	P04-407	Tea

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Carousel	96"	60
Lyssa	96"	50
Nova	96"	60
Willa	83"	60

Determine the top shade price by using the charts below. Add the sheer pleated, bottom shade, and control option prices together to determine your final price.

GROUP A (Sheer Pleated)

- Nova Sheer (96")
- Willa Sheer (83")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$50	56	61	70	77	84	90	96	103	119	133
42"	54	60	67	77	84	90	98	108	114	130	148
48"	57	63	73	82	90	98	108	116	124	145	161
54"	60	67	78	88	96	107	116	124	136	154	176
60"	62	72	84	93	102	114	123	134	147	168	189
66"	65	77	89	98	112	121	132	146	155	178	204
72"	70	81	93	107	119	129	141	153	166	190	216
78"	73	85	98	111	124	137	150	162	177	204	230
84"	76	89	101	116	130	145	156	172	185	212	242
90"	80	93	108	121	137	151	166	180	197	227	256
96"	82	96	113	127	145	156	174	189	205	236	268

GROUP B (Sheer Pleated)

- Carousel Sheer (96")
- Lyssa Sheer (96")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$59	65	76	84	93	100	110	116	126	142	161
42"	62	71	82	93	100	110	120	129	138	158	178
48"	67	77	88	98	110	120	129	140	151	174	197
54"	71	82	94	107	116	128	140	152	162	188	213
60"	76	87	100	113	123	138	150	162	176	203	229
66"	81	93	108	120	134	148	160	175	188	216	246
72"	84	97	113	127	142	156	172	187	202	232	264
78"	88	101	117	133	151	166	181	198	214	246	280
84"	91	108	123	140	156	174	190	207	224	257	293
90"	96	113	129	148	166	184	200	218	237	273	309
96"	98	116	136	154	174	190	210	229	247	286	325

OPTIONS: NO EXTRA CHARGE

- Extension Brackets
- End Mount Brackets
- Hold Down Brackets
- Spacer Blocks
- Special Cord Loop Length
- Color-Coordinated Rails

CONTROL OPTIONS


A CONTROL OPTION MUST BE SELECTED.

- Cordless Lift & Lock System.....No Charge
- Cordless Lift System.....add \$76
- Continuous Cord Loopadd \$55
- Fabric-Wrapped Rail optionadd \$22

TRILIGHT CONFIGURATION SPECIFICATIONS



TRILIGHT – CONTINUOUS CORD LOOP



Features same headrail as continuous cord loop system.

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Rails, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Right loop control operates the middle rail, left loop control operates the bottomrail.
- TriLight is not available with 3/8" single cell, 3/4" Sheer, 3/4" Semi-Sheer, or Triple Cell fabrics

Cut-outs are not available on TriLight Shades.

CONTINUOUS CORD LOOP SIZE STANDARDS

	Honeycomb			2" Hybrid Pleat
	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width (net)	24"	24"	24"	24"
Max. Width*	83" - 96"	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	96"	96"	96"	96"
Max. Area (sq. ft.)	64	50	50	60

* The bottom panel fabric width can be reduced by the ordered sheer fabric (top panel), if the sheer max width is less than the bottom panel max width.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 7/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1-1/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 5/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"


FABRIC AND HARDWARE STACKING

- **HONEYCOMB CONTINUOUS CORD LOOP TRILIGHT:** Take 2-1/2" for rails, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CONTINUOUS CORD LOOP TRILIGHT:** Take 2-1/2" for rails, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS



TRILIGHT – CORDLESS



Sheer pleated lifts and lowers from the middle rail. Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
 - Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric



NOTES:

- Shades over 42" will have two handles in the middle rail and two handles in the bottomrail. Single handle available, must be selected during order entry.

Cut-outs are not available on TriLight Shades.

CORDLESS LIFT SIZE STANDARDS

	Honeycomb	2" Hybrid Pleat
	All Fabrics*	All Fabrics
Min. Width (net)	16"	16"
Max. Width**	83" - 96"	83" - 96"
Max. Width – End Mount	48"	42"
Min. Height	12"	12"
Max. Height	84"	84"
Max Area (sq. ft.)	70	60

* 3/8" single, sheer/semi-sheer and triple cell fabrics are not available with TriLight.

**The bottom panel max. width can be reduced by the ordered sheer fabric (top panel), if the sheer max. width is less than the bottom panel max. width. Willa Sheer maximum width is 83".

See sheer pleated maximum width limitations.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"


FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS TRILIGHT:** Take 2-1/2" for rails, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS TRILIGHT:** Take 2-1/2" for rails, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

TRILIGHT CONFIGURATION SPECIFICATIONS



TRILIGHT – CORDLESS LIFT & LOCK



CORDLESS LIFT & LOCK SIZE STANDARDS

	Honeycomb			2" Hybrid Pleat
	All 3/4" Semi-Opaque Fabrics	All 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics	All Fabrics
Min. Width (net)	12"	12"	12"	12"
Max. Width	84"	84"	84"	84"
Max. Width - End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max. Area (sq. ft.)	49	49	49	49

* 3/8" single, 3/4" sheer/semi-sheer and triple cell fabrics are not available with Trilight.

** Willa Sheer max. width is 83".

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

Must be specified when order is placed.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	-1/4"	-1/4"
Shade height	Ordered Height	Ordered Height
Fabric width	-3/8"	-3/8"
End (EB) Mounts		
Headrail unit	-1/2"	-1/2"
Shade height	Ordered Height	Ordered Height
Fabric width	-5/8"	-5/8"
Outside (OB) Mount		
Headrail unit	Ordered Width	Ordered Width
Shade height	Ordered Height	Ordered Height
Fabric width	-1/8"	-1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (OB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

**Note: Inside mount with hold down brackets deductions:
Headrail - 1/2", Fabric - 5/8", Bottomrail - 1/2"**

FABRIC AND HARDWARE STACKING

- **HONEYCOMB CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/8" for each 12" of honeycomb shade height, plus 1/8" for each 12" of pleated shade height.
- **2" HYBRID PLEAT CORDLESS LIFT & LOCK TRILIGHT:** Take 2-1/4" for bottomrail and intermediate rail, plus 5/8" for headrail, plus 1/4" for each 12" of shade height, plus 1/8" for each 12" of pleated shade height. Allow 1-1/2" for fabric fold over.

MOTORIZATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

REMOTELIFT™ 2.0 BATTERY-OPERATED MOTORIZATION





- Fits rectangular window openings
- Remote control battery-operated operation
- Two stacking options: 1) standard bottom-up 2) top-down
- Features the same headrail and bottomrail as Cordless Lift, Continuous Cord Loop, and Simplicity. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.

REMOTELIFT 2.0 – SIZE STANDARDS

	All Honeycomb Fabrics *	2" Hybrid Pleat
Minimum Width	18"	18"
Maximum Width	Refer to chart on page 40	
Max. Width, End Mount	36"	48"
Minimum Height	12"	12"
Maximum Height	Refer to chart on page 40	

* RemoteLift not available with 3/8" triple cell fabrics

** Max square footage for 2" Hybrid Pleat is 60 sq. feet





FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

NOTE: Measurements may vary $\pm 1/8"$



MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/2"	1-1/2"
Minimum mounting depth, flush mount:	2-7/8"	2-7/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

With (Optional) Satellite Battery Pack or DC Power Supply

Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

Inside mount with Hold-Down Bracket deductions: Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

REMOTELIFT 2.0 ORDERING NOTES

- Hardware colors will complement the fabric. Refer to the Hardware Color Guide for colors and more information.
- Specify left-side or right-side placement for sensor eye.
- Remote controls are ordered separately. Specify the number of remotes you desire.
- To operate multiple shades independently in Radio Frequency, additional remotes will need to be ordered if you have more than 4 shades.
- If ordering a satellite battery pack, specify wire length - 15', 4', 10' or 20'.
- If ordering the DC power supply, specify wire length - 15", 4', 10' or 20'.
- Daisy-Chain requires the DC power supply and you must specify which wire length (15", 4', 10' or 20') at the time the order is placed. You can Daisy-Chain up to 3 blinds per DC power supply.
- Specify "Channel 2" operation for independent operation of adjacent shades.

MOTORIZATION CONFIGURATION SPECIFICATIONS

REMOTELIFT™ 2.0 SYSTEM OPTIONS

BATTERY WAND

Battery wands are the standard power source whether inside (IB), outside (OB) or end (EB) mount, if applicable. Battery wands are mounted on the rear of the headrail. The redesigned battery wand will allow for batteries to be changed without removing the window covering from the window.

- 12 AA 1.5V alkaline batteries.
- Battery life is approximately one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.



18V Battery Wand
(Part #7520062000)

SATELLITE BATTERY PACK

The satellite battery pack is an optional power source. The battery pack connects to the same side of the headrail where the receiver eye or satellite eye is located. The satellite battery pack is the best choice when the window covering is mounted in a high window, restricting access to a battery wand.

- 18V satellite battery pack:
 - Available in 15", 4', 10' and 20' wire lengths.
 - 12 AA 1.5V alkaline batteries.
- Battery life is approximately one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.
- Mounting options: top of headrail, next to molding or under the sill.
- Satellite battery pack cover can be painted.



18V Satellite Battery Pack
(Part #KIT2791)

Wire Part #'s:
15" (Part #2989899000)
4ft (Part #2989900000)
10ft (Part #2989901000)
20ft (Part #2989902000)

DC POWER SUPPLY

The DC power supply is an optional power source. The DC power supply plugs into any standard household outlet.

- 18V DC power supply:
 - Available in 15", 4', 10' and 20' wire lengths.
- Eliminates need to change batteries.



18V DC Power Supply
(Part #7806000000)

DAISY CHAIN

The optional Daisy Chain Adapter allows up to 3 shades to run off of one DC power supply. You must specify the cable wire length when order is placed.

Note: Keep in mind which side the sensor eye is positioned on each side when determining daisy-chain length.



Daisy-Chain Adapter/Connector
(Part #2989875000)

SIZE STANDARDS – REMOTELIFT™ 2.0 MOTORIZATION

REMOTELIFT 2.0 MAXIMUM HEIGHTS – STANDARD AND TOP-DOWN																				
CODE	SHADE WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"	132"	144"		
Max Square Footage:		90 Square Feet															70 Square Feet			
H44	3/8" MARCELLA	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	76"	70"		
Max Square Footage:		80 Square Feet															70 Square Feet		50 Square Feet	
H40	3/8" OPULENCE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	92"	84"	54"	50"	
Max Square Footage:		50 Square Feet															30 Square Feet			
H41	3/8" OPULENCE BLACKOUT	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	40"	36"	n/a			
Max Square Footage:		50 Square Feet															30 Square Feet			
H91	3/4" CARDIFF SEMI-OPAQUE	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	40"	36"	n/a			
Max Square Footage:		80 Square Feet															65 Square Feet		40 Square Feet	
HS3	3/4" GLIMMER SEMI OPAQUE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	86"	78"	42"	40"	
Max Square Footage:		80 Square Feet															60 Square Feet		40 Square Feet	
H27	3/4" LINEN	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"	
Max Square Footage:		80 Square Feet															75 Square Feet		45 Square Feet	
H45	3/4" MARCELLA	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	48"	44"	
Max Square Footage:		80 Square Feet															75 Square Feet		45 Square Feet	
HX6	3/4" Melodic Semi-Opaque	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	48"	44"	
Max Square Footage:		80 Square Feet															75 Square Feet		45 Square Feet	
H92	3/4" Mirada Semi-Opaque	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	48"	44"	
Max Square Footage:		80 Square Feet															60 Square Feet		40 Square Feet	
H28	3/4" OPULENCE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"	
Max Square Footage:		80 Square Feet															60 Square Feet		40 Square Feet	
H96	3/4" PEACEFUL SEMI-OPAQUE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"	
Max Square Footage:		80 Square Feet															60 Square Feet		40 Square Feet	
HF6	3/4" RADIANCE SEMI-OPAQUE	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	80"	72"	42"	40"	
Max Square Footage:		30 Square Feet																		
H62	3/4" SERENE FR	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a					
Max Square Footage:		35 Square Feet																		
H46	3/4" MARCELLA BLACKOUT	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a					
Max Square Footage:		35 Square Feet																		
H29	3/4" OPULENCE BLACKOUT	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a					
Max Square Footage:		35 Square Feet																		
HF7	3/4" RADIANCE BLACKOUT	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a					
Max Square Footage:		30 Square Feet																		
H60	3/4" SERENE FR BLACKOUT	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a					
Max Square Footage:		90 Square Feet															55 Square Feet			
H25	3/4" TIFFANY SHEER	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	108"	60"	54"		
Max Square Footage:		50 Square Feet															35 Square Feet			
H24	3/4" TRANQUILITY SEMI-SHEER	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	46"	42"	n/a			
Max Square Footage:		45 Square Feet															30 Square Feet			
H47	1/2" MARCELLA DOUBLE CELL	108"	108"	108"	108"	108"	108"	108"	98"	90"	82"	76"	72"	68"	40"	36"	n/a			
Max Square Footage:		40 Square Feet															25 Square Feet			
H39	1/2" OPULENCE DOUBLE CELL	108"	108"	108"	108"	108"	106"	96"	86"	80"	72"	68"	64"	60"	32"	30"	n/a			
Max Square Footage:		35 Square Feet																		
HPF	2" HYBRID PLEAT - SEMI-OPAQUE	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a					
Max Square Footage:		30 Square Feet																		
HPR	2" HYBRID PLEAT - BLACKOUT	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a					

NOTE: TRIPLE CELL FABRICS NOT AVAILABLE WITH REMOTELIFT 2.0.

NOTE: SPECIFICATIONS HAVE BEEN UPDATED. PLEASE REVIEW WHEN ORDERING.

REMOTELIFT 2.0

RemoteLift 2.0 uses a combination of two different types of wireless signals to control window coverings: radio waves and an infrared signal.

By combining these two signal methods, RemoteLift 2.0 gives consumers the best features and control in the industry. Whether opening a single window covering or partially closing a roomful of coverings at the same time, RemoteLift 2.0 provides the ultimate in control.

WHAT IS RADIO FREQUENCY?

Radio frequency (RF) in today's world simply refers to the use of radio waves of a given frequency to wirelessly send data from a transmitter to a receiver. RemoteLift 2.0 uses radio waves in the 2.4GHz (pronounced "gigahertz") frequency range to send commands from the remote or to the receiver at the window covering.

Radio waves, due to their nature, pass through solid objects and radiate in every direction. That means a remote sending an RF signal does not need to be pointed at a window covering in order to control it. The remote does not have to be in the same room as the window covering it operates nor does the satellite eye need to be visible.

People use products that send radio frequency signals every day. From cell phones and keyless car FOBs, to baby monitors and even garage door openers. Each device sends out RF signals (radio waves) to a receiver on the other end. If the receiver on the other end doesn't "hear" the signal being sent, nothing happens (or a cell phone call gets dropped).

Operational Distance of Radio Waves

Range of operation may vary due to common household construction, layout and other wireless devices in the home. Much like reception with a cell phone, there may be better locations within a home to use radio frequency than others.

WHAT IS INFRARED?

An infrared (IR) signal uses an invisible beam of energy to send commands from a limited distance (usually less than 30 feet) to an electronic device. Similar to a flashlight, a clear line of sight between the device sending the signal and the device receiving the signal is necessary. Likewise, an infrared beam reflects off solid surfaces, bouncing around a room, which could activate a window covering unintentionally.


Products that use an infrared signal as a means of communication are so common, people seldom think about it. The most common device that uses an infrared signal sent from a remote in today's world is the television. By pointing the TV remote at the television and pressing a button, the television responds by changing channels, changing the volume level or powering off.

Operational Distance of Infrared Signals


The maximum operational distance an infrared signal can travel is 30 feet or less in a straight line. There cannot be any physical obstructions (like a drapery, top-treatment or cornice) between the remote and the receiver eye.

Also, an infrared signal can be compromised by direct sunlight or bright interior light. Keep all infrared receivers out of direct sunlight for better operation.


REMOTELIFT 2.0



Operation of a group of window coverings using radio frequency.



Operation of multiple groups of window coverings using radio frequency.



Operation of a single window covering using infrared or radio frequency.

SIMPLICITY MOTORIZATION SPECIFICATIONS

POWERWAND™ MOTORIZATION SPECIFICATIONS

SIMPLICITY AND POWERWAND MOTORIZATION

- Features the same headrail and bottomrail as Cordless Lift, Continuous Cord Loop, and RemoteLift 2.0. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.



SIMPLICITY & POWERWAND - SIZE STANDARDS		
	All Honeycomb Fabrics *	2" Hybrid Pleat **
Minimum NET Width - Bottom-Up	18"	18"
Minimum NET Width - Top-Down/Bottom-Up	24"	24"
Maximum Width	96"	96"
Maximum Width, End Mount ***	36"	36"
Minimum Height	12"	12"
Maximum Height	96"	96"

* Simplicity not available with 3/8" triple cell fabrics

** PowerWand **not available** with 3/8" triple cell or 2" Hybrid Pleat fabrics

*** Rechargeable Simplicity Top-Down/Bottom-Up **not available** as End Mount

NOTE: Size Standards are the same for standard Simplicity, Rechargeable Simplicity **Bottom-Up**, and PowerWand

NOTE: Min Width for **Rechargeable Simplicity Top-Down/Bottom-Up** is 24"

NOTE: Max height varies by width and fabric type. Refer to chart on page 48

SIMPLICITY 2-on-1 HEADRAIL - SIZE STANDARDS		
	All Honeycomb Fabrics *	2" Hybrid Pleat **
Minimum NET Width (per panel)	20"	20"
Minimum NET Width (overall)	40"	40"
Maximum Width (per panel)	96"	96"
Maximum Width (overall)	144"	144"
Minimum Height	12"	12"
Maximum Height	96"	96"

* Simplicity not available with 3/8" triple cell fabrics

NOTE: Simplicity 2-on-1 **ONLY** available with **Rechargeable** battery.

Not available with standard Simplicity, PowerWand or Top-Down/Bottom-Up.

FINISHED DIMENSIONS

Standard, Rechargeable Bottom-Up and Top-Down/Bottom-Up, and PowerWand

Adjustments are taken from ordered dimensions.

	Honeycomb	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
End (EB) Mount*		
Headrail unit	- 1/2"	ordered width
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1/8"

* End Mount is **not available** with Top-Down/Bottom-Up

Simplicity Rechargeable ONLY

2-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: 2-on-1 Headrail is **not available** with Top-Down/Bottom-Up

NOTE: Measurements may vary $\pm 1/8"$

NOTE: PowerWand is **not available** with Hybrid Pleat fabrics

MOUNTING REQUIREMENTS

Standard, Rechargeable Bottom-Up, and PowerWand

Use a metal tape measure for all measurements.

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Rechargeable Top-Down/Bottom-Up

Mounting Requirements

Use a metal tape measure for all measurements.

Honeycomb & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount	
Over 36" wide	2-1/4"
Under 36" wide (spacer blocks required)	3"

Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

STANDARD SIMPLICITY MOTORIZATION: OVERVIEW

Standard Simplicity Motorization


- Standard Simplicity Motorization features either a battery powered motor utilizing a single battery wand or plug-in DC transformer. Simplicity motors are compact and use a radio controlled remote to raise or lower the shades.
- Either batteries or 12 Volt DC power supply/transformer is available. The battery wand can be clipped to the headrail or wall or ceiling mounted utilizing battery wand clips. The 12 volt battery wand measures 17", and comes with eight AA alkaline batteries, and is white in color. The battery wire is 10" long. The DC power supply is white and comes with a 80" wire, must be plugged into a standard outlet to power the motor and can power a single shade.
- A 48" extension wire is available (Part #CS5133Z).



SIMPLICITY RECHARGEABLE MOTORIZATION: OVERVIEW

Simplicity Rechargeable

- The Rechargeable Simplicity motor program features an integrated rechargeable lithium ion battery in the motor casing and is fully concealed by the inner tube.
- Rechargeable battery is included with the motor. The average battery charge will last 6-12 months based on an average sized shade raised and lowered once per day. The life of the battery charge will vary based on the type of window covering selected, the size and weight of the window covering and the number of times the shade is operated on a daily basis. The battery can be recharged up to 500 times. It takes approximately 5 hours to recharge the motor when fully depleted.



Charging Port

Battery Charger

- An 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering Simplicity Rechargeable Motorized shade option. The charger plugs into the charging port of the motor. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep. Sold separately.



(Part #CS5199)

Solar Panel Recharge Option

- Plugs in to any Simplicity Rechargeable motorized shading (does not work with PowerWand™). Provides constant trickle charge to 7.4v Li-ION Rechargeable battery packs. Does not require direct sunlight, but performs best in regular direct sunlight applications. Will prolong the life of the charge of the 7.4v rechargeable battery packs, and in some applications will maintain charge indefinitely.
- Life of charge is subject to application variables such as, size and weight of shade, frequency of use, amount of direct sunlight exposure, etc.



(Part #CS52096)
Dimensions of panel
18½" x 1½"

5 Channel Remote

- The remote can operate up to five shadings simultaneously, individually or in groups. Remotes and holders are available in white or black. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet.



White
(Part #CS5138W)

Black
(Part #CS5138)

Please Note:

- Not all motors run at the same rate of speed.
- Simplicity motors have a "Favorites" position setting. To set a "Favorites" position, follow instructions provided in the installation instructions.

SIMPLICITY RECHARGEABLE TOP-DOWN/BOTTOM-UP: OVERVIEW

Rechargeable Simplicity Motors

- The Simplicity TDBU Motor program features a battery powered motor utilizing a rechargeable battery hidden inside the shade head rail. If shades are less than 36" in width, an external snap-on battery pack is necessary.

Top-Down/Bottom-Up Simplicity 14 Channel Remote

- The TDBU remote has 14-channels and an ALL option. Each channel has a setting able to operate the middle rail and a setting able to operate the bottom rail. The TDBU remote is required for TDBU motors, but can be used with other motors as well. The 14 Channel TDBU remote can operate up to fourteen shades individually or 14 groups (not recommended). Simplicity Rechargeable Motorized Cellular Shades are programmed at the factory with the "up and down" limits. Please ensure each shade is linked to the remote prior to installation.
- Simplicity TDBU remotes and holders are white in color. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet. The 14 Channel remote can be utilized on all Simplicity motorized shades.



(Part #CS52136)

Simplicity Rechargeable Battery for Top-Down/Bottom-Up

- For shades 36" and wider the rechargeable battery is fully concealed in the head rail and is recharged via a charging port on the back of the shade. Shades under 36" in width require an externally mounted battery pack. Both the internal and external rechargeable batteries come fully charged from the factory.



Internal Battery
charging port



External Battery Pack

Battery Charger

- Utilizes the same 8.4 Volt charger as Simplicity Rechargeable Bottom-Up and PowerWand



(Part #CS5199)

Solar Panel Recharge Option

- Uses the same Solar Panel recharge option as Simplicity Rechargeable Bottom-up.



(Part #CS52096)
Dimensions of panel
18½" x 1½"

PowerWand™ Motorization

- Honeycomb Shades can be fabricated with the PowerWand™ Rechargeable Push Button Control option. The PowerWand™ Rechargeable option is an easy, cord free motorized operation for the budget savvy homeowner. PowerWand™ Rechargeable uses Simplicity motors and components.

PowerWand™ Rechargeable Shades Operation

- Press the up or down button on the pendant to raise or lower the shading to your desired position. No programming is required with PowerWand™ as upper and lower limits are set at the factory. If desired, upper and lower limits can be adjusted in the field.
- Please refer to the installation instructions for instructions on resetting the upper and lower limits and setting a favorites position can be programmed on-site.

PowerWand™ Appearance

- The PowerWand™ Rechargeable wand and pendant is attached to the head rail and requires no additional mounting.
- The wand and pendant hangs down the front of the shades from the head rail.
- Pendant is 2-1/2" long.
- The pendant does not need to be mounted to the wall to operate the shade.



PowerWand™ Options

- Wand is available in Black or White (there is no default)
- Wand is available in 1 foot increments from 1 to 5 feet (there is no default)
- Wand is available on either the right or left side of the shade (there is no default)



White



Black Shown with
Plug-In Charger

PowerWand™ Battery Life

- The battery life will vary based on the type of window covering selected, the size and weight of the window covering and the number of times you operate the blind on a daily basis.

Battery Charger

- 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering the PowerWand™ motorization option. The charger plugs into the charger port on the side of the pendant. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep.



(Part #CS5199)

SIZE STANDARDS – SIMPLICITY MOTORIZATION

SIMPLICITY MOTORIZATION (Bottom-Up and Top-Down/Bottom-Up*) & POWERWAND - MAXIMUM HEIGHTS				
CODE	SHADE NET WIDTH TO:	18" – 72" **	84"	96"
H44	3/8" Marcella Semi-Opaque	96"	96"	96"
H40	3/8" Opulence Semi-Opaque	96"	96"	96"
H41	3/8" Opulence Blackout	96"	96"	96"
H91	3/4" Cardiff Semi-Opaque	96"	90"	72"
HS3	3/4" Glimmer Semi Opaque	96"	96"	96"
H27	3/4" Linen Semi-Opaque	96"	96"	96"
H45	3/4" Marcella Semi-Opaque	96"	96"	96"
HX6	3/4" Melodic Semi-Opaque	96"	90"	72"
H92	3/4" Mirada Semi-Opaque	96"	90"	72"
H28	3/4" Opulence Semi-Opaque	96"	90"	72"
H96	3/4" Peaceful Semi-Opaque	96"	90"	72"
HF6	3/4" Radiance Semi-Opaque	96"	90"	72"
H60	3/4" Serene FR Semi-Opaque	96"	90"	72"
H46	3/4" Marcella Blackout	96"	90"	72"
H29	3/4" Opulence Blackout	96"	90"	72"
HF7	3/4" Radiance Blackout	96"	90"	72"
H62	3/4" Serene FR Blackout	96"	90"	72"
H25	3/4" Tiffany Sheer	96"	96"	96"
H24	3/4" Tranquility Semi-Sheer	96"	90"	72"
H39	Opulence 1/2" Double Cell	96"	90"	72"
H47	1/2" Marcella Double Cell	96"	96"	96"
HPF	2" Hybrid Pleat Semi-Opaque***	96"	96"	96"
HPR	2" Hybrid Pleat - Blackout***	96"	90"	72"

* 2-on-1 Minimum Panel Width 20" (available with Bottom-Up Simplicity Rechargeable ONLY)

* Top-Down/Bottom-Up Minimum Panel Width 24" (available with Simplicity Rechargeable ONLY)

*** 2" Hybrid Pleat is Not Available with PowerWand Motorization

NOTE: Triple Cell fabric is not Available with motorization

HONEYCOMB VERTICAL APPLICATION A

• 3/4" Marcella (H45) • 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$368	397	433	464	496	527	559	590	622	655	682	741	798	852	900	954	1008	1066
42"	392	428	466	503	537	574	613	646	680	717	749	808	863	928	980	1045	1105	1179
48"	418	457	500	540	577	617	656	702	734	770	810	873	931	1016	1062	1131	1185	1264
54"	438	488	532	579	618	655	697	737	776	812	852	918	991	1065	1134	1201	1277	1354
60"	464	515	566	616	655	697	740	783	825	867	905	985	1063	1143	1212	1293	1373	1462
66"	491	544	596	654	700	740	786	835	875	925	965	1052	1136	1221	1297	1389	1474	1581
72"	518	575	633	693	738	782	826	887	929	977	1025	1121	1205	1299	1384	1482	1578	1688
78"	545	604	669	723	773	815	867	928	970	1026	1073	1176	1266	1364	1456	1556	1661	1777
84"	574	635	701	759	814	863	917	978	1024	1084	1134	1242	1344	1443	1538	1651	1757	1885
90"	595	667	732	792	851	905	961	1027	1081	1140	1195	1311	1417	1526	1629	1741	1859	1988
96"	622	695	759	823	882	940	999	1071	1125	1190	1243	1368	1474	1594	1706	1816	1942	2070
102"	648	722	792	855	917	983	1051	1117	1182	1243	1300	1433	1552	1669	1785	1909	2044	2186
108"	674	751	824	892	958	1022	1098	1174	1235	1305	1364	1501	1625	1751	1875	2002	2145	2295
114"	701	779	854	929	995	1064	1143	1220	1291	1360	1422	1573	1702	1832	1967	2091	2249	2394
120"	723	810	917	992	1062	1135	1218	1300	1372	1447	1503	1660	1796	1934	2069	2203	2360	2511

- 3/4" Cardiff (H91)
- 3/4" Glimmer (HS3)
- 3/4" Linen (H27)
- 3/4" Marcella Blackout (H46)
- 3/4" Melodic (HX6)
- 3/4" Mirada (H92)
- 3/4" Opulence (H28)
- 3/4" Radiance Blackout (HF7)
- 3/4" Serene (H62)

HONEYCOMB VERTICAL APPLICATION B

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$431	466	510	546	581	618	657	695	733	770	802	871	939	999	1056	1120	1182	1256
42"	460	502	548	591	631	672	715	759	799	843	879	948	1016	1089	1151	1229	1299	1386
48"	489	535	588	635	676	725	772	825	862	905	951	1026	1094	1191	1247	1330	1393	1485
54"	515	572	623	679	727	770	817	867	910	954	999	1078	1165	1255	1332	1412	1500	1590
60"	545	604	667	723	770	817	871	919	969	1019	1064	1155	1250	1344	1426	1519	1614	1719
66"	579	639	702	769	822	871	925	983	1030	1086	1136	1238	1335	1436	1525	1633	1735	1858
72"	610	674	743	814	868	917	971	1043	1090	1148	1205	1318	1416	1526	1628	1741	1855	1987
78"	641	709	784	849	908	958	1019	1089	1142	1207	1260	1381	1488	1605	1710	1830	1953	2089
84"	672	745	824	893	956	1016	1076	1149	1204	1273	1332	1461	1580	1699	1809	1941	2067	2218
90"	701	782	858	931	998	1063	1131	1209	1270	1341	1404	1542	1667	1794	1914	2047	2187	2338
96"	732	815	892	966	1036	1107	1177	1257	1323	1400	1463	1607	1736	1876	2002	2138	2283	2434
102"	761	849	931	1005	1077	1153	1234	1313	1390	1464	1528	1684	1825	1962	2100	2245	2401	2568
108"	792	882	968	1048	1125	1202	1293	1378	1454	1533	1605	1765	1910	2059	2204	2357	2522	2698
114"	823	915	1003	1090	1170	1252	1344	1435	1517	1601	1671	1846	2000	2154	2314	2462	2645	2814
120"	849	951	1076	1165	1247	1334	1432	1527	1612	1702	1767	1952	2112	2273	2433	2590	2773	2954

IMPORTANT NOTE:

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stackingadd \$57 each

HONEYCOMB VERTICAL APPLICATION C

- 3/4" Opulence Blackout (H29)
- 3/4" Serene Blackout (H60)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$501	553	613	665	707	739	785	829	873	917	957	1038	1144	1233	1321	1416	1506	1570
42"	544	604	669	715	764	808	855	905	956	999	1049	1136	1252	1350	1454	1559	1661	1736
48"	589	646	709	764	815	862	915	971	1025	1075	1129	1229	1352	1464	1578	1690	1803	1887
54"	628	695	761	824	877	935	994	1056	1114	1175	1231	1339	1477	1601	1724	1855	1975	2073
60"	671	734	811	877	938	997	1061	1131	1195	1260	1323	1437	1588	1723	1858	1999	2131	2243
66"	708	774	861	936	997	1063	1126	1206	1272	1346	1413	1540	1702	1846	1993	2144	2288	2407
72"	749	816	906	992	1058	1126	1201	1281	1350	1433	1504	1643	1818	1974	2129	2295	2452	2582
78"	786	856	958	1046	1117	1193	1273	1358	1435	1523	1602	1742	1927	2098	2269	2441	2609	2751
84"	822	899	1003	1096	1170	1251	1341	1429	1513	1605	1687	1842	2038	2220	2398	2584	2764	2918
90"	858	940	1052	1150	1228	1317	1413	1503	1594	1693	1778	1944	2151	2343	2533	2734	2923	3088
96"	896	983	1097	1206	1284	1382	1484	1583	1675	1779	1872	2047	2270	2470	2674	2881	3083	3259
102"	933	1025	1147	1255	1336	1448	1553	1658	1752	1865	1957	2138	2365	2579	2791	3009	3224	3412
108"	970	1066	1192	1306	1386	1515	1621	1734	1827	1943	2040	2234	2475	2699	2924	3154	3377	3575
114"	1004	1115	1239	1360	1441	1579	1690	1806	1909	2025	2125	2334	2587	2820	3061	3298	3539	3744
120"	1077	1200	1328	1459	1540	1680	1798	1920	2025	2148	2249	2472	2734	2982	3229	3478	3727	3948

IMPORTANT NOTE:

3/4" Serene FR Semi-opaque (H62) and 3/4" Serene FR Blackout (H60) fabrics do not meet the NFPA 701 flammability requirements when used in a Vertical Application.

HONEYCOMB VERTICAL APPLICATION D

- 3/4" Peaceful (H96)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$566	624	693	751	799	836	886	938	986	1036	1081	1174	1293	1393	1492	1601	1702	1774
42"	616	683	756	810	864	912	967	1022	1079	1129	1186	1284	1414	1526	1643	1763	1878	1961
48"	666	730	801	864	921	973	1035	1098	1159	1215	1276	1388	1528	1655	1783	1910	2037	2132
54"	709	785	861	931	991	1058	1124	1193	1258	1326	1390	1513	1669	1809	1948	2096	2232	2342
60"	758	829	915	991	1060	1127	1199	1279	1351	1424	1495	1624	1794	1947	2100	2259	2408	2534
66"	800	875	971	1059	1127	1202	1272	1362	1438	1520	1597	1740	1923	2086	2252	2423	2586	2721
72"	845	922	1024	1121	1194	1272	1356	1448	1526	1618	1700	1857	2054	2231	2405	2594	2771	2918
78"	889	968	1083	1182	1263	1349	1439	1534	1621	1721	1810	1969	2177	2371	2564	2759	2948	3107
84"	929	1016	1133	1238	1322	1413	1515	1615	1709	1813	1907	2083	2304	2508	2710	2920	3124	3297
90"	970	1062	1189	1299	1387	1488	1597	1698	1801	1913	2009	2196	2430	2647	2863	3089	3302	3489
96"	1012	1110	1239	1362	1450	1560	1675	1790	1893	2010	2116	2312	2565	2791	3021	3256	3484	3683
102"	1055	1159	1295	1417	1511	1636	1754	1872	1980	2108	2213	2416	2673	2912	3154	3400	3644	3856
108"	1097	1205	1348	1476	1567	1712	1831	1959	2064	2195	2306	2526	2795	3049	3304	3565	3816	4039
114"	1134	1260	1400	1538	1629	1784	1910	2040	2157	2288	2401	2637	2923	3187	3458	3727	3998	4231
120"	1217	1355	1500	1647	1740	1897	2031	2170	2288	2427	2541	2792	3089	3370	3647	3931	4212	4462

OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stackingadd \$57 each

2" HYBRID PLEAT VERTICAL APPLICATION G

• 2" HYBRID PLEAT – SEMI-OPAQUE (HPF)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$381	454	455	481	499	532	552	645	670	717	751	876	987	1086	1183	1290	1385
42"	429	462	473	496	519	546	571	667	693	746	779	897	1016	1116	1218	1326	1427
48"	451	477	485	524	571	578	597	711	728	785	826	946	1086	1194	1303	1420	1526
54"	467	505	510	546	593	596	619	734	759	811	850	982	1110	1221	1332	1451	1558
60"	471	520	522	571	616	618	641	756	782	844	889	1026	1160	1276	1390	1515	1629
66"	505	552	554	585	616	631	654	782	802	862	918	1057	1194	1315	1433	1562	1679
72"	517	576	576	610	628	662	686	824	840	918	972	1110	1257	1382	1506	1643	1765
78"	597	654	665	693	719	752	782	821	843	914	977	1122	1265	1393	1517	1653	1778
84"	615	671	684	714	746	782	810	850	879	951	1020	1170	1315	1445	1576	1719	1845
90"	636	696	698	730	760	803	839	879	910	982	1058	1213	1363	1499	1634	1781	1915
96"	649	714	719	749	779	828	861	901	938	1013	1087	1246	1408	1549	1686	1840	1976
108"	719	801	803	842	883	934	991	1036	1081	1175	1270	1452	1632	1796	1957	2131	2293
120"	771	867	900	946	994	1055	1112	1174	1227	1330	1441	1645	1841	2025	2207	2407	2586

2" HYBRID PLEAT VERTICAL APPLICATION H

• 2" HYBRID PLEAT – BLACKOUT (HPR)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$433	461	465	492	510	543	563	659	683	733	765	894	1007	1107	1206	1315	1413
42"	441	474	480	505	529	558	580	685	708	760	793	917	1038	1142	1245	1357	1459
48"	459	489	496	531	594	600	608	725	744	801	842	964	1108	1219	1326	1448	1555
54"	475	518	517	559	611	608	629	749	773	828	868	1006	1134	1247	1360	1481	1592
60"	480	529	531	580	648	634	653	772	799	862	903	1045	1179	1297	1413	1542	1657
66"	513	564	564	595	652	647	669	801	818	882	934	1077	1217	1338	1459	1589	1708
72"	529	588	589	619	662	673	697	840	856	935	988	1131	1280	1408	1533	1672	1798
78"	611	667	675	706	733	770	798	837	862	932	995	1143	1286	1415	1543	1682	1807
84"	663	727	743	777	813	856	892	935	970	1055	1131	1296	1454	1601	1742	1901	2043
90"	728	802	809	847	883	933	973	1022	1059	1148	1235	1417	1593	1753	1910	2083	2239
96"	800	897	914	962	1011	1077	1129	1191	1243	1356	1463	1672	1882	2071	2258	2461	2645
108"	870	995	1016	1081	1143	1219	1303	1371	1438	1578	1720	1957	2193	2413	2629	2866	3080
120"	923	1073	1136	1215	1287	1381	1468	1556	1640	1791	1960	2229	2483	2732	2979	3246	3489

OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stackingadd \$57 each

VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.



VERTICAL APPLICATION

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors

- Four fabric stacking options:

- 1) left stack
- 2) right stack
- 3) center opening ("split stack")
- 4) center stack

Top Rail Dimensions



VERTICAL APPLICATION - SIZE STANDARDS

	Honeycomb			2" Hybrid Pleat
	Sheer Fabric	All Other 3/4" Fabrics	All 3/4" Blackout Fabrics	All Fabrics
Min. Width	12"	12"	12"	12"
Max. Width Side Stack	120"	168"	168"	168"
Max. Width Split Stack	168"	190"	190"	190"
Min. Height	24"	24"	24"	24"
Max. Height	120"	120"	120"	120"
Max Sq. ft. Side Stack	100	140	120	100
Max Sq. ft. Split Stack	100	140	140	120

Vertical Application not available with any 3/8", 3/8" blackout, 3/4" semi sheer, 1/2" double cell, or 3/8" triple cell fabrics

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 3/16"	- 3/16"
Shade height	- 1/2"	- 1/2"
Valance width (non-flush)	+ 1-1/4"	+ 1-1/4"
Valance width (flush)	- 1/8"	- 1/8"
Outside (OB) Mount		
Headrail unit	- 3/16"	- 3/16"
Shade height	ordered height	ordered height
Valance width	+ 1"	+ 1"
Standard Returns		
Outside Mount	3-1/8"	4-1/4"
Inside Non Flush Mount *	1-1/2"	1-1/2"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	Honeycomb	2" Hybrid Pleat
Inside (IB) Mount		
Minimum mounting depth	15/16"	15/16"
Minimum mounting depth, flush mount:	3-5/8"	4-1/2"
Outside (OB) Mount		
Minimum flat vertical surface	5/8"	5/8"

*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

HARDWARE COLOR

- Hardware colors are currently limited to 10. Refer to the Hardware Color Guide for colors and more information.

EXCLUSIONS

- All 3/8" styles, 3/4" Semi Sheer, Double Cell, or Triple Cell honeycomb styles.

VERTICAL APPLICATION ORDERING NOTES

- Specify inside (IB), outside (OB), inside non flush mount or flush mount.
- Specify stacking configuration – left stack, right stack, center opening, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option.
- Inside non flush mount valance returns are 1-1/2" if returns are selected*
- Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.
- Standard installation hardware (brackets) provided.

- Specify no-charge installation hardware:
 - Spacer blocks
 - Extension brackets
 - Shims (OB)
- Also refer to vertical application measuring in "General Information" section.

NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.

Cut-outs are not available on 2" Hybrid Pleat.

HONEYCOMB CLASSIC SKYLIGHT A

• 3/8" Marcella (H44) • 3/4" Marcella (H45) • 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$233	265	295	334	360	398	428	462	490
42"	245	282	320	357	394	429	466	494	526
48"	258	303	338	379	428	462	505	541	569
54"	277	321	363	406	461	488	541	577	614
60"	285	341	388	433	497	530	580	629	
66"	304	360	410	462	525	562	609		
72"	316	377	433	486	548	590	647		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

- 3/8" Opulence (H40)
- 3/4" Cardiff (H91)
- 3/4" Glimmer (HS3)
- 3/4" Linen (H27)
- 3/4" Melodic (HX6)

- 3/4" Mirada (H92)
- 3/4" Opulence (H28)
- 3/4" Serene FR (H62)
- 1/2" Marcella (H47)

HONEYCOMB CLASSIC SKYLIGHT B

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$275	311	347	392	421	467	502	544	575
42"	288	330	376	419	462	504	546	580	617
48"	305	354	398	445	502	541	592	637	672
54"	327	377	428	476	540	572	637	680	723
60"	336	400	452	509	583	621	682	736	
66"	356	421	481	544	614	658	717		
72"	371	442	509	570	643	692	761		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

OPTIONS: EXTRA CHARGE

- Classic Skylight Extension Pole (extends 5' to 10')\$37

STANDARD SIMPLICITY SURCHARGE AND OPTIONS EXTRA CHARGE – SPECIFY ON ORDER USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Standard Simplicity Motorization (Battery wand included in the price)add \$262 per shade
- 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
- 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$65 each
- 48" Extension Wire (Part #CS5133Z)add \$8 each
- DC Power Supply (Part #CS5151)add \$36 each

SIMPLICITY RECHARGEABLE MOTORIZATION SURCHARGE AND OPTIONS EXTRA CHARGE – SPECIFY ON ORDER USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Simplicity Rechargeable Motorizationadd \$262 per shade
- 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
- 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$65 each
- 48" Extension Wire (Part #CS5133Z)add \$8 each
- Solar Panel (Part #CS52096)add \$159 each
- Plug-In Charger (Part #CS5199)add \$33 each

HONEYCOMB CLASSIC SKYLIGHT C

- 1/2" Opulence (H39)
- 3/4" Marcella Blackout (H46)
- 3/4" Radiance Blackout (HF7)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$286	330	369	410	448	492	531	568	602
42"	307	348	397	442	491	533	577	618	655
48"	319	375	424	474	530	572	626	670	709
54"	346	400	455	505	576	604	674	722	765
60"	359	426	480	537	615	660	725	773	
66"	377	445	506	570	650	699	769		
72"	398	473	535	604	687	738	808		

Prices in the 66" and 72" columns apply to side stack

Skylight with Simplicity Motorization Maximum Width: 48"

HONEYCOMB CLASSIC SKYLIGHT D

- 3/8" Opulence Blackout (H41)
- 3/4" Opulence Blackout (H29)
- 3/4" Peaceful (H96)
- 3/4" Serene FR Blackout (H60)
- 3/4" Tiffany (H25)
- 3/4" Tranquility (H24)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$335	385	431	476	518	569	615	657	699
42"	359	408	461	515	569	618	670	720	762
48"	376	435	492	548	611	658	722	770	818
54"	398	462	530	587	661	709	773	828	882
60"	413	488	557	620	708	760	827	889	
66"	440	517	596	669	750	813	890		
72"	462	540	624	698	784	853	951		

Prices in the 66" and 72" columns apply to side stack

Skylight with Simplicity Motorization Maximum Width: 48"

OPTIONS: EXTRA CHARGE

- Classic Skylight Extension Pole (extends 5' to 10')\$37

STANDARD SIMPLICITY SURCHARGE AND OPTIONS

EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Standard Simplicity Motorization (Battery wand included in the price)add \$262 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - DC Power Supply (Part #CS5151)add \$36 each

SIMPLICITY RECHARGEABLE MOTORIZATION SURCHARGE AND OPTIONS

EXTRA CHARGE – SPECIFY ON ORDER


USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- Simplicity Rechargeable Motorizationadd \$262 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$44 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$65 each
 - 48" Extension Wire (Part #CS5133Z)add \$8 each
 - Solar Panel (Part #CS52096)add \$159 each
 - Plug-In Charger (Part #CS5199)add \$33 each

CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CLASSIC SKYLIGHT




This easy to operate system holds shades in place. Perfect for skylights and other windows beyond reach.



- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features a two-cell fabric gasket attached to the headrail; eliminates light leakage when shade is closed
- 5' adjustable extension pole – extends to 10'

STACK LOCATION:	WINDOW POSITION:
 Top	 Vertical
 Bottom	 Sloped
 Side	 Horizontal

Note: Pleats will have a vertical orientation when side stack is ordered.



Optional Extension Pole
Extends 5' to 10'
(Part #400036-81511)



CLASSIC SKYLIGHT – SIZE STANDARDS

	Honeycomb
	All Fabrics *
Min. Width	18"
Max. Width	60"
Min. Height	6"
Max. Height	72"
Max Area (sq. ft.)	25

* Classic Skylight not available with any 3/8" triple cell or 2" Hybrid Pleat fabrics

NOTE: Shades over 36" wide require support cords.

Rail stiffener is required when shade is over 42" wide.

CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS

	Honeycomb
	All Fabrics *
Min. Width	6"
Max. Width	72"
Min. Height	18"
Max. Height	60"
Max Area (sq. ft.)	25

* Classic Skylight not available with any 3/8" triple cell or 2" Hybrid Pleat fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/4"
Outside (OB) Mount	
Headrail unit	+ 3/4"
Shade height	ordered height
Fabric width	ordered width

NOTE: All finished dimensions include side tracks.

NOTE: Measurements may vary ± 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mounts		3/8" Single
Minimum mounting depth IB:		1"
Minimum mounting depth, flush mount:		1-11/16"
Outside (OB) Mount		3/8" Single
Minimum flat vertical surface		5/8"
Inside (IB) Mounts		3/4" Single and 1/2" Double
Minimum mounting depth IB:		1-1/4"
Minimum mounting depth, flush mount:		2-1/2"
Outside (OB) Mount		3/4" Single and 1/2" Double
Minimum flat vertical surface		1"

SKYLIGHT WITH SIMPLICITY MOTORIZATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SKYLIGHT WITH SIMPLICITY MOTORIZATION



NOTE:

This is a different Skylight system than the Classic Skylight. Key differences include:

- Headrail and Bottomrail are identical and are the same rail used on standard shades with Simplicity Motorization
- Only available with fabric stack at the bottom of the window

Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled Simplicity motors
- The Simplicity wireless remote control operates individual or groups of shades

Operation & Installation Tips

- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Skylights with Simplicity Motorization will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	- 3/16"
Shade height	ordered height
Fabric width	- 1-1/4"

NOTE: Measurements may vary $\pm 1/8"$

HEADRAIL & BOTTOMRAIL DIMENSIONS

Depth of Rail	2"
Depth of Rail & Bracket	2-1/4"
Depth of Rail, Side Tracks & Bracket	2-1/2"
Height of Rail	1-1/2"



SKYLIGHT SIMPLICITY - SIZE STANDARDS

	All Honeycomb Fabrics *
Minimum Width	18"
Maximum Width	48"
Minimum Height	12"
Maximum Height	72"

* Skylight with Simplicity not available with 3/8" triple cell fabrics or 2" Hybrid Pleat

NOTE: Size Standards are the same for Skylight with standard Simplicity and Rechargeable Simplicity

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- The shade must be mounted with the fabric stack at the bottom or the lowest point in the window

Standard Motorization


Inside (IB) Mounts	
Minimum mounting depth, IB	2-1/2"

Rechargeable Motorization

Inside (IB) Mounts	
Minimum mounting depth, IB	
Over 20" wide	2-1/2"
Under 20" wide	3"

NOTE:

Skylight shades with Rechargeable Motorization **over 20" wide** feature an internal battery with charging port. Skylight shades with Rechargeable Motorization **under 20" wide** require an external battery pack which accounts for the additional mounting depth



HONEYCOMB ARCH A

• 3/8" Marcella (H44) • 3/4" Marcella (H45) • 3/4" Radiance (HF6)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$96	112	126	148	172	195	225	256	289	329	371
Movable*	142	163	186	211	242	278	314	356	398	458	525

 ALL 3/8" FAN-FOLD ARCHES
 N/A IN THESE SIZES

*Specify Fan-Fold or Top-Down Movable Arch when ordering

 • 3/8" Opulence (H40)
 • 3/4" Cardiff (H91)
 • 3/4" Glimmer (HS3)
 • 3/4" Linen (H27)
 • 3/4" Melodic (HX6)

 • 3/4" Mirada (H92)
 • 3/4" Opulence (H28)
 • 3/4" Serene FR (H62)
 • 1/2" Marcella (H47)

HONEYCOMB ARCH B

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$114	129	148	174	200	230	264	301	340	386	435
Movable*	165	190	216	246	283	327	368	418	468	536	615

 ALL 3/8" FAN-FOLD ARCHES
 N/A IN THESE SIZES

*Specify Fan-Fold or Top-Down Movable Arch when ordering

HONEYCOMB ARCH C

 • 1/2" Opulence (H39)
 • 3/4" Marcella Blackout (H46)
 • 3/4" Radiance Blackout (HF7)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$134	152	174	202	234	270	309	351	399	452	511
Movable*	193	224	254	290	333	384	433	490	549	631	724

*Specify Fan-Fold or Top-Down Movable Arch when ordering

HONEYCOMB ARCH D

 • 3/8" Opulence Blackout (H41) • 3/4" Tiffany (H25)
 • 3/4" Opulence Blackout (H29) • 3/4" Tranquility (H24)
 • 3/4" Serene FR Blackout (H60)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$153	177	202	237	275	316	362	413	470	532	598
Movable*	226	263	298	341	389	448	507	574	643	737	851

 ALL 3/8" FAN-FOLD ARCHES
 N/A IN THESE SIZES

*Specify Fan-Fold or Top-Down Movable Arch when ordering

 NOTE: TRIPLE CELL FABRIC NOT AVAILABLE AS A TOP-DOWN ARCH
 2" HYBRID AND 3/4" PEACEFUL ARE NOT AVAILABLE AS ARCHES

OPTIONS: EXTRA CHARGE

- Top-Down Movable Arch Extension Pole (extends 5' to 10')\$37
- Arch and Elliptical Arch – price using width on Arch price charts for fabric desired.
- Rectangular Shade and Arch – price as 2 separate shades; One Arch and One Rectangular.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape below.

Width: Measure exact width(s)

Height: Measure exact height(s)

OUTSIDE MOUNT

Locate shape below.

Width: Measure desired width(s)

Height: Measure desired height(s)

FAN-FOLD ARCHES


NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)




	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell and 3/8" Triple Cell Fabrics
Min. Width	12"	12"	12"
Max. Width	72"	84"	84"
Min. Height	6"	6"	6"
Max. Height	36"	42"	42"

Not available with 2" Hybrid Pleat or 3/4" Peaceful fabrics


MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here – Fan Fold Left



Width (Diameter)



	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell and 3/8" Triple Cell Fabrics
Min. Width	12"	12"	12"
Max. Width	72"	84"	84"
Min. Height	6"	6"	6"
Max. Height	36"	42"	42"

Not available with 2" Hybrid Pleat or 3/4" Peaceful fabrics

Note: all fan-fold arches require the use of small, clear clips to be installed around the outer edge, which holds the fabric in place. The fabric must be slid out of the clips before the arch can be operated.


NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)



	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell and 3/8" Triple Cell Fabrics
Min. Width	12"	12"	12"
Max. Width	72"	84"	84"
Min. Height	1/4 width	1/4 width	1/4 width
Max. Height	1/2 width	1/2 width	1/2 width


Not available with 2" Hybrid Pleat or 3/4" Peaceful fabrics

Max height of straight sides is 10". Heights must be at least 25% of total width after the straight sides.


TOP-DOWN MOVABLE ARCH (TEMPLATE REQUIRED)

TOP-DOWN OPERABLE PERFECT ARCH

Must be perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics
Min. Width	18"	18"	18"
Max. Width	84"	84"	84"
Min. Height	6"	6"	6"
Max. Height	48"	48"	48"

Top-Down Movable Arch is not available with 3/8" triple cell, 2" Hybrid Pleat, or 3/4" Peaceful fabrics

Straight Side Specifications

- * 3/8" & 3/4": if arch width wider than 66", the max height = 48"
- * 1/2": if arch width wider than 66", the max height = 48"
- * 1/2": if arch width wider than 72", the max height = 48"
- * Non-perfect arch: heights must be at least 25% of total width



Optional Top-Down Movable Arch
Extension Pole
Extends 5' to 10' (Part #400037-0007)


Available as Inside (IB) Mount ONLY

Specify arch trim at order entry:
661 Tiara White
320 Rich Cream


NOTE: Top-Down Arch not available in Triple Cell fabrics

TOP-DOWN OPERABLE ELLIPTICAL ARCH

Non-perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

	SIZE STANDARDS		
	Honeycomb		
	All 3/8" and 3/8" Blackout Fabrics	All 3/4" and 3/4" Blackout Fabrics	All 1/2" Double Cell Fabrics
Min. Width	18"	18"	18"
Max. Width	84"	84"	84"
Min. Height	1/4 width	1/4 width	1/4 width
Max. Height	48"	48"	48"

Top-Down Movable Arch is not available with 3/8" triple cell, 2" Hybrid Pleat, or 3/4" Peaceful fabrics

Top-down arches will have a "flared" look to them when lowered. This is a natural characteristic of this product.

Arch trim kit included with Top-Down arches – available in White Tiara (661) & Rich Cream (320) – See the hardware guides for color example.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CIRCLES, QUARTER CIRCLES & ANGLE CUTS (TEMPLATE REQUIRED)

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape of window.

Width: Measure exact width(s)

Height: Measure exact height(s)

Diagonal: Measure height of diagonal(s) (for Angle Cuts)

OUTSIDE MOUNT


Locate shape of window.

Width: Measure desired width(s)


Height: Measure desired height(s)

Diagonal: Measure length of diagonal(s) (for Angle Cuts)

CIRCLES & QUARTER CIRCLE (TEMPLATE REQUIRED)




	All 3/8" & 3/4" Semi-Opaque Fabrics & All 1/2" Double Cell	3/8" Blackout	All Other
Min. Width	12"	12"	12"
Max. Width	48"	68"	60"
NON-OPERABLE			



	All 3/8" Semi-Opaque Fabrics	All Other
Min. Width	12"	12"
Max. Width	30"	42"
NON-OPERABLE		

ANGLE CUTS (TEMPLATE REQUIRED)

ANGLED TOP (TEMPLATE REQUIRED)





- Shades will raise to the shaded area indicated.
- Cordlock must always be at the lower end of the headrail

	All 3/8" Semi-Opaque Fabrics	All 3/4" Sheer, Semi-Sheer, Semi-Opaque Fabrics	All 3/8" & 3/4" Blackout Fabrics	All 1/2" Double Cell, 3/8" Triple Cell Fabrics
Maximum Height	84	84	72	84
Maximum Area (sq ft)	60	60	40	30
MINIMUM SLOPE WIDTH				
0 - 30 Angle	12	12	12	12
30 - 45 Angle	14	14	14	14
45 - 60 Angle	17	N/A	17	N/A
MAXIMUM SLOPE WIDTH				
0 - 30 Angle	83	55	83	60
30 - 45 Angle	84	67	84	60
45 - 60 Angle	84	N/A	84	N/A
Minimum Width	12	12	12	12
Maximum width	* up to 45 angle only			
0 - 30 Angle	70	48	70	48
30 - 45 Angle	60	48	60	48
45 - 60 Angle	42	N/A	42	N/A


* 1/2" Up to 45 angle only

HEXAGON & OCTAGON (TEMPLATE REQUIRED)



- Minimum width and minimum height – 8"
- Maximum width and maximum height – 30"
- Operate from bottom to top or top to bottom
- Inside mounts will raise to the shaded area indicated above

TRAPEZOID (ALL PATTERNS) (TEMPLATE REQUIRED)



- Minimum width – 8"
- Maximum width of long rail – 72"
- Maximum reduction for short rail – 9" per side
- Maximum height – 96"
- Maximum area (sq. ft.) – 40
- Opens in the direction of the longest rail (Top-Down or Bottom-Up)

OPTIONS: EXTRA CHARGE

- **Angle Cut**add \$122
(includes Angle Top, Hexagon, Octagon & Trapezoid)
- **Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering. (Template required.)
- **Quarter Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES & QUARTER CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

Max width for end mount is 36"

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount		3/8" Single
Minimum mounting depth:		
Standard installation bracket		1"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		1-1/2"
Swivel bracket		1-1/8"
End mount bracket		1-1/8"
Outside (OB) Mount		3/8" Single
Minimum flat vertical surface		5/8"
Inside (IB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum mounting depth:		
Standard installation bracket		1-1/4"
Swivel bracket		1/2"
Minimum mounting depth, flush mount:		
Standard installation bracket		2-1/4"
Swivel bracket		2"
End mount bracket		2"
Outside (OB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum flat vertical surface		1"

CIRCLES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 1/16"
Arch height	- 3/32"
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/32"
Arch height	+ 1/32"
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount		3/8" Single
Minimum mounting depth		1-1/8"
Inside (IB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum mounting depth		1-7/8"
Outside (OB) Mount		3/4" Single, 1/2" Double, 3/8" Triple
Minimum flat vertical surface		5/8"

ANGLES

FINISHED DIMENSIONS

Finished dimensions vary depending on the degree of the angle.

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

SPECIALTY SHAPES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Rail unit	- 3/16"
Arch height	ordered height
Fabric width	- 3/8"
Outside (OB) Mount	
Rail unit	+ 3/16"
Arch height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

MOUNTING REQUIREMENTS

SAME AS ARCHES & QUARTER CIRCLES

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Fabrics

Standard Cordlock

Min Width (net) *	8"	8"	8"	8"	8"	8"	8"	N/A
Max Width	60"	60"	60"	60"	60"	60"	60"	
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	144"	144"	144"	174"	174"	144"	120"	
Max Area (Sq/Ft)	60	40	60	60	40	40	40	

* If width < 12", max height = 80"

Standard Cordlock - Top-Down

Min Width (net) *	10"	10"	10"	10"	10"	10"	10"	N/A
Max Width	60"	60"	60"	60"	60"	60"	60"	
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	144"	144"	144"	174"	174"	144"	120"	
Max Area (Sq/Ft)	60	40	60	60	40	40	60	

* If width < 12", max height = 80"

Standard Cordlock - Top-Down/ Bottom-Up

Min Width (net) *	10"	10"	10"	10"	10"	10"	10"	N/A
Max Width	72"	72"	72"	72"	72"	72"	72"	
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	108"	108"	108"	108"	108"	108"	108"	
Max Area (Sq/Ft)	48	40	48	48	40	40	48	

* If width < 12", max height = 80"

Standard Cordlock - Two-Fabric Combo

Min Width (net) *	N/A	N/A	10"	10"	10"	10"	10"	N/A
Max Width	N/A	N/A	72"	72"	72"	60"	60"	
Max Width - End Mount	N/A	N/A	36"	36"	36"	36"	36"	
Min Height	N/A	N/A	6"	6"	6"	6"	6"	
Max Height	N/A	N/A	96"	96"	96"	90"	90"	
Max Area (Sq/Ft)	N/A	N/A	48	48	40	40	40	

* If width < 12", max height = 80"

Standard Cordlock - Two-On-One Headrail

Min Width (per panel) (net) *	8"	8"	8"	8"	8"	8"	8"	N/A
Min Width (overall)	16"	16"	16"	16"	16"	16"	16"	
Max Width (per panel)	60"	60"	60"	60"	60"	60"	60"	
Max Width (overall)	120"	120"	120"	120"	120"	120"	120"	
Max Width - End Mount	36"	36"	36"	36"	36"	36"	36"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	144"	144"	144"	174"	174"	144"	120"	
Max Area (Sq/Ft)	60	40	60	60	40	40	60	

* If width < 12", max height = 80"

Continuous Cord Loop

Min Width (net)	18"	18"	18"	18"	18"	18"	18"	18"
Max Width	144"	144"	174"	174"	144"	144"	142"	120"
Max Width - End Mount	48"	48"	48"	48"	48"	48"	48"	42"
Min Height	6"	6"	6"	6"	6"	6"	6"	12"
Max Height	96"	96"	144"	144"	144"	144"	120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80	80	60

Continuous Cord Loop - Top-Down/Bottom-Up

Min Width (net)	24"	24"	24"	24"	24"	24"	24"	24"
Max Width	144"	144"	144"	144"	144"	144"	142"	120"
Max Width - End Mount	48"	48"	48"	48"	48"	48"	48"	42"
Min Height	8"	8"	8"	8"	8"	8"	8"	12"
Max Height	96"	96"	144"	144"	144"	144"	120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80	80	60

Continuous Cord Loop - Two-On-One Headrail

Min Width (per panel) (net)	18"	18"	18"	18"	18"	18"	18"	18"
Min Width (overall)	36"	36"	36"	36"	36"	36"	36"	36"
Max Width (per panel)	144"	144"	144"	144"	144"	144"	142"	102"
Max Width (overall)	174"	174"	174"	174"	174"	174"	174"	120"
Min Height	6"	6"	6"	6"	6"	6"	6"	12"
Max Height	96"	96"	144"	144"	144"	144"	120"	120"
Max Area (Sq/Ft)	90	80	150	150	100	80	80	60

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Fabrics

Cordless Lift System

Min Width (net)	16"	N/A	16"	16"	16"	16"	N/A	16"
Max Width	120"		120"	120"	120"	120"		120"
Max Width - End Mount	48"		48"	48"	48"	48"		42"
Min Height	12"		12"	12"	12"	12"		12"
Max Height	84"		84"	84"	84"	84"		84"
Max Area (Sq/Ft)	70		70	70	70	70		60

Cordless Lift - Two-On-One Headrail

Min Width (per panel) (net)	16"	N/A	16"	16"	16"	16"	N/A	16"
Min Width (overall)	32"		32"	32"	32"	32"		32"
Max Width (per panel)	120"		120"	120"	120"	120"		100"
Max Width (overall)	174"		174"	174"	174"	174"		120"
Min Height	12"		12"	12"	12"	12"		12"
Max Height	84"		84"	84"	84"	84"		84"
Max Area (per panel) (Sq/Ft)	70		70	70	70	70		60

Cordless Lift - Three-On-One Headrail

Min Width (per panel) (net)	16"	N/A	16"	16"	16"	16"	N/A	16"
Min Width (overall)	32"		48"	48"	48"	48"		48"
Max Width (per panel)	120"		120"	120"	120"	120"		104"
Max Width (overall)	174"		174"	174"	174"	174"		120"
Min Height	12"		12"	12"	12"	12"		12"
Max Height	84"		84"	84"	84"	84"		84"
Max Area (per panel) (Sq/Ft)	70		70	70	70	70		60

Cordless Lift System - Top-Down/ Bottom-Up

Min Width (net)	16"	N/A	16"	16"	16"	16"	N/A	16"
Max Width	120"		120"	120"	120"	120"		120"
Max Width - End Mount	48"		48"	48"	48"	48"		42"
Min Height	12"		12"	12"	12"	12"		12"
Max Height	84"		84"	84"	84"	84"		84"
Max Area (Sq/Ft)	70		70	70	70	70		60

Cordless Lift System - Two Fabric Combo

Min Width (net)	N/A	N/A	16"	16"	16"	N/A	N/A	N/A
Max Width			84"	84"	84"	N/A		
Max Width - End Mount			36"	36"	36"	N/A		
Min Height			12"	12"	12"	N/A		
Max Height			84"	84"	84"	N/A		
Max Area (Sq/Ft)			42	42	42	N/A		

Cordless Lift & Lock

Min Width (net)	N/A	N/A	9.5"	9.5"	9.5"	9.5"	N/A	9.5"
Max Width			84"	84"	84"	84"		84"
Max Width - End Mount			48"	48"	48"	48"		48"
Min Height			12"	12"	12"	12"		12"
Max Height			84"	84"	84"	84"		84"
Max Area (Sq/Ft)			49	49	49	49		49

Cordless Lift & Lock - Two-On-One Headrail

Min Width (per panel) (net)	N/A	N/A	9.5"	9.5"	9.5"	9.5"	N/A	9.5"
Min Width (overall)			20"	20"	20"	20"		20"
Max Width (per panel)			84"	84"	84"	84"		84"
Max Width (overall)			168"	168"	168"	168"		168"
Min Height			12"	12"	12"	12"		12"
Max Height			84"	84"	84"	84"		84"
Max Area (per panel) (Sq/Ft)			49	49	49	49		49

Cordless Lift & Lock - Three-On-One Headrail

Min Width (per panel) (net)	N/A	N/A	9.5"	9.5"	9.5"	9.5"	N/A	9.5"
Min Width (overall)			30"	30"	30"	30"		30"
Max Width (per panel)			84"	84"	84"	84"		84"
Max Width (overall)			168"	168"	168"	168"		168"
Min Height			12"	12"	12"	12"		12"
Max Height			84"	84"	84"	84"		84"
Max Area (per panel) (Sq/Ft)			49	49	49	49		49

Cordless Lift & Lock - Top-Down/ Bottom-Up

Min Width (net)	N/A	N/A	16"	16"	16"	16"	N/A	16"
Max Width			84"	84"	84"	84"		84"
Max Width - End Mount			48"	48"	48"	48"		42"
Min Height			12"	12"	12"	12"		12"
Max Height			84"	84"	84"	84"		84"
Max Area Overall (Sq/Ft)			49	49	49	49		49

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Fabrics

TriLight Shades - Continuous Cord Loop

Min Width (net)	N/A	N/A	N/A	24"	24"	24"	N/A	24"
Max Width				83" - 96"	83" - 96"	83" - 96"		83" - 96"
Max Width - End Mount				48"	48"	48"		42"
Min Height				12"	12"	12"		12"
Max Height				96"	96"	96"		96"
Max Area (Sq/Ft)				64	50	50		60

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless

Min Width (net)	N/A	N/A	N/A	16"	16"	16"	N/A	16"
Max Width				83" - 96"	83" - 96"	83" - 96"		83" - 96"
Max Width - End Mount				48"	48"	48"		42"
Min Height				12"	12"	12"		12"
Max Height				84"	84"	84"		84"
Max Area (Sq/Ft)				70	70	70		60

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless Lift & Lock

Min Width (net)	N/A	N/A	N/A	12"	12"	12"	N/A	12"
Max Width				84"	84"	84"		84"
Max Width - End Mount				48"	48"	48"		42"
Min Height				12"	12"	12"		12"
Max Height				84"	84"	84"		84"
Max Area (Sq/Ft)				49	49	49		49

* The HC fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

** Willa Sheer maximum width is 83"

Vertical Application

Min Width	N/A	N/A	12"	12"	12"	N/A	N/A	12"
Max Width Side Stack			120"	168"	168"			168"
Max Width Split Stack			168"	190"	190"			190"
Min Height			24"	24"	24"			24"
Max Height			120"	120"	120"			120"
Max Area Side Stack			100	140	120			100
Max Area Split Stack			100	140	140			120

Note: Sheer only, not available on Semi-Sheer.

SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

HONEYCOMB							2" HYBRID PLEAT
3/8" Single Cell - Semi-Opaque	3/8" Single Cell - Blackout	3/4" Single Cell - Sheer and Semi-Sheer	3/4" Single Cell - Semi-Opaque	3/4" Single Cell - Blackout	1/2" Double Cell - Semi-Opaque	3/8" Triple Cell - Semi-Opaque	All Fabrics

Classic Skylight

Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A
Max Width	60"	60"	60"	60"	60"	60"		
Min Height	6"	6"	6"	6"	6"	6"		
Max Height	72"	72"	72"	72"	72"	72"		
Max Area (Sq/Ft)	25	25	25	25	25	25		

Classic Skylight – Side Stack

Min Width	6"	6"	6"	6"	6"	6"	N/A	N/A
Max Width	72"	72"	72"	72"	72"	72"		
Min Height	18"	18"	18"	18"	18"	18"		
Max Height	60"	60"	60"	60"	60"	60"		
Max Area (Sq/Ft)	25	25	25	25	25	25		

Skylight with Simplicity Motorization

Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A
Max Width	48"	48"	48"	48"	48"	48"		
Min Height	12"	12"	12"	12"	12"	12"		
Max Height	72"	72"	72"	72"	72"	72"		
Max Area (Sq/Ft)	N/A	N/A	N/A	N/A	N/A	N/A		

Non-Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	72"	72"	84"	84"	84"	84"	84"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	36"	36"	42"	42"	42"	42"	42"	

Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	72"	72"	84"	84"	84"	84"	84"	
Min Height	6"	6"	6"	6"	6"	6"	6"	
Max Height	36"	36"	42"	42"	42"	42"	42"	

Non-Movable Elliptical Arch (Fan-Fold)

Min Width	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	72"	72"	84"	84"	84"	84"	84"	
Min Height	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	
Max Height	36"	36"	42"	42"	42"	42"	42"	

Top-Down Movable Perfect Arch

Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A
Max Width	84"	84"	84"	84"	84"	84"		
Min Height	6"	6"	6"	6"	6"	6"		
Max Height	48"	48"	48"	48"	48"	48"		

Top-Down Movable Elliptical Arch


Min Width	18"	18"	18"	18"	18"	18"	N/A	N/A
Max Width	84"	84"	84"	84"	84"	84"		
Min Height	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width	1/4 width		
Max Height	48"	48"	48"	48"	48"	48"		

Angle


Min Width	12"	12"	12"	12"	12"	12"	12"	N/A
Max Width	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	
Max Height	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	angle chart	
Max Area (Sq/Ft)	60	40	60	60	40	30	30	

PRODUCT COMPONENTS – STANDARD RECTANGULAR

3/8" End Mount Bracket (Part #2980038000) – Not Shown
 3/4" End Mount Bracket (Part #2980050000) – Not Shown




Arch Trim – White (Part #2280364661)
 – Rich Cream (Part #2280364320)



Child Safety Kit (Cord Cleat)
 (Part #KIT2728)

PRODUCT COMPONENTS – CORDLESS




CORDLESS TOP-DOWN/BOTTOM-UP


Striker Plate:
Zinc: Part #CS5467PL-TDBU (Painted rails)
White: Part #CS5467PL-TDBU-W (Fabric covered rails)

Magnet:
Zinc: Part #CS5467 (Painted rails)
Magnet Cover - White: Part #CS5467CV-W (Fabric covered rails)
Magnet Lock: Part #CS5471
Magnet Screw: Part #CS5474


PRODUCT COMPONENTS – 2" HYBRID PLEAT



PRODUCT COMPONENTS – CORDLESS LIFT & LOCK




PRODUCT COMPONENTS – CONTINUOUS CORD



Universal Cord Tensioner Mounting Kit (Part #KIT2350)

Continuous Cord Top-Down/Bottom-Up Components




LH Rear Clutch Assembly (Part #CS4317)




Dual Bottom Limiter (Part #500199000))


TRILIGHT PRODUCT COMPONENTS – CORDLESS & CONTINUOUS CORD LOOP



PRODUCT COMPONENTS – 2" HYBRID PLEAT TRILIGHT




PRODUCT COMPONENTS – SIMPLICITY RECHARGEABLE MOTORIZATION




Simplicity Top-Down/Bottom-Up Components

14 Channel Remote (Part #CS52136)
Primary Motor (Part #CS52132)
Secondary Motor (Part #CS52133)
Internal Battery Pack (Part #CS52134)
Exterior Battery Pack (Part #CS52105)
6 Conductor Extension Wire (Part #CS52122)

PRODUCT COMPONENTS – POWERWAND™ MOTORIZATION



PRODUCT COMPONENTS – VERTICAL APPLICATION



White Magnetic Strip
(split stack)
(2990133000)



Extension Bracket
(40-0026-159)



Installation Bracket with
Screws (2990934000)



Mounting Screws #6
x 1.5 (2980153000)




Shim (2990938785)




1/2" Spacer Block
KIT2011 = 2 Spacers/kit
KIT2012 = 3 Spacers/kit

PRODUCT COMPONENTS – SKYLIGHT



PRODUCT COMPONENTS – SIMPLICITY SKYLIGHT



Rechargeable Motor Components

Internal Battery Pack (Part #CS52101)
Exterior Battery Pack (Part #CS52105)
Plug-In Charger (Part #CS5199)
Solar Charger (Part #CS52096)

- Linen Allure™ fabric is our most luxurious fabric yet.
- Reminiscent of fine linen, offering a tactile feel and look found in designer fabric collections.
- Available in two cell configurations, 2" Hybrid Pleat and Dimensions™.
- Two distinct textures and twelve rich neutral colors
- Dimensions honeycomb shade marries a unique cascading profile with high performance.
- The unique cell structure creates bands of filtered and unfiltered light for a dramatic effect.



FABRIC AND RAIL COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
CHAUMONT - 2" HYBRID PLEAT - Semi-Opaque				
HP85	6080	Sunshine	674	862
HP85	6081	Coastal Bluff	882	882
HP85	6082	Fall Meadow	882	882
HP85	6083	Icy Pond	018	276
HP85	6084	Country Road	405	276
HP85	6085	Stepping Stone	405	276

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
CHAUMONT - DIMENSIONS - Semi-Opaque				
DM85	7080	Sunshine	674	N/A
DM85	7081	Coastal Bluff	882	
DM85	7082	Fall Meadow	882	
DM85	7083	Icy Pond	018	
DM85	7084	Country Road	405	
DM85	7085	Stepping Stone	405	

TRIMBELLE - 2" - HYBRID PLEAT - Semi-Opaque				
HP84	6070	White Bouquet	785	785
HP84	6071	Seawall	810	810
HP84	6072	Hidden Lake	450	276
HP84	6073	Desert Grasslands	882	882
HP84	6074	Ocean Trails	630	841
HP84	6075	Boardwalk	621	841

TRIMBELLE - DIMENSIONS - Semi-Opaque				
DM84	7070	White Bouquet	785	N/A
DM84	7071	Seawall	810	
DM84	7072	Hidden Lake	450	
DM84	7073	Desert Grasslands	882	
DM84	7074	Ocean Trails	630	
DM84	7075	Boardwalk	621	

LINEN ALLURE – DIMENSIONS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$190	213	239	267	295	322	348	377	403	461	525	582	644
42"	204	230	262	294	325	357	385	416	449	514	582	648	714
48"	223	254	291	327	359	395	428	467	504	579	656	733	812
54"	236	269	309	350	389	427	466	509	546	630	713	800	884
60"	258	286	332	377	418	460	501	548	593	683	774	865	957
66"	269	304	351	398	448	492	538	587	635	733	834	933	1034
72"	286	328	380	429	481	533	582	637	687	797	907	1013	1125
78"	302	343	398	454	511	566	618	676	733	847	965	1079	
84"	314	361	421	481	539	595	652	714	774	899	1020		
90"	332	384	449	510	574	636	698	765	828	961	1092		
96"	343	398	467	535	603	668	733	804	871	1009			
108"	371	433	511	585	661	735	806	884	959				
120"	397	472	553	635	737	799	880	967	1047				

LINEN ALLURE – HYBRID PLEAT

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$236	244	267	279	291	324	345	370	388	467	492	523	548	569	596	712	831
36"	244	249	278	291	306	340	364	392	416	498	526	558	583	610	639	761	887
42"	249	271	290	301	321	355	382	412	437	528	558	593	618	648	679	812	946
48"	257	279	297	316	334	373	425	435	462	555	592	627	657	687	718	864	1001
54"	263	291	308	327	346	387	435	452	486	587	620	660	693	730	761	907	1055
61"	267	299	323	345	363	407	462	480	506	618	654	702	739	778	810	961	1117
66"	291	321	348	370	387	424	465	494	531	648	682	731	766	810	847	1008	1170
73"	293	331	357	380	398	440	476	522	558	679	718	771	813	858	891	1060	
78"	340	383	412	442	474	516	559	611	657	702	746	797	840	889	931	1107	
84"	348	394	425	454	486	532	583	639	682	731	779	831	877	928	974		
90"	357	407	437	474	501	553	602	659	711	760	812	868	916	968	1014		
96"	364	419	450	486	519	569	623	684	736	790	842	901	951	1005			
108"	397	461	499	541	583	645	711	779	842	904	969	1038					
120"	427	499	551	598	647	718	793	874	947	1021	1096						

VERTICAL APPLICATION – LINEN ALLURE – HYBRID PLEAT

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$556	663	666	704	730	778	806	943	980	1048	1099	1280	1442
42"	629	675	691	724	760	798	835	974	1013	1090	1139	1312	1485
48"	659	697	709	766	835	845	874	1039	1065	1148	1207	1384	1588
54"	684	739	745	798	867	871	905	1073	1109	1186	1243	1436	1622
60"	687	761	763	835	901	904	938	1105	1142	1234	1300	1500	1695
66"	739	806	810	855	901	922	956	1142	1173	1260	1342	1545	1747
72"	757	842	842	892	917	968	1003	1204	1228	1342	1421	1622	1838
78"	874	956	971	1013	1050	1100	1142	1200	1233	1335	1428	1640	1850
84"	899	981	999	1045	1090	1142	1185	1243	1285	1389	1491	1711	1921
90"	931	1018	1021	1066	1111	1174	1227	1285	1331	1436	1547	1774	1994
96"	949	1045	1050	1096	1139	1212	1258	1317	1371	1481	1589	1823	2058
108"	1050	1170	1174	1231	1292	1365	1448	1515	1581	1719	1857	2123	2387
120"	1127	1268	1316	1384	1453	1542	1625	1716	1793	1945	2108	2405	2693

See main Honeycomb section for option surcharges.

LINEN ALLURE DIMENSIONS – SIZE SPECIFICATIONS BY CONFIGURATION

Cordless Lift

Cordless Lift System	Min Width (net)	16"
	Max Width	120"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	48

Cordless Lift System - Top-Down/ Bottom-Up	Min Width (net)	16"
	Max Width	120"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	48

Cordless Lift - Two-On-One Headrail	Min Width (per panel) (net)	16"
	Min Width (overall)	32"
	Max Width (per panel)	104"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	48

Cordless Lift - Three-On-One Headrail	Min Width (per panel) (net)	16"
	Min Width (overall)	48"
	Max Width (per panel)	104"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	48

Cordless Lift & Lock

Cordless Lift & Lock	Min Width (net)	9-1/2"
	Max Width	84"
	Max Width - End Mount	48"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	39

Cordless Lift & Lock - Two-on-One Headrail	Min Width (per panel) (net)	9-1/2"
	Min Width (overall)	20"
	Max Width (per panel)	84"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft) (per panel)	39

Cordless Lift & Lock - Three-on-One Headrail	Min Width (per panel) (net)	9-1/2"
	Min Width (overall)	30"
	Max Width (per panel)	84"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft) (per panel)	39

Cordless Lift & Lock - Top-Down/ Bottom-Up	Min Width (net)	N/A
	Max Width	
	Max Width - End Mount	
	Min Height	
	Max Height	
	Max Area (Sq/Ft)	

Continuous Cord Loop

Continuous Cord Loop	Min Width (net)	18"
	Max Width	120"
	Max Width – End Mount	42"
	Min Height	12"
	Max Height	120"
	Max Area (Sq/Ft)	60

Continuous Cord Loop - Top-Down/Bottom-Up	Min Width (net)	N/A
	Max Width	
	Max Width – End Mount	
	Min Height	
	Max Height	
	Max Area (Sq/Ft)	

Continuous Cord Loop - Two-On-One Headrail	Min Width (per panel) (net)	18"
	Min Width (overall)	36"
	Max Width (per panel)	102"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	120"
	Max Area (Sq/Ft)	60

TriLight Shades

TriLight Shades - Continuous Cord Loop	Min Width (net)	N/A
	Max Width	
	Max Width - End Mount	
	Min Height	
	Max Height	
	Max Area (Sq/Ft)	

TriLight Shades - Cordless	Min Width (net)	16"
	Max Width	84" - 96"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	48

* The fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.

TriLight Shades - Cordless Lift & Lock	Min Width (net)	9.5"
	Max Width	84"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	39

Vertical Application

Vertical Application	Side Stack / Split Stack	
	Min Width	N/A
	Max Width	
	Min Height	
	Max Height	
	Max Area (Sq/Ft)	

Motorization Options

RemoteLift 2.0	Min Width (net)	18"
	Max Width	144"
	Max Width - End Mount	36"
	Min Height	12"
	Max Height	108"
	Max Area (Sq/Ft)	25

Width to:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
	25 Square Feet												
	108"	108"	108"	84"	74"	66"	60"	54"	50"	46"	42"	40"	36"

Simplicity Motorization - Bottom-Up	Min Width (net)	18" / 20"
	Max Width	96"
	Min Height	8"
	Max Height	96"
	Max Area (Sq/Ft)	30

NOTE: Battery Wand - Min Width 18"

Rechargeable - Min Width 20"

Simplicity Rechargeable Motorization - Two-on-One Headrail	Min Width (per panel)	20"
	Min Width (overall)	40"
	Max Width (per panel)	96"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	96"
	Max Area (Sq/Ft) per panel	30

Width to:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
	30 Square Feet												
	96"	96"	96"	96"	90"	80"	72"	64"	60"	54"	50"	48"	44"

ORDERING NOTES:

Due to the shape of Dimensions fabric, it extends behind the headrail when stacked. Please add an additional 1/2" to the minimum mounting depths noted and add extension brackets to your order

Linen Allure fabrics are not available in Arches, Angles, or Specialty Shapes.

LINEN ALLURE HYBRID PLEAT – SIZE SPECIFICATIONS BY CONFIGURATION

Cordless Lift

Cordless Lift System	Min Width (net)	16"
	Max Width	120"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60
Cordless Lift System - Top-Down/ Bottom-Up	Min Width (net)	16"
	Max Width	120"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60
Cordless Lift - Two-On-One Headrail	Min Width (per panel) (net)	16"
	Min Width (overall)	32"
	Max Width (per panel)	104"
	Max Width (overall)	120"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60
Cordless Lift - Three-On-One Headrail	Min Width (per panel) (net)	16"
	Min Width (overall)	48"
	Max Width (per panel)	104"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60

Cordless Lift & Lock

Cordless Lift & Lock	Min Width (net)	12"
	Max Width	84"
	Max Width - End Mount	48"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	49
Cordless Lift & Lock - Top-Down/ Bottom-Up	Min Width (net)	16"
	Max Width	84"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	49"
Cordless Lift & Lock - Two-on-One Headrail	Min Width (per panel) (net)	9-1/2"
	Min Width (overall)	20"
	Max Width (per panel)	84"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft) (per panel)	49
Cordless Lift & Lock - Three-on-One Headrail	Min Width (per panel) (net)	9-1/2"
	Min Width (overall)	30"
	Max Width (per panel)	84"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft) (per panel)	49

Continuous Cord Loop

Continuous Cord Loop	Min Width (net)	18"
	Max Width	120"
	Max Width – End Mount	42"
	Min Height	12"
	Max Height	120"
	Max Area (Sq/Ft)	60
Continuous Cord Loop - Top-Down/Bottom-Up	Min Width (net)	24"
	Max Width	120"
	Max Width – End Mount	42"
	Min Height	12"
	Max Height	120"
	Max Area (Sq/Ft)	60
Continuous Cord Loop - Two-On-One Headrail	Min Width (per panel) (net)	18"
	Min Width (overall)	36"
	Max Width (per panel)	102"
	Max Width (overall)	120"
	Min Height	12"
	Max Height	120"
	Max Area (Sq/Ft)	60

TriLight Shades

TriLight Shades - Continuous Cord Loop	Min Width (net)	24"
	Max Width	84" - 96"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	96"
	Max Area (Sq/Ft)	60
* The fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.		
TriLight Shades - Cordless	Min Width (net)	16"
	Max Width	84" - 96"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	60
* The fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < HC max width.		
TriLight Shades - Cordless Lift & Lock	Min Width (net)	12"
	Max Width	84"
	Max Width - End Mount	42"
	Min Height	12"
	Max Height	84"
	Max Area (Sq/Ft)	49

Vertical Application

Vertical Application		Side Stack
	Min Width	12"
	Max Width	120"
	Min Height	24"
	Max Height	120"
	Max Area (Sq/Ft)	100
		Split Stack
	Min Width	12"
	Max Width	190"
	Min Height	24"
	Max Height	120"
	Max Area (Sq/Ft)	120

Motorization Options

RemoteLift 2.0	Min Width (net)	18"
	Max Width	120
	Max Width - End Mount	36"
	Min Height	12"
	Max Height	108"
	Max Area (Sq/Ft)	50

Width to:	18" - 54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
	50 Square Feet									
	108"	108"	108"	100"	90"	84"	80"	74"	66"	60"

Simplicity Motorization - Bottom-Up	Min Width (net)	18" / 20"
	Max Width	96"
	Min Height	12"
	Max Height	96"
	Max Area (Sq/Ft)	n/a

NOTE: Battery Wand - Min Width 18"
Rechargeable - Min Width 20"

Simplicity Rechargeable Motorization - Two-on-One Headrail	Min Width (per panel)	20"
	Min Width (overall)	40"
	Max Width (per panel)	96"
	Max Width (overall)	144"
	Min Height	12"
	Max Height	96"
	Max Area (Sq/Ft) per panel	n/a

ORDERING NOTES:

Linen Allure fabrics are not available in Arches, Angles, or Specialty Shapes.