

**West Virginia Department of Health & Human  
Resources  
Berkeley County Health Department**



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>	
Facility Name Ting & Ting Carryout	Facility Type Food Service Establishment
Licensee Name Ting & Ting Carryout LLC	Facility Telephone # 304
Facility Address 301 W. King St Martinsburg, WV	Licensee Address ,

<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 03/08/2017	Total Time Spent 1.50

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Hot Hold	143
Whirlpool	40
Big Hot Hold	137
Steam Table	138
Employee Refrigerator	40

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Bucket3-BaySink	Chemical				

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 1</b>

**Observed Non-Critical Violations**

**Total # 5**

**Repeated # 1**

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

*OBSERVATION: Gasket on employee only refrigerator needs replaced (torn)*

**4-602.13 - NONFOOD CONTACT SURFACES**

*OBSERVATION: Inside of Frigidaire freezer needs cleaned*

**4-602.13 - NONFOOD CONTACT SURFACES**

*REPEAT OBSERVATION Inside of Whirlpool refrigerator needs cleaned*

**6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER**

*OBSERVATION: Outside storage area needs cleaned and organized (old fryer, air conditioners, furniture)*

*Rodent Harborage*

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

*OBSERVATION: Drain under handsink needs cleaned*

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge



**Joshua Mills**

Sanitarian



**Keith Allison**