



FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 1 NONCRITICAL 12 TOTAL 13

ESTABLISHMENT: COGN NATURED COLLECTIVE CAFE PERMIT NO.: _____ DATE: 4/25/19
 ADDRESS: 209 S. RALEIGH ST CITY: MARTINSBURG STATE: WV ZIP: 25401
 PERSON IN CHARGE/TITLE: Pam Smith TELEPHONE: _____
 RECEIVED BY (SIGNATURE): [Signature] SANITARIAN (SIGNATURE): [Signature]
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 1:00

Corrected	Critical	Repeat	Code Reference	Violation Description/Remarks/Corrections
			6-501.11	COOLER NEEDS DEFROSTED.
	X		4-602.11	UTENSILS NEED NEED CLEANED.
			6-501.12	WINDOW SILL AREA NEEDS CLEANED.
X			4-602.12	BOTH MICROWAVES NEED CLEANED.
			6-501.12	A/C UNIT NEEDS CLEANED.
			4-602.13	PREP COOLERS NEED CLEANED.
			4-602.12	TOASTER NEEDS CLEANED.
			4-602.13	KITCHEN CABINETS NEED CLEANED.
			4-602.13	KITCHEN DRAWERS NEED CLEANED.
			6-501.12	KITCHEN WALLS NEED CLEANED.
			6-501.12	CHEST FREEZERS DOWNSTAIRS NEED CLEANED. VENTS DUSTED.
			4-602.13	FOOD RESIDUE IN COOLER UPSTAIRS KITCHEN COOLER.
			4-602.13	UPSTAIRS FREEZER @ NEEDS CLEANED. (TOP & INSIDE).

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
HAIR COOLER	41	FREEZER (UPSTAIRS)	10	FREEZER (DS)	14	COOLER (UPSTAIRS)	41
PREP COOLER NEAR STOVE	41	CHEST FREEZER (UPSTAIRS)	-7	COOLER (DS)	37	FREEZER (L-US)	9
PREP COOLER NEAR FRIDGE	37	" " (DS)	10	FREEZER (DS)	16	FREEZER (R-US)	17
COOLER (UPSTAIRS)	35	" " (DS)	14.5	COOLER (DS)	29		