

Ditting USA, Inc.

8801-B Smiths Creek Rd • Wales, MI 48027

Tel 800-835-5992 • Fax 810-367-7130

www.ditting.com • info@ditting.com

**Ditting® USA, Inc. FACTORY RETAIL PRICELIST.....2016**

COFFEE GRINDERS	***** RETAIL *****						** COLD BREW **		** INDUSTRIAL **	
MODEL (Color)	KR804 (Black)	KR804 (Black) Modified	KR1203 (Black)	KR1203 (Stainless)	KR1403 (Black)	KR1403 (Stainless)	KR1203 (Black) CB	KR1403 (Black) CB	KFA1403 (Grey)	KF1800 (Grey)
PRICE	\$2,695	\$2,695	\$4,395	\$4,695	\$5,595	\$5,995	\$4,695	\$5,895	\$6,995	\$13,995
OUTPUT, lbs/min (AVG)	1	1	3	3	6	6	3	6	6	12
VOLTAGE, Volts	120v, 60 Hz	120v, 60 Hz	120v, 60 Hz	120v, 60 Hz	220v, 60 Hz, 3Ph	220v, 60 Hz, 3Ph	120v, 60 Hz	220v, 60 Hz, 3Ph	220v, 60 Hz, 3Ph	220v, 60 Hz, 3Ph
CURRENT, Amps	6	6	13	13	10	10	13	10	10	19.5
HORSE POWER	.65	.65	1.8	1.8	2.7	2.7	1.8	2.7	2.7	6.25
VIBRATOR PLATE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No
HOPPER CAPACITY, lbs	1.1	1.1	2.4	2.4	2.4	2.4	2.4	2.4	22	66
ACTUAL DIMS WxDxH, inches	8.25 x 12.25 x 19	8.25 x 12.25 x 19	10.5 x 15.5 x 25.25	10.5 x 15.5 x 25.25	10.5 x 15.5 x 25.25	10.5 x 15.5 x 25.25	10.5 x 15.5 x 25.25	10.5 x 15.5 x 25.25	12.5 x 15 x 37	20 x 20 x 65
SPACE REQ'D WxDxH, inches	9.5 x 13 x 24.25	9.5 x 13 x 24.25	12.5 x 16 x 34	12.5 x 16 x 34	12.5 x 16 x 34	12.5 x 16 x 34	12.5 x 16 x 34	12.5 x 16 x 34	13.5 x 16 x 37	20 x 20 x 65
SHIPPING, lbs	55	55	94	94	95	95	94	95	116	385

* Grinding capacity figures may vary according to the method of roasting and type of coffee beans

FOR TECHNICAL INFORMATION, STEP-BY-STEP SERVICE TIPS, and COMPLETE PARTS BREAKDOWNS, VISIT www.DITTING.comPRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Ditting USA, Inc.

8801-B Smiths Creek Rd • Wales, MI 48027

Tel 800-835-5992 • Fax 810-367-7130

www.ditting.com • info@ditting.com



Ditting® USA, Inc. FACTORY RETAIL PRICELIST.....2016

Grinding Discs	Average Lifespan	New Discs	Resharpended Discs
804	15,000 lbs	\$ 360.00	\$ 200.00
805	15,000 lbs	\$ 360.00	---
903	20,000 lbs	\$ 410.00	\$ 250.00
1203	25,000 lbs	\$ 580.00	\$ 340.00
1403	35,000 lbs	\$ 690.00	\$ 420.00
1800	100,000 lbs	\$1,600.00	\$ 700.00
KE640	3,000 lbs	\$ 127.00	---
KS1/KS3		\$ 410.00	---
KFG Portion		---	\$ 250.00
KFH Supermarket		\$ 410.00	---

RESHARPENED DISCS:** Most Ditting grinding discs can be resharpended up to 3 times with proper use and care. To buy a resharpended set, YOU MUST SEND IN YOUR OLD SET for inspection before receiving a resharpended set in exchange. KF1800 discs can be resharpended up to 2 times. KE640 and KFH discs are not resharpenable. New-style 804, 805 and 903 discs are also not resharpenable (machined discs, 2008 and beyond). Sending in dull discs does not guarantee they can be resharpended by Ditting.

LIMITED WARRANTY: New Ditting retail grinders purchased from Ditting USA, Inc. (to include the KR804, KR1203, and KR1403 models) include a 3 year limited warranty on electric parts.* The limited warranty to the original owner for new Ditting light industrial (to include the KFA1403 and KF1800) is 1 year on electric parts. The warranty excludes damage due to misuse or abuse, labor and shipping. This warranty is offered only for grinders purchased for use within the United States.

SEALS of APPROVAL: All grinders EXCEPT model KF1800 are ETL approved, according to NSF-8 standards.



TECHNICAL SUPPORT: Along with grinders and parts, Ditting® USA is staffed with experienced technical personnel to solve any problem you might encounter with our grinders. Simple service tips are available for replacement, repairs, and adjustments of our grinders to keep them in top working condition with minimum downtime, AT NO CHARGE.

RECONDITIONING: We offer factory-reconditioned Ditting grinders. If you are interested in reconditioned grinders, please email sales@ditting.com or call 800-835-5992 for a current list of grinders available or to be added to our waiting list for a particular model.

Ditting USA, Inc.

8801-B Smiths Creek Rd • Wales, MI 48027

Tel 800-835-5992 • Fax 810-367-7130

www.ditting.com • info@ditting.com

**TECHNICAL COMPARISONS**

Use the following table to match your application to the proper grinder. If in doubt on the size of the grinder you need, choose the next size up so you are ready to meet the growing needs of your operation. All our grinders give you the same uniform grind over the range of the settings. The main difference is in the speed. If you have 220 volts / 3 phase power available, consider the model KR1403 instead of the 1203. You will get 60% more grinding speed, and the 3 phase grinder can be used nonstop, up to 8 hours non-stop. **Before you order a 1403 or 1800 series grinder, confirm that you have 3-phase power available in your facility.**

GRINDER MODEL	KR804 STANDARD	KR804 MODIFIED	KR1203	KR1203 COLD BREW	KR1403	KR1403 COLD BREW	KFA1403 WITH ACCESSORIES	KF1800
APPLICATION	Small stores grinding mostly into bags; flavored/ organic coffee. Up to 30 lbs/day grinding.	Pour over bars, cupping rooms. Up to 30 lbs/day grinding.	Large store with medium traffic. 45-60 lbs/day. Our most popular model.	Large store with medium traffic. 45-60 lbs/day. Ideal for Cold Brew with increased particle size.	Large store, heavy traffic. Over 60 lbs/day grinding. The BEST grinder to consider if you have 220v/3 phase.	Large store, heavy traffic. Over 60 lbs/day grinding. Ideal for Cold Brew with increased particle size.	Roasting areas. Great alternative to KF1800 model.	Roasting areas. Ideal for industrial use where huge grinding capacity is required.
VOLTS / CYCLES / PHASE*	110/60/1	110/60/1	110/60/1	110/60/1	220/60/3	220/60/3	220/60/3	220/60/3
COLORS	BLACK	BLACK	BLACK / SS	BLACK	BLACK / SS	BLACK	GREY	GREY
AVG GRINDING (LBS/MIN)**	1	1	3	3	6	6	6	12
HOPPER CAPACITY, LBS	1.1	1.1	2.4	2.4	2.4	2.4	22	66
OPTIONAL HOPPER EXTENSION	NO	NO	5 LBS	5 LBS	5 LBS	5 LBS	NO	NO
VIBRATOR PLATE	YES	FIXED	YES	YES	YES	YES	NO	NO
SLIDE-GATE SHUT-OFF	NO	NO	NO	NO	NO	NO	YES	YES
EXTENDED DISCHARGE TUBE	NO	NO	NO	NO	NO	NO	YES	YES
GRINDING DISC DIAMETER, MM	80	80	120	120	140	140	140	180
AVG DISC LIFE (LBS)	15,000	15,000	25,000	25,000	35,000	35,000	35,000	100,000
AMPS	6	6	13	13	10	10	10	19
HORSE POWER	.65	.65	1.8	1.8	2.7	2.7	2.7	6.25
GRINDER NET WEIGHT	50 LBS	50 LBS	88 LBS	88 LBS	88 LBS	88 LBS	95 LBS	309 LBS
GRINDER SHIPPING WEIGHT	55 LBS	54 LBS	94 LBS	94 LBS	95 LBS	95 LBS	116 LBS	385 LBS
SPACE NEEDED W"xD"xH"	9.5x11x25	9.5x11x25	12.5x16x34	12.5x16x34	12.5x16x34	12.5x16x34	12.5x16x37	20x20x65
CERTIFICATIONS***	UL, ETL	UL, ETL	UL, ETL	UL, ETL	UL, ETL	UL, ETL	UL, ETL	UL

* Electrical specifications are for the U.S. market.

** Grinding capacity will vary by fineness and roast.

*** ETL certifications meet NSF-8 Requirements.