

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Broad Lane Station	Facility Type Food Service Establishment	
Licensee Name Broad Lane Station	Facility Telephone # 304 271-8700	
Facility Address 9741 Williamsport Pike Falling Waters , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 02/11/2019	Total Time Spent 1.00

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Whirlpool Refrigerator	34
Amana	39

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-Bay	Chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 1

Observed Non-Critical Violations

Total # 7

Repeated # 1

4-302.12 - TEMPERATURE MEASURING DEVICES

OBSERVATION: Thermometer needed in Amana refrigerator

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Whirlpool freezer needs repaired (paint peeling)

6-301.11 - HANDWASHING CLEANSER, AVAILABILITY

OBSERVATION: Soap not available at food employee handwash sink at bar.

6-301.12 - HAND DRYING PROVISION

REPEAT OBSERVATION (CORRECTED DURING INSPECTION): No paper towels available at handsink for hand drying.

6-403.11 - DESIGNATED AREAS

OBSERVATION: Employee only area in refrigerator needs designated (labeled)

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Fan covers in bathrooms need cleaned

6-501.16 - DRYING MOPS

OBSERVATION: Mop needs to air dry

Inspection Outcome

Comments

Watch Best By Dates: Bag-In-The Box dated for best if used by 2018. Coca-Cola Dated 2019.

Disclaimer

Person in Charge

Sanitarian



Keith Allison

Kitty Wine