WEST VIRGINIA Department of Health & Human Resources
BUREAU FOR PUBLIC HEALTH

# West Virginia Department of Health & Human Resources

Berkeley County Health Department

## FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of **Priority** items and 10 calendar days for **Priority Foundation** items or **HACCP** Plan deviations. (§ *64 C.S.R. 17-3.1.j.*)

**OBSERVATION TOTALS** PRIORITY: 2 PRIORITY FOUNDATION: 0
CORE: 7 TOTAL: 9

| | | | |
|---|---|---|---|
| **ESTABLISHMENT:** Arby's | **PERMIT NO.:** | **DATE:** 8/26/2019 | |
| **ADDRESS:** 150 Hovatter Drive | **CITY:** Inwood | **STATE:** 25428 | **ZIP:** |
| **PERSON IN CHARGE/TITLE:** Debbie Clatterbuck | **TELEPHONE:** | | |
| **RECEIVED BY (SIGNATURE):** Debbie Clatterbuck | **SANITARIAN (SIGNATURE):** | | |
| **INSPECTION TYPE:** ROUTINE ☑ FOLLOW-UP ☐ COMPLAINT ☐ OTHER: | | **TIME:** 10:45am | |

| Corrected | Priority | Repeat | Code Reference | Violation Description/Remarks/Corrections |
|---|---|---|---|---|
| | | | 4-501.11 | Gasket on Walk-In freezer needs replaced (torn) |
| | | | 4-602.13 | Gasket on Walk-In freezer needs cleaned (mold) |
| | ✓ | | 4-602.11 | Inside of Knife storage needs cleaned. |
| | | | 6-501.12 | Drain/Drain Area around 3-Bay sink needs cleaned. |
| | ✓ | | 4-602.11 | Tomato slicer needs cleaned. |
| | | | 4-602.13 | Gaskets on 2-Door Traulsen need cleaned (mold) |
| | | | 6-501.14 | Hood vents above fryers need cleaned |
| | | | 6-501.12 | Cabinet under soda machine in Lobby needs cleaned. |
| | | | 6-501.12 | Diaper changing station needs cleaned in womens bathroom. |

| Unit/Location/Item | Temp/PPM | Unit/Location/Item | Temp/PPM | Unit/Location/Item | Temp/PPM | Unit/Location/Item | Temp/PPM |
|---|---|---|---|---|---|---|---|
| Walk-In | 40° | Cheese | 40° | Bucket (Front) | 300ppm | | |
| 3-Bay | 400ppm | Hot Hold Cheese | 142° | | | | |
| 2-Door Prep | 39° | Ranch/Cool Whip | 40° | | | | |
| Lettuce | 40 | Dressings Refrig | 39° | | | | |