

Wet/Dry Vacuums

- Three to sixteen gallon capacities.
- Proprietary motor and blower combination to maximize performance.
- Rugged polypropylene drums are impact and corrosion resistant.

| Туре | No. of Models | Gallon Capacity | Page No. |
|--------------------------------------|------------------|--------------------|-------------|
| Commercial Series Wet/Dry Vacuums | 16 | 3-16 | 13.2-13.3 |
| Industrial Series Wet/Dry Vacuums | 3 | 14-16 | 13.4 |
| Accessories | 35 | _ | 13.5-13.6 |
| Air Mover | 1 | _ | 13.6 |
| Quick Connect Pump | 1 | _ | 13.6 |





Commercial Series Wet/Dry Vacuums

RIDGID[®] Wet/Dry Vacs are the highest powered vacuums in the industry – offering 3.5 to 6.5 peak horsepower in 3 to 16 gallon capacities. They are an excellent accessory to your shop or garage, making easy clean-up for even the most challenging jobs. The RIDGID Wet/Dry Vacs offer the following features:

- Proprietary motor and patented blower wheel designed to maximize performance.
- Pleated filter has more surface area for greater efficiency and longer life.
- Reduced dB sound level resulting in even quieter operation.
- Automatic suction shut-off senses and prevents liquid overflow integral drain plug makes draining the vacuum easy.

The new ProVac series offers dynamic redesign and styling, a stronger 2-piece drum, an improved noise reduction system and an advanced 3-layer filter for better motor performance.

























115V Vacuum Options

| Catalog | Model | Description – 120V | Sealed | Peak Horse | Airflow | Air Watts | Cord | We | ight |
|---------|---------|--|----------|------------|-------------|-----------|-------------|------|------|
| No. | No. | Description – 120v | Pressure | Power | 2½" Orifice | All Walls | Length (ft) | lb. | kg |
| 36138 | WD3050 | 3 Gallon Portable Wet/Dry Vac | 67″ | 3.5 | 62 cfm | 135 | 10 | 11.6 | 5,3 |
| 40063 | WD3050M | 3 Gallon Portable Wet/Dry Vac | 67″ | 3.5 | 62 cfm | 135 | 10 | 11.6 | 5,3 |
| 31653 | WD4070 | 4 Gallon Portable Wet/Dry Vac | 46″ | 5 | 110 cfm | 167 | 20 | 18.4 | 8,3 |
| 31663 | WD4522 | 4.5 Gallon Pro Pack | 48" | 5 | 104 cfm | 162 | 20 | 18.5 | 8,4 |
| 36683 | WD0671 | 6 Gallon Wet/Dry Vac w/accessory pack | 53″ | 2.5 | 62 cfm | 124 | 10 | 15.1 | 6,8 |
| 41588 | WD0970 | 9 Gallon Wet/Dry Vac | 67" | 3.5 | 70 cfm | 175 | 10 | 16.7 | 7,6 |
| 31773 | WD0970M | 9 Gallon Wet/Dry Vac | 67″ | 3.5 | 70 cfm | 175 | 10 | 16.7 | 7,6 |
| 40103 | WD1270 | 12 Gallon Wet/Dry Vac | 48" | 5 | 145 cfm | 227 | 15 | 22.0 | 10,0 |
| 18718 | WD1450 | 14 Gallon Contractor Wet/Dry Vac | 50" | 6 | 168 cfm | 257 | 20 | 26.0 | 11,8 |
| 40108 | WD1680 | 16 Gallon Wet/Dry Vac w/ Detachable Blower | 50" | 6.5 | 172 cfm | 286 | 20 | 29.0 | 13,1 |
| 31693 | WD1851 | 16 Gallon Contractor Wet/Dry Vac | 47" | 6.5 | 199 cfm | 306 | 20 | 32.8 | 14,9 |
| 31703 | WD1956 | 16 Gallon Steel Tank Wet/Dry Vac | 46″ | 6.5 | 187 cfm | 294 | 20 | 38.2 | 17,4 |

230V Vacuum Options

| Catalog | Model | Description 220V | Sealed | Peak Horse | Airflow | Air Watts | Cord | We | ight |
|---------|----------|--|----------|------------|-------------|-----------|-------------|------|------|
| No. | No. | Description – 230V | Pressure | Power | 2½" Orifice | Air watts | Length (ft) | lb. | kg |
| 31658 | WD4070EX | 4 Gallon Portable Wet/Dry Vac (230V) | 45″ | 5 | 103 cfm | 109 | 20 | 18.4 | 8,3 |
| 41343 | WD0671EX | 6 Gallon Wet/Dry Vac w/accessory pack (230v) | 53″ | 2.5 | 62 cfm | 164 | 10 | 15.1 | 6,8 |
| 40123 | WD1270EX | 12 Gallon Wet/Dry Vac (230v) | 43″ | 5 | 120 cfm | 280 | 15 | 22.0 | 10,0 |
| 36188 | WD1450EX | 14 Gallon Contractor Wet/Dry Vac (230v) | 50″ | 6 | 168 cfm | 294 | 20 | 26.0 | 11,8 |
| 40128 | WD1680EX | 16 Gallon Wet/Dry Vac w/ Detachable Blower (30V) | 50″ | 6.5 | 172 cfm | 324 | 20 | 29.0 | 13,1 |
| 31698 | WD1851EX | 16 Gallon Contractor Wet/Dry Vac (230V) | 47″ | 6.5 | 199 cfm | 336 | 20 | 32.8 | 14,9 |

13.3



RV2400A 14-Gallon



RV2600B 16-Gallon

Industrial Series Wet/Dry Vacuums

RIDGID® 2-Stage Wet/Dry Vacuums are designed and built for the toughest heavy debris and fluid pickup applications.

- Powerful heavy-duty, dual-stage motor provides maximum suction power.
- Power head with a patented SNR "Scroll Noise Reduction" design provides better airflow and suction with less noise, resulting in more power and quieter operation.
- Tug-A-Long[™] positive locking mechanism securely locks the hose to the vacuum so the hose will not pull out during use.
- Dual layer hose provides maximum durability and crush resistance.
- Rugged polyproplyene drum is impact and corrosion resistant.
- Heavy-duty cart system with large non-marring wheels provide effortless movement over the toughest terrains. The quick-release cart handle allows emptying the drum easily.
- Removable accessory storage bag keeps accessories together and accessible.
- Fine particle filter provides exceptional filtration, including for drywall dust. It is washable, reusable, clogs less and can be used for both wet and dry operation.

| Catalog | Model | | Sealed | Airflow | Air | Cord | We | ight |
|---------|----------|--|----------|----------------|-------|--------|------|------|
| No. | No. | Description | Pressure | 2½" Orifice | Watts | Length | lb. | kg |
| 25648 | RV2400A | 14 Gallon Commercial Vac | 100" | 105 cfm | 255 | 25 | 37.2 | 16,9 |
| 40048 | RV2400HF | 14 Gallon Certified HEPA Filtration Vac | 100" | 105 cfm | 255 | 25 | 37.2 | 16,9 |
| 25653 | RV2600B | 16 Gallon Commercial Vac w/ Industrial Acc. Kit | 100" | 105 cfm | 255 | 25 | 40.1 | 18,2 |



Accessories

Vacuums are offered with a variety of standard equipment and accessories as indicated below. "A" indicates that the accessory is compatible with the vacuum model. "X" indicates that the accessory fits all RIDGID® vacs 5 gallons and larger, including older models.

| | | Standard Equipment With | | | | | | | | | | | | | | | |
|--------------------------------------|---------------------------------------|-------------------------|--------------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|----------|----------|
| | | Catalog No. | Model No. | Description | WD3050 | WD4070 | WD4522 | WD0671 | WD0970 | WD1270 | WD1450 | WD1680 | WD1851 | WD1956 | RV2400A | RV2400HF | RV2600B |
| | | 23738 | VF3501 | Dust Bag Filter Fits 3-4.5 Gallon | A | A | A | | | | | | | | | | |
| | | 40153 | VF3503 | Dust Bag Filter Fits 6-9 Gallon | | | | A | A | | | | | | | | |
| | | 23743 | VF3502 | Dust Bag Filter Fits 12-16 Gallon | | | | | | A | A | A | A | А | Х | Х | Х |
| | ð | 26643 | VF3500 | Fine Dust Filter 3-4 Gal | х | х | х | | | | | | | | | | |
| s | đ | 72947 | *VF4000 | Everyday Dirt Filter - White | | | | Х | Х | х | A | Х | A | A | A | | A |
| Filters | Ũ | 72952 | *VF5000 | Fine Dust Filter - Blue | | | | A | A | A | Х | A | Х | Х | х | | х |
| | Ĩ | 97457 | *VF6000 | HEPA Material Filter - Green | | | | A | A | A | A | A | A | A | A | | A |
| | | 40158 | *VF7000 | Wet Application Filter | | | | A | A | A | A | A | A | A | A | | A |
| | 9 | 40073 | HF0500 | Pre Filter for HF1000 | | | | | | | | | | | | X | |
| | | 40068 | HF1000 | Certified HEPA Filter | | | | | | | | | | | | X | |
| | | | | | V | | | v | | | | | | | | ~ | |
| | | 29848 | VT1781 | 1%" Multi-Purpose Tool | Х | A | A | Х | A | | | | | | | | A |
| | | 31718 | VT1701 | 1 ⁷ ⁄ ₄ " Dusting Brush | A | A | Х | Х | A | | | | | | | | Х |
| s | | 31723 | VT1702 | 1 ⁷ / ₂ " Crevice Tool | A | Х | Х | A | A | | | | | | | | Х |
| sorie | • | 31728 | VT1708 | 1%" Extension Wand | A | 2X | 2X | 2X | 2X | | | | | | | | A |
| seco | S | 31733 | VT1709 | 11/4" Utility Nozzle | A | Х | Х | Х | Х | | | | | | | | |
| 1 ^{1/s-} Accessories | ð | 31738 | VT1710 | 11/2" Wet Nozzle | A | A | A | Х | Х | | | | | | | | |
| | 88 | 41593 | VT1711 | 1%" to 1¼" Adapter | А | A | A | А | А | | | | | | | | A |
| | | 40163 | VT1712 | Crevice Tool/Dusting Brush Combo | A | A | A | А | А | | | | | | | | |
| | <u></u> | 40168 | VT1714 | Floor Brush | A | A | A | A | A | | | | | | | | |
| | | 72887 | VT2501 | 2½" Dusting Brush | | | | | | A | A | A | A | A | A | Х | |
| | $\overline{\Box}$ | 72932 | VT2502 | 2½" Crevice Tool | | | | | | A | A | A | Х | Х | х | Х | |
| ies | 9 | 72937 | VT2503 | 2½" Blower/Car Nozzle | | | | | | Х | Х | Х | Х | Х | A | A | |
| 2½ Accessories | | 72902 | VT2508 | 21/2" Extension Wands | | | | | | 2X | 2X | 2X | 2X | 2X | 2X | 2X | |
| Acc | Å | 72907 | VT2509 | 2 ¹ ⁄ ₂ " Utility Nozzle | | | | | | X | X | X | X | X | X | X | |
| $2^{1/r}$ | | | | | | | | | | | | | | | | | |
| | ð | 72912 | VT2510 | 21/2" Wet Nozzle | | | | | | X | Х | Х | Х | Х | Х | X | |
| | <u> </u> | 72922 | VT2514 | 2½" Floor Brush | | | | | | A | A | A | A | A | Х | Х | |
| | | 31713 | VT1720 | 11%" x 7' Wet/Dry Vac Hose | A | Х | A | Х | Х | A | A | A | A | A | A | A | A |
| | 8 9 0 | 31743 | VT1755 | 3 Piece Adapter Kit | A | A | A | А | А | A | А | А | А | А | A | A | A |
| | Þ | 72897 | VT2520 | 21/2" x 7' Universal Vac Hose | А | А | A | А | А | Х | Х | Х | Х | Х | А | A | A |
| | - Es | 72927 | VT2525 | Muffler/Diffuser | | А | | А | А | А | А | А | Х | А | х | Х | Х |
| /Etc. | No. | 26573 | VT2530 | Multi-Surface Nozzle with Brush | | | | | | A | A | A | А | A | A | A | |
| Kits/Hoses/Etc. | see page 13.6 | 32698 | VT2534 | Auto Detailing Kit | A | A | A | A | A | A | A | A | А | A | A | A | A |
| (its/H | | 26578 | VT2540 | Claw Nozzle | A | A | A | A | A | A | A | A | A | A | A | A | Х |
| ¥ | ÷ | 41598 | VT2561 | Filter Nut/Drain Cap Combo | | | | | | A | A | A | A | A | A | A | A |
| | | 24608 | VT2570 | 4X Pro Hose Replacement | А | A | А | A | A | A | A | A | A | A | х | x | х |
| | | 41603 | VT2571 | Turbo "Beater Bar" Kit | | | | | | A | A | A | A | A | A | x | |
| | see page 13.6 | 32703 | VT2575 | Industrial Cleaning Kit | A | A | A | A | A | A | A | A | A | A | A | A | Х |
| ale | | 31073 | 832077 | Multi-Nozzle Body | | | | | | | | | | | | | |
| Replacement 2-Stage Service Parts | | 31078 | 832079 | Floor Brush Insert | | | | | | | | | | | | | |
| tent 2 :e Pa | | 31083 | 832080 | Carpet Insert | | | | | | | | | | | | | |
| ervic | | 31088 | 832078 | Squeegee Insert | | | | | | | | | | | | | |
| Repla | <u></u> | 31103 | 832068 | Extension Wand Upper Metal | | | | | | | | | | | | | <u> </u> |
| | · · · · · · · · · · · · · · · · · · · | 31108 | 832069 | Extension Wand Lower Metal | | | | | | | | | | | | | |

Accessory Kits

These kits are compatible with all RIDGID® vacuums.

| Catalog | Model | Description | had be dee | We | ight |
|---------|--------|---|--|-----|------|
| No. No. | | Description | Includes | lb. | kg |
| 32703 | VT2575 | Heavy Duty Cleaning Kit: 12 Piece Kit w/Stainless Steel Extension Wands | Straight Wand, Bent Wand, Master Body Nozzle, Squeegee, Brush, Carpet Insert, Dusting Brush, Crevice Tool, Claw Nozzle, 2½" to 1¼" Adapter, 2½" Hose Adapter (Fits Wands and Hand Accessories To Hose), 1½" Hose Adapter (Fits Wands To Hose) | 9.8 | 4,4 |
| 32698 | VT2534 | Auto Detailing Kit: 7 Piece Kit w/4X Hose | 4X Pro Hose, Crevice Tool, Dusting Brush, Stiff Brush, Claw Nozzle, $2\frac{1}{2}$ to $1\frac{1}{4}$ Adapter, Hose to Hose Adapter, 10' to $1\frac{1}{4}$ ProHose | 8.0 | 3,6 |



Professional Portable Air Mover



The quick drying action of the RIDGID air mover can be used to dry wet floors, wet carpets or other water-damaged areas. It is also ideal for drying shampooed upholstery or drywall, providing ventilation and more.

- Heavy duty .4 HP induction motor with three airflow speed settings (3.0 Amp, 2.4 Amp, 2.7 Amp) generates upto 1625 cfm.
- Long 30' power cord for extended reach with a built-in cord wrap.
- Three-position base varies direction of airflow. Multi-position housing directs air upward by tilting the unit to a stable 45° or 90° position.
- Professional styling and bold color signals caution while drying slippery floors.
- Impact resistant housing and durable design.

| Catalog | Model | Description | Cord Length | We | ight |
|---------|--------|-------------|-------------|-----|------|
| No. | No. | Description | (ft.) | lb. | kg |
| 41438 | AM2560 | Air Mover | 30' | 35 | 16 |

Quick-Connect Pump



Ideal accessory for any RIDGID wet/dry vacuum with a drain. Pumps 10 gallons per minute.

| Catalog | Model | Description | Capacity | We | ight |
|---------|--------|--------------------|----------|-----|------|
| No. | No. | | GPH | lb. | kg |
| 26453 | VP2000 | Quick Connect Pump | 600 | 2.0 | 0,9 |

