





## HAVING A ROOF THAT'S EXTRA STRONG SHOULDN'T MEAN COMPROMISING ON STYLE.

That's why we give you choices to suit your needs and tastes — even when it comes to impact resistant shingles.

Each of the options below has an added fiber glass backing. It's there to provide an enhanced level of impact resistant protection over and above the high durability these popular, strong shingles already possess. Each of these shingles has proven it can stand up to the force of a two-inch steel ball dropped from twenty feet without cracking.

# Impact Resistant shingles will give you both.







## specifications & warranty

- · Impact resistant: UL 2218 Class 4 rating
- Fiber glass-based construction
- UL Class A fire resistance
- 355 lb. per square (Presidential Shake IR)
- 250 lb. per square (Landmark Solaris IR)
- 250 lb. per square (Landmark IR)
- 240 lb. per square (Highland Slate IR)
- 230 lb. per square (XT 30 IR)
- UL Certified to meet ASTM D3462
- Conforms to CSA Standard A123.5-98


- 30-year (XT 30 IR) or lifetime (all other products noted above) limited transferable warranties against manufacturing defects\*\*
- 50-year or 40-year limited transferable warranty against manufacturing defects of group-owned or commercial applications\*\*
- 10-year or 5-year SureStart™ protection\*\*
- 15-year or 10-year StreakFighter™ warranty\*\*
- 15-year, 110 mph wind warranty with upgrade to 130 mph for all products except XT 30 which carries warranty of 70 mph.\*\*\*


For U.S. building code compliance, see product specification sheets.

<sup>\*\*</sup>See actual warranty for specific details and limitations.


<sup>\*\*\*</sup>See warranty for application requirements.

### PRESIDENTIAL SHAKE<sup>TM</sup> IR









The sculpted edges and staggered design combine to give your roof the charm and beauty of authentic wood shakes. Presidential Shake IR, made of two laminated layers of the industry's most durable materials, was the first of its kind. No other shingle replicates the look of real wood shakes quite so stunningly.

## LANDMARK IR



With soft shadow lines, a random tab design and a patented color blending process, Landmark IR gives your roof the classic shades and dimensional appearance of natural roofing materials. Designer looks combine with high durability to produce a shingle with a lifetime warranty.

## LANDMARK Solaris IR





## so cool, it's rated for rebates

Landmark Solaris IR is rated by Cool Roof Rating Council for cool roofs and is ENERGY STAR® rated.

Landmark Solaris IR shingles may qualify for credits/points in LEED®, NAHB® and other "green" programs.

And some utility companies offer a rebate for Landmark Solaris that can put as much as \$600 back into a homeowner's pocket for an average 3,000 sq. ft. roof.

This roofing product may qualify for a federal energy tax credit. Please ask your roofing professional for more information.



Landmark Solaris IR Solar Reflectivity (SR), Thermal Emittance (TE) & Solar Reflective Index (SRI) Data

Solaris Blend Name	CRRC Initial SR	CRRC Initial TE	ASTM E408 TE	Solar Reflectance Index (SRI)*
Max Def Burnt Sienna	.26	.91	.95	29
Max Def Resawn Shake	.26	.88	.96	29
Max Def Weathered Wood	.26	.90	.95	29

<sup>\*</sup> Solar Reflectance Index (SRI) values were calculated using ASTM E408 TE values.

## Highland Slate IR



Cut to a true craggy profile, Highland Slate IR has the look, texture and tone of natural slate with a dark shadow line to accentuate its appeal from the curb. Each tab is individually colored by state of the art Precision Color technology to provide a rich, deep, hue and its four-across tab is the ideal design to deliver color, contrast, and perfection when mounted.

## CertainTeed EXTRA TOUGH 30 IR



With the added impact resistance, this traditional three-tab shingle offers a level of protection that's far from everyday. It's available in several colors and has a 30-year warranty.

#### Integrity Roof System<sup>®</sup>



A systems approach combines high-performance components – underlayments, shingles, accessory products and ventilation – to make the Integrity Roof System a complete roofing solution. When you choose an Integrity Roof System, you gain the advantage of having CertainTeed as your single manufacturing source to stand behind its roof system components.

#### **Hip & Ridge Accessories**

Accessory shingles are used to finish the hips and ridges of the roof and are designed to complement the appearance of CertainTeed shingles.

#### CertainTeed Shingles

High-quality shingles available in a wide variety of styles and colors, covered by the strongest warranty in the business. Flintlastic® roll roofing products are also available for flat roof areas.

#### Roofers' Select™ or DiamondDeck™

High-performance underlayment provides a protective water-resistant layer over the roof deck and a secondary barrier against leaks.

#### WinterGuard™

Waterproofing shingle underlayment prevents leaks from wind-driven rain and ice dams in vulnerable areas.

#### Starter Shingles

Starter shingles are designed to work specifically with each different type of CertainTeed shingle for maximum performance.

# tips for selecting a roof

- Think big View a full-sized shingle, not just a swatch or sample.
- Be real Look at actual houses where the house and roof color combinations are similar to what you're considering.
- Watch the light As you look, notice how colors appear under changing light conditions and at various times of day.
- Consider the pitch Look for roofs with a similar pitch to your own. A roof's pitch affects the way you see its color.
- Ask your contractor They might be able to point you to a home where they've installed a roof of your style and color.





for the home of a lifetime

> CertainTeed building products wrap your home in quality blending performance, energy efficiency, durability and style.

Ask for quality CertainTeed products for all your building and remodeling needs. The choice you make is for the home of a lifetime.

- Roofing
- Siding
- Insulation
- Fence
- Decking
- Railing
- Foundations
- Pipe
- Trim
- Gypsum
- Ceilings

not sure which color to pick?

#### CHECK OUT CERTAINTEED'S COLORVIEW.™

ColorView<sup>™</sup> is CertainTeed's interactive tool to help you visualize product style and color options. Using it is easy.

Just go to www.certainteed.com/colorview.





We've put green thinking behind our shingle and environmentally sound manufacturing ahead of standard industry practices to produce a product line that is green and growing.

CertainTeed is committed to resource conservation. Our roofing manufacturing facilities recycle close to 90% of the production waste into asphalt materials used for the construction of roads. We also integrate recycled content into many of our packaging needs including corrugated rolls and kraft paper.

They're small steps in a big world. But we're green and growing everyday. It's a commitment we take seriously at CertainTeed.

## easy selection

#### What's behind our #1 rating?

Builders and remodelers across America know certain things to be true of CertainTeed. For starters, we've been in the roofing business for over 100 years. We have thousands of satisfied homeowners. The process of building that satisfaction begins the moment you turn to us.

CertainTeed offers you the broadest range of color and style choices. But you'll see it's not style over substance. You'll get a roof that's made from the highest quality materials and backed by a strong warranty program. It's our promise to you: quality made certain, satisfaction guaranteed.



#### Color Companion Products™

With CertainTeed Flintlastic® SA, you can coordinate flat roof areas like carports, canopies and porches with

your main roof. Flintlastic SA is a self-adhering low slope roofing product available in eight colors that match some of the most popular CertainTeed shingles. Ask your contractor for more information.

## #1 rating











## long-term protection

#### Add the right accessories and ensure full protection.

For your Landmark IR or XT 30 impact resistant roof, use CertainTeed XT 30 UL 2218 Class 4 impact resistant roofing shingles of the same color for capping hips and ridges. Double capping will add depth and dimension. For Landmark Solaris IR, use impact resistant Solaris Accessory on the hips and ridges. For Highland Slate IR, use impact resistant Cedar Crest accessory on the hips and ridges. Both accessory products are available in colors to complement the field shingles.

To ensure your entire Presidential Shake IR roof meets UL 2218 Class 4 impact resistance, impact resistant Cedar Crest Accessory must be used on the hips & ridges, and Impact Resistant Presidential Starter must be used for the starter course.

#### Enjoy the extra confidence of SureStart™ protection

Your warranty is strong on its own. But you also get the added confidence of SureStart protection. That simply means if any problem due to a manufacturing defect occurs during the SureStart period, call us. Upon inspection, we'll cover labor and material replacement costs at 100%.

Lifetime and 30-year limited transferable warranties, including 10- and 5-year SureStart™ protection, are applicable only in the United States, its territories and Canada; for products sold outside these areas, please refer to the International Warranty for specific details and limitations.

Some insurance companies offer premium discounts for the use of UL 2218 Class 4 products; check with your agent to see if you are entitled to a discount.

NOTE: Due to limitations of printing reproduction, CertainTeed can not guarantee the identical match of the actual product color to the graphic representations throughout this publication.



#### ASK ABOUT ALL OF OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE • FOUNDATIONS GYPSUM • CEILINGS • INSULATION • PIPE

www.certainteed.com

http://blog.certainteed.com

CertainTeed Corporation P.O. Box 860 Valley Forge, PA 19482

Professional: 800-233-8990 Consumer: 800-782-8777

© 2011 CertainTeed Corporation, Printed in U.S.A.
Code No. 20-20-1936
Rev. 12/12

