

PART DESCRIPTION	PART NUMBER
4' PANEL ASSEMBLY	4000
3' PANEL ASSEMBLY	4001
2' PANEL ASSEMBLY	4002
2' PANEL ASSEMBLY W/HEPA FILTERED AIR DISCHARGE PORT	4002.1
12" PANEL ASSEMBLY	4006
6" PANEL ASSEMBLY	4005
HINGED CORNER ASSEMBLY	4004
OUTSIDE CORNER POST	4007
T-POST	4009



## EDGE GUARD ADJUSTABLE PANELS AND HARDWARE

100 E. BODMAN BEMENT, IL [dforan@edge-guard.com](mailto:dforan@edge-guard.com) (217)678-2228

## EDGE GUARD ADJUSTABLE 4' PANELS



OUR PANELS ARE AVAILABLE IN OPAL, TRANSPARENT AND CLEAR. Our 48" panels are 7'-8" tall and extend to 10'-0". The adjustable upper panel, shown above, slides up to the height of the ceiling. To adjust the height you simply loosen the knurled knob on each side, slide the panel up to the ceiling, then retighten the knobs.

The 48" panels are our work horse panel. They allow you to enclose large areas very quickly. Setup time for this panel is about 2 minutes.

Our 48" panels include a self-leveling channel on the bottom to compensate for unlevel floors. This channel has a neoprene gasket adhered to the bottom side to create a seal to the floor. The sides of the panel contain closed cell gasket material to form a seal between the panels and the top of the panel has a 1/4" thick soft ether foam gasket to conform to the ceiling.

Grid clips and camlocks are included with the panels.



4' PANEL ASSEMBLY  
P/N – 4000



## EDGE GUARD ADJUSTABLE 3' PANELS



Our 3' panels are 7'-8" tall and extend to 10'-0".

The adjustable upper panel, shown above, slides up to the height of the ceiling. To adjust the height you simply loosen the knurled knob on each side, slide the panel up to the ceiling, then retighten the knobs.

The 36" panels, like the 12" panels, are typically used for odd shaped configurations. It's nice to have a couple on hand but the 48" panels should be used when possible. Setup time for this panel is about 2 minutes.

Our 36" panels include a self leveling channel on the bottom to compensate for unlevel floors. This channel has a neoprene gasket adhered to the bottom side to create a seal to the floor.

The sides of the panel contain closed cell gasket material to form a seal between the panels and the top of the panel has a 1/4" thick soft ether foam gasket to conform to the ceiling.

Grid clips and camlocks are included.



PANELS ARE AVAILABLE  
IN OPAL, TRANSPARENT  
AND CLEAR.

100 E. BODMAN BEMENT, IL [dforan@edge-guard.com](mailto:dforan@edge-guard.com)  
(217)678-2228

3' PANEL ASSEMBLY P/N-4001

## EDGE GUARD ADJUSTABLE 2' PANELS



PANELS ARE AVAILABLE IN OPAL,  
TRANSPARENT AND CLEAR.

100 E. BODMAN BEMENT, IL [dforan@edge-guard.com](mailto:dforan@edge-guard.com) (217)678-2228

Our 24" panels are 7'-8" tall and extend to 10'-0". The adjustable upper panel slides up to the height of the ceiling. To adjust the height you simply loosen the knurled knob on each side, slide the panel up to the ceiling, then retighten the knobs. We offer several options on our 24" panels. Our 24" panels include a self leveling channel on the bottom to compensate for unlevel floors. This channel has a neoprene gasket adhered to it's bottom side to create a seal to the floor. The sides of the panel contain closed cell gasket material to form a seal between the panels and the top of the panel has a 1/4" thick soft ether foam gasket to conform to the ceiling.

**Grid clips and camlocks are included with the panels.**

2' PANEL ASSEMBLY P/N-4002

# EDGE GUARD ADJUSTABLE 2' PANELS W/ HEPA FILTERED AIR DISCHARGE PORT



4002.1 is our standard panel with a port to exhaust HEPA filtered air out of the I.D. and a 10" O.D. on both the inside and outside of the panel. An 8" diameter plug is tethered to the inside of the panel to close the port off when not in use.

PANELS ARE AVAILABLE IN OPAL,  
TRANSPARENT AND CLEAR.



100 E. BODMAN BEMENT, IL  
[dforan@edge-guard.com](mailto:dforan@edge-guard.com) (217)678-2228

2' PANEL ASSEMBLY W/ HEPA FILTERED  
AIR DISCHARGE PORT P/N – 4002.1

## EDGE GUARD ADJUSTABLE 1' PANELS



PANELS ARE AVAILABLE IN OPAL,  
TRANSPARENT AND CLEAR.

Our 12" panels are 7'-8" tall and extend to 10'-0". The adjustable upper panel, shown above, slides up to the height of the ceiling. To adjust the height you simply loosen the knurled knob on each side, slide the panel up to the ceiling, then retighten the knobs. It's nice to have a couple on hand to use as fillers for odd shaped areas. Our 12" panels include a self leveling channel on the bottom to compensate for unlevel floors. This channel has a neoprene gasket adhered to the bottom side to create a seal to the floor. The sides of the panel contain closed cell gasket material to form a seal between the panels and the top of the panel has a 1/4" thick soft ether foam gasket to conform to the ceiling.

Grid clips and camlocks are included with the panels.

100 E. BODMAN BEMENT, IL  
[dforan@edge-guard.com](mailto:dforan@edge-guard.com)  
(217)678-2228

**1' PANEL ASSEMBLY P/N - 4006**



## EDGE GUARD ADJUSTABLE 6" PANELS



4005 is our 6" panel. It's nice to have a couple on hand to use as fillers for odd shaped areas. Our 6" panels include a self leveling channel on the bottom to compensate for unlevel floors. This channel has a neoprene gasket adhered to the bottom side to create a seal to the floor. The sides of the panel contain closed cell gasket material to form a seal between the panels and the top of the panel has a 1/4" thick soft ether foam gasket to conform to the ceiling. Grid clips and camlocks are included with the



PANELS ARE AVAILABLE IN OPAL, TRANSPARENT AND CLEAR.

100 E. BODMAN BEMENT, IL

[dforan@edge-guard.com](mailto:dforan@edge-guard.com) (217)678-2228

**6" PANEL ASSEMBLY P/N - 4005**

# EDGE GUARD CORNER ASSEMBLIES



Our hinged corner posts allow you to create angled corners in your enclosures. The angle range is 90° to 170°. The hinged corner posts adjust in height from 7'-8" to 10'-0".

100 E. BODMAN BEMENT, IL

[dforan@edge-guard.com](mailto:dforan@edge-guard.com)

(217)678-2228

HINGED CORNER ASSEMBLY P/N – 4004

OUTSIDE CORNER POST P/N – 4007

T-POST P/N - 4009



# DOOR PANELS



The picture above shows the outside face of our door panel. The door can be ordered with a RH or LH swing. The door panel consists of a 44" door mounted in a 48" frame. The door has a polyethylene continuous hinge which provides smooth quiet operation while forming an air tight seal. The strike side and top of the door have a 1" x 1" angle mounted to them with a gasket adhered to it to form a seal with the frame. The bottom of the door has a gasketed sweep.



The picture above is showing the inside face of our door panel with Opal polycarbonate. Our standard door panel is 48" wide by 7'-8" tall and adjusts to 10'-0". We provide an adjustable hydraulic closer and a self-latching, locking handle, keyed outside, thumb-turn inside.

1/4" x 2" solid aluminum threshold strip with neoprene gasket material seal to the floor.



The door has a polyethylene continuous hinge which provides smooth quiet operation while forming an air tight seal. The strike side and top of the door have a 1" x 1" angle mounted to them with a gasket adhered to it to form a seal with the frame. The bottom of the door has a gasketed sweep.



PUSHBUTTON COMBINATION LOCKSET

P/N-3006



LEVER STYLE LOCKSET

PANELS ARE AVAILABLE IN OPAL, TRANSPARENT AND CLEAR.



48" PANEL W/44" DOOR - LEVER STYLE LOCKSET P/N - 4003

48" PANEL W/44" DOOR -

PUSHBUTTON COMBINATION LOCKSET

P/N - 4003PB

100 E. BODMAN BEMENT, IL  
[dforan@edge-guard.com](mailto:dforan@edge-guard.com) (217)678-2228

DESCRIPTION	PART NUMBER
48" PANEL W/44" DOOR – OPAL	4003
TRANSPARENT	4003-T
CLEAR	4003-C
48" PANEL W/44" DOOR W/PUSHBUTTON LOCK – OPAL	4003PB
TRANSPARENT	4003PB-T
CLEAR	4003PB-C
52" PANEL ASSEMBLY W/48" DOOR – OPAL	4008
TRANSPARENT	4008-T
CLEAR	4008-C
52" PANEL ASSEMBLY W/48" DOOR W/PUSHBUTTON LOCK – OPAL	4008PB
TRANSPARENT	4008PB-T
CLEAR	4008PB-C
36" PANEL ASSEMBLY W/32" DOOR – OPAL	4010
TRANSPARENT	4010-T
CLEAR	4010-C
36" PANEL ASSEMBLY W/32" DOOR W/PUSHBUTTON LOCK – OPAL	4010PB
TRANSPARENT	4010PB-T
CLEAR	4010PB-C

- Our light weight modular panels assemble quickly without the use of tools.
- Panels are Flame Resistant. ASTM E-84: Flame Spread – 0, Smoke Developed – 85. Class A. ASTM D-635 - Class CC1.
- Reusable panels eliminate waste. • Panels adjust in height from 7'-8" to 10'-0".
- We offer 12", 24", 36" and 48" wide panels.
- Door panels include a hydraulic closer and a lever style lockset standard. A pushbutton combination lockset is available.
- Hinged corner posts allow for angled configurations.
- We offer porting options on our 24" panels for 8" diameter and 10" diameter HEPA exhaust and differential pressure monitoring.
- Custom Engineered camlock fasteners join panels together. Custom grid clips secure panels to ceiling.
- One person can typically set up a 2' x 12' enclosure in less than an hour, breakdown in less than a half hour.
- Our system's labor savings compared to using metal studs and drywall typically pay for the units in 2 to 3 uses.
- Our panels allow light to pass through creating a pleasant, safe work environment without the need of added temporary lighting.



If you need something other than what we have listed please let us know.  
We are capable of producing one of a kind items to meet your needs.

100 E. BODMAN BEMENT, IL [dforan@edge-guard.com](mailto:dforan@edge-guard.com)  
(217)678-2228

**EDGE Guard Products  
Pricing**

Part Number	Part Description	Price			
		<u>Panel Material Options</u>	Opal	Semi Clear	CLEAR
<b>ADJUSTABLE PANELS - 7'-8" - 10'-0"</b>					
4000	4' Panel Assembly		\$580.00	\$580.00	\$620.00
4001	3' Panel Assembly		\$550.00	\$550.00	\$580.00
4002	2' Panel Assembly		\$430.00	\$430.00	\$450.00
4002.1	2' Panel Assembly with HEPA Filtered Air Discharge Port		\$500.00	\$500.00	\$520.00
4003	48" Panel w/44" Door - Lever Style Lockset		\$995.00	\$995.00	\$1,035.00
4003PB	48" Panel w/44" Door - Pushbutton Combination Lockset		\$1,195.00	\$1,195.00	\$1,235.00
4004	Hinged Corner Assembly		\$185.00	\$185.00	\$185.00
4005	6" Panel Assembly		\$265.00	\$265.00	\$275.00
4006	12" Panel Assembly		\$285.00	\$285.00	\$295.00
4007	Outside Corner Post		\$150.00	\$150.00	\$150.00
4008	52" Panel w/48" Door - Lever Style Lockset		\$1,195.00	\$1,195.00	\$1,235.00
4008PB	52" Panel w/48" Door - Pushbutton Combination Lockset		\$1,395.00	\$1,395.00	\$1,435.00
4009	T Post		\$150.00	\$150.00	\$150.00
4010	36" Panel w/32" Door - Lever Style Lockset		\$895.00	\$895.00	\$925.00
4010PB	36" Panel w/32" Door - Pushbutton Combination Lockset		\$1,095.00	\$1,095.00	\$1,125.00
<b>ACCESSORIES</b>					
3001	Grid Clip Assembly		\$7.45		
3002	Cam Lock Assembly		\$5.15		
3003	Closure Strip		\$8.00		
3004	Screw Jack Assembly		\$6.65		
3005	Digital Differential Pressure Gage Kit		\$275.00		
3006	Pushbutton Combination Lockset		\$200.00		
4011	Panel Transport Cart		\$275.00		
<b>PACKAGES</b>					
6000	<b>8' x 2' Anteroom Type Enclosure</b>				
	Qty 1 - P/N 4000 - 4' Panel Assembly		\$580.00	\$580.00	\$620.00
	Qty 1 - P/N 4003 - 48" Panel w/44" Door - Lever Style Lockset		\$995.00	\$995.00	\$1,035.00
	Qty 1 - P/N 4002.1 - 2' Panel Assembly with HEPA Discharge Port		\$500.00	\$500.00	\$520.00
	Qty 1 - P/N 4002 - 2' Panel Assembly		\$430.00	\$430.00	\$450.00
	Qty 2 - P/N 4004 - Hinged Corner Assembly		\$370.00	\$370.00	\$370.00
	Qty 12 - P/N 3003 - Closure Strip		\$96.00	\$96.00	\$96.00
	Qty 1 - P/N 4011 - Panel Transport Cart		\$275.00	\$275.00	\$275.00
	<b>Total</b>		<b>\$3,246.00</b>	<b>\$3,246.00</b>	<b>\$3,366.00</b>
6005	<b>12' x 2' Anteroom Type Enclosure</b>				
	Qty 2 - P/N 4000 - 4' Panel Assembly		\$1,160.00	\$1,160.00	\$1,240.00
	Qty 1 - P/N 4003 - 48" Panel w/44" Door - Lever Style Lockset		\$995.00	\$995.00	\$1,035.00
	Qty 1 - P/N 4002.1 - 2' Panel Assembly with HEPA Discharge Port		\$500.00	\$500.00	\$520.00
	Qty 1 - P/N 4002 - 2' Panel Assembly		\$430.00	\$430.00	\$450.00
	Qty 2 - P/N 4004 - Hinged Corner Assembly		\$370.00	\$370.00	\$370.00
	Qty 12 - P/N 3003 - Closure Strip		\$96.00	\$96.00	\$96.00
	Qty 1 - P/N 4011 - Panel Transport Cart		\$275.00	\$275.00	\$275.00
	<b>Total</b>		<b>\$3,826.00</b>	<b>\$3,826.00</b>	<b>\$3,986.00</b>
6010	<b>4' x 2' Anteroom Type Enclosure</b>				
	Qty 1 - P/N 4003 - 48" Panel w/44" Door - Lever Style Lockset		\$995.00	\$995.00	\$1,035.00
	Qty 1 - P/N 4002.1 - 2' Panel Assembly with HEPA Discharge Port		\$500.00	\$500.00	\$520.00
	Qty 1 - P/N 4002 - 2' Panel Assembly		\$430.00	\$430.00	\$450.00
	Qty 2 - P/N 4004 - Hinged Corner Assembly		\$370.00	\$370.00	\$370.00
	Qty 12 - P/N 3003 - Closure Strip		\$96.00	\$96.00	\$96.00
	Qty 1 - P/N 4011 - Panel Transport Cart		\$275.00	\$275.00	\$275.00
	<b>Total</b>		<b>\$2,666.00</b>	<b>\$2,666.00</b>	<b>\$2,746.00</b>
6015	<b>3' x 2' Anteroom Type Enclosure</b>				
	Qty 1 - P/N 4010 - 36" Panel w/32" Door - Lever Style Lockset		\$895.00	\$895.00	\$925.00
	Qty 1 - P/N 4002.1 - 2' Panel Assembly with HEPA Discharge Port		\$500.00	\$500.00	\$520.00
	Qty 1 - P/N 4002 - 2' Panel Assembly		\$430.00	\$430.00	\$450.00
	Qty 2 - P/N 4004 - Hinged Corner Assembly		\$370.00	\$370.00	\$370.00
	Qty 12 - P/N 3003 - Closure Strip		\$96.00	\$96.00	\$96.00
	Qty 1 - P/N 4011 - Panel Transport Cart		\$275.00	\$275.00	\$275.00
	<b>Total</b>		<b>\$2,566.00</b>	<b>\$2,566.00</b>	<b>\$2,636.00</b>

For more information contact: Dana Foran - [dforan@edge-guard.com](mailto:dforan@edge-guard.com) - 217-552-5418  
All prices are FOB Bement, IL 61813 - IL Sales are subject to sales tax



100 E. BODMAN BEMENT, IL  
[dforan@edge-guard.com](mailto:dforan@edge-guard.com) (217)678-2228