

West Virginia Department of Health & Human Resources

Berkeley County Health Department



Public Health
Prevent. Promote. Protect.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Weis Market-Retail	Facility Type Retail Food Store	
Licensee Name Weis Markets Inc.	Facility Telephone # 304 263-1515	
Facility Address 1102 N Queen Square Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 02/14/2017	Total Time Spent 3.97

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Butter case	38
eggs	38
Juice cooler	40
Milk cooler	39
Milk Walk in	39

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chem		400	quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 4 6-501.111 - CONTROLLING PESTS <i>This is a critical violation</i> OBSERVATION: Mouse feces around the refrigerator in the breakroom</p>

Observed Non-Critical Violations

Total # 12

Repeated # 4

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Burnt lights need replaced in the freezer cases.

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Bottom racks in the dairy cases needs repaired, rust

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Water fountain faucets need repaired, rust

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Ice build up in large dairy walk in on a condenser cover, needs repaired

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Water fountains need cleaned/delimed

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Refrigeration cases air return needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Back of the refrigeration cases in the egg milk row

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Multiple areas in the freezer cases need shelves and back walls cleaned.

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Several retail shelves need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Mop sink needs cleaned, mold

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floors need cleaned in the back drystock, freezer and dairy areas.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Green delivery carts need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Stan Mallow

Sanitarian



Glenn GCO Ondick