

Soils Map





Iowa State: Wright County:

18-91N-24W Location:

Lincoln Township: 153.68 Acres: 10/2/2019 Date:







	nbol: IA197, Soil Area Version: 25	Acres	Percent	CSR2	Water	Restrictive	Ochio	Foundation	Non-Irr Class	CSR2**		*n NCCPI Soybeans
Code	Soil Description		of field	Legend	Table	Layer	Limits	Limits	*c			
138B	Clarion loam, 2 to 6 percent slopes	47.13	30.7%		2.9ft.	> 6.5ft.	very limited	somewhat limited		89	80	83
		37.29	24.3%		Oft.	> 6.5ft.	very limited	very limited	llw	86	83	80
	Webster clay loam, 0 to 2 percent slopes		21.2%	STATE OF THE PERSON NAMED IN	1.5ft.	> 6.5ft.	very limited	very limited	lw	89	88	78
55	Nicollet clay loam, 1 to 3 percent slopes	32.60			2ft.	> 6.5ft.	very limited	very limited	llw	84	78	79
507	Canisteo clay loam, 0 to 2 percent slopes	19.17	12.5%		211.			l'arite d	IIIw	59	57	77
6	Okoboji silty clay loam, 0 to 1 percent	6.62	4.3%		Oft.	> 6.5ft.	very limited	very limited	IIIW			
	slopes	6.38	4.2%		Oft.	> 6.5ft.	very limited	very limited	Ilw	72		
95	Harps clay loam, 0 to 2 percent slopes				6.5ft.	> 6.5ft.	somewhat			53	47	6
638D2	Omsrud-Storden complex, 10 to 16 percent slopes, moderately eroded	1.75	1.170		0.010		limited	limited		-		2
828C2	Zenor sandy loam, 5 to 9 percent slopes,	1.44	0.9%		6.5ft		very limited	not limited	llle			
27B	moderately eroded Terril loam, 2 to 6 percent slopes	1.10	0.7%	ó	3.6ft	. > 6.5ft	. very limited	somewha		e 87	80	8
210	Tominoun, 2 to 5 persons				1.55	- 0.54	somewha		+	83	63	6
138C2	Clarion loam, 6 to 10 percent slopes,	0.20	0.1%	0	4.6ft	> 6.5ft	limited					

^{**}IA has updated the CSR values for each county to CSR2.

*n: The aggregation method is "Weighted Average using major components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.