

UPLAY TODAY"

Build and play in one day.

5 Reasons to buy





No Concrete or Digging Required



Ships in 5 Days

Fast Delivery to Your Site



IPEMA Certified

Meets Commercial Standards



ADA Accessible

Meets ADA Requirements



Saves Money

Affordable, Great for Volunteer Builds

Easy Set Up

UPlayToday™ is the commercial play solution for play spaces where residential equipment is not appropriate:

- Churches
- Early Childhood Centers
- Apartments
- · Any Supervised Play Area
- Age appropriate for ages 2-5 or 5-12 years

Site Preparation

Review the area where your playground will be placed for:

- Space Available
- Facility Access
- Traffic Flow
- · Flat Surface Area
- Tree & Utility Line Clearance

Three Ground Mounting Options



Ground Spike Surface Mount

Included with all structures

(Not recommended for sandy or loamy soil conditions)



Anchor Bolt Surface Mount Sold separately



Concrete **In-ground Mount** Sold separately







Introducing Augmented Reality! Experience UPlayToday in a whole new Way!



- 1. Download the FREE app for mobile devices at **get.layar.com** or **scan** this QR code now.
- 2. Scan the page when you see the ar phone icon.
- 3. Watch videos, photos, and graphics emerge before your eyes!





Core Features

- Premium quality double wall roof, panels and slide entries
- **Tested** at our IPEMA certified facility in the USA to meet ASTM, CPSC, and CSA standards
- ☼ Nature details integrated throughout all structures
- **Three** mounting options
- Multiple ground level activities so everyone can play
- **♦ Select** designs available in space saver configurations for smaller use zones



Color Palettes



<mark>Nat</mark>ural (N)

Limited Warranty

Plastic Parts	3 years
Metal Parts	5 years
Upright Posts	10 vears

















boulder point UPLAY-079-P

Age: 5-12			$\overline{}$
Activities: 9	DAY (N) N	or it	DURABLE 71/11
Kid Capacity: 20-30	MEET		DIAMETER GALVANIZED
Use Zone: 34'7" x 36'7"	(P) P	layful	TEEL UPRIGHT POSTS
Fall Height: 6'0"			
Specify Color option	MOU	NTING KITS (Re	equired)
Play Structure	Ground Spike	Anchor Bolt	Inground Kit
UPLAY-079-N Boulder Point (natural)	Included	33-12-0082	33-12-0110
UPLAY-079-P Boulder Point (playful)	Included	33-12-0082	33-12-0110





eagle rock

UPLAY-010-P

Age: 5-12

color it Activities: 10 (N) Nati Kid Capacity: 30-40 Use Zone: 29'9" x 32'3" Fall Height: 7'6" MOUNTING KITS (Required) Specify color option **Play Structure** Ground Spike Anchor Bolt Inground Kit 33-12-0100 UPLAY-010-N Eagle Rock (natural) Included 33-12-0099 UPLAY-010-P Eagle Rock (playful) 33-12-0099 33-12-0100 Included

Reverse View

ADA Step
ADA Transfer

ADA Transfer

ADA Transfer

Bongo Drums

(Below Deck)

ADA Transfer

T' Stair

Straight Slide

T' Stair

A' Window Panel

Store Panel
(Below Deck)

Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.







big horn

UPLAY-008-N

Age: 5-12

Activities: 7

Kid Capacity: 15-20

Use Zone: 25'4" x 38'11" Fall Height: 6'0"	REQUIREMENTS	(P) P	lay <mark>ful</mark>		ALVAN EEL UP POST
Specify color option		MOU	NTING KI	TS (Re	quire
Play Structure	Groun	d Spike	Anchor	Bolt	Ing

ground Kit UPLAY-008-N Bighorn (natural) 33-12-0054 33-12-0096 Included 33-12-0054 Included 33-12-0096 UPLAY-008-P Bighorn (playful)

Top View **Alternate** (N)Natura Deluxe Climbing Wall Configuration 2' Tower Stairs 6' Wave Slide 4' Straight Slide 6' 4' Bass Drum (Below Deck) Bongo Drums (Below Deck) Rainwheel (Below Deck) / Window Panel Ultra Mountain Climber

ADA Steps



color it



ADA Step 6' Wave Slide ADA Transfer Stai Bass Drum (Below Deck) Crawl Tunnel w/Panels Bongo Drums (Below Deck) 6' Arch Climber Ultra Mountain Climber Top View (N)Natural Top View

rainbow lake

UPLAY-012-P

Age: 5-12 color it Activities: 10 (N) Nati Kid Capacity: 20-30 Use Zone: 27'7" x 44'8" Fall Height: 6'0" **Specify Color option MOUNTING KITS** (Required) **Play Structure** Ground Spike Anchor Bolt Inground Kit UPLAY-012-N Rainbow Lake (natural) 33-12-0055 33-12-0101 Included 33-12-0055 33-12-0101 Included UPLAY-012-P Rainbow Lake (playful)

WARNING

Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

4' Straight Slide

ADA Steps

clingman's dome

UPLAY-016-N

Age: 5-12		a la mita		
	YTODAY	Olor it Natural	DURABLE 71/"	
Kid Capacity: 35-45	TORES MEET	or	DIAMETER GALVANIZED	
Use Zone: 38'2" x 29'4 "	IREMENTS (P) Playful	STEEL UPRIGHT POSTS	
Fall Height: 6'0"				
Specify Color option	М	OUNTING KITS	(Required)	
Play Structure	Ground Spi	ike Anchor B	olt Inground	Kit
UPLAY-016-N Clingman's Dome (natural)	Included	33-12-09	07 33-12-01	08
UPLAY-016-P Clingman's Dome (playful)	Included	33-12-09	07 33-12-01	08



maddie's chase

UPLAY-006-P

Age: 5-12		- u it	
Activities: 8	DAY (N) N	or it	DURABLE 71/"
Kid Capacity: 25-35	MEET	or	DIAMETER GALVANIZED
Use Zone: 27'8" x 32'10"	(P) P	layful	TEEL UPRIGHT POSTS
Fall Height: 7'6"			
Specify Color option	MOU	NTING KITS (Re	equired)
Play Structure	Ground Spike	Anchor Bolt	Inground Kit
UPLAY-006-N Maddie's Chase (natural)	Included	33-12-0093	33-12-0094
UPLAY-006-P Maddie's Chase (playful)	Included	33-12-0093	33-12-0094





aiden's pass

UPLAY-078-P



Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.



6" Wave Slide



timber glen

Age: 5-12 Activities: 6 Kid Capacity: 10-15 Use Zone: 30'1" x 27'8" Fall Height: 6'0" Specify Co Play





MOUNTING KITS (Required)		
Ground Spike	Anchor Bolt	Inground Kit
Included	33-12-0091	33-12-0092
Included	33-12-0091	33-12-0092
	Ground Spike Included	Ground Spike Anchor Bolt Included 33-12-0091



big sky uplay-080-N



mount macon


UPLAY-013-P

Age: 5-12

7.90.0 L		Low In	
Activities: 6 UPLAY	ODAY" (N)	lor it Natural	DURABLE ///
Kid Capacity: 10-15	RES MEET	or	DIAMETER GALVANIZED
Use Zone: 31'4" x 35'9"	(P)	Playful	TEEL UPRIGHT POSTS
Fall Height: 7'6"			
Specify Color option	MOL	JNTING KITS (Re	equired)
Play Structure	Ground Spike	Anchor Bolt	Inground Kit
UPLAY-013-N Mount Macon (natural)	Included	33-12-0102	33-12-0103
LIPLAY-013-P Mount Macon (playful)	Included	33-12-0102	33-12-0103









carson's canyon

UPLAY-009-P

Age: 2-5 or 5-12 Activities: 11 Kid Capacity: 20-25 ADA Use Zone: 27'1" x 38'5" Fall Height: 5'0" Specify Color option **MOUNTING KITS** (Required) **Play Structure** Ground Spike Anchor Bolt Inground Kit UPLAY-009-N Carson's Canyon (natural) Included 33-12-0097 33-12-0098 33-12-0098 Included 33-12-0097 UPLAY-009-P Carson's Canyon (playful)





Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.



pike's peak

Age: 2-5 or 5-12

Activities: 13

Kid Capacity: 30-40 Use Zone: 28'1" x 34'5"

Fall Height: 4'0"







Specify Color option	MOUNTING KITS (Required)		
Play Structure	Ground Spike	Anchor Bolt	Inground Kit
UPLAY-014-N Pike's Peak (natural)	Included	33-12-0132	33-12-0104
UPLAY-014-P Pike's Peak (playful)	Included	33-12-0132	33-12-0104






hamilton ridge

UPLAY-004-N

Age: 2-5 or 5-12	Col	or it	
Activities: 7	DAY" (N) N		DURABLE 71/"
Kid Capacity: 15-20	A 6		DIAMETER
Use Zone: 26'11" x 29'2"	(P) P	ayrul	TEEL UPRIGHT POSTS
Fall Height: 4'0"			
Specify Color option	MOU	NTING KITS (Re	equired)
Play Structure	Ground Spike	Anchor Bolt	Inground Kit
UPLAY-004-N Hamilton Ridge (natural)	Included	33-12-0089	33-12-0090
UPLAY-004-P Hamilton Ridge (playful)	Included	33-12-0089	33-12-0090

(N)Natural



Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.





UPLAY-004-N Cumberland Gap (natural)

UPLAY-004-P Cumberland Gap (playful)

Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Included

Included

33-12-0053

33-12-0053

33-12-0095

33-12-0095






south fork

UPLAY-001-P Age: 2-5 or 5-12



Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.

Top View



UPLAY-002-N

Age: 2-5 or 5-12		ia	
Activities: 7	COIC		URABLE 71/"
Kid Capacity: 15-20	or		IAMETER ALVANIZED
Use Zone: 27'6" x 23'11"	(P) PI	ayful st	EEL UPRIGHT POSTS
Fall Height: 4'0"			
Specify Color option	MOU	NTING KITS (Re	equired)
Play Structure	Ground Spike	Anchor Bolt	Inground Kit
UPLAY-002-N Deer Creek (natural)	Included	33-12-0085	33-12-0086





Swing Seat & Hardware Packages

Packages include (1) seat, (2) hangers, (2) chains and (4) S-hooks

Model	Description
02-07-0100	Commercial Strap Seat Package
02-07-0101	Commercial Tot Seat Package

8' high single or double bay bipod swings

Age: 2-5 or 5-12

Commercial strap seats or tot seats

Powder coated Blue (BLU) or Green (GRN) yoke connectors

Seats, swing hangers, chain and factory closed S-hooks included with swing sets





Green Model	Blue Model	Beam Ht.	Description	Seat Style	Use Zone
PBP-8-1S-GRN	PBP-8-1S-BLU	8′	Single Bay	Strap Seats	24' 11" x 32'
PBP-8-2S-GRN	PBP-8-2S-BLU	8′	Double Bay	Strap Seats	36'3" x 32'
PBP-8-1C-GRN	PBP-8-1C-BLU	8′	Single Bay	Tot Seats	24' 11" x 32'
PBP-8-2C-GRN	PBP-8-2C-BLU	8′	Double Bay	Tot Seats	36'3" x 32'
PBP-8-2SC-GRN	PBP-8-2SC-BLU	8′	Double Bay	(2) Strap Seats, (2) Tot Seats	36'3" x 32'

Climb & Discover Cave

Age: 2-5 or 5-12

UP120

- Large openings offer crawl through points and allow easy interior supervision.
- · Children will discover new nature details each time they play: mushrooms, turtle, ladybug, bird in nest, leaves, and more!
- · Professional handholds available in 2 color schemes
- Use zone: 20'x21'
- Fall Height: 3'4"



UP121 UP120



freestanding equipment



Paint & Play

Age: 2-5

- The clear, unbreakable polycarbonate window is great for painting with watercolors.
- Holes cut in the shelves provide a handy place to rest paint cups and brushes, and the window is washable for re-usable fun!
- Does not include paints, brushes or supplies
- · Available in Red or Green



Age: 2-5

Plastic dome basin is a great place to mix sand & water. Colors as shown.



Crawl Tunnel

Age: 2-5

02-07-0055-GRN (Green) 02-07-0055-RED (Red)

- Portholes allow for supervision and a brighter interior
- Includes surface mount footers and ground spikes
- · Assembly required
- In-ground mount kit also available: #02-05-0079 (sold separately)
- · Requires the use of safety surfacing
- Use zone: 16' x 15'

2-Rider Spring See Saw

Age: 2-5 02-07-0055

Encourage social interaction with the Spring See Saw designed for two riders. Colors as shown.

- Appropriate for ages 2-5
- · Powder coated blue frame with red seats
- · Anchor bolts included for mounting
- In-ground mounting kit also available: #02-07-0187 (sold separately)
- · Requires the use of safety surfacing
- Use zone: 20' x 13'



Spring Riders

Age: 2-5

02-07-0053 (Horse) 02-07-0054 (Truck)

UPlayToday™ Spring Riders are an excellent way to add excitement and imaginative play to a new or existing playground. Colors as shown.

- HDPE body
- · Heavy-duty surface mount steel spring
- · Anchor bolts included for mounting
- In-ground mounting kit also available: #02-07-0187 (sold separately)
- Requires the use of safety surfacing
- Use zone: 15' x 13'








4' Freestanding Slide

Age: 5-12 or 5-12

SLIDE-P

- Adds the most popular activity to any playspace
- 3-1/2" O.D. powder coated steel uprights, perforated, coated steel stairs
- Heavy duty rotomolded straight slide with matching entrance
- 3'6" wide x 11'6" long x 7'6" high
- · Assembly and in-ground installation required
- Use zone: 24' x 16'
- Colors as shown



Early Childhood Horizontal Ladder*

Age: 2-5

PJHLAD

- Great upper body development for ages 2-5
- The Tire Boost Package (02-01-0025) adds height assistance and prevents surfacing displacement. Sold separately.
- 9-1/2" wide x 6' long x 52" high when installed
- Use zone: 18'/549cm x 14'/427cm
- Colors as shown

Horizontal Ladder

Age: 5-12

PHLAD

- Powder coated steel with cast aluminum corner connectors
- 2-3/8" O.D. galvanized zinc tubing
- 19-1/2"wide x 12' long x 80" high when installed
- · Requires the use of safety surfacing
- Use zone: 24' x 14'
- Colors as shown

Zig Zag Balance Beam

Age: 2-5 or 5-12

Z-BAL8

- High quality thermoplastic coating resists impacts and is UV stable
- Mounts in-ground on 2-3/8" support posts
- · Requires the use of safety surfacing





GeoDome

Age: 5-12

PMOUN

- $\bullet\,$ A classic climbing addition to any playground
- Constructed with 1" O.D. galvanized steel pipe
- · Multi-color powder coated connectors
- · Mounts in-ground
- · Requires the use of safety surfacing
- 3'6" high x 7'6" diameter
- Use zone: 20' diameter
- Fall Height: 3'6"

Add more ground level play with these Add-on packages!

Drums & Rain Wheel Set

Age: 2-5 or 5-12 Set includes: Bass Drum, Bongos and Rainwheel				
Model	Color Scheme	Drums/Rain Wheel Color	Clamp Color	
02-07-5009-YLW	Playful	As Shown	Red	
02-07-5009-GRN	Natural	As Shown	Beige	

Offer even more sound play with the Drums and Rain Wheel set. Activities that provide music and movement teach children about cause and effect while providing sensory development. Children will hear the different sounds made from the upbeat bongo drums, the deeper sound of the bass drum and the calming rush of the rain wheel. Set includes Bongo Drum, Bass Drum, and Rain Wheel. Add-on packages require 1-2 unobstructed posts. Ask your representative to help identify the best placement of components to enhance your structure.







Bench Panel

Age: 2-5 or 5-12					
Model	Color Scheme	Bench Color	Clamp Color		
02-07-5014-YLW	Playful	Yellow	Red		
02-07-5014-GRN	Natural	Green	Biege		

Provide children and adults a place to rest or gather with friends by adding the Bench Panel. Add to any two unobstructed posts.

Post Mount Ship's Wheel

Age: 2-5 or 5-12					
Model	Color Scheme	Ship's Wheel Color	Clamp Color		
02-07-5021-YLW	Playful	Blue	Red		
02-07-5021-GRN	Natural	Beige	Biege		

Encourage dramatic play by adding a Ship's Wheel to your structure. Children will also utilize fine motor skills as they spin and steer the Ship's Wheel. Add to any one unobstructed upright.





Safety **Surfacing** Solutions

Poured In Place Surfacing

Utilizing recycled products, SurfaceSure's Poured Rubber Surfacing offers a range of superior surfaces designed to fit any budget. These two-layered unitary products are impact absorbing, providing resilient non-skid surfaces that are an excellent choice for accessibility. The surface layer may be specified as one or a combination of colors, encouraging graphic designs that can range from custom logos to simple games like tic-tac-toe and hopscotch. These graphics can be utilized to enhance ground level play on every playground, thus increasing play values.



Be sure to use an **IPEMA-certified** surfacing specialist.





Create custom colors and save money by blending varying amounts of black and color!



Interlocking & Standard Tiles

We offer Interlocking Tiles and Standard Tiles (individually glued to sub-base) to meet your site-specific needs. SurfaceSure Tiles are available in various thicknesses to provide the appropriate amount of impact attenuation for the fall height of your structure or play event. Tile surfacing allows for easy replacement of small areas of surfacing in the event of vandalism or other damage. Premium multicolored tiles, highly durable EPDM-topped tiles, custom edging options, and ADA accessible ramp tiles are also available.



IPEMA


CERTIFIED

ASTM


Be sure to use an **IPEMA-certified** surfacing specialist.



Interlocking



Standard





Engineered Wood Fiber

SurfaceSure Engineered Wood Fiber is specifically designed and engineered per the ASTM standard for impact attenuation on playground surfaces. Wear Mats, Geotextile Fabric, Border Timbers, along with periodic maintenance (including adding fiber) are needed to maintain the required depth. When compacted, SurfaceSure Engineered Wood Fiber meets the ASTM standard specification for determination of accessibility of surface systems for playgrounds.







Be sure to use an **IPEMA-certified** surfacing specialist.



Border Timbers

Made from 100% recycled materials, our border timbers are designed to retain engineered wood fiber surfacing. These timbers are easy to install and are secured with ground spikes.

Cool your playground environment with **Shade**





Square Umbrella Shade
Shown with Zinc Yellow frame and Royal Blue fabric.

Ultrashade offers a wide variety of high-quality engineered shade products that protect from many of Mother Nature's elements; Sun, Heat, Hail, and UV Rays. With options of both standard shapes and custom-designed structures, an UltraSite sales representative will guide you through a simplified process of providing a shade that protects your recreation investment and your community. *Visit us at: shadeandshelters.com.*



We recommend that UltraShade products be installed by trained, highly skilled professionals.

Create an outdoor classroom with a high quality Shelter!





25' HEXAGON SHELTER

Beige Square Columns & Evergreen Standing Seam Roof, 6:12 pitch

UltraShelter offers a full spectrum of shelter designs that create community spaces while helping protect patrons from many of nature's elements. With options that include standard shapes, custom structures, and decorative architectural designs, UltraSite creates unique shelters that protects your recreation investment and your community. *Visit us at:* **shadeandshelters.com.**



We recommend that UltraShade products be installed by trained, highly skilled professionals.

Complete your playground environment with Site Amenities



Your Play Solutions Provider is:

1675 Locust Street \cdot Red Bud, IL 62278

800.403.7684 | ultraplay.com

facebook.com/uplaytoday









