

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

<b>Establishment Information</b>	
Facility Name Route 9 Shell/Subway ROCS	Facility Type Retail Food Store
Licensee Name R.M. Roach and Sons Inc.	Facility Telephone # 304 296-2472
Facility Address 1171 Hedgesville Rd Martinsburg, WV	Licensee Address ,

<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 07/24/2017	Total Time Spent 1.40

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk in cooler	39
Retail cooler	38

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 2</b>

<b>Observed Non-Critical Violations</b>
<b>Total # 4</b>
<b>Repeated # 2</b>
<b>6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR</b> <i>OBSERVATION: Lights in the back room that is burnt out, needs replaced</i>
<b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b> <i>REPEAT OBSERVATION Ceiling vents need cleaned front and back</i>
<b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b> <i>REPEAT OBSERVATION Walk in cooler floor needs cleaned</i>
<b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b> <i>OBSERVATION: Light shields need cleaned inside</i>

<b>Inspection Outcome</b>

<b>Comments</b>

Disclaimer

Person in Charge



**Jesika Rogers**

Sanitarian



**Glenn GCO Ondick**