

**West Virginia Department of Health
& Human Resources
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name RESA VIII School House Rd.	Facility Type Food Service Establishment
Licensee Name RESA VIII Head Start	Facility Telephone # 304
Facility Address 143 School House Rd Hedgesville , WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 09/15/2017	Total Time Spent 0.77

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Milk cooler	37
Refridgerator	40
Upstairs cooler	40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Spraybottle	Chem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 0
Repeated # 0

Inspection Outcome

Comments
No violations at time of inspection

Disclaimer

Person in Charge

Sanitarian


Dawn Heatwole


Glenn GCO Ondick