

West Virginia Department of Health & Human  
Resources  
Morgan County Health Department



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name VFW Post 4019	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 4490 Valley Rd Berkeley Springs, WV	Licensee Address	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date April 13, 2018	Total Time Spent 1.00

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Cooler	38
Freezer	3.0
Freezer (White)	0.7
Bar Cooler	34

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 1</b>
<b>Repeated # 1</b>
<b>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE</b>
Observation: Food residue on stored utensils need cleaned.
Corrective Action(s):

<b>Observed Non-Critical Violations</b>
<b>Total # 4</b>
<b>Repeated # 1</b>
<b>4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED</b>
Observation: Fryer needs cleaned.
Corrective Action(s):
<b>4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED</b>
REPEAT OBSERVATION ( <i>CORRECTED DURING INSPECTION</i> ): Food residue in microwave.
Corrective Action(s):
<b>4-602.13 - NONFOOD CONTACT SURFACES</b>
Observation: Freezer needs cleaned; vents; shelves.
Corrective Action(s):

**4-602.13 - NONFOOD CONTACT SURFACES**

Observation: *(CORRECTED DURING INSPECTION)*: Cooler needs cleaned; shelves, vents.


Corrective Action(s):

***Inspection Outcome***

***Comments***

Disclaimer

Person in Charge



Sanitarian

**Tim Zeigler**