

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Cacapon Market	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 9089 Valley Rd Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date January 24, 2018	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Ice cream chest	11
Sliding Freezer	19
Deli Salad Cooler	31
Condiment Cooler	40
Freezer (Right)	6
Freezer (Left)	4
Walk In Cooler	31
Back Chest Freezer	6

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 2
Repeated # 3
<p>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE Observation: Knives stored in container need cleaned. Corrective Action(s):</p>
<p>5-103.11 - CAPACITY REPEAT OBSERVATION No hot water for hand washing sink in kitchen. Corrective Action(s):</p>

Observed Non-Critical Violations
Total # 16
Repeated # 3
<p>4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED Observation: Pizza oven needs cleaned. Corrective Action(s):</p>

4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED

Observation: Fryer needs cleaned.

Corrective Action(s):

4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED

Observation: Food residue on slicer.

Corrective Action(s):

4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED

Observation: Microwave needs cleaned/replaced.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Condiment cooler needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Walk-in cooler needs cleaned: walls; floor; shelves; vent.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Food storage containers in walk-in cooler need cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Chest freezer needs cleaned.

Corrective Action(s):

4-602.13 - NONFOOD CONTACT SURFACES

Observation: Back freezers (L) & (R) need cleaned.

Corrective Action(s):

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

Observation: Ceiling tile needs repaired in back storage room.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floor and walls around dish sink needs cleaned.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Dishwashing sink needs cleaned.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Shelves in back storage need cleaned.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Wall behind fryer needs cleaned.

Corrective Action(s):

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

Observation: Floor underneath cooking equipment needs cleaned.

Corrective Action(s):

6-501.16 - DRYING MOPS

Observation: Mops must be hung vertically to dry.
Corrective Action(s):

Inspection Outcome

Comments

Disclaimer

Person in Charge

Vera E. Walls 

Sanitarian

Tim Zeigler